

Appendix A.1 Test Result of Antenna Power

Right

Normal-FHSS (1 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.96	0.28	3

Normal-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.96	0.34	3

Note: Antenna Power = $10^{(\text{Reading value (dBm)}/10)}$ / Burst Ratio / Spread bandwidth (MHz).

AFH-FHSS (1 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.96	1.90	3

AFH-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.95	2.20	3

Note: Antenna Power = $10^{(\text{Reading value (dBm)}/10)}$ / Burst Ratio / Spread bandwidth (MHz).

Left**Normal-FHSS (1 Mbps)**

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.97	0.28	3

Normal-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.95	0.34	3

Note: Antenna Power = $10^{(\text{Reading value (dBm)}/10)}$ / Burst Ratio / Spread bandwidth (MHz).

AFH-FHSS (1 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.97	1.91	3

AFH-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (dBm)	Antenna Power (mW/MHz)	Limit (mW/MHz)
Hopping	9.97	2.20	3

Note: Antenna Power = $10^{(\text{Reading value (dBm)}/10)}$ / Burst Ratio / Spread bandwidth (MHz).

Appendix A.2 Test Result of Antenna Power Tolerance

Right

Normal-FHSS (1 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	0.28	0.28	0.00	+20%

Normal-FHSS (2 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	0.34	0.34	0.00	+20%

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

AFH-FHSS (1 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	1.90	1.90	0.00	+20%

AFH-FHSS (2 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	2.20	2.20	0.00	+20%

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

Left**Normal-FHSS (1 Mbps)**

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	0.28	0.28	0.00	+20%

Normal-FHSS (2 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	0.34	0.34	0.00	+20%

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

AFH-FHSS (1 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	1.91	1.91	0.00	+20%

AFH-FHSS (2 Mbps)

Frequency (MHz)	Declared Antenna Power (mW/MHz)	Antenna Power (mW/MHz)	Tolerance (%)	Limit (%)
Hopping	2.20	2.20	0.00	+20%

Note: Tolerance = (Antenna Power - Declared Antenna Power) / Declared Antenna Power * 100%.

Appendix A.3 Test Result of E.I.R.P

Right

Normal-FHSS (1 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	-5.61	-6.35	6.91

Normal-FHSS (2 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	-4.70	-5.44	6.91

Note: E.I.R.P.= Antenna Power + Maximum Antenna Gain (dBi).

AFH-FHSS (1 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	2.79	2.05	6.91

AFH-FHSS (2 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	3.43	2.69	6.91

Note: E.I.R.P.= Antenna Power + Maximum Antenna Gain (dBi).

Left**Normal-FHSS (1 Mbps)**

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	-5.53	-6.17	6.91

Normal-FHSS (2 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	-4.71	-5.35	6.91

Note: E.I.R.P.= Antenna Power + Maximum Antenna Gain (dBi).

AFH-FHSS (1 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	2.82	2.18	6.91

AFH-FHSS (2 Mbps)

Frequency (MHz)	Antenna Power (dBm/MHz)	E.I.R.P. (dBm/MHz)	E.I.R.P. Limit (dBm/MHz)
Hopping	3.43	2.79	6.91

Note: E.I.R.P.= Antenna Power + Maximum Antenna Gain (dBi).

Appendix B. Test Result of Occupied Bandwidth

Right

Normal-FHSS (1 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	78.521	≤ 83.5
Normal-FHSS (2 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	74.825	≤ 83.5


AFH-FHSS (1 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	10.909	≤ 83.5
AFH-FHSS (2 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	11.568	≤ 83.5

Left


Normal-FHSS (1 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	78.521	≤ 83.5
Normal-FHSS (2 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	74.925	≤ 83.5

AFH-FHSS (1 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	10.909	≤ 83.5
AFH-FHSS (2 Mbps)		
Frequency (MHz)	Reading Value (MHz)	Limit (MHz)
Hopping	11.568	≤ 83.5

Right



Left



Appendix C. Test Result of Frequency Tolerance

Right

Normal-FHSS (1 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2402	2402.01	3.79	± 50
2440	2440.0092	3.77	± 50
2480	2480.01	3.87	± 50

Normal-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2404	2404.01	3.91	± 50
2440	2440.0095	3.89	± 50
2478	2478.01	4.08	± 50

AFH-FHSS (1 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2402	2402.01	4.33	± 50
2406	2406.0097	4.03	± 50
2412	2412.01	4.06	± 50

AFH-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2404	2404.01	3.91	± 50
2408	2408.0095	3.95	± 50
2414	2414.01	4.02	± 50

Left**Normal-FHSS (1 Mbps)**

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2402	2402.01	5.29	± 50
2440	2440.01	4.84	± 50
2480	2480.01	4.68	± 50

Normal-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2404	2404.01	4.70	± 50
2440	2440.01	5.20	± 50
2478	2478.01	4.96	± 50

AFH-FHSS (1 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2402	2402.01	5.37	± 50
2406	2406.01	5.32	± 50
2412	2412.01	4.52	± 50

AFH-FHSS (2 Mbps)

Frequency (MHz)	Reading Value (MHz)	Tolerance (ppm)	Limit (ppm)
2404	2404.01	4.74	± 50
2408	2408.01	4.73	± 50
2414	2414.01	4.97	± 50

Appendix D. Test Result of Dwell Time

Right

Normal-FHSS (1 Mbps)

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2440	0.5016	0.3603	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /40)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2440	0.3140	0.3120	0.5016

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

Normal-FHSS (2 Mbps)

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2440	0.4240	0.3164	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /37)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2440	1.0589	1.4386	0.4240

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

AFH-FHSS (1 Mbps)

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2406	0.5000	0.3463	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /6)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2406	0.3120	0.3120	0.5000

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

AFH-FHSS (2 Mbps)

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2408	0.4236	0.2990	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /6)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2408	1.0579	1.4396	0.4236

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

Left**Normal-FHSS (1 Mbps)**

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2440	0.5016	0.3548	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /40)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2440	0.3140	0.3120	0.5016

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

Normal-FHSS (2 Mbps)

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2440	0.4240	0.3160	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /37)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2440	1.0589	1.4386	0.4240

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

AFH-FHSS (1 Mbps)

Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2406	0.5016	0.3458	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /6)

Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2406	0.3140	0.3120	0.5016

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

AFH-FHSS (2 Mbps)


Frequency (MHz)	Duty cycle	Dwell Time (Sec)	Limit (Sec)	Result
2408	0.4240	0.3007	0.4	Pass

Note: Dwell time = (spreading rate * 0.4) * (Duty cycle /6)


Frequency (MHz)	ON Time (ms)	OFF Time (ms)	Burst Ratio
2408	1.0589	1.4386	0.4240

Note: Burst Ratio=(ON Time/ ON Time + OFF Time)

Right



Left



Appendix E. Test Result of Transmitter Spurious Emissions**Right****Normal-FHSS (1 Mbps)**

Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	918.72	0.001607	2.5
1000 - 2387	2376.53	0.010520	2.5
2387 - 2400	2392.76	0.016904	25
2483.5 - 2496.5	2490.65	0.013243	25
2496.5 - 8000	4880.56	0.021429	2.5
8000 - 12500	12095.50	0.001837	2.5

Normal-FHSS (2 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	929.21	0.001542	2.5
1000 - 2387	2377.44	0.010209	2.5
2387 - 2400	2397.56	0.017620	25
2483.5 - 2496.5	2483.65	0.013490	25
2496.5 - 8000	4881.25	0.017022	2.5
8000 - 12500	12203.22	0.001419	2.5

AFH-FHSS (1 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	405.94	0.001528	2.5
1000 - 2387	2384.99	0.017947	2.5
2387 - 2400	2398.86	0.055208	25
2483.5 - 2496.5	2483.71	0.007413	25
2496.5 - 8000	4811.77	0.017947	2.5
8000 - 12500	12197.88	0.001607	2.5

AFH-FHSS (2 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	940.88	0.001545	2.5
1000 - 2387	2386.59	0.017660	2.5
2387 - 2400	2399.60	0.048753	25
2483.5 - 2496.5	2485.75	0.007998	25
2496.5 - 8000	4815.21	0.012942	2.5
8000 - 12500	12379.42	0.001641	2.5

Left**Normal-FHSS (1 Mbps)**

Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	732.33	0.003311	2.5
1000 - 2387	2386.85	0.010740	2.5
2387 - 2400	2397.60	0.015382	25
2483.5 - 2496.5	2489.73	0.012764	25
2496.5 - 8000	4880.56	0.017660	2.5
8000 - 12500	12091.29	0.001524	2.5

Normal-FHSS (2 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	862.25	0.001429	2.5
1000 - 2387	2375.71	0.014421	2.5
2387 - 2400	2397.13	0.016482	25
2483.5 - 2496.5	2486.52	0.015136	25
2496.5 - 8000	4879.36	0.017179	2.5
8000 - 12500	12074.69	0.001762	2.5

AFH-FHSS (1 Mbps)


Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	922.72	0.001483	2.5
1000 - 2387	2384.20	0.020417	2.5
2387 - 2400	2399.71	0.058076	25
2483.5 - 2496.5	2483.79	0.006745	25
2496.5 - 8000	4811.42	0.014191	2.5
8000 - 12500	12471.52	0.001614	2.5

AFH-FHSS (2 Mbps)


Frequency Range (MHz)	Frequency (MHz)	Reading Value ($\mu\text{W}/\text{MHz}$)	Limit ($\mu\text{W}/\text{MHz}$)
30 - 1000	729.15	0.005212	2.5
1000 - 2387	2381.99	0.019275	2.5
2387 - 2400	2399.66	0.046026	25
2483.5 - 2496.5	2485.05	0.006457	25
2496.5 - 8000	4816.75	0.011940	2.5
8000 - 12500	12000.30	0.001549	2.5

Right


Normal-FHSS (1 Mbps)




Date: 24 NOV 2025 13:57:26




Date: 24 NOV 2025 13:57:43




Date: 24 NOV 2025 13:58:00



Date: 24 NOV 2025 13:58:16




Date: 24 NOV 2025 13:58:33




Date: 24 NOV 2025 13:58:49


Normal-FHSS (2 Mbps)




Date: 24 NOV 2025 13:59:53




Date: 24 NOV 2025 14:00:10




Date: 24 NOV 2025 14:00:27



Date: 24 NOV 2025 14:00:43




Date: 24 NOV 2025 14:01:00




Date: 24 NOV 2025 14:01:16


AFH-FHSS (1 Mbps)




Date: 24 NOV 2025 13:53:22




Date: 24 NOV 2025 13:53:38




Date: 24 NOV 2025 13:53:55



Date: 24 NOV 2025 13:54:11




Date: 24 NOV 2025 13:54:28




Date: 24 NOV 2025 13:54:44


AFH-FHSS (2 Mbps)




Date: 24 NOV 2025 13:55:29




Date: 24 NOV 2025 13:55:46




Date: 24 NOV 2025 13:55:02



Date: 24 NOV 2025 13:56:19




Date: 24 NOV 2025 13:56:35




Date: 24 NOV 2025 13:56:52

Left


Normal-FHSS (1 Mbps)




Date: 24 NOV 2025 11:47:32




Date: 24 NOV 2025 11:47:49




Date: 24 NOV 2025 11:48:06



Date: 24 NOV 2025 11:48:22




Date: 24 NOV 2025 11:48:39




Date: 24 NOV 2025 11:48:55


Normal-FHSS (2 Mbps)




Date: 24 NOV 2025 11:49:20




Date: 24 NOV 2025 11:49:36




Date: 24 NOV 2025 11:49:53



Date: 24 NOV 2025 11:50:10




Date: 24 NOV 2025 11:50:26




Date: 24 NOV 2025 11:50:43


AFH-FHSS (1 Mbps)




Date: 24 NOV 2025 11:17:43




Date: 24 NOV 2025 11:18:00




Date: 24 NOV 2025 11:18:16



Date: 24 NOV 2025 11:18:33




Date: 24 NOV 2025 11:18:49




Date: 24 NOV 2025 11:19:06


AFH-FHSS (2 Mbps)




Date: 24 NOV 2025 11:22:58




Date: 24 NOV 2025 11:23:15




Date: 24 NOV 2025 11:23:31



Date: 24 NOV 2025 11:23:48



Date: 24 NOV 2025 11:24:04



Date: 24 NOV 2025 11:24:21

Appendix F. Test Result of Receiver Spurious Emissions

Right

Normal-FHSS (1 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	932.30	0.014521	4
1000 - 3000	2772.35	0.015241	20
3000 - 8000	5934.52	0.049545	20
8000 - 12500	9755.44	0.015996	20

Normal-FHSS (2 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	906.81	0.014289	4
1000 - 3000	2760.35	0.017100	20
3000 - 8000	6879.96	0.044157	20
8000 - 12500	12039.96	0.016218	20

AFH-FHSS (1 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	863.61	0.014689	4
1000 - 3000	2166.75	0.016032	20
3000 - 8000	6936.21	0.044157	20
8000 - 12500	12023.09	0.017100	20

AFH-FHSS (2 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	967.67	0.015171	4
1000 - 3000	2672.04	0.015453	20
3000 - 8000	6987.14	0.043551	20
8000 - 12500	10708.00	0.015066	20

Left**Normal-FHSS (1 Mbps)**

Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	514.27	0.015101	4
1000 - 3000	2901.28	0.015311	20
3000 - 8000	6956.52	0.043652	20
8000 - 12500	10338.31	0.018880	20

Normal-FHSS (2 Mbps)

Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	876.04	0.016444	4
1000 - 3000	2832.66	0.014454	20
3000 - 8000	6651.84	0.046666	20
8000 - 12500	11292.70	0.017579	20

AFH-FHSS (1 Mbps)


Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	826.57	0.014223	4
1000 - 3000	2804.10	0.015066	20
3000 - 8000	6970.27	0.039355	20
8000 - 12500	11934.35	0.015959	20

AFH-FHSS (2 Mbps)


Frequency Range (MHz)	Frequency (MHz)	Reading Value (nW)	Limit (nW)
30 - 1000	937.94	0.014894	4
1000 - 3000	2859.29	0.015171	20
3000 - 8000	6951.36	0.046238	20
8000 - 12500	9231.48	0.014689	20

Right


Normal-FHSS (1 Mbps)




Date: 24 NOV 2025 13:47:22



Date: 24 NOV 2025 13:47:38




Date: 24 NOV 2025 13:47:55




Date: 24 NOV 2025 13:48:11


Normal-FHSS (2 Mbps)




Date: 24 NOV 2025 13:48:44




Date: 24 NOV 2025 13:49:01




Date: 24 NOV 2025 13:49:17




Date: 24 NOV 2025 13:49:34






Left


Normal-FHSS (1 Mbps)




Date: 24 NOV 2025 13:24:57



Date: 24 NOV 2025 13:25:13




Date: 24 NOV 2025 13:25:30




Date: 24 NOV 2025 13:25:46


Normal-FHSS (2 Mbps)




Date: 24 NOV 2025 13:26:07




Date: 24 NOV 2025 13:26:23




Date: 24 NOV 2025 13:26:40




Date: 24 NOV 2025 13:26:57




AFH-FHSS (2 Mbps)




Date: 24 NOV 2025 13:29:15



Date: 24 NOV 2025 13:29:31



Date: 24 NOV 2025 13:29:48



Date: 24 NOV 2025 13:30:04

Appendix G. Test Result of Interference Prevention Function

Test Mode	Test Result
Normal Link	Pass