

TEST REPORT



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (1) / (106) pages

1. Applicant

- Name : JS TECH CO.
- Address : 3F, A-dong, #40, Dangjeong-ro 28beon-gil, Gunpo-si, Gyeonggi-do, Republic of Korea
- Date of Receipt : 2026-03-23

2. Manufacturer

- Name : JS TECH CO.
- Address : 3F, A-dong, #40, Dangjeong-ro 28beon-gil, Gunpo-si, Gyeonggi-do, Republic of Korea

3. Use of Report : For Japan MIC Certification

4. Test Sample / Model: 2.4GHz Low Power Data Communication Radio Module (Wi-Fi) / WIS3200XSR

5. Date of Test : 2026-04-07 to 2026-04-08

6. Test Standard(method) used : Article 2, Clause 1, Item 19 No. 88 appended table 43


7. Testing Environment: Temp.: ((23~20) ± 1) °C, Humidity: ((50~56) ± 3) % R.H.

8. Test Results : Compliance

9. Location of Test : ☒ Permanent Testing Lab ☐ On Site Testing

(Address : (Unhak-Dong) 5, Dongbu-ro 221beon-gil, Cheoin-gu, Yongin-si, Gyeonggi-do, Korea)

The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
This report cannot be reproduced or copied without the written consent of CTK.

Approval	Tested by Ji-Hye, Kim: (Signature) 	Technical Manager Young-taek Lee: (Signature) 
----------	---	--

CTK Co., Ltd.



2026-04-28



**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (2) / (106) pages

REPORT REVISION HISTORY

Date	Revision	Page No
2026-04-28	Issued (CTK-2026-01171)	all

This report shall not be reproduced except in full, without the written approval of CTK Co., Ltd. This document may be altered or revised by CTK Co., Ltd. personnel only, and shall be noted in the revision section of the document. Any alteration of this document not carried out by CTK Co., Ltd. will constitute fraud and shall nullify the document.

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (3) / (106) pages

CONTENTS

1. General Product Description	4
1.1 Applicant Information	4
1.2 Product Information	4
1.3 Peripheral Devices	4
1.4 Interference prevention function	4
1.5 Test Software	4
2. Accreditations	5
2.1 Laboratory Accreditations and Listings	5
2.2 Calibration Details of Equipment Used for Measurement	5
2.3 Measurement equipment list	6
2.4 Measurement Uncertainty	6
2.5 Test Setup photo	7
3. Test Results	8
3.1 802.11b_DC 3.30 V	8
3.2 802.11b_DC 3.63 V	9
3.3 802.11b_DC 2.97 V	10
3.4 802.11g_DC 3.30 V	11
3.5 802.11g_DC 3.63 V	12
3.6 802.11g_DC 2.97 V	13
3.4 802.11n_HT20_DC 3.30 V	14
3.5 802.11n_HT20_DC 3.63 V	15
3.6 802.11n_HT20_DC 2.97 V	16
APPENDIX A – 802.11b_DC 3.30 V	17
APPENDIX B – 802.11b_DC 3.63 V	27
APPENDIX C – 802.11b_DC 2.97 V	37
APPENDIX D – 802.11g_DC 3.30 V	47
APPENDIX E – 802.11g_DC 3.63 V	57
APPENDIX F – 802.11g_DC 2.97 V	67
APPENDIX G – 802.11n_HT20_DC 3.30 V	77
APPENDIX H – 802.11n_HT20_DC 3.63 V	87
APPENDIX I – 802.11n_HT20_DC 2.97 V	97

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (4) / (106) pages

1. General Product Description

1.1 Applicant Information

Company	JS TECH CO.
Contact Point	3F, A-dong, #40, Dangjeong-ro 28beon-gil, Gunpo-si, Gyeonggi-do, Republic of Korea
Contact Person	Name : Jae Sun Seo E-mail : smd8949@naver.com Tel : - Fax : -

1.2 Product Information

Product Description	2.4GHz Low Power Data Communication Radio Module (Wi-Fi)
Model name	WIS3200XSR
Antenna type	ANT1 : Dipole Antenna ANT2 : Chip Antenna (ANT1 and ANT2 cannot transmit simultaneously and operate independently)
Antenna gain	ANT1 : Peak Gain : 2.02 dBi ANT2 : Peak Gain : 0.80 dBi
Operating Frequency	2 412 MHz - 2 472 MHz (20 MHz_BW)
Number of channels	13
Channel Spacing	5 MHz
Type of Modulation	802.11b : DSSS 802.11g/n : OFDM
Power Source	DC 3.3 V

1.3 Peripheral Devices

Device	Manufacturer	Model No.	Serial No.
Note Computer	Samsung Electronics Co Ltd	NT750XDA-X71AS	KP6L99YT2000QAM
AC/DC Adapter	SOLUM VINA COMPANY LIMITED	EP-TA865 R01	-

1.4 Interference prevention function

Interference prevention function	Description	Check
Identification code transmission/reception	Radio equipment used mainly on the same premises and automatically transmits or receives identification code	☒ Apply ☐ Does not apply

1.5 Test Software

Conducted Test	Ics Pro Ver. 6.0.3
----------------	--------------------

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (5) / (106) pages

2. Accreditations

2.1 Laboratory Accreditations and Listings

Country	Agency	Registration Number
USA	FCC	805871
CANADA	ISED	CN : 8737A CAB ID : KR0025
KOREA	NRRA	KR0025

2.2 Calibration Details of Equipment Used for Measurement

Test equipment and test accessories are calibrated on regular basis. The maximum time between calibrations is one year or what is recommended by the manufacturer, whichever is less. All test equipment calibrations are traceable to the Korea Research Institute of Standards and Science (KRISS), therefore, all test data recorded in this report is traceable to KRISS.



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (6) / (106) pages

2.3 Measurement equipment list

	Name of Equipment	Manufacturer	Model No.	Serial No.	Cal. Authority	Cal. Method	Cal Date	Due Date
1	Signal Analyzer	Agilent	N9020A	MY49101016	SICT Co., Ltd.	(c)	2025-09-18	2026-09-18
2	DC Power Supply	HP	E3632A	KR75301278	SICT Co., Ltd.	(c)	2025-07-04	2026-07-04
3	Signal Generator	Rohde & Schwarz	SMB100A	175528	SICT Co., Ltd.	(c)	2026-03-12	2027-03-12

Note : Cal. Method

- Calibration conducted by the National Institute of Information and Communications Technology~ NICT~ or a designated calibration agency under Article 102-18 paragraph (1)~ Telecom Engineering Center, Intertek Japan K.K., Keysight Technologies, Inc~.
- Correction conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992)~Japan Calibration Service System~
- Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1)~ Telecom Engineering Center, Intertek Japan K.K., Keysight Technologies, Inc~.
- Calibration conducted by using other equipment that listed above from a) to c)

2.4 Measurement Uncertainty

The value of the measurement uncertainty for the measurement of each parameter.
Coverage factor $k = 2$, Confidence levels of 95 %

Description	Uncertainty
Conducted RF Output Power	1.5 dB (C.L.: Approx. 95 %, $k = 2$)
Spurious emissions(Conducted)	1.5 dB (C.L.: Approx. 95 %, $k = 2$)
Temperature	1 °C (C.L.: Approx. 95 %, $k = 2$)
Humidity	3 % (C.L.: Approx. 95 %, $k = 2$)
Supply voltages	1.7 mV (C.L.: Approx. 95 %, $k = 2$)



CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (7) / (106) pages

2.5 Test Setup photo



**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (8) / (106) pages

3. Test Results

3.1 802.11b_DC 3.30 V

	ANT1	ANT2
Peak Antenna Gain	2.02 dBi	0.80 dBi
Declaration Output Power	2.50 mW/MHz	2.50 mW/MHz
	3.98 dBm/MHz	3.98 dBm/MHz
E.I.R.P.	6.00 dBm/MHz	4.78 dBm/MHz

Frequency equal to the Transmission rate		1.00	MHz
Transmission Time	ON TIME	1.01	ms
	OFF TIME	0.47	ms
	Ratio	0.68	-

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.911929	2441.909366	2471.908008	PASS	-
Frequency Tolerance		ppm	-36.514	-37.115	-37.214	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	14.09	14.22	14.17	PASS	26MHz or below
Spread Bandwidth		MHz	9.10	9.17	9.16	-	-
RF Output Power		mW/MHz	1.415599	1.674713	1.516842	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-43.376028	-33.011488	-39.326321	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.814704	0.914113	0.648634	PASS	2.5uW/MHz or below
		MHz	2309.20	2283.30	2323.40	-	-
	2387 to 2400MHz	uW/MHz	0.659174	0.266073	0.606736	PASS	25uW/MHz or below
		MHz	2397.27	2387.07	2390.07	-	-
	2483.5 to 2496.5MHz	uW/MHz	1.119438	0.443609	0.495450	PASS	25uW/MHz or below
		MHz	2494.07	2494.23	2486.48	-	-
	2496.5 to 12500MHz	uW/MHz	1.137627	1.238797	0.979490	PASS	2.5uW/MHz or below
		MHz	2527.00	2537.00	2557.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.012388	0.013305	0.011535	PASS	4nW or below
		MHz	920.46	905.91	879.72	-	-
	1000 to 10000MHz	nW	0.261216	0.255270	0.199526	PASS	20nW or below
		MHz	3277.00	6220.00	5392.00	-	-
	10000 to 12500MHz	nW	0.237137	0.253513	0.263027	PASS	20nW or below
		MHz	12097.50	11985.00	12465.00	-	-
Spreading Factor		-	9.10	9.17	9.16	PASS	5 or more

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (9) / (106) pages

3.2 802.11b_DC 3.63 V

Frequency equal to the Transmission rate	1.00	MHz
Transmission Time	ON TIME	1.01 ms
	OFF TIME	0.43 ms
	Ratio	0.70

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.911511	2441.908995	2471.907693	PASS	-
Frequency Tolerance		ppm	-36.687	-37.267	-37.341	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	14.09	14.24	14.18	PASS	26MHz or below
Spread Bandwidth		MHz	9.11	9.17	9.16	-	-
RF Output Power		mW/MHz	1.324467	1.570511	1.422463	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-47.021323	-37.179540	-43.101462	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	1.018591	1.099006	0.860994	PASS	2.5uW/MHz or below
		MHz	2264.40	2290.40	2328.10	-	-
	2387 to 2400MHz	uW/MHz	0.685488	0.246604	0.714496	PASS	25uW/MHz or below
		MHz	2397.34	2387.81	2390.02	-	-
	2483.5 to 2496.5MHz	uW/MHz	1.374042	0.493174	0.711214	PASS	25uW/MHz or below
		MHz	2490.12	2496.45	2488.10	-	-
	2496.5 to 12500MHz	uW/MHz	1.361445	1.435489	1.020939	PASS	2.5uW/MHz or below
		MHz	2517.00	2537.00	2557.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.012853	0.012912	0.013152	PASS	4nW or below
		MHz	851.59	896.21	926.28	-	-
	1000 to 10000MHz	nW	0.325837	0.329610	0.201372	PASS	20nW or below
		MHz	2413.00	2404.00	5293.00	-	-
	10000 to 12500MHz	nW	0.200447	0.196789	0.191867	PASS	20nW or below
		MHz	12332.50	12475.00	12457.50	-	-
Spreading Factor		-	9.11	9.17	9.16	PASS	5 or more

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (10) / (106) pages

3.3 802.11b_DC 2.97 V

Frequency equal to the Transmission rate	1.00	MHz
Transmission Time	ON TIME	1.00 ms
	OFF TIME	0.45 ms
	Ratio	0.69

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.911279	2441.908941	2471.907707	PASS	-
Frequency Tolerance		ppm	-36.783	-37.289	-37.335	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	13.80	13.85	13.90	PASS	26MHz or below
Spread Bandwidth		MHz	8.97	9.00	9.03	-	-
RF Output Power		mW/MHz	0.459587	0.474644	0.512116	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-81.616509	-81.014240	-79.515376	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.186638	0.193642	0.159956	PASS	2.5uW/MHz or below
		MHz	2304.50	2339.90	2375.20	-	-
	2387 to 2400MHz	uW/MHz	0.099083	0.048195	0.149279	PASS	25uW/MHz or below
		MHz	2398.40	2389.09	2390.07	-	-
	2483.5 to 2496.5MHz	uW/MHz	0.253513	0.101859	0.097275	PASS	25uW/MHz or below
		MHz	2488.39	2496.49	2485.55	-	-
	2496.5 to 12500MHz	uW/MHz	0.261216	0.281838	0.240436	PASS	2.5uW/MHz or below
		MHz	2517.00	2537.00	2567.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.013213	0.014588	0.014488	PASS	4nW or below
		MHz	988.36	880.69	834.13	-	-
	1000 to 10000MHz	nW	0.261216	0.226986	0.220800	PASS	20nW or below
		MHz	2467.00	6193.00	5752.00	-	-
	10000 to 12500MHz	nW	0.208449	0.222844	0.201837	PASS	20nW or below
		MHz	12420.00	12457.50	12022.50	-	-
Spreading Factor		-	8.97	9.00	9.03	PASS	5 or more

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (11) / (106) pages

3.4 802.11g_DC 3.30 V

	ANT1	ANT2
Peak Antenna Gain	2.02 dBi	0.80 dBi
Declaration Output Power	1.00 mW/MHz	1.00 mW/MHz
	0.00 dBm/MHz	0.00 dBm/MHz
E.I.R.P.	2.02 dBm/MHz	0.80 dBm/MHz

Frequency equal to the Transmission rate		-	MHz
Transmission Time	ON TIME	0.16	ms
	OFF TIME	0.53	ms
	Ratio	0.23	-

Channel Number		Ch.	1	7	13	Result	Limit
Measurement Frequency		MHz	2 412	2 442	2 472		
Frequency Measurements		MHz	2411.915697	2441.911696	2471.909746	PASS	-
Frequency Tolerance		ppm	-34.951	-36.161	-36.511	PASS	$\pm 50 \times 10^{-6}$ (50ppm)
Occupied Bandwidth		MHz	16.55	17.61	17.65	PASS	40MHz or below
RF Output Power		mW/MHz	0.636398	0.243629	0.191306	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-36.360156	-75.637093	-80.869377	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.647143	0.308319	0.197697	PASS	2.5uW/MHz or below
		MHz	2306.90	2344.60	2363.40	-	-
	2387 to 2400MHz	uW/MHz	19.408859	0.104954	0.187932	PASS	25uW/MHz or below
		MHz	2399.88	2391.65	2389.91	-	-
	2483.5 to 2496.5MHz	uW/MHz	0.972747	0.210863	10.914403	PASS	25uW/MHz or below
		MHz	2492.65	2494.97	2483.62	-	-
	2496.5 to 12500MHz	uW/MHz	0.663743	0.438531	0.277332	PASS	2.5uW/MHz or below
		MHz	2497.00	2537.00	2557.00	-	-
	30 to 1000MHz	nW	0.016982	0.014355	0.013335	PASS	4nW or below
		MHz	922.40	901.06	511.12	-	-
Receiver Spurious Emissions	1000 to 10000MHz	nW	0.384592	0.524807	0.218776	PASS	20nW or below
		MHz	2404.00	2404.00	6463.00	-	-
	10000 to 12500MHz	nW	0.214289	0.195434	0.194984	PASS	20nW or below
		MHz	12495.00	11970.00	12390.00	-	-

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (12) / (106) pages

3.5 802.11g_DC 3.63 V

Frequency equal to the Transmission rate	-	MHz
Transmission Time	ON TIME	0.16 ms
	OFF TIME	0.54 ms
	Ratio	0.23 -

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.914870	2441.911438	2471.909542	PASS	-
Frequency Tolerance		ppm	-35.294	-36.266	-36.593	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	16.54	17.61	17.64	PASS	40MHz or below
RF Output Power		mW/MHz	0.582074	0.231728	0.194975	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-41.792619	-76.827224	-80.502539	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.648634	0.506991	0.267917	PASS	2.5uW/MHz or below
		MHz	2321.00	2306.90	2311.60	-	-
	2387 to 2400MHz	uW/MHz	19.769696	0.107647	0.241546	PASS	25uW/MHz or below
		MHz	2399.96	2395.11	2387.90	-	-
	2483.5 to 2496.5MHz	uW/MHz	1.180321	0.245471	10.447202	PASS	25uW/MHz or below
		MHz	2492.81	2495.85	2483.63	-	-
	2496.5 to 12500MHz	uW/MHz	0.931108	0.620869	0.377572	PASS	2.5uW/MHz or below
		MHz	2537.00	2537.00	2567.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.013709	0.012853	0.011940	PASS	4nW or below
		MHz	725.49	853.53	554.77	-	-
	1000 to 10000MHz	nW	0.349140	0.215278	0.291743	PASS	20nW or below
		MHz	2404.00	5734.00	5833.00	-	-
	10000 to 12500MHz	nW	0.209411	0.209411	0.206063	PASS	20nW or below
		MHz	12355.00	12047.50	12345.00	-	-

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (13) / (106) pages

3.6 802.11g_DC 2.97 V

Frequency equal to the Transmission rate	-	MHz
Transmission Time	ON TIME	0.17 ms
	OFF TIME	0.57 ms
	Ratio	0.23 -

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.914369	2441.911325	2471.909542	PASS	-
Frequency Tolerance		ppm	-35.502	-36.312	-36.593	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	16.58	16.65	16.62	PASS	40MHz or below
RF Output Power		mW/MHz	0.093279	0.121558	0.099950	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-90.672123	-87.844221	-90.005000	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.084140	0.094406	0.090365	PASS	2.5uW/MHz or below
		MHz	2304.50	2342.20	2354.00	-	-
	2387 to 2400MHz	uW/MHz	2.624219	0.034914	0.055976	PASS	25uW/MHz or below
		MHz	2399.99	2392.02	2391.02	-	-
	2483.5 to 2496.5MHz	uW/MHz	0.120504	0.063533	3.715352	PASS	25uW/MHz or below
		MHz	2494.82	2496.14	2483.83	-	-
	2496.5 to 12500MHz	uW/MHz	0.123880	0.155955	0.077446	PASS	2.5uW/MHz or below
		MHz	2527.00	2557.00	2577.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.012942	0.012246	0.012106	PASS	4nW or below
		MHz	942.77	806.00	665.35	-	-
	1000 to 10000MHz	nW	0.202768	0.209894	0.204644	PASS	20nW or below
		MHz	6436.00	5743.00	5410.00	-	-
	10000 to 12500MHz	nW	0.224388	0.196336	0.229087	PASS	20nW or below
		MHz	12500.00	12375.00	11967.50	-	-

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (14) / (106) pages

3.4 802.11n_HT20_DC 3.30 V

	ANT1	ANT2
Peak Antenna Gain	2.02 dBi	0.80 dBi
Declaration Output Power	1.00 mW/MHz	1.00 mW/MHz
	0.00 dBm/MHz	0.00 dBm/MHz
E.I.R.P.	2.02 dBm/MHz	0.80 dBm/MHz

Frequency equal to the Transmission rate		-	MHz
Transmission Time	ON TIME	0.17	ms
	OFF TIME	0.55	ms
	Ratio	0.24	-

Channel Number		Ch.	1	7	13	Result	Limit
Measurement Frequency		MHz	2 412	2 442	2 472		
Frequency Measurements		MHz	2411.912898	2441.909573	2471.907731	PASS	-
Frequency Tolerance		ppm	-36.112	-37.030	-37.326	PASS	$\pm 50 \times 10^{-6}$ (50ppm)
Occupied Bandwidth		MHz	17.55	17.62	17.61	PASS	40MHz or below
RF Output Power		mW/MHz	0.322021	0.471937	0.343466	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-67.797946	-52.806349	-65.653414	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.418794	0.506991	0.287078	PASS	2.5uW/MHz or below
		MHz	2309.20	2306.90	2370.50	-	-
	2387 to 2400MHz	uW/MHz	10.092529	0.120781	0.274789	PASS	25uW/MHz or below
		MHz	2399.84	2387.33	2389.65	-	-
	2483.5 to 2496.5MHz	uW/MHz	0.613762	0.225944	15.066071	PASS	25uW/MHz or below
		MHz	2495.03	2495.50	2483.51	-	-
	2496.5 to 12500MHz	uW/MHz	0.485289	0.701455	0.396278	PASS	2.5uW/MHz or below
		MHz	2527.00	2557.00	2567.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.014191	0.014454	0.012853	PASS	4nW or below
		MHz	746.83	793.39	961.20	-	-
	1000 to 10000MHz	nW	0.207014	0.503501	0.398107	PASS	20nW or below
		MHz	5437.00	2413.00	2404.00	-	-
	10000 to 12500MHz	nW	0.244343	0.194536	0.187068	PASS	20nW or below
		MHz	12420.00	11885.00	12160.00	-	-

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (15) / (106) pages

3.5 802.11n_HT20_DC 3.63 V

Frequency equal to the Transmission rate	-	MHz
Transmission Time	ON TIME	0.17 ms
	OFF TIME	0.53 ms
	Ratio	0.24 -

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.911054	2441.909241	2471.907592	PASS	-
Frequency Tolerance		ppm	-36.876	-37.166	-37.382	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	17.57	17.61	17.63	PASS	40MHz or below
RF Output Power		mW/MHz	0.313797	0.481559	0.343280	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-68.620276	-51.844143	-65.671951	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.374111	0.671429	0.389045	PASS	2.5uW/MHz or below
		MHz	2297.40	2299.80	2361.10	-	-
	2387 to 2400MHz	uW/MHz	9.057326	0.159588	0.317687	PASS	25uW/MHz or below
		MHz	2399.86	2390.29	2391.56	-	-
	2483.5 to 2496.5MHz	uW/MHz	0.672977	0.286418	14.689263	PASS	25uW/MHz or below
		MHz	2489.56	2495.43	2483.50	-	-
	2496.5 to 12500MHz	uW/MHz	0.486407	0.682339	0.510505	PASS	2.5uW/MHz or below
		MHz	2527.00	2557.00	2557.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.012560	0.012735	0.013900	PASS	4nW or below
		MHz	897.18	763.32	971.87	-	-
	1000 to 10000MHz	nW	0.250611	0.204174	0.283792	PASS	20nW or below
		MHz	2413.00	5752.00	2404.00	-	-
	10000 to 12500MHz	nW	0.211836	0.257040	0.208930	PASS	20nW or below
		MHz	12487.50	11980.00	12440.00	-	-

**CTK Co., Ltd.**

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (16) / (106) pages

3.6 802.11n_HT20_DC 2.97 V

Frequency equal to the Transmission rate	-	MHz
Transmission Time	ON TIME	0.17 ms
	OFF TIME	0.58 ms
	Ratio	0.23 -

Channel Number		Ch.	1	7	13		
Measurement Frequency		MHz	2 412	2 442	2 472	Result	Limit
Frequency Measurements		MHz	2411.910963	2441.909192	2471.907590	PASS	-
Frequency Tolerance		ppm	-36.914	-37.186	-37.383	PASS	±50×10 ⁻⁶ (50ppm)
Occupied Bandwidth		MHz	17.58	17.60	17.66	PASS	40MHz or below
RF Output Power		mW/MHz	0.082530	0.121790	0.102710	PASS	10mW/MHz or below
RF Output Power Tolerance		%	-91.746991	-87.820980	-89.729009	PASS	Up to +20%
Unwanted (Spurious) Emissions	30 to 2387MHz	uW/MHz	0.086896	0.104713	0.068707	PASS	2.5uW/MHz or below
		MHz	2313.90	2356.40	2368.10	-	-
	2387 to 2400MHz	uW/MHz	2.306747	0.037497	0.055719	PASS	25uW/MHz or below
		MHz	2399.86	2390.64	2397.40	-	-
	2483.5 to 2496.5MHz	uW/MHz	0.112460	0.072444	3.890451	PASS	25uW/MHz or below
		MHz	2495.43	2495.81	2483.50	-	-
	2496.5 to 12500MHz	uW/MHz	0.146893	0.127350	0.080168	PASS	2.5uW/MHz or below
		MHz	2527.00	2557.00	2567.00	-	-
Receiver Spurious Emissions	30 to 1000MHz	nW	0.012912	0.014289	0.012303	PASS	4nW or below
		MHz	928.22	898.15	872.93	-	-
	1000 to 10000MHz	nW	0.443609	0.195884	0.563638	PASS	20nW or below
		MHz	2413.00	6247.00	2413.00	-	-
	10000 to 12500MHz	nW	0.267917	0.194984	0.211836	PASS	20nW or below
		MHz	12405.00	12340.00	12442.50	-	-



CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (17) / (106) pages


APPENDIX A – 802.11b_DC 3.30 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (18) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz




Ch.13: 2 472MHz




Spread bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (19) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (20) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (21) / (106) pages

Unwanted(Spurious) emission



Ch.1: 2 412MHz

30MHz~2 387MHz

2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (22) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (23) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (24) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (25) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (26) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (27) / (106) pages


APPENDIX B – 802.11b_DC 3.63 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (28) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz




Ch.13: 2 472MHz




Spread bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (29) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (30) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (31) / (106) pages

Unwanted(Spurious) emission


Ch.1: 2 412MHz

30MHz~2 387MHz


2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz



2 496.5MHz~12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (32) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (33) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (34) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (35) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (36) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (37) / (106) pages


APPENDIX C – 802.11b_DC 2.97 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (38) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz




Ch.13: 2 472MHz




Spread bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (39) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (40) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (41) / (106) pages

Unwanted(Spurious) emission


Ch.1: 2 412MHz

30MHz-2 387MHz


2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (42) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (43) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (44) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (45) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (46) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (47) / (106) pages


APPENDIX D – 802.11g_DC 3.30 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (48) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (49) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (50) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (51) / (106) pages

Unwanted(Spurious) emission



Ch.1: 2 412MHz

30MHz~2 387MHz

2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (52) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (53) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (54) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (55) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (56) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (57) / (106) pages


APPENDIX E – 802.11g_DC 3.63 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (58) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (59) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (60) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (61) / (106) pages

Unwanted(Spurious) emission


Ch.1: 2 412MHz

30MHz~2 387MHz


2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz



2 496.5MHz~12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (62) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (63) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (64) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (65) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (66) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (67) / (106) pages


APPENDIX F – 802.11g_DC 2.97 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (68) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (69) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (70) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (71) / (106) pages

Unwanted(Spurious) emission


Ch.1: 2 412MHz

30MHz-2 387MHz


2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (72) / (106) pages

Ch.7: 2 442MHz


30MHz–2 387MHz




2 387MHz–2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (73) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (74) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (75) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (76) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (77) / (106) pages


APPENDIX G – 802.11n_HT20_DC 3.30 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (78) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (79) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (80) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (81) / (106) pages

Unwanted(Spurious) emission



Ch.1: 2 412MHz

30MHz~2 387MHz

2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (82) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (83) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (84) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (85) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (86) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (87) / (106) pages


APPENDIX H – 802.11n_HT20_DC 3.63 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (88) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (89) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (90) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (91) / (106) pages

Unwanted(Spurious) emission



Ch.1: 2 412MHz

30MHz~2 387MHz

2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (92) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (93) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (94) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (95) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (96) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz





CTK Co., Ltd.


(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (97) / (106) pages


APPENDIX I – 802.11n_HT20_DC 2.97 V

Frequency tolerance


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (98) / (106) pages

Occupied bandwidth


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (99) / (106) pages

RF output power


Ch.1: 2 412MHz



Ch.7: 2 442MHz



Ch.13: 2 472MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:
CTK-2026-01171
Page (100) / (106) pages

ON/OFF time





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501



REPORT No.:
CTK-2026-01171
Page (101) / (106) pages

Unwanted(Spurious) emission


Ch.1: 2 412MHz

30MHz~2 387MHz


2 387MHz~2 400MHz



2 483.5MHz~2 496.5MHz



2 496.5MHz~12 500MHz





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:

CTK-2026-01171


Page (102) / (106) pages

Ch.7: 2 442MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (103) / (106) pages

Ch.13: 2 472MHz


30MHz-2 387MHz




2 387MHz-2 400MHz



2 483.5MHz-2 496.5MHz



2 496.5MHz-12 500MHz





CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501

REPORT No.:


CTK-2026-01171

Page (104) / (106) pages


Receiver Spurious Emission

Ch.1: 2 412MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (105) / (106) pages

Ch.7: 2 442MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz






CTK Co., Ltd.

(Ho-dong), 113, Yejik-ro, Cheoin-gu, Yongin-si,
Gyeonggi-do, 17142, Korea
Tel: +82-31-339-9970
Fax: +82-31-624-9501


REPORT No.:
CTK-2026-01171
Page (106) / (106) pages

Ch.13: 2 472MHz


30MHz-1GHz



1GHz-10GHz



10GHz-12.5GHz



-END-