

Test Report No. 50349161 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50349161 001Appendix D)

Contents

Spurious Emissions, Bandedge..... 2

Spurious Emissions, TX Mode, 9kHz-30MHz..... 26

Spurious Emissions, TX Mode, 30MHz-1GHz..... 28

Spurious Emissions, TX Mode, 1GHz-26.5GHz..... 30

Spurious Emissions, RX Mode, 9kHz-30MHz 42

Spurious Emissions, RX Mode, 30MHz-1GHz..... 44


Spurious Emissions, RX Mode, 1GHz-26.5GHz 46

Spurious Emissions, AC Mains 48


Spurious Emissions, Bandedge




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.850	39.53	2.38	37.15	54.00	-14.47	153	45	Average	Horizontal
2 *	2402.000	91.16	54.01	37.15	54.00	37.16	153	45	Average	Horizontal
3	2812.326	41.43	3.31	38.12	54.00	-12.57	153	45	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2367.230	39.44	2.27	37.17	54.00	-14.56	318	157	Average	Vertical
2 *	2402.000	88.02	50.87	37.15	54.00	34.02	318	157	Average	Vertical
3	2859.054	41.35	3.27	38.08	54.00	-12.65	318	157	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.042	53.01	15.87	37.14	74.00	-20.99	153	45	Peak	Horizontal
2 *	2402.000	95.51	58.36	37.15	74.00	21.51	153	45	Peak	Horizontal
3	2720.286	54.49	16.64	37.85	74.00	-19.51	153	45	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.936	51.94	14.79	37.15	74.00	-22.06	318	157	Peak	Vertical
2 *	2402.000	92.23	55.08	37.15	74.00	18.23	318	157	Peak	Vertical
3	2848.198	54.73	16.65	38.08	74.00	-19.27	318	157	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.402	39.62	2.47	37.15	54.00	-14.38	121	43	Average	Horizontal
2 *	2441.000	92.47	55.12	37.35	54.00	38.47	121	43	Average	Horizontal
3	2843.832	41.54	3.45	38.09	54.00	-12.46	121	43	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2368.764	39.43	2.27	37.16	54.00	-14.57	276	122	Average	Vertical
2 *	2441.000	87.38	50.03	37.35	54.00	33.38	276	122	Average	Vertical
3	2851.266	41.34	3.25	38.09	54.00	-12.66	276	122	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.974	52.20	15.05	37.15	74.00	-21.80	121	43	Peak	Horizontal
2 *	2441.000	96.25	58.90	37.35	74.00	22.25	121	43	Peak	Horizontal
3	2858.818	54.53	16.45	38.08	74.00	-19.47	121	43	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2330.768	52.07	14.92	37.15	74.00	-21.93	276	122	Peak	Vertical
2 *	2441.000	91.02	53.67	37.35	74.00	17.02	276	122	Peak	Vertical
3	2765.952	54.44	16.36	38.08	74.00	-19.56	276	122	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2323.452	39.88	2.74	37.14	54.00	-14.12	101	48	Average	Horizontal
2 *	2480.000	91.35	53.79	37.56	54.00	37.35	101	48	Average	Horizontal
3	2483.500	41.81	4.24	37.57	54.00	-12.19	101	48	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.588	39.47	2.33	37.14	54.00	-14.53	100	245	Average	Vertical
2 *	2480.000	87.09	49.53	37.56	54.00	33.09	100	245	Average	Vertical
3	2853.272	41.50	3.42	38.08	54.00	-12.50	100	245	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2317.080	52.40	15.27	37.13	74.00	-21.60	101	48	Peak	Horizontal
2 *	2480.000	94.61	57.05	37.56	74.00	20.61	101	48	Peak	Horizontal
3	2483.500	55.82	18.25	37.57	74.00	-18.18	101	48	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2338.910	52.04	14.88	37.16	74.00	-21.96	100	245	Peak	Vertical
2 *	2480.000	90.28	52.72	37.56	74.00	16.28	100	245	Peak	Vertical
3	2851.502	53.62	15.53	38.09	74.00	-20.38	100	245	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2363.218	39.53	2.37	37.16	54.00	-14.47	173	43	Average	Horizontal
2 *	2402.000	97.04	59.89	37.15	54.00	43.04	173	43	Average	Horizontal
3	2557.564	41.54	3.64	37.90	54.00	-12.46	173	43	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.758	39.63	2.47	37.16	54.00	-14.37	214	89	Average	Vertical
2 *	2402.000	93.62	56.47	37.15	54.00	39.62	214	89	Average	Vertical
3	2843.360	41.42	3.33	38.09	54.00	-12.58	214	89	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2310.708	53.04	15.91	37.13	74.00	-20.96	173	43	Peak	Horizontal
2 *	2402.000	97.59	60.44	37.15	74.00	23.59	173	43	Peak	Horizontal
3	2787.310	55.15	17.04	38.11	74.00	-18.85	173	43	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2353.306	53.40	16.23	37.17	74.00	-20.60	214	89	Peak	Vertical
2 *	2402.040	94.16	57.01	37.15	74.00	20.16	214	89	Peak	Vertical
3	2611.018	54.70	16.97	37.73	74.00	-19.30	214	89	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2361.566	39.48	2.31	37.17	54.00	-14.52	121	43	Average	Horizontal
2 *	2441.000	96.92	59.57	37.35	54.00	42.92	121	43	Average	Horizontal
3	2862.004	41.63	3.55	38.08	54.00	-12.37	121	43	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.676	39.57	2.42	37.15	54.00	-14.43	310	159	Average	Vertical
2 *	2441.000	94.25	56.90	37.35	54.00	40.25	310	159	Average	Vertical
3	2847.726	41.54	3.46	38.08	54.00	-12.46	310	159	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.652	52.43	15.27	37.16	74.00	-21.57	121	43	Peak	Horizontal
2 *	2441.000	97.45	60.10	37.35	74.00	23.45	121	43	Peak	Horizontal
3	2775.038	54.88	16.78	38.10	74.00	-19.12	121	43	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2344.102	53.23	16.06	37.17	74.00	-20.77	310	159	Peak	Vertical
2 *	2441.000	94.72	57.37	37.35	74.00	20.72	310	159	Peak	Vertical
3	2900.000	54.94	16.89	38.05	74.00	-19.06	310	159	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2323.688	39.96	2.82	37.14	54.00	-14.04	101	49	Average	Horizontal
2 *	2480.000	94.91	57.35	37.56	54.00	40.91	101	49	Average	Horizontal
3	2859.998	41.54	3.46	38.08	54.00	-12.46	101	49	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2323.570	40.32	3.18	37.14	54.00	-13.68	187	211	Average	Vertical
2 *	2480.000	91.85	54.29	37.56	54.00	37.85	187	211	Average	Vertical
3	2827.194	41.55	3.44	38.11	54.00	-12.45	187	211	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2366.640	52.08	14.92	37.16	74.00	-21.92	101	49	Peak	Horizontal
2 *	2480.000	95.39	57.83	37.56	74.00	21.39	101	49	Peak	Horizontal
3	2699.872	54.48	16.78	37.70	74.00	-19.52	101	49	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.062	51.99	14.83	37.16	74.00	-22.01	187	211	Peak	Vertical
2 *	2480.000	92.36	54.80	37.56	74.00	18.36	187	211	Peak	Vertical
3	2797.930	54.42	16.30	38.12	74.00	-19.58	187	211	Peak	Vertical


Spurious Emissions, TX Mode, 9kHz-30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.018	75.59	1.51	74.08	122.70	-47.11	100	133	QP	vertical
2	0.029	72.04	1.18	70.86	118.24	-46.20	100	73	QP	vertical
3	0.053	65.85	1.26	64.59	113.06	-47.21	100	297	QP	vertical
4	0.079	59.67	-1.74	61.41	109.70	-50.03	100	244	QP	vertical
5	0.104	56.46	-2.59	59.05	107.30	-50.84	100	116	QP	vertical
6	0.133	54.40	-2.96	57.36	105.14	-50.74	100	93	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.401	60.00	11.65	48.35	95.55	-35.55	100	51 QP		vertical
2	4.433	56.43	18.09	38.34	69.50	-13.07	100	358 QP		vertical
3	14.505	50.77	13.10	37.67	69.50	-18.73	100	205 QP		vertical
4	16.818	51.41	14.20	37.21	69.50	-18.09	100	346 QP		vertical
5	22.146	48.78	12.95	35.83	69.50	-20.72	100	222 QP		vertical
6	28.845	49.57	12.68	36.89	69.50	-19.93	100	16 QP		vertical


Spurious Emissions, TX Mode, 30MHz-1GHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	114.002	27.05	36.27	-9.22	43.50	-16.45	200	184 QP		horizontal
2	246.019	24.29	30.99	-6.70	46.00	-21.71	100	254 QP		horizontal
3	315.956	26.24	30.74	-4.50	46.00	-19.76	100	340 QP		horizontal
4	552.151	28.54	29.44	-0.90	46.00	-17.46	400	167 QP		horizontal
5	579.602	28.66	29.03	-0.37	46.00	-17.34	200	91 QP		horizontal
6	710.649	31.61	30.16	1.45	46.00	-14.39	200	256 QP		horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	114.002	28.11	37.33	-9.22	43.50	-15.39	100	301	QP	vertical
2	245.922	28.11	34.82	-6.71	46.00	-17.89	200	201	QP	vertical
3	429.931	29.21	31.74	-2.53	46.00	-16.79	100	245	QP	vertical
4	629.848	30.23	29.77	0.46	46.00	-15.77	200	265	QP	vertical
5	737.033	31.63	29.55	2.08	46.00	-14.37	100	314	QP	vertical
6	844.994	33.57	30.14	3.43	46.00	-12.43	400	281	QP	vertical


Spurious Emissions, TX Mode, 1GHz-26.5GHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	36.35	45.79	-9.44	54.00	-17.65	343	348	Average	horizontal
2	4804.000	51.24	60.68	-9.44	74.00	-22.76	343	348	Peak	horizontal
3	7206.000	37.57	44.39	-6.82	54.00	-16.43	385	350	Average	horizontal
4	7206.000	53.16	59.98	-6.82	74.00	-20.84	385	350	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	36.59	46.03	-9.44	54.00	-17.41	314	77	Average	vertical
2	4804.000	51.83	61.27	-9.44	74.00	-22.17	314	77	Peak	vertical
3	7206.000	46.56	53.38	-6.82	74.00	-27.44	300	222	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	39.53	48.83	-9.30	54.00	-14.47	258	302	Average	horizontal
2	4882.000	55.09	64.39	-9.30	74.00	-18.91	258	302	Peak	horizontal
3	7323.000	38.12	44.82	-6.70	54.00	-15.88	335	26	Average	horizontal
4	7323.000	55.20	61.90	-6.70	74.00	-18.80	335	26	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	37.34	46.64	-9.30	54.00	-16.66	398	267	Average	vertical
2	4882.000	51.91	61.21	-9.30	74.00	-22.09	398	267	Peak	vertical
3	7323.000	36.02	42.72	-6.70	54.00	-17.98	105	127	Average	Vertical
4	7323.000	51.64	58.34	-6.70	74.00	-22.36	105	127	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	38.18	47.31	-9.13	54.00	-15.82	299	286	Average	horizontal
2	4960.000	52.34	61.47	-9.13	74.00	-21.66	299	286	Peak	horizontal
3	7440.000	37.76	44.46	-6.70	54.00	-16.24	101	274	Average	horizontal
4	7440.000	53.94	60.64	-6.70	74.00	-20.06	101	274	Peak	horizontal
5	9920.000	45.14	48.78	-3.64	74.00	-28.86	100	279	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	37.16	46.29	-9.13	54.00	-16.84	399	244	Average	vertical
2	4960.000	51.01	60.14	-9.13	74.00	-22.99	399	244	Peak	vertical
3	7440.000	39.39	46.09	-6.70	54.00	-14.61	309	249	Average	vertical
4	7440.000	57.04	63.74	-6.70	74.00	-16.96	309	249	Peak	vertical
5	9920.000	47.59	51.23	-3.64	74.00	-26.41	300	245	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	40.75	50.19	-9.44	54.00	-13.25	151	228	Average	horizontal
2	4804.000	55.18	64.62	-9.44	74.00	-18.82	151	228	Peak	horizontal
3	7206.000	42.19	49.01	-6.82	54.00	-11.81	385	358	Average	horizontal
4	7206.000	57.77	64.59	-6.82	74.00	-16.23	385	358	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	40.85	50.29	-9.44	54.00	-13.15	299	76	Average	vertical
2	4804.000	55.20	64.64	-9.44	74.00	-18.80	299	76	Peak	vertical
3	7206.000	41.96	48.78	-6.82	54.00	-12.04	254	265	Average	vertical
4	7206.000	57.35	64.17	-6.82	74.00	-16.65	254	265	Peak	vertical
5	9608.000	46.31	50.55	-4.24	74.00	-27.69	300	213	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	42.10	51.40	-9.30	54.00	-11.90	309	282	Average	horizontal
2	4882.000	56.89	66.19	-9.30	74.00	-17.11	309	282	Peak	horizontal
3	7323.000	43.08	49.78	-6.70	54.00	-10.92	346	28	Average	horizontal
4	7323.000	59.58	66.28	-6.70	74.00	-14.42	346	28	Peak	horizontal
5	9764.000	48.20	52.07	-3.87	74.00	-25.80	300	298	Peak	horizontal
6	12205.000	38.26	37.85	0.41	54.00	-15.74	180	336	Average	horizontal
7	12205.000	53.80	53.39	0.41	74.00	-20.20	180	336	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	41.62	50.92	-9.30	54.00	-12.38	314	89	Average	vertical
2	4882.000	56.30	65.60	-9.30	74.00	-17.70	314	89	Peak	vertical
3	7323.000	42.01	48.71	-6.70	54.00	-11.99	200	109	Average	vertical
4	7323.000	57.48	64.18	-6.70	74.00	-16.52	200	109	Peak	vertical
5	9764.000	47.66	51.53	-3.87	74.00	-26.34	200	250	Peak	vertical
6	12205.000	47.72	47.31	0.41	74.00	-26.28	300	103	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	38.53	47.66	-9.13	54.00	-15.47	239	293	Average	horizontal
2	4960.000	53.64	62.77	-9.13	74.00	-20.36	239	293	Peak	horizontal
3	7440.000	38.04	44.74	-6.70	54.00	-15.96	199	292	Average	horizontal
4	7440.000	54.97	61.67	-6.70	74.00	-19.03	199	292	Peak	horizontal
5	9920.000	47.02	50.66	-3.64	74.00	-26.98	300	298	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	37.42	46.55	-9.13	54.00	-16.58	400	259	Average	vertical
2	4960.000	52.14	61.27	-9.13	74.00	-21.86	400	259	Peak	vertical
3	7440.000	38.08	44.78	-6.70	54.00	-15.92	300	265	Average	vertical
4	7440.000	54.88	61.58	-6.70	74.00	-19.12	300	265	Peak	vertical
5	9920.000	47.33	50.97	-3.64	74.00	-26.67	200	234	Peak	vertical


Spurious Emissions, RX Mode, 9kHz-30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.012	81.72	3.90	77.82	126.28	-44.56	100	21	QP	vertical
2	0.025	74.43	2.78	71.65	119.65	-45.22	100	323	QP	vertical
3	0.057	63.27	-0.76	64.03	112.43	-49.16	100	64	QP	vertical
4	0.093	57.53	-2.55	60.08	108.22	-50.69	100	11	QP	vertical
5	0.129	56.33	-1.26	57.59	105.41	-49.08	100	360	QP	vertical
6	0.145	53.97	-2.64	56.61	104.34	-50.37	100	14	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.287	63.27	12.44	50.83	98.43	-35.16	100	31 QP		vertical
2	4.433	55.87	17.53	38.34	69.50	-13.63	100	120 QP		vertical
3	8.842	49.87	12.04	37.83	69.50	-19.63	100	330 QP		vertical
4	12.505	49.93	12.57	37.36	69.50	-19.57	100	40 QP		vertical
5	17.388	50.62	13.60	37.02	69.50	-18.88	100	244 QP		vertical
6	24.642	47.94	13.63	34.31	69.50	-21.56	100	50 QP		vertical


Spurious Emissions, RX Mode, 30MHz-1GHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	114.002	27.79	37.01	-9.22	43.50	-15.71	200	360	QP	horizontal
2	249.996	24.39	31.04	-6.65	46.00	-21.61	100	100	QP	horizontal
3	315.956	25.98	30.48	-4.50	46.00	-20.02	100	360	QP	horizontal
4	363.001	25.49	29.35	-3.86	46.00	-20.51	100	100	QP	horizontal
5	681.355	30.19	29.04	1.15	46.00	-15.81	200	186	QP	horizontal
6	876.616	32.89	29.18	3.71	46.00	-13.11	300	332	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	117.979	29.03	37.99	-8.96	43.50	-14.47	100	281	QP	vertical
2	245.922	27.40	34.11	-6.71	46.00	-18.60	200	216	QP	vertical
3	421.977	27.96	30.69	-2.73	46.00	-18.04	100	275	QP	vertical
4	591.921	29.86	29.89	-0.03	46.00	-16.14	400	10	QP	vertical
5	754.202	31.34	28.93	2.41	46.00	-14.66	400	0	QP	vertical
6	804.836	32.04	29.16	2.88	46.00	-13.96	100	249	QP	vertical


Spurious Emissions, RX Mode, 1GHz-26.5GHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4741.133	43.20	52.59	-9.39	74.00	-30.80	300	123	Peak	horizontal
2	6060.333	44.12	51.93	-7.81	74.00	-29.88	200	112	Peak	horizontal
3	7660.600	44.24	50.71	-6.47	74.00	-29.76	185	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4931.533	43.61	52.82	-9.21	74.00	-30.39	400	0	Peak	vertical
2	6149.867	44.21	51.81	-7.60	74.00	-29.79	400	154	Peak	vertical
3	8023.267	44.52	50.57	-6.05	74.00	-29.48	200	14	Peak	vertical

Spurious Emissions, AC Mains



TUV Rheinland Taiwan Ltd.
11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.155	36.53	9.61	46.14	65.71	-19.57	QP
2	0.155	16.78	9.61	26.39	55.71	-29.32	Average
3	0.393	24.96	9.62	34.58	58.01	-23.43	QP
4	0.393	21.39	9.62	31.01	48.01	-17.00	Average
5	1.716	13.44	9.64	23.08	56.00	-32.92	QP
6	1.716	7.85	9.64	17.49	46.00	-28.51	Average
7	3.625	8.80	9.67	18.47	56.00	-37.53	QP
8	3.625	2.62	9.67	12.29	46.00	-33.71	Average
9	6.930	16.38	9.70	26.08	60.00	-33.92	QP
10	6.930	10.46	9.70	20.16	50.00	-29.84	Average
11	30.000	24.64	9.76	34.40	60.00	-25.60	QP
12	30.000	20.45	9.76	30.21	50.00	-19.79	Average

