

	HT20 Beam Forming, M8 to M15	4	13	6	-68.7	-69.8	-68.8	-69.3	-57.1	-21.25	35.9
	HT20 Beam Forming, M16 to M23	4	14	4	-70	-69.5	-69.2	-69.9	-59.6	-21.25	38.4
	HT20 Beam Forming, M24 to M31	4	14	3	-70	-69.5	-69.2	-69.9	-60.6	-21.25	39.4
	HT20 STBC, M0 to M7	2	15	3	-69.7	-68.8			-63.2	-21.25	42.0
	HT20 STBC, M0 to M7	3	15	3	-69.7	-68.8	-68.5		-61.2	-21.25	39.9
	HT20 STBC, M0 to M7	4	14	3	-70	-69.5	-69.2	-69.9	-60.6	-21.25	39.4
	HE20, M0 to M7	1	16	3	-69.3				-66.3	-21.25	45.1
	HE20, M0 to M7	2	15	3	-68.1	-70.2			-63.0	-21.25	41.8
	HE20, M8 to M15	2	15	3	-68.1	-70.2			-63.0	-21.25	41.8
	HE20, M0 to M7	3	15	3	-68.1	-70.2	-69.1		-61.3	-21.25	40.0
	HE20, M8 to M15	3	15	3	-68.1	-70.2	-69.1		-61.3	-21.25	40.0
	HE20, M16 to M23	3	15	3	-68.1	-70.2	-69.1		-61.3	-21.25	40.0
	HE20, M0 to M7	4	14	3	-68.7	-68.8	-69.1	-69.5	-60.0	-21.25	38.7
	HE20, M8 to M15	4	14	3	-68.7	-68.8	-69.1	-69.5	-60.0	-21.25	38.7
	HE20, M16 to M23	4	14	3	-68.7	-68.8	-69.1	-69.5	-60.0	-21.25	38.7
	HE20, M24 to M31	4	14	3	-68.7	-68.8	-69.1	-69.5	-60.0	-21.25	38.7
	HE20 Beam Forming, M0 to M7	2	14	6	-68.1	-70.2			-60.0	-21.25	38.8
	HE20 Beam Forming, M8 to M15	2	15	3	-68.1	-70.2			-63.0	-21.25	41.8
	HE20 Beam Forming, M0 to M7	3	13	8	-68.7	-69.6	-69.3		-56.4	-21.25	35.2
	HE20 Beam Forming, M8 to M15	3	14	5	-68.7	-68.8	-69.1		-59.1	-21.25	37.8
	HE20 Beam Forming, M16 to M23	3	15	3	-68.1	-70.2	-69.1		-61.3	-21.25	40.0
	HE20 Beam Forming, M0 to M7	4	11	9	-69.1	-69.5	-69.0	-69.4	-54.2	-21.25	33.0
	HE20 Beam Forming, M8 to M15	4	13	6	-68.7	-69.6	-69.3	-69.5	-57.2	-21.25	36.0
	HE20 Beam Forming, M16 to M23	4	14	4	-68.7	-68.8	-69.1	-69.5	-59.0	-21.25	37.7
	HE20 Beam Forming, M24 to M31	4	14	3	-68.7	-68.8	-69.1	-69.5	-60.0	-21.25	38.7
	HE20 STBC, M0 to M7	2	15	3	-68.1	-70.2			-63.0	-21.25	41.8
	HE20 STBC, M0 to M7	3	15	3	-68.1	-70.2	-69.1		-61.3	-21.25	40.0
	HE20 STBC, M0 to M7	4	14	3	-68.7	-68.8	-69.1	-69.5	-60.0	-21.25	38.7
2437	CCK, 1 to 11 MB/s	1	17	3	-68				-65.0	-21.25	43.8
	CCK, 1 to 11 MB/s	2	17	3	-68	-69.5			-62.7	-21.25	41.4
	CCK, 1 to 11 MB/s	3	17	3	-68	-69.5	-68.3		-60.8	-21.25	39.5
	CCK, 1 to 11 MB/s	4	17	3	-68	-69.5	-68.3	-68.7	-59.6	-21.25	38.3
	Non HT20, 6 to 54 Mbps	1	17	3	-69.2				-66.2	-21.25	45.0
	Non HT20, 6 to 54 Mbps	2	17	3	-69.2	-68.4			-62.8	-21.25	41.5
	Non HT20, 6 to 54 Mbps	3	17	3	-69.2	-68.4	-68.7		-61.0	-21.25	39.7
	Non HT20, 6 to 54 Mbps	4	17	3	-69.2	-68.4	-68.7	-62.1	-56.9	-21.25	35.7
	Non HT20 Beam Forming, 6 to 54 Mbps	2	17	6	-69.2	-68.4			-59.8	-21.25	38.5
	Non HT20 Beam Forming, 6 to 54 Mbps	3	17	8	-69.2	-68.4	-68.7		-56.0	-21.25	34.7
	Non HT20 Beam Forming, 6 to 54 Mbps	4	17	9	-69.2	-68.4	-68.7	-62.1	-50.9	-21.25	29.7


HT20, M0 to M7	1	17	3	-68.9				-65.9	-21.25	44.7
HT20, M0 to M7	2	17	3	-68.9	-68.9			-62.9	-21.25	41.6
HT20, M8 to M15	2	17	3	-68.9	-68.9			-62.9	-21.25	41.6
HT20, M0 to M7	3	17	3	-68.9	-68.9	-69.6		-61.3	-21.25	40.1
HT20, M8 to M15	3	17	3	-68.9	-68.9	-69.6		-61.3	-21.25	40.1
HT20, M16 to M23	3	17	3	-68.9	-68.9	-69.6		-61.3	-21.25	40.1
HT20, M0 to M7	4	17	3	-68.9	-68.9	-69.6	-60.3	-55.9	-21.25	34.6
HT20, M8 to M15	4	17	3	-68.9	-68.9	-69.6	-60.3	-55.9	-21.25	34.6
HT20, M16 to M23	4	17	3	-68.9	-68.9	-69.6	-60.3	-55.9	-21.25	34.6
HT20, M24 to M31	4	17	3	-68.9	-68.9	-69.6	-60.3	-55.9	-21.25	34.6
HT20 Beam Forming, M0 to M7	2	17	6	-68.9	-68.9			-59.9	-21.25	38.6
HT20 Beam Forming, M8 to M15	2	17	3	-68.9	-68.9			-62.9	-21.25	41.6
HT20 Beam Forming, M0 to M7	3	17	8	-68.9	-68.9	-69.6		-56.3	-21.25	35.1
HT20 Beam Forming, M8 to M15	3	17	5	-68.9	-68.9	-69.6		-59.3	-21.25	38.1
HT20 Beam Forming, M16 to M23	3	17	3	-68.9	-68.9	-69.6		-61.3	-21.25	40.1
HT20 Beam Forming, M0 to M7	4	17	9	-68.9	-68.9	-69.6	-60.3	-49.9	-21.25	28.6
HT20 Beam Forming, M8 to M15	4	17	6	-68.9	-68.9	-69.6	-60.3	-52.9	-21.25	31.6
HT20 Beam Forming, M16 to M23	4	17	4	-68.9	-68.9	-69.6	-60.3	-54.9	-21.25	33.6
HT20 Beam Forming, M24 to M31	4	17	3	-68.9	-68.9	-69.6	-60.3	-55.9	-21.25	34.6
HT20 STBC, M0 to M7	2	17	3	-68.9	-68.9			-62.9	-21.25	41.6
HT20 STBC, M0 to M7	3	17	3	-68.9	-68.9	-69.6		-61.3	-21.25	40.1
HT20 STBC, M0 to M7	4	17	3	-68.9	-68.9	-69.6	-60.3	-55.9	-21.25	34.6
HE20, M0 to M7	1	17	3	-68.8				-65.8	-21.25	44.6
HE20, M0 to M7	2	17	3	-68.8	-69.9			-63.3	-21.25	42.1
HE20, M8 to M15	2	17	3	-68.8	-69.9			-63.3	-21.25	42.1
HE20, M0 to M7	3	17	3	-68.8	-69.9	-69.9		-61.7	-21.25	40.5
HE20, M8 to M15	3	17	3	-68.8	-69.9	-69.9		-61.7	-21.25	40.5
HE20, M16 to M23	3	17	3	-68.8	-69.9	-69.9		-61.7	-21.25	40.5
HE20, M0 to M7	4	17	3	-68.8	-69.9	-69.9	-62.7	-57.6	-21.25	36.3
HE20, M8 to M15	4	17	3	-68.8	-69.9	-69.9	-62.7	-57.6	-21.25	36.3
HE20, M16 to M23	4	17	3	-68.8	-69.9	-69.9	-62.7	-57.6	-21.25	36.3
HE20, M24 to M31	4	17	3	-68.8	-69.9	-69.9	-62.7	-57.6	-21.25	36.3
HE20 Beam Forming, M0 to M7	2	17	6	-68.8	-69.9			-60.3	-21.25	39.1
HE20 Beam Forming, M8 to M15	2	17	3	-68.8	-69.9			-63.3	-21.25	42.1
HE20 Beam Forming, M0 to M7	3	17	8	-68.8	-69.9	-69.9		-56.7	-21.25	35.5
HE20 Beam Forming, M8 to M15	3	17	5	-68.8	-69.9	-69.9		-59.7	-21.25	38.5
HE20 Beam Forming, M16 to M23	3	17	3	-68.8	-69.9	-69.9		-61.7	-21.25	40.5
HE20 Beam Forming, M0 to M7	4	17	9	-68.8	-69.9	-69.9	-62.7	-51.6	-21.25	30.3
HE20 Beam Forming, M8 to M15	4	17	6	-68.8	-69.9	-69.9	-62.7	-54.6	-21.25	33.3
HE20 Beam Forming, M16 to M23	4	17	4	-68.8	-69.9	-69.9	-62.7	-56.6	-21.25	35.3

	HE20 Beam Forming, M24 to M31	4	17	3	-68.8	-69.9	-69.9	-62.7	-57.6	-21.25	36.3
	HE20 STBC, M0 to M7	2	17	3	-68.8	-69.9			-63.3	-21.25	42.1
	HE20 STBC, M0 to M7	3	17	3	-68.8	-69.9	-69.9		-61.7	-21.25	40.5
	HE20 STBC, M0 to M7	4	17	3	-68.8	-69.9	-69.9	-62.7	-57.6	-21.25	36.3
2462	CCK, 1 to 11 MB/s	1	17	3	-67.8				-64.8	-21.25	43.6
	CCK, 1 to 11 MB/s	2	17	3	-67.8	-68.7			-62.2	-21.25	41.0
	CCK, 1 to 11 MB/s	3	17	3	-67.8	-68.7	-69.1		-60.7	-21.25	39.5
	CCK, 1 to 11 MB/s	4	17	3	-67.8	-68.7	-69.1	-59.6	-55.2	-21.25	33.9
	Non HT20, 6 to 54 Mbps	1	15	3	-68.3				-65.3	-21.25	44.1
	Non HT20, 6 to 54 Mbps	2	15	3	-68.3	-68.9			-62.6	-21.25	41.3
	Non HT20, 6 to 54 Mbps	3	14	3	-68.5	-66.4	-69.5		-60.2	-21.25	38.9
	Non HT20, 6 to 54 Mbps	4	14	3	-68.5	-66.4	-69.5	-67.9	-58.9	-21.25	37.7
	Non HT20 Beam Forming, 6 to 54 Mbps	2	14	6	-68.5	-66.4			-58.3	-21.25	37.1
	Non HT20 Beam Forming, 6 to 54 Mbps	3	13	8	-69.1	-70.2	-68.8		-56.6	-21.25	35.3
	Non HT20 Beam Forming, 6 to 54 Mbps	4	12	9	-68.2	-69.3	-68.9	-70	-54.0	-21.25	32.8
	HT20, M0 to M7	1	15	3	-68				-65.0	-21.25	43.8
	HT20, M0 to M7	2	15	3	-68	-68.7			-62.3	-21.25	41.1
	HT20, M8 to M15	2	15	3	-68	-68.7			-62.3	-21.25	41.1
	HT20, M0 to M7	3	14	3	-68	-69.7	-69.8		-61.3	-21.25	40.1
	HT20, M8 to M15	3	14	3	-68	-69.7	-69.8		-61.3	-21.25	40.1
	HT20, M16 to M23	3	14	3	-68	-69.7	-69.8		-61.3	-21.25	40.1
	HT20, M0 to M7	4	14	3	-68	-69.7	-69.8	-69.2	-60.1	-21.25	38.8
	HT20, M8 to M15	4	14	3	-68	-69.7	-69.8	-69.2	-60.1	-21.25	38.8
	HT20, M16 to M23	4	14	3	-68	-69.7	-69.8	-69.2	-60.1	-21.25	38.8
	HT20, M24 to M31	4	14	3	-68	-69.7	-69.8	-69.2	-60.1	-21.25	38.8
	HT20 Beam Forming, M0 to M7	2	14	6	-68	-69.7			-59.8	-21.25	38.5
	HT20 Beam Forming, M8 to M15	2	15	3	-68	-68.7			-62.3	-21.25	41.1
	HT20 Beam Forming, M0 to M7	3	13	8	-68.4	-69.6	-69.8		-56.5	-21.25	35.2
	HT20 Beam Forming, M8 to M15	3	14	5	-68	-69.7	-69.8		-59.3	-21.25	38.1
	HT20 Beam Forming, M16 to M23	3	14	3	-68	-69.7	-69.8		-61.3	-21.25	40.1
	HT20 Beam Forming, M0 to M7	4	12	9	-69.7	-66.9	-69.2	-67.6	-53.2	-21.25	31.9
	HT20 Beam Forming, M8 to M15	4	13	6	-68.4	-69.6	-69.8	-68.5	-57.0	-21.25	35.8
	HT20 Beam Forming, M16 to M23	4	14	4	-68	-69.7	-69.8	-69.2	-59.1	-21.25	37.8
	HT20 Beam Forming, M24 to M31	4	14	3	-68	-69.7	-69.8	-69.2	-60.1	-21.25	38.8
	HT20 STBC, M0 to M7	2	15	3	-68	-68.7			-62.3	-21.25	41.1
	HT20 STBC, M0 to M7	3	14	3	-68	-69.7	-69.8		-61.3	-21.25	40.1
	HT20 STBC, M0 to M7	4	14	3	-68	-69.7	-69.8	-69.2	-60.1	-21.25	38.8
	HE20, M0 to M7	1	14	3	-68.5				-65.5	-21.25	44.3

HE20, M0 to M7	2	14	3	-68.5	-68.9			-62.7	-21.25	41.4
HE20, M8 to M15	2	14	3	-68.5	-68.9			-62.7	-21.25	41.4
HE20, M0 to M7	3	13	3	-67.3	-69.2	-69.6		-60.8	-21.25	39.6
HE20, M8 to M15	3	13	3	-67.3	-69.2	-69.6		-60.8	-21.25	39.6
HE20, M16 to M23	3	13	3	-67.3	-69.2	-69.6		-60.8	-21.25	39.6
HE20, M0 to M7	4	13	3	-67.3	-69.2	-69.6	-68.0	-59.4	-21.25	38.2
HE20, M8 to M15	4	13	3	-67.3	-69.2	-69.6	-68.0	-59.4	-21.25	38.2
HE20, M16 to M23	4	13	3	-67.3	-69.2	-69.6	-68.0	-59.4	-21.25	38.2
HE20, M24 to M31	4	13	3	-67.3	-69.2	-69.6	-68.0	-59.4	-21.25	38.2
HE20 Beam Forming, M0 to M7	2	13	6	-67.3	-69.2			-59.1	-21.25	37.9
HE20 Beam Forming, M8 to M15	2	14	3	-68.5	-68.9			-62.7	-21.25	41.4
HE20 Beam Forming, M0 to M7	3	12	8	-68.9	-69.8	-69.7		-56.7	-21.25	35.4
HE20 Beam Forming, M8 to M15	3	13	5	-67.3	-69.2	-69.6		-58.8	-21.25	37.6
HE20 Beam Forming, M16 to M23	3	13	3	-67.3	-69.2	-69.6		-60.8	-21.25	39.6
HE20 Beam Forming, M0 to M7	4	11	9	-68.7	-68.8	-68.9	-70.0	-54.0	-21.25	32.8
HE20 Beam Forming, M8 to M15	4	12	6	-68.9	-69.8	-69.7	-69.4	-57.4	-21.25	36.2
HE20 Beam Forming, M16 to M23	4	13	4	-67.3	-69.2	-69.6	-68.0	-58.4	-21.25	37.2
HE20 Beam Forming, M24 to M31	4	13	3	-67.3	-69.2	-69.6	-68.0	-59.4	-21.25	38.2
HE20 STBC, M0 to M7	2	14	3	-68.5	-68.9			-62.7	-21.25	41.4
HE20 STBC, M0 to M7	3	13	3	-67.3	-69.2	-69.6		-60.8	-21.25	39.6
HE20 STBC, M0 to M7	4	13	3	-67.3	-69.2	-69.6	-68.0	-59.4	-21.25	38.2

5.6.8 Conducted Spurious Peak Screenshots 1GHz – 12GHz



Conducted Spurious Average, 2462, CCK, 1-11Mbps



Conducted Spurious Average, 2437, NonHT, 6-54 Mbps

Antenna A

Antenna B



Antenna C

Antenna D

