





Appendix A: Frequency Error

Test Result

TestCondition	TestMode	Antenna	Freq(MHz)	Result[ppm]	Limit[ppm]	Verdict
NTNV	BLE_1M	Ant1	2402	-15.40383	±50	PASS
NTNV	BLE_1M	Ant1	2440	-15.16393	±50	PASS
NTNV	BLE_1M	Ant1	2480	-15.32258	±50	PASS
NTNV	BLE_2M	Ant1	2402	-15.40383	±50	PASS
NTNV	BLE_2M	Ant1	2440	-15.57377	±50	PASS
NTNV	BLE_2M	Ant1	2480	-15.72581	±50	PASS





Test Graphs





NTNV-BLE_1M-Ant1-2402-PASS

NTNV-BLE_1M-Ant1-2440-PASS



NTNV-BLE_1M-Ant1-2480-PASS

NTNV-BLE_2M-Ant1-2402-PASS



NTNV-BLE_2M-Ant1-2440-PASS

NTNV-BLE_2M-Ant1-2480-PASS



Appendix B: Antenna Power

Test Result

Antenna Power							
Test Condition	Test Mode	Antenna	Freq (MHz)	Result(dBm)	Result(mW)	Limit(mW)	Verdict
NTNV	BLE_1M	Ant1	2402	6.42	4.3853	≤10	PASS
NTNV	BLE_1M	Ant1	2440	4.54	2.8445	≤10	PASS
NTNV	BLE_1M	Ant1	2480	3.50	2.2387	≤10	PASS
NTNV	BLE_2M	Ant1	2402	-0.16	0.9638	≤10	PASS
NTNV	BLE_2M	Ant1	2440	-1.28	0.7447	≤10	PASS
NTNV	BLE_2M	Ant1	2480	-2.01	0.6295	≤10	PASS

Tolerance								
Test Condition	Test Mode	Antenna	Freq (MHz)	Power(mW)	Rated Power(mW)	Result (%)	Limit (%)	Verdict
NTNV	BLE_1M	Ant1	2402	4.3853	4	9.63%	≤+20	PASS
NTNV	BLE_1M	Ant1	2440	2.8445	4	-28.89%	≤+20	PASS
NTNV	BLE_1M	Ant1	2480	2.2387	4	-44.03%	≤+20	PASS
NTNV	BLE_2M	Ant1	2402	0.9638	1	-3.62%	≤+20	PASS
NTNV	BLE_2M	Ant1	2440	0.7447	1	-25.53%	≤+20	PASS
NTNV	BLE_2M	Ant1	2480	0.6295	1	-37.05%	≤+20	PASS

EIRP							
Test Condition	Test Mode	Antenna	Freq (MHz)	Result(dBm)	EIRP(dBm)	Limit(dBm)	Verdict
NTNV	BLE_1M	Ant1	2402	6.42	5.82	≤12.14	PASS
NTNV	BLE_1M	Ant1	2440	4.54	3.94	≤12.14	PASS
NTNV	BLE_1M	Ant1	2480	3.50	2.9	≤12.14	PASS
NTNV	BLE_2M	Ant1	2402	-0.16	-0.76	≤12.14	PASS
NTNV	BLE_2M	Ant1	2440	-1.28	-1.88	≤12.14	PASS
NTNV	BLE_2M	Ant1	2480	-2.01	-2.61	≤12.14	PASS




Appendix C: Occupied Bandwidth

Test Result


Test Condition	Test Mode	Antenna	Freq(MHz)	OCB Result [MHz]	Limit [MHz]	Verdict
NTNV	BLE_1M	Ant1	2402	1.219	≤26	PASS
NTNV	BLE_1M	Ant1	2440	1.223	≤26	PASS
NTNV	BLE_1M	Ant1	2480	1.227	≤26	PASS
NTNV	BLE_2M	Ant1	2402	2.146	≤26	PASS
NTNV	BLE_2M	Ant1	2440	2.158	≤26	PASS
NTNV	BLE_2M	Ant1	2480	2.154	≤26	PASS



Test Graphs




File: 3_M07_2026_31181217




File: 3_M07_2026_31181218

NTNV-BLE_1M-Ant1-2402-PASS

NTNV-BLE_1M-Ant1-2440-PASS




File: 3_M07_2026_31181219




File: 3_M07_2026_31181220

NTNV-BLE_1M-Ant1-2480-PASS

NTNV-BLE_2M-Ant1-2402-PASS



File: 3_M07_2026_31181221



File: 3_M07_2026_31181222

NTNV-BLE_2M-Ant1-2440-PASS

NTNV-BLE_2M-Ant1-2480-PASS




Appendix D: Spread Bandwidth

Test Result


Test Condition	TestMode	Antenna	Freq(MHz)	Result [MHz]	Limit [MHz]	Verdict
NTNV	BLE_1M	Ant1	2402	0.819	---	---
NTNV	BLE_1M	Ant1	2440	0.819	---	---
NTNV	BLE_1M	Ant1	2480	0.823	---	---
NTNV	BLE_2M	Ant1	2402	1.363	---	---
NTNV	BLE_2M	Ant1	2440	1.363	---	---
NTNV	BLE_2M	Ant1	2480	1.363	---	---



Test Graphs




File: 3_M07_2026_31287201




File: 3_M07_2026_31287206

NTNV-BLE_1M-Ant1-2402-PASS

NTNV-BLE_1M-Ant1-2440-PASS




File: 3_M07_2026_31287209




File: 3_M07_2026_31287216

NTNV-BLE_1M-Ant1-2480-PASS

NTNV-BLE_2M-Ant1-2402-PASS



File: 3_M07_2026_31287205



File: 3_M07_2026_31287219

NTNV-BLE_2M-Ant1-2440-PASS

NTNV-BLE_2M-Ant1-2480-PASS




Appendix E: Spurious Emission of TX

Test Result


Test Condition	Test Mode	Antenna	Freq (MHz)	Freq.Range [MHz]	Result [dBm]	Limit [dBm]	Verdict
NTNV	BLE_1M	Ant1	2402	30~1000	-48.31	≤-26	PASS
NTNV	BLE_1M	Ant1	2402	1000~2387	-46.53	≤-26	PASS
NTNV	BLE_1M	Ant1	2402	2387~2400	-24.79	≤-16	PASS
NTNV	BLE_1M	Ant1	2402	2483.5~2496.5	-35.40	≤-16	PASS
NTNV	BLE_1M	Ant1	2402	2496.5~13000	-40.32	≤-26	PASS
NTNV	BLE_1M	Ant1	2440	30~1000	-47.26	≤-26	PASS
NTNV	BLE_1M	Ant1	2440	1000~2387	-47.06	≤-26	PASS
NTNV	BLE_1M	Ant1	2440	2387~2400	-36.35	≤-16	PASS
NTNV	BLE_1M	Ant1	2440	2483.5~2496.5	-36.19	≤-16	PASS
NTNV	BLE_1M	Ant1	2440	2496.5~13000	-39.37	≤-26	PASS
NTNV	BLE_1M	Ant1	2480	30~1000	-47.40	≤-26	PASS
NTNV	BLE_1M	Ant1	2480	1000~2387	-47.23	≤-26	PASS
NTNV	BLE_1M	Ant1	2480	2387~2400	-35.94	≤-16	PASS
NTNV	BLE_1M	Ant1	2480	2483.5~2496.5	-35.59	≤-16	PASS
NTNV	BLE_1M	Ant1	2480	2496.5~13000	-38.85	≤-26	PASS
NTNV	BLE_2M	Ant1	2402	30~1000	-48.35	≤-26	PASS
NTNV	BLE_2M	Ant1	2402	1000~2387	-46.81	≤-26	PASS
NTNV	BLE_2M	Ant1	2402	2387~2400	-20.34	≤-16	PASS
NTNV	BLE_2M	Ant1	2402	2483.5~2496.5	-35.72	≤-16	PASS
NTNV	BLE_2M	Ant1	2402	2496.5~13000	-40.19	≤-26	PASS
NTNV	BLE_2M	Ant1	2440	30~1000	-48.23	≤-26	PASS
NTNV	BLE_2M	Ant1	2440	1000~2387	-46.14	≤-26	PASS
NTNV	BLE_2M	Ant1	2440	2387~2400	-36.43	≤-16	PASS
NTNV	BLE_2M	Ant1	2440	2483.5~2496.5	-35.34	≤-16	PASS
NTNV	BLE_2M	Ant1	2440	2496.5~13000	-39.76	≤-26	PASS
NTNV	BLE_2M	Ant1	2480	30~1000	-47.87	≤-26	PASS
NTNV	BLE_2M	Ant1	2480	1000~2387	-47.18	≤-26	PASS
NTNV	BLE_2M	Ant1	2480	2387~2400	-36.91	≤-16	PASS
NTNV	BLE_2M	Ant1	2480	2483.5~2496.5	-35.87	≤-16	PASS
NTNV	BLE_2M	Ant1	2480	2496.5~13000	-40.08	≤-26	PASS




Test Graphs




NTNV-BLE_1M-Ant1-2402-30~1000-PASS




NTNV-BLE_1M-Ant1-2402-1000~2387-PASS




NTNV-BLE_1M-Ant1-2402-2387~2400-PASS




NTNV-BLE_1M-Ant1-2402-2483.5~2496.5-PASS



NTNV-BLE_1M-Ant1-2402-2496.5~13000-PASS




NTNV-BLE_1M-Ant1-2440-30~1000-PASS




Enter: 5.M07.2026 31:48:49

NTNV-BLE_1M-Ant1-2440-1000~2387-PASS




Enter: 5.M07.2026 31:48:57

NTNV-BLE_1M-Ant1-2440-2387~2400-PASS




Enter: 5.M07.2026 31:48:59

NTNV-BLE_1M-Ant1-2440-1000~2496.5-PASS




Enter: 5.M07.2026 31:49:05

NTNV-BLE_1M-Ant1-2440-2496.5~13000-PASS




Enter: 5.M07.2026 31:49:27

NTNV-BLE_1M-Ant1-2480-30~1000-PASS




Enter: 5.M07.2026 31:49:35

NTNV-BLE_1M-Ant1-2480-1000~2387-PASS




Enter: 5.M07.2026 01:29:08




Enter: 5.M07.2026 01:29:13

NTNV-BLE_1M-Ant1-2480-2387~2400-PASS

NTNV-BLE_1M-Ant1-2480-2483.5~2496.5-PASS




Enter: 5.M07.2026 01:29:19




Enter: 5.M07.2026 01:29:27

NTNV-BLE_1M-Ant1-2480-2496.5~13000-PASS

NTNV-BLE_2M-Ant1-2402-30~1000-PASS



Enter: 5.M07.2026 01:29:29



Enter: 5.M07.2026 01:29:35

NTNV-BLE_2M-Ant1-2402-1000~2387-PASS


NTNV-BLE_2M-Ant1-2402-2387~2400-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: TELECSZ2026-0004-RF1-ATT1


Page 12 of 17




NTNV-BLE_2M-Ant1-2402-2483.5~2496.5-PASS




NTNV-BLE_2M-Ant1-2402-2496.5~13000-PASS




NTNV-BLE_2M-Ant1-2440-30~1000-PASS




NTNV-BLE_2M-Ant1-2440-1000~2387-PASS




NTNV-BLE_2M-Ant1-2440-2387~2400-PASS



NTNV-BLE_2M-Ant1-2440-2483.5~2496.5-PASS




Error: 5.M07.2026 01:25:37




Error: 5.M07.2026 01:26:57

NTNV-BLE_2M-Ant1-2440-2496.5~13000-PASS

NTNV-BLE_2M-Ant1-2480-30~1000-PASS




Error: 5.M07.2026 01:26:57




Error: 5.M07.2026 01:26:57

NTNV-BLE_2M-Ant1-2480-1000~2387-PASS

NTNV-BLE_2M-Ant1-2480-2387~2400-PASS



Error: 5.M07.2026 01:26:48



Error: 5.M07.2026 01:26:49

NTNV-BLE_2M-Ant1-2480-2483.5~2496.5-PASS

NTNV-BLE_2M-Ant1-2480-2496.5~13000-PASS




Appendix F: Spurious Emission of RX

Test Result


Test Condition	Test Mode	Antenna	Freq (MHz)	Freq.Range [MHz]	Result [dBm]	Limit [dBm]	Verdict
NTNV	BLE_1M	Ant1	2402	30~1000	-79.26	≤-54	PASS
NTNV	BLE_1M	Ant1	2402	1000~12500	-59.49	≤-47	PASS
NTNV	BLE_1M	Ant1	2440	30~1000	-78.33	≤-54	PASS
NTNV	BLE_1M	Ant1	2440	1000~12500	-59.77	≤-47	PASS
NTNV	BLE_1M	Ant1	2480	30~1000	-79.09	≤-54	PASS
NTNV	BLE_1M	Ant1	2480	1000~12500	-59.66	≤-47	PASS
NTNV	BLE_2M	Ant1	2402	30~1000	-79.25	≤-54	PASS
NTNV	BLE_2M	Ant1	2402	1000~12500	-59.1	≤-47	PASS
NTNV	BLE_2M	Ant1	2440	30~1000	-78.74	≤-54	PASS
NTNV	BLE_2M	Ant1	2440	1000~12500	-58.86	≤-47	PASS
NTNV	BLE_2M	Ant1	2480	30~1000	-79.01	≤-54	PASS
NTNV	BLE_2M	Ant1	2480	1000~12500	-59.95	≤-47	PASS




Test Graphs




NTNV-BLE_1M-Ant1-2402-30~1000-PASS




NTNV-BLE_1M-Ant1-2402-1000~12500-PASS




NTNV-BLE_1M-Ant1-2440-30~1000-PASS




NTNV-BLE_1M-Ant1-2440-1000~12500-PASS




NTNV-BLE_1M-Ant1-2480-30~1000-PASS




NTNV-BLE_1M-Ant1-2480-1000~12500-PASS




NTNV-BLE_2M-Ant1-2402-30~1000-PASS




NTNV-BLE_2M-Ant1-2402-1000~12500-PASS




NTNV-BLE_2M-Ant1-2440-30~1000-PASS



NTNV-BLE_2M-Ant1-2440-1000~12500-PASS



NTNV-BLE_2M-Ant1-2480-30~1000-PASS



NTNV-BLE_2M-Ant1-2480-1000~12500-PASS



Appendix G: Interference Pervention Funtion

Test Result

Link Mode	MAC adress	Test Result
BLE	80:b5:4e:5b:18:50	Pass

-----END-----