





NTNV	11AX20	Ant1+2	5320	+40	-54.15	≤-40	PASS
NTNV	11AX20	Ant1+2	5500	-40	-53.27	≤-40	PASS
NTNV	11AX20	Ant1+2	5500	-20	-30.24	≤-25	PASS
NTNV	11AX20	Ant1+2	5500	+20	-29.69	≤-25	PASS
NTNV	11AX20	Ant1+2	5500	+40	-51.78	≤-40	PASS
NTNV	11AX20	Ant1+2	5580	-40	-53.10	≤-40	PASS
NTNV	11AX20	Ant1+2	5580	-20	-31.25	≤-25	PASS
NTNV	11AX20	Ant1+2	5580	+20	-30.41	≤-25	PASS
NTNV	11AX20	Ant1+2	5580	+40	-51.72	≤-40	PASS
NTNV	11AX20	Ant1+2	5700	-40	-52.56	≤-40	PASS
NTNV	11AX20	Ant1+2	5700	-20	-31.76	≤-25	PASS
NTNV	11AX20	Ant1+2	5700	+20	-29.88	≤-25	PASS
NTNV	11AX20	Ant1+2	5700	+40	-52.41	≤-40	PASS
NTNV	11AX40	Ant1+2	5190	-80	-50.98	≤-40	PASS
NTNV	11AX40	Ant1+2	5190	-40	-35.89	≤-25	PASS
NTNV	11AX40	Ant1+2	5190	+40	-37.20	≤-25	PASS
NTNV	11AX40	Ant1+2	5190	+80	-53.64	≤-40	PASS
NTNV	11AX40	Ant1+2	5230	-80	-50.66	≤-40	PASS
NTNV	11AX40	Ant1+2	5230	-40	-35.01	≤-25	PASS
NTNV	11AX40	Ant1+2	5230	+40	-36.35	≤-25	PASS
NTNV	11AX40	Ant1+2	5230	+80	-53.57	≤-40	PASS
NTNV	11AX40	Ant1+2	5270	-80	-51.06	≤-40	PASS
NTNV	11AX40	Ant1+2	5270	-40	-33.16	≤-25	PASS
NTNV	11AX40	Ant1+2	5270	+40	-33.98	≤-25	PASS
NTNV	11AX40	Ant1+2	5270	+80	-53.17	≤-40	PASS
NTNV	11AX40	Ant1+2	5310	-80	-52.50	≤-40	PASS
NTNV	11AX40	Ant1+2	5310	-40	-32.74	≤-25	PASS
NTNV	11AX40	Ant1+2	5310	+40	-32.51	≤-25	PASS
NTNV	11AX40	Ant1+2	5310	+80	-53.12	≤-40	PASS
NTNV	11AX40	Ant1+2	5510	-80	-51.48	≤-40	PASS
NTNV	11AX40	Ant1+2	5510	-40	-32.36	≤-25	PASS
NTNV	11AX40	Ant1+2	5510	+40	-32.87	≤-25	PASS
NTNV	11AX40	Ant1+2	5510	+80	-49.55	≤-40	PASS
NTNV	11AX40	Ant1+2	5590	-80	-52.50	≤-40	PASS
NTNV	11AX40	Ant1+2	5590	-40	-37.30	≤-25	PASS
NTNV	11AX40	Ant1+2	5590	+40	-33.98	≤-25	PASS
NTNV	11AX40	Ant1+2	5590	+80	-50.28	≤-40	PASS
NTNV	11AX40	Ant1+2	5670	-80	-52.13	≤-40	PASS
NTNV	11AX40	Ant1+2	5670	-40	-37.18	≤-25	PASS
NTNV	11AX40	Ant1+2	5670	+40	-34.62	≤-25	PASS
NTNV	11AX40	Ant1+2	5670	+80	-50.83	≤-40	PASS
NTNV	11AX80	Ant1+2	5210	-80	-32.71	≤-25	PASS
NTNV	11AX80	Ant1+2	5210	+80	-35.28	≤-25	PASS
NTNV	11AX80	Ant1+2	5290	-80	-30.90	≤-25	PASS
NTNV	11AX80	Ant1+2	5290	+80	-35.97	≤-25	PASS
NTNV	11AX80	Ant1+2	5530	-80	-33.46	≤-25	PASS
NTNV	11AX80	Ant1+2	5530	+80	-32.57	≤-25	PASS
NTNV	11AX80	Ant1+2	5610	-80	-36.07	≤-25	PASS
NTNV	11AX80	Ant1+2	5610	+80	-33.42	≤-25	PASS


Test Graphs





























NTNV-11N40--5190-PASS





NTNV-11N40--5230-PASS

































































Interference Prevention Function Measurement

Test Item	:	Interference Prevention Function Measurement
Test Site	:	TR8
Test Mode	:	Mode : Normal Mode
EUT MAC Address	:	00:90:4C:12:D0:01

DHCP



名称

Epigram Inc

IP

192.168.50.34

MAC

00:90:4C:12:D0:01

设备

Epigram, Inc.

默认

更改

禁止访问网络

OFF

时间安排

OFF

MAC 地址与 IP 绑定

OFF


取消

应用本页面设置


Carrier Sense Measurement

Test Item	:	Carrier Sense Measurement
Test Site	:	TR8
Test Mode	:	Mode : Transmit by 802.11n40


802.11n40 5190MHz



802.11n40 5270MHz



802.11n40 5510MHz



Note: We evaluated the all model and the report shows the worst test data.

The End