


Appendix A

Frequency Error


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	1-DH5	2402	Ant1	2401.992	-8000	-3.33	50	Pass
NVNT	1-DH5	2441	Ant1	2440.99	-10000	-4.1	50	Pass
NVNT	1-DH5	2480	Ant1	2479.988	-12000	-4.84	50	Pass
LVNT	1-DH5	2402	Ant1	2401.994	-6000	-2.5	50	Pass
LVNT	1-DH5	2441	Ant1	2440.99	-10000	-4.1	50	Pass
LVNT	1-DH5	2480	Ant1	2479.986	-14000	-5.65	50	Pass
HVNT	1-DH5	2402	Ant1	2401.994	-6000	-2.5	50	Pass
HVNT	1-DH5	2441	Ant1	2440.99	-10000	-4.1	50	Pass
HVNT	1-DH5	2480	Ant1	2479.988	-12000	-4.84	50	Pass



Test Graphs



Freq. Error NVNT 1-DH5 2402MHz Ant1






Freq. Error NVNT 1-DH5 2441MHz Ant1











Antenna Power


Condition	Mode	Frequency (MHz)	Antenna	Power (dBm)	Power (mW)	Spread BW (MHz)	Power (mW/MHz)	Limit (mW/MHz)	Declared Power (mW/MHz)	Tolerance (%)	Upper Limit (%)	Verdict
NVNT	1-DH5	hopping	Ant1	0.26	1.062	71.089	0.015	3	1.5	-99	20	Pass
LVNT	1-DH5	hopping	Ant1	0.13	1.03	71.568	0.014	3	1.5	-99.07	20	Pass
HVNT	1-DH5	hopping	Ant1	0.14	1.033	71.329	0.014	3	1.5	-99.07	20	Pass
NVNT	2-DH5	hopping	Ant1	0.16	1.038	71.329	0.015	3	1.5	-99	20	Pass
LVNT	2-DH5	hopping	Ant1	0.02	1.005	71.568	0.014	3	1.5	-99.07	20	Pass
HVNT	2-DH5	hopping	Ant1	-0.03	0.993	71.449	0.014	3	1.5	-99.07	20	Pass
NVNT	3-DH5	hopping	Ant1	0.14	1.033	71.449	0.014	3	1.5	-99.07	20	Pass
LVNT	3-DH5	hopping	Ant1	-0.02	0.995	71.808	0.014	3	1.5	-99.07	20	Pass
HVNT	3-DH5	hopping	Ant1	-0.1	0.977	71.329	0.014	3	1.5	-99.07	20	Pass



EIRP Power



Condition	Mode	Frequency (MHz)	Antenna	Antenna Power (mW/MHz)	Antenna Power (dBm/MHz)	Gain (dBi)	EIRP Power (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	hopping	Ant1	0.015	-18.24	1.9	-16.34	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.015	-18.24	1.9	-16.34	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.014	-18.54	1.9	-16.64	6.91	Pass



Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.841
NVNT	1-DH5	2441	Ant1	0.818
NVNT	1-DH5	2480	Ant1	0.818
LVNT	1-DH5	2402	Ant1	0.841
LVNT	1-DH5	2441	Ant1	0.846
LVNT	1-DH5	2480	Ant1	0.842
HVNT	1-DH5	2402	Ant1	0.863
HVNT	1-DH5	2441	Ant1	0.827
HVNT	1-DH5	2480	Ant1	0.89
NVNT	2-DH5	2402	Ant1	1.177
NVNT	2-DH5	2441	Ant1	1.187
NVNT	2-DH5	2480	Ant1	1.19
LVNT	2-DH5	2402	Ant1	1.196
LVNT	2-DH5	2441	Ant1	1.193
LVNT	2-DH5	2480	Ant1	1.197
HVNT	2-DH5	2402	Ant1	1.197
HVNT	2-DH5	2441	Ant1	1.202
HVNT	2-DH5	2480	Ant1	1.181
NVNT	3-DH5	2402	Ant1	1.194
NVNT	3-DH5	2441	Ant1	1.178
NVNT	3-DH5	2480	Ant1	1.177
LVNT	3-DH5	2402	Ant1	1.191
LVNT	3-DH5	2441	Ant1	1.176
LVNT	3-DH5	2480	Ant1	1.189
HVNT	3-DH5	2402	Ant1	1.187
HVNT	3-DH5	2441	Ant1	1.188
HVNT	3-DH5	2480	Ant1	1.186



















































Occupied Channel Bandwidth (Hopping)


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	78.162
LVNT	1-DH5	2402	Ant1	78.162
HVNT	1-DH5	2402	Ant1	78.162
NVNT	2-DH5	2402	Ant1	78.402
LVNT	2-DH5	2402	Ant1	78.521
HVNT	2-DH5	2402	Ant1	78.282
NVNT	3-DH5	2402	Ant1	78.402
LVNT	3-DH5	2402	Ant1	78.402
HVNT	3-DH5	2402	Ant1	78.282


















Spreading Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	71.089	0.5	Pass
LVNT	1-DH5	2402	Ant1	71.568	0.5	Pass
HVNT	1-DH5	2402	Ant1	71.329	0.5	Pass
NVNT	2-DH5	2402	Ant1	71.329	0.5	Pass
LVNT	2-DH5	2402	Ant1	71.568	0.5	Pass
HVNT	2-DH5	2402	Ant1	71.449	0.5	Pass
NVNT	3-DH5	2402	Ant1	71.449	0.5	Pass
LVNT	3-DH5	2402	Ant1	71.808	0.5	Pass
HVNT	3-DH5	2402	Ant1	71.329	0.5	Pass











Tx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (uW)	Max RMS Value (uW)	Limit Start(uW)	Limit Stop (uW)	Verdict
NVNT	1-DH5	2402	Ant1	30-1000	948.20	-45.00	NA	0.0316	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	1000-2387	1743.99	-52.20	NA	0.006	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-40.20	NA	0.0955	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2483.5-2496.5	2496.31	-54.52	NA	0.0035	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2496.5-13000	4804.12	-31.24	NA	0.7516	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	30-1000	948.30	-47.02	NA	0.0199	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	1000-2387	1817.50	-52.20	NA	0.006	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	2387-2400	2388.70	-53.56	NA	0.0044	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2483.5-2496.5	2485.66	-54.19	NA	0.0038	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2496.5-13000	4881.84	-31.29	NA	0.743	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	30-1000	948.20	-47.46	NA	0.0179	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	1000-2387	1757.16	-48.73	NA	0.0134	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	2387-2400	2390.09	-54.57	NA	0.0035	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2483.5-2496.5	2483.74	-49.37	NA	0.0116	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2496.5-13000	4959.57	-31.83	NA	0.6561	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	30-1000	184.33	-40.25	NA	0.0944	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	1000-2387	1744.68	-36.99	NA	0.2	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-39.88	NA	0.1028	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2483.5-2496.5	2492.96	-53.70	NA	0.0043	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2496.5-13000	4804.12	-31.10	NA	0.7762	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	30-1000	948.69	-47.82	NA	0.0165	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	1000-2387	1061.58	-53.22	NA	0.0048	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	2387-2400	2391.43	-54.90	NA	0.0032	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2483.5-2496.5	2495.47	-54.54	NA	0.0035	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2496.5-13000	4881.84	-30.85	NA	0.8222	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	30-1000	737.32	-41.08	NA	0.078	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	1000-2387	1742.18	-41.42	NA	0.0721	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	2387-2400	2388.66	-55.04	NA	0.0031	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2483.5-2496.5	2483.50	-50.21	NA	0.0095	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2496.5-13000	2531.16	-30.66	NA	0.859	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	30-1000	614.52	-43.08	NA	0.0492	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	1000-2387	1748.15	-47.40	NA	0.0182	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-39.35	NA	0.1161	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2483.5-2496.5	2490.72	-53.62	NA	0.0043	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2496.5-13000	4804.12	-31.17	NA	0.7638	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	30-1000	935.40	-51.23	NA	0.0075	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	1000-2387	1741.07	-49.66	NA	0.0108	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	2387-2400	2389.02	-54.25	NA	0.0038	NA	25	25	Pass



HVNT	1-DH5	2441	Ant1	2483.5-2496.5	2496.47	-54.93	NA	0.0032	NA	25	25	Pass
HVNT	1-DH5	2441	Ant1	2496.5-13000	4881.84	-31.01	NA	0.7925	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	30-1000	860.22	-43.48	NA	0.0449	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	1000-2387	1741.91	-49.48	NA	0.0113	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	2387-2400	2396.47	-55.16	NA	0.003	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2483.5-2496.5	2483.50	-48.17	NA	0.0152	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2496.5-13000	4959.57	-31.16	NA	0.7656	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	30-1000	948.20	-48.52	NA	0.0141	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	1000-2387	1762.16	-50.61	NA	0.0087	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-30.92	NA	0.8091	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2483.5-2496.5	2490.73	-53.60	NA	0.0044	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2496.5-13000	4804.12	-28.40	-34.01	1.4454	0.3972	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	30-1000	912.89	-43.69	NA	0.0428	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	1000-2387	2318.20	-47.97	NA	0.016	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	2387-2400	2394.59	-55.19	NA	0.003	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2483.5-2496.5	2485.71	-54.34	NA	0.0037	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2496.5-13000	4881.84	-28.66	-34.08	1.3614	0.3908	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	30-1000	948.69	-47.63	NA	0.0173	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	1000-2387	1744.26	-46.06	NA	0.0248	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	2387-2400	2390.25	-53.57	NA	0.0044	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2483.5-2496.5	2483.50	-49.15	NA	0.0122	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2496.5-13000	4959.57	-29.36	NA	1.1588	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	30-1000	904.84	-45.54	NA	0.0279	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	1000-2387	1815.00	-52.85	NA	0.0052	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-31.93	NA	0.6412	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2483.5-2496.5	2483.56	-54.49	NA	0.0036	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2496.5-13000	4804.12	-28.42	-33.82	1.4388	0.415	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	30-1000	910.66	-50.86	NA	0.0082	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	1000-2387	2208.77	-53.45	NA	0.0045	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	2387-2400	2393.42	-53.67	NA	0.0043	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2483.5-2496.5	2492.20	-55.47	NA	0.0028	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2496.5-13000	4881.84	-28.53	-33.72	1.4028	0.4246	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	30-1000	948.69	-49.62	NA	0.0109	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	1000-2387	1758.41	-50.57	NA	0.0088	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	2387-2400	2394.89	-55.61	NA	0.0027	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2483.5-2496.5	2483.50	-50.33	NA	0.0093	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2496.5-13000	4959.57	-28.04	-34.74	1.5704	0.3357	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	30-1000	307.23	-35.17	NA	0.3041	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	1000-2387	1740.94	-47.75	NA	0.0168	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-32.18	NA	0.6053	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2483.5-2496.5	2486.97	-54.29	NA	0.0037	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2496.5-13000	4803.07	-29.05	NA	1.2445	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	30-1000	948.20	-49.09	NA	0.0123	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	1000-2387	1747.18	-32.31	NA	0.5875	NA	2.5	2.5	Pass




HVNT	2-DH5	2441	Ant1	2387-2400	2388.81	-54.67	NA	0.0034	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2483.5-2496.5	2492.63	-53.52	NA	0.0044	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2496.5-13000	4881.84	-28.89	-33.71	1.2912	0.4256	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	30-1000	948.69	-50.18	NA	0.0096	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	1000-2387	1744.68	-36.14	NA	0.2432	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	2387-2400	2394.76	-54.18	NA	0.0038	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2483.5-2496.5	2483.50	-48.98	NA	0.0126	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2496.5-13000	4959.57	-28.18	-34.76	1.5205	0.3342	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	30-1000	948.30	-48.02	NA	0.0158	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	1000-2387	1819.02	-52.29	NA	0.0059	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-31.18	NA	0.7621	NA	25	25	Pass
NVNT	3-DH5	2402	Ant1	2483.5-2496.5	2490.65	-55.90	NA	0.0026	NA	25	25	Pass
NVNT	3-DH5	2402	Ant1	2496.5-13000	4803.07	-28.54	-38.41	1.3996	0.1442	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	30-1000	948.20	-46.93	NA	0.0203	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	1000-2387	1742.32	-48.57	NA	0.0139	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	2387-2400	2394.18	-54.76	NA	0.0033	NA	25	25	Pass
NVNT	3-DH5	2441	Ant1	2483.5-2496.5	2487.52	-55.24	NA	0.003	NA	25	25	Pass
NVNT	3-DH5	2441	Ant1	2496.5-13000	4881.84	-28.61	-34.06	1.3772	0.3926	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	30-1000	860.22	-40.60	NA	0.0871	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	1000-2387	1740.80	-52.99	NA	0.005	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	2387-2400	2387.94	-54.32	NA	0.0037	NA	25	25	Pass
NVNT	3-DH5	2480	Ant1	2483.5-2496.5	2483.50	-44.12	NA	0.0387	NA	25	25	Pass
NVNT	3-DH5	2480	Ant1	2496.5-13000	4959.57	-29.38	NA	1.1535	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	30-1000	948.69	-50.92	NA	0.0081	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	1000-2387	2139.00	-52.85	NA	0.0052	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-30.82	NA	0.8279	NA	25	25	Pass
LVNT	3-DH5	2402	Ant1	2483.5-2496.5	2485.17	-54.73	NA	0.0034	NA	25	25	Pass
LVNT	3-DH5	2402	Ant1	2496.5-13000	4804.12	-28.00	-33.84	1.5849	0.413	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	30-1000	910.18	-50.28	NA	0.0094	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	1000-2387	1740.52	-49.06	NA	0.0124	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	2387-2400	2392.47	-52.93	NA	0.0051	NA	25	25	Pass
LVNT	3-DH5	2441	Ant1	2483.5-2496.5	2484.05	-55.44	NA	0.0029	NA	25	25	Pass
LVNT	3-DH5	2441	Ant1	2496.5-13000	4881.84	-28.00	-33.71	1.5849	0.4256	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	30-1000	948.69	-48.36	NA	0.0146	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	1000-2387	1819.58	-52.69	NA	0.0054	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	2387-2400	2387.05	-55.32	NA	0.0029	NA	25	25	Pass
LVNT	3-DH5	2480	Ant1	2483.5-2496.5	2484.51	-49.37	NA	0.0116	NA	25	25	Pass
LVNT	3-DH5	2480	Ant1	2496.5-13000	4959.57	-28.57	-34.67	1.39	0.3412	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	30-1000	948.59	-51.05	NA	0.0079	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	1000-2387	1744.68	-50.56	NA	0.0088	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-30.49	NA	0.8933	NA	25	25	Pass
HVNT	3-DH5	2402	Ant1	2483.5-2496.5	2488.72	-54.70	NA	0.0034	NA	25	25	Pass
HVNT	3-DH5	2402	Ant1	2496.5-13000	4804.12	-28.86	-33.81	1.3002	0.4159	2.5	2.5	Pass
HVNT	3-DH5	2441	Ant1	30-1000	948.20	-49.64	NA	0.0109	NA	2.5	2.5	Pass

HVNT	3-DH5	2441	Ant1	1000-2387	1811.26	-52.73	NA	0.0053	NA	2.5	2.5	Pass
HVNT	3-DH5	2441	Ant1	2387-2400	2389.31	-54.34	NA	0.0037	NA	25	25	Pass
HVNT	3-DH5	2441	Ant1	2483.5-2496.5	2486.52	-54.42	NA	0.0036	NA	25	25	Pass
HVNT	3-DH5	2441	Ant1	2496.5-13000	4881.84	-28.42	-33.7	1.4388	0.4266	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	30-1000	948.30	-47.58	NA	0.0175	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	1000-2387	1743.29	-33.55	NA	0.4416	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	2387-2400	2393.99	-55.81	NA	0.0026	NA	25	25	Pass
HVNT	3-DH5	2480	Ant1	2483.5-2496.5	2483.50	-48.35	NA	0.0146	NA	25	25	Pass
HVNT	3-DH5	2480	Ant1	2496.5-13000	4959.57	-28.68	-34.77	1.3552	0.3334	2.5	2.5	Pass

Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 @ 30MHz-1000MHz



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 @ 1000MHz-2387MHz

