

Appendix: 5.3G Wi-Fi

Contents


Appendix A: Frequency Error	3
Test Result	3
Test Graphs	4
Appendix B: Antenna Power	5
Test Result	5
Test Graphs	6
Appendix C: Occupied Bandwidth	9
Test Result	9
Test Graphs	10
Appendix D: Spread Bandwidth	12
Test Result	12
Test Graphs	13
Appendix E: Unwanted Emission Strength	15
Test Result	15
Test Result_Step2	16
Test Graphs	17
Test Graphs_Step2	25
Appendix F: Secondary Radiated Emission Strength	27
Test Result	27
Test Graphs	28
Appendix G: Transmission Burst Length	31
Test Result	31
Test Graphs	32
Appendix H: Adjacent Channel Power Tolerance	34
Test Result	34
Test Graphs	35
Appendix I: Carrier Sense Function	37
Test Result	37
Test Graphs	38

Appendix A: Frequency Error

Test Result

TestCondition	TestMode	Antenna	Frequen cy[MHz]	CenterFreq [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	CW	Ant1	5260	5259.975	-4.75285	±20	PASS
NTNV	CW	Ant1	5270	5269.975	-4.74383	±20	PASS
NTNV	CW	Ant1	5300	5299.975	-4.71698	±20	PASS
NTNV	CW	Ant1	5310	5309.975	-4.70810	±20	PASS
NTNV	CW	Ant1	5320	5319.975	-4.69925	±20	PASS

Test Graphs



Appendix B: Antenna Power

Test Result

Test Condition	TestMode	Antenna	Frequency[MHz]	Result(dBm /MHz)	Result(mW/ MHz)	Limit(mW /MHz)	Verdict
NTNV	11A	Ant1	5260	0.19	1.0447	≤10	PASS
NTNV	11A	Ant1	5300	-0.30	0.9333	≤10	PASS
NTNV	11A	Ant1	5320	-0.19	0.9572	≤10	PASS
NTNV	11N20SISO	Ant1	5260	-0.12	0.9727	≤10	PASS
NTNV	11N20SISO	Ant1	5300	-0.61	0.8690	≤10	PASS
NTNV	11N20SISO	Ant1	5320	-0.32	0.9290	≤10	PASS
NTNV	11N40SISO	Ant1	5270	-2.58	0.5521	≤5	PASS
NTNV	11N40SISO	Ant1	5310	-2.76	0.5297	≤5	PASS

Test Condition	Test Mode	Antenna	Frequency[MHz]	Power (mW/ MHz)	Rated Power (mW/MHz)	Result (%)	Limit (%)	Verdict
NTNV	11A	Ant1	5260	1.0447	1.0	+4.47	-80 to +20	PASS
NTNV	11A	Ant1	5300	0.9333	1.0	-6.67	-80 to +20	PASS
NTNV	11A	Ant1	5320	0.9572	1.0	-4.28	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5260	0.9727	1.0	-2.73	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5300	0.8690	1.0	-13.10	-80 to +20	PASS
NTNV	11N20SISO	Ant1	5320	0.9290	1.0	-7.10	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5270	0.5521	0.6	-7.98	-80 to +20	PASS
NTNV	11N40SISO	Ant1	5310	0.5297	0.6	-11.72	-80 to +20	PASS

Test Condition	TestMode	Antenna	Frequency[MHz]	Result(mW/ MHz)	EIRP(mW/M Hz)	Limit(mW /MHz)	Verdict
NTNV	11A	Ant1	5260	1.0447	1.2560	≤5	PASS
NTNV	11A	Ant1	5300	0.9333	1.1220	≤5	PASS
NTNV	11A	Ant1	5320	0.9572	1.1508	≤5	PASS
NTNV	11N20SISO	Ant1	5260	0.9727	1.1695	≤5	PASS
NTNV	11N20SISO	Ant1	5300	0.8690	1.0447	≤5	PASS
NTNV	11N20SISO	Ant1	5320	0.9290	1.1169	≤5	PASS
NTNV	11N40SISO	Ant1	5270	0.5521	0.6637	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	0.5297	0.6368	≤2.5	PASS

Test Graphs






NTVN-11N20SISO-Ant1-5260-PASS




NTVN-11N20SISO-Ant1-5260-PASS




NTVN-11N20SISO-Ant1-5300-PASS




NTVN-11N20SISO-Ant1-5300-PASS



NTVN-11N20SISO-Ant1-5320-PASS



NTVN-11N20SISO-Ant1-5320-PASS




Appendix C: Occupied Bandwidth

Test Result

TestCondition	TestMode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5260	17.329	≤20	PASS
NTNV	11A	Ant1	5300	17.566	≤20	PASS
NTNV	11A	Ant1	5320	17.759	≤20	PASS
NTNV	11N20SISO	Ant1	5260	18.083	≤20	PASS
NTNV	11N20SISO	Ant1	5300	18.256	≤20	PASS
NTNV	11N20SISO	Ant1	5320	18.514	≤20	PASS
NTNV	11N40SISO	Ant1	5270	36.337	≤40	PASS
NTNV	11N40SISO	Ant1	5310	36.573	≤40	PASS

Test Graphs






Appendix D: Spread Bandwidth

Test Result

TestCon dition	TestMode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5260	14.914	≥0.5	PASS
NTNV	11A	Ant1	5300	14.934	≥0.5	PASS
NTNV	11A	Ant1	5320	14.970	≥0.5	PASS
NTNV	11N20SISO	Ant1	5260	15.902	≥0.5	PASS
NTNV	11N20SISO	Ant1	5300	15.944	≥0.5	PASS
NTNV	11N20SISO	Ant1	5320	15.981	≥0.5	PASS
NTNV	11N40SISO	Ant1	5270	32.251	≥0.5	PASS
NTNV	11N40SISO	Ant1	5310	32.468	≥0.5	PASS

Test Graphs





Appendix E: Unwanted Emission Strength

Test Result


Test Condition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP[dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5260	30~5233.3	5232.78	-33.54	-32.74	0.53211	≤2.5	PASS
NTNV	11A	Ant1	5260	5233.3~5240	5233.49	-28.94	-28.14	1.53462	≤2.6	See table below
NTNV	11A	Ant1	5260	5240~5249	5242.87	-23.55	-22.75	5.30884	≤28.5	PASS
NTNV	11A	Ant1	5260	5249~5250	5249.02	-21.55	-20.75	8.41395	≤104.7	PASS
NTNV	11A	Ant1	5260	5350~26000	21797.04	-45.01	-44.21	0.03793	≤2.5	PASS
NTNV	11A	Ant1	5300	30~5233.3	5211.45	-46.99	-46.19	0.02404	≤2.5	PASS
NTNV	11A	Ant1	5300	5233.3~5240	5233.33	-31.92	-31.12	0.77268	≤2.5	PASS
NTNV	11A	Ant1	5300	5240~5249	5240.45	-30.61	-29.81	1.04472	≤17.4	PASS
NTNV	11A	Ant1	5300	5249~5250	5249.11	-29.96	-29.16	1.21339	≤128.8	PASS
NTNV	11A	Ant1	5300	5350~26000	5353.44	-41.44	-40.64	0.08630	≤2.5	PASS
NTNV	11A	Ant1	5320	30~5233.3	5222.89	-47.76	-46.96	0.02014	≤2.5	PASS
NTNV	11A	Ant1	5320	5233.3~5240	5233.53	-32.35	-31.55	0.69984	≤2.7	PASS
NTNV	11A	Ant1	5320	5240~5249	5240.28	-31.94	-31.14	0.76913	≤16.8	PASS
NTNV	11A	Ant1	5320	5249~5250	5249.13	-30.18	-29.38	1.15345	≤134.9	PASS
NTNV	11A	Ant1	5320	5350~26000	5351.38	-37.15	-36.35	0.23174	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	30~5233.3	5233.30	-38.91	-38.11	0.15453	≤2.5	PASS
NTNV	11N20SISO	Ant1	5260	5233.3~5240	5238.37	-22.36	-21.56	6.98232	≤10.1	See table below
NTNV	11N20SISO	Ant1	5260	5240~5249	5240.78	-24.53	-23.73	4.23643	≤18.6	PASS
NTNV	11N20SISO	Ant1	5260	5249~5249.8	5249.01	-21.11	-20.31	9.31108	≤102.3	PASS
NTNV	11N20SISO	Ant1	5260	5249.8~5250	5249.80	-13.45	-12.65	54.32503	≤631.0	PASS
NTNV	11N20SISO	Ant1	5260	5350~26000	22103.35	-44.82	-44.02	0.03963	≤2.5	PASS
NTNV	11N20SISO	Ant1	5300	30~5233.3	5211.97	-47.66	-46.86	0.02061	≤2.5	PASS
NTNV	11N20SISO	Ant1	5300	5233.3~5240	5233.47	-31.33	-30.53	0.88512	≤2.6	PASS
NTNV	11N20SISO	Ant1	5300	5240~5249	5240.17	-31.59	-30.79	0.83368	≤16.4	PASS
NTNV	11N20SISO	Ant1	5300	5249~5249.8	5249.03	-30.92	-30.12	0.97275	≤107.2	PASS
NTNV	11N20SISO	Ant1	5300	5249.8~5250	5249.83	-29.25	-28.45	1.42889	≤758.6	PASS
NTNV	11N20SISO	Ant1	5300	5350~26000	5354.13	-41.20	-40.40	0.09120	≤2.5	PASS
NTNV	11N20SISO	Ant1	5320	30~5233.3	5218.73	-47.59	-46.79	0.02094	≤2.5	PASS

NTNV	11N20SISO	Ant1	5320	5233.3~5240	5233.57	-31.45	-30.65	0.86099	≤2.7	PASS
NTNV	11N20SISO	Ant1	5320	5240~5249	5240.61	-31.43	-30.63	0.86497	≤18.0	PASS
NTNV	11N20SISO	Ant1	5320	5249~5249.8	5249.00	-31.86	-31.06	0.78343	≤100.0	PASS
NTNV	11N20SISO	Ant1	5320	5249.8~5250	5249.80	-30.60	-29.80	1.04713	≤631.0	PASS
NTNV	11N20SISO	Ant1	5320	5350~26000	5351.38	-31.98	-31.18	0.76208	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	30~5221.6	5215.89	-31.80	-31.00	0.79433	≤2.5	PASS
NTNV	11N40SISO	Ant1	5270	5221.6~5230	5226.46	-24.51	-23.71	4.25598	≤4.9	See table below
NTNV	11N40SISO	Ant1	5270	5230~5249	5230.53	-26.22	-25.42	2.87078	≤8.3	PASS
NTNV	11N40SISO	Ant1	5270	5249~5250	5249.02	-24.97	-24.17	3.82825	≤52.4	PASS
NTNV	11N40SISO	Ant1	5270	5350~5358.4	5354.35	-30.55	-29.75	1.05925	≤15	PASS
NTNV	11N40SISO	Ant1	5270	5358.4~26000	23403.97	-45.15	-44.35	0.03673	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	30~5221.6	5007.71	-47.04	-46.24	0.02377	≤2.5	PASS
NTNV	11N40SISO	Ant1	5310	5221.6~5230	5222.04	-31.68	-30.88	0.81658	≤2.6	PASS
NTNV	11N40SISO	Ant1	5310	5230~5249	5230.57	-31.31	-30.51	0.88920	≤8.4	PASS
NTNV	11N40SISO	Ant1	5310	5249~5250	5249.00	-30.13	-29.33	1.16681	≤50	PASS
NTNV	11N40SISO	Ant1	5310	5350~5358.4	5350.65	-21.12	-20.32	9.28966	≤15	See table below
NTNV	11N40SISO	Ant1	5310	5358.4~26000	5360.46	-36.95	-36.15	0.24266	≤2.5	PASS

Test Result_Step2


TestCondition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP[dBm/MHz]	Result [μW/MHz]	Limit [μW]	Verdict
NTNV	11A	Ant1	5260	5233.3~5240	5234.51	-52.12	-51.32	0.00738	≤3	PASS
NTNV	11N20SISO	Ant1	5260	5233.3~5240	5238.37	-49.16	-48.36	0.01459	≤10	PASS
NTNV	11N40SISO	Ant1	5270	5221.6~5230	5229.51	-46.61	-45.81	0.02624	≤5	PASS
NTNV	11N40SISO	Ant1	5310	5350~5358.4	5350.65	-44.99	-44.19	0.03811	≤15	PASS

Test Graphs






08:56:22 PM 04/11/2026




08:56:32 PM 04/11/2026




08:56:43 PM 04/11/2026




08:56:55 PM 04/11/2026



08:59:52 PM 04/11/2026



09:00:02 PM 04/11/2026




NTNV-11A-Ant1-5320-5240~5249-PASS




NTNV-11A-Ant1-5320-5249~5250-PASS




NTNV-11A-Ant1-5320-5350~26000-PASS




NTNV-11N20SISO-Ant1-5260-30~5233.3-PASS



NTNV-11N20SISO-Ant1-5260-5233.3~5240-See
table below




NTNV-11N20SISO-Ant1-5260-5240~5249-PASS



09:37:03 PM 04/11/2026

NTNV-11N20SISO-Ant1-5260-5249~5249.8-PAS
S




09:37:13 PM 04/11/2026

NTNV-11N20SISO-Ant1-5260-5249.8~5250-PAS
S



09:37:24 PM 04/11/2026

NTNV-11N20SISO-Ant1-5260-5350~26000-PAS
S




09:40:26 PM 04/11/2026

NTNV-11N20SISO-Ant1-5300-30~5233.3-PASS



09:40:37 PM 04/11/2026

NTNV-11N20SISO-Ant1-5300-5233.3~5240-PAS
S




09:40:47 PM 04/11/2026


NTNV-11N20SISO-Ant1-5300-5240~5249-PASS




NTNV-11N20SISO-Ant1-5300-5249~5249.8-PAS
S



NTNV-11N20SISO-Ant1-5300-5249.8~5250-PAS
S



NTNV-11N20SISO-Ant1-5300-5350~26000-PAS
S






NTNV-11N20SISO-Ant1-5320-30~5233.3-PASS




NTNV-11N20SISO-Ant1-5320-5233.3~5240-PAS
S



NTNV-11N20SISO-Ant1-5320-5240~5249-PASS






10:39:16 PM 04/11/2026

NTNV-11N40SISO-Ant1-5270-5249~5250-PASS




10:39:26 PM 04/11/2026

NTNV-11N40SISO-Ant1-5270-5350~5358.4-PASS
S



10:39:30 PM 04/11/2026

NTNV-11N40SISO-Ant1-5270-5358.4~26000-PASS
SS



10:39:34 PM 04/11/2026

NTNV-11N40SISO-Ant1-5310-30~5221.6-PASS





10:39:36 PM 04/11/2026

NTNV-11N40SISO-Ant1-5310-5221.6~5230-PASS
S





10:39:38 PM 04/11/2026

NTNV-11N40SISO-Ant1-5310-5230~5249-PASS

 10:18:45 PM 04/11/2026	 10:18:55 PM 04/11/2026
NTNV-11N40SISO-Ant1-5310-5249~5250-PASS	NTNV-11N40SISO-Ant1-5310-5350~5358.4-See table below
 10:19:36 PM 04/11/2026	
NTNV-11N40SISO-Ant1-5310-5358.4~26000-PASS	

Test Graphs_Step2







Appendix F: Secondary Radiated Emission Strength

Test Result

Test Condition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5260	30~1000	319.64	-72.80	0.05248	≤4	PASS
NTNV	11A	Ant1	5260	1000~26000	22005.80	-66.62	0.21777	≤20	PASS
NTNV	11A	Ant1	5300	30~1000	319.64	-73.04	0.04966	≤4	PASS
NTNV	11A	Ant1	5300	1000~26000	7481.60	-67.19	0.19099	≤20	PASS
NTNV	11A	Ant1	5320	30~1000	319.64	-72.79	0.05260	≤4	PASS
NTNV	11A	Ant1	5320	1000~26000	21903.30	-67.27	0.18750	≤20	PASS
NTNV	11N20SISO	Ant1	5260	30~1000	319.64	-72.81	0.05236	≤4	PASS
NTNV	11N20SISO	Ant1	5260	1000~26000	7494.10	-67.24	0.18880	≤20	PASS
NTNV	11N20SISO	Ant1	5300	30~1000	319.64	-72.63	0.05458	≤4	PASS
NTNV	11N20SISO	Ant1	5300	1000~26000	22005.80	-66.53	0.22233	≤20	PASS
NTNV	11N20SISO	Ant1	5320	30~1000	319.64	-72.77	0.05284	≤4	PASS
NTNV	11N20SISO	Ant1	5320	1000~26000	22129.60	-67.40	0.18197	≤20	PASS
NTNV	11N40SISO	Ant1	5270	30~1000	319.64	-72.86	0.05176	≤4	PASS
NTNV	11N40SISO	Ant1	5270	1000~26000	21879.60	-66.46	0.22594	≤20	PASS
NTNV	11N40SISO	Ant1	5310	30~1000	319.64	-72.78	0.05272	≤4	PASS
NTNV	11N40SISO	Ant1	5310	1000~26000	22013.30	-66.53	0.22233	≤20	PASS


Test Graphs






08:16:36 PM 04/11/2026

NTNV-11N20SISO-Ant1-5260-30~1000-PASS




08:16:47 PM 04/11/2026

NTNV-11N20SISO-Ant1-5260-1000~26000-PAS
S




08:17:00 PM 04/11/2026

NTNV-11N20SISO-Ant1-5300-30~1000-PASS




08:17:11 PM 04/11/2026

NTNV-11N20SISO-Ant1-5300-1000~26000-PAS
S



08:17:24 PM 04/11/2026

NTNV-11N20SISO-Ant1-5320-30~1000-PASS



08:17:35 PM 04/11/2026

NTNV-11N20SISO-Ant1-5320-1000~26000-PAS
S


NTNV-11N40SISO-Ant1-5270-30~1000-PASS	NTNV-11N40SISO-Ant1-5270-1000~26000-PASS S
NTNV-11N40SISO-Ant1-5310-30~1000-PASS	NTNV-11N40SISO-Ant1-5310-1000~26000-PASS S


Appendix G: Transmission Burst Length

Test Result

TestCondition	TestMode	Antenna	Frequency[MHz]	Result[ms]	Limit[ms]	Verdict
NTNV	11A	Ant1	5260	1.39	≤8	PASS
NTNV	11A	Ant1	5300	1.39	≤8	PASS
NTNV	11A	Ant1	5320	1.39	≤8	PASS
NTNV	11N20SISO	Ant1	5260	5.08	≤8	PASS
NTNV	11N20SISO	Ant1	5300	5.08	≤8	PASS
NTNV	11N20SISO	Ant1	5320	5.08	≤8	PASS
NTNV	11N40SISO	Ant1	5270	2.47	≤8	PASS
NTNV	11N40SISO	Ant1	5310	2.47	≤8	PASS

Test Graphs







Appendix H: Adjacent Channel Power Tolerance

Test Result

TestCondition	TestMode	Antenna	Frequency[MHz]	Offset [MHz]	Result [dBc]	Limit [dBc]	Verdict
NTNV	11A	Ant1	5260	-40	-46.08	≤-40	PASS
NTNV	11A	Ant1	5260	-20	-33.41	≤-25	PASS
NTNV	11A	Ant1	5260	+20	-31.78	≤-25	PASS
NTNV	11A	Ant1	5260	+40	-45.77	≤-40	PASS
NTNV	11A	Ant1	5300	-40	-45.56	≤-40	PASS
NTNV	11A	Ant1	5300	-20	-29.21	≤-25	PASS
NTNV	11A	Ant1	5300	+20	-29.34	≤-25	PASS
NTNV	11A	Ant1	5300	+40	-44.94	≤-40	PASS
NTNV	11A	Ant1	5320	-40	-45.47	≤-40	PASS
NTNV	11A	Ant1	5320	-20	-28.03	≤-25	PASS
NTNV	11A	Ant1	5320	+20	-27.51	≤-25	PASS
NTNV	11A	Ant1	5320	+40	-44.68	≤-40	PASS
NTNV	11N20SISO	Ant1	5260	-40	-46.22	≤-40	PASS
NTNV	11N20SISO	Ant1	5260	-20	-33.38	≤-25	PASS
NTNV	11N20SISO	Ant1	5260	+20	-32.56	≤-25	PASS
NTNV	11N20SISO	Ant1	5260	+40	-45.69	≤-40	PASS
NTNV	11N20SISO	Ant1	5300	-40	-45.69	≤-40	PASS
NTNV	11N20SISO	Ant1	5300	-20	-29.08	≤-25	PASS
NTNV	11N20SISO	Ant1	5300	+20	-28.36	≤-25	PASS
NTNV	11N20SISO	Ant1	5300	+40	-44.90	≤-40	PASS
NTNV	11N20SISO	Ant1	5320	-40	-45.45	≤-40	PASS
NTNV	11N20SISO	Ant1	5320	-20	-28.06	≤-25	PASS
NTNV	11N20SISO	Ant1	5320	+20	-26.70	≤-25	PASS
NTNV	11N20SISO	Ant1	5320	+40	-44.22	≤-40	PASS
NTNV	11N40SISO	Ant1	5270	-80	-44.92	≤-40	PASS
NTNV	11N40SISO	Ant1	5270	-40	-31.72	≤-25	PASS
NTNV	11N40SISO	Ant1	5270	+40	-33.38	≤-25	PASS
NTNV	11N40SISO	Ant1	5270	+80	-43.88	≤-40	PASS
NTNV	11N40SISO	Ant1	5310	-80	-44.42	≤-40	PASS
NTNV	11N40SISO	Ant1	5310	-40	-28.26	≤-25	PASS
NTNV	11N40SISO	Ant1	5310	+40	-28.06	≤-25	PASS
NTNV	11N40SISO	Ant1	5310	+80	-43.64	≤-40	PASS

Test Graphs





Appendix I: Carrier Sense Function

Test Result


TestCon dition	TestMode	Antenna	Frequen cy[MHz]	Pcs[dBm]	Result	Verdict
NTNV	11A	Ant1	5260	-50.829	See table below	PASS
NTNV	11N40SISO	Ant1	5270	-50.846	See table below	PASS

Note: $Pcs (dBm) = 22.79 + Gr - 20\log(F)$.

V1: CW signal injection

V2: CW signal remove

Test Graphs



*** End of Report ***