

TEST REPORT

Product Name : Indoor Access Point
Model Number : AP-N716

Prepared for : FS JAPAN CO.,LTD.
Address : JS Progress Building 5F, 4-1-23 Heiwajima, Ota-ku, Tokyo

Prepared by : EMTEK (SHENZHEN) CO., LTD.
Address : Bldg 69, Majialong Industry Zone, Nanshan District,
Shenzhen, Guangdong, China

Tel: (0755) 26954280
Fax: (0755) 26954282

Report Number : ENS2509120306W00803R
Date(s) of Tests : October 23, 2025 to March 13, 2026
Date of Issue : March 16, 2026

TABLE OF CONTENTS

1. EUT TECHNICAL DESCRIPTION.....	5
1.1. PRODUCT DESCRIPTION.....	5
1.2. FEATURE OF EUT.....	6
2. SUMMARY OF TEST RESULT.....	7
3. TEST METHODOLOGY.....	8
3.1. GENERAL DESCRIPTION OF APPLIED STANDARDS.....	8
3.2. MEASUREMENT EQUIPMENT USED.....	8
3.3. DESCRIPTION OF TEST MODES.....	9
4. FACILITIES AND ACCREDITATIONS.....	12
4.1. FACILITIES.....	12
4.2. LABORATORY ACCREDITATIONS AND LISTINGS.....	12
5. TEST SYSTEM UNCERTAINTY.....	13
6. WIRELESS MODULE VOLTAGE TEST IN EXTREME CONDITIONS.....	14
6.1. APPLICABLE STANDARD.....	14
6.2. TEST CONFIGURATION.....	14
6.3. TEST RESULTS.....	15
6.4. SUPPORT EQUIPMENT.....	16
7. TEST REQUIREMENTS.....	17
7.1. FREQUENCY ERROR.....	17
7.2. ANTENNA POWER AND E.I.R.P.....	106
7.3. SPURIOUS EMISSIONS OF TX.....	554
7.4. OCCUPIED BANDWIDTH (99%).....	1233
7.5. LEAK POWER OF ADJACENT CHANNELS.....	1323
7.6. LEAK POWER OUT OF BAND.....	1416
7.7. SPURIOUS EMISSIONS OF RX.....	1422
7.8. TRANSMISSION BURST LENGTH.....	1602
7.9. INTERFACE PREVENTION FUNCTION.....	1690
7.10. CARRIER SENSE FUNCTION.....	1691
7.11. RF ACCESSIBILITY.....	1695
APPENDIX- PHOTOGRAPHS OF TEST SETUP.....	1696

Modified Information

Version	Report No.	Revision Date	Summary
Ver.1.0	ENS2509120306W00803R	/	Original Report

TEST RESULT CERTIFICATION

Applicant : FS JAPAN CO.,LTD.
Address : JS Progress Building 5F, 4-1-23 Heiwajima, Ota-ku, Tokyo
Manufacturer : FS.COM INC
Address : 380 Centerpoint Blvd, New Castle, DE 19720, United States
EUT : Indoor Access Point
Model Name : AP-N716
Trademark : 

Measurement Procedure Used:

APPLICABLE STANDARDS		
STANDARD	Test Procedure	TEST RESULT
Item 19-3 of Article 2 Paragraph 1	MIC notice No. 88 Appendix No. 45	PASS

The device described above is tested by SHENZHEN EMTEK , CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. The measurement results are contained in this test report and EMTEK (SHENZHEN) CO., LTD. is assumed full of responsibility for the accuracy and completeness of these measurements. Also, this report shows that the EUT (Equipment Under Test) is technically compliant with the above table standards requirement.
This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (SHENZHEN) CO., LTD.

Date of Test : October 23, 2025 to March 13, 2026

Prepared by : 
Yu Xiaolan/Editor

Reviewer : 
Xia Lili/Supervisor

Approved & Authorized Signer : 
Wang Li/Manager



1. EUT TECHNICAL DESCRIPTION

1.1. Product Description

WIFI Type:	WIFI 5G with 5150MHz-5250MHz Band WIFI 5G with 5250MHz-5350MHz Band WIFI 5G with 5470MHz-5725MHz Band
WLAN Supported:	802.11a 802.11n(20MHz channel bandwidth) 802.11n(40MHz channel bandwidth) 802.11ac(20MHz channel bandwidth) 802.11ac(40MHz channel bandwidth) 802.11ac(80MHz channel bandwidth) 802.11ax(20MHz channel bandwidth) 802.11ax(40MHz channel bandwidth) 802.11ax(80MHz channel bandwidth) 802.11ax(160MHz channel bandwidth) 802.11be(20MHz channel bandwidth) 802.11be(40MHz channel bandwidth) 802.11be(80MHz channel bandwidth) 802.11be(160MHz channel bandwidth)
Modulation:	OFDM, OFDMA
Operating Frequency Range:	WIFI 5G with 5150MHz-5250MHz Band: 5180-5240MHz for 802.11a 5180-5240MHz for 802.11n(HT20) 5190-5230MHz for 802.11n(HT40) 5180-5240MHz for 802.11ac/ax/be(HT20) 5190-5230MHz for 802.11ac/ax/be(HT40) 5210MHz for 802.11ac/ax/be(HT80) WIFI 5G with 5250MHz-5350MHz Band: 5260-5320MHz for 802.11a 5260-5320MHz for 802.11n(20) 5270-5310MHz for 802.11n(40) 5260-5320MHz for 802.11ac/ax/be(20) 5270-5310MHz for 802.11ac/ax/be(40) 5290MHz for 802.11ac/ax/be(80) 5250MHz for 802.11ac/ax/be(160) WIFI 5G with 5470MHz-5725MHz Band: 5500-5700MHz for 802.11a 5500-5700MHz for 802.11n(20) 5510-5670MHz for 802.11n(40) 5500-5700MHz for 802.11ac/ax/be(20) 5510-5670MHz for 802.11ac/ax/be(40) 5530-5610MHz for 802.11ac/ax/be(80) 5570MHz for 802.11ac/ax/be(160)

Smart System:	MIMO
Beamforming,	Not Support
TPC Function:	Support
Power Supply:	AC 100V/60Hz by Adapter or PoE (Note: The EUT has two power supplies, Pre testing all power supplies, and find the PoE is the worst, so only the worst data is shown in the report.)
Temperature Range:	-5°C~40°C

1.2. Feature of EUT

a) Antenna information

Specification	Antenna	Brand	Model	Antenna Type	Gain
BLE	1	/	/	Integrated Antenna	4.1dBi
2.4G WIFI	1	/	/	Integrated Antenna	4.0dBi
2.4G WIFI	2	/	/	Integrated Antenna	4.3dBi
5G WIFI	1	/	/	Integrated Antenna	6.9dBi
5G WIFI	2	/	/	Integrated Antenna	6.9dBi
WiFi 6E	1	/	/	Integrated Antenna	6.1dBi
WiFi 6E	2	/	/	Integrated Antenna	6.9dBi

Note: The antenna information provided by the manufacturer will have a certain impact on the test results.

b) Modification Record

There were no modifications required for compliance.

c) For more details, please refer to the user's manual of the EUT.

2. SUMMARY OF TEST RESULT

Test Rule	Test Parameter	Verdict	Remark
Item 19-3 of Article 2 Paragraph 1	Frequency Error	PASS	
Item 19-3 of Article 2 Paragraph 1	Antenna Power	PASS	
Item 19-3 of Article 2 Paragraph 1	Equivalent isotropically radiated power (E.I.R.P.)	PASS	
Item 19-3 of Article 2 Paragraph 1	Spurious Emissions of Tx	PASS	
Item 19-3 of Article 2 Paragraph 1	Occupied Bandwidth (99%)	PASS	
Item 19-3 of Article 2 Paragraph 1	Leak Power of Adjacent Channels	PASS	
Item 19-3 of Article 2 Paragraph 1	Leak Power Out of Band	PASS	
Item 19-3 of Article 2 Paragraph 1	Spurious Emissions of Rx	PASS	
Item 19-3 of Article 2 Paragraph 1	Transmission Burst Length	PASS	
Item 19-3 of Article 2 Paragraph 1	Interference prevention function	PASS	
Item 19-3 of Article 2 Paragraph 1	Carrier Sense Function	PASS	
Item 19-3 of Article 2 Paragraph 1	RF accessibility	PASS	

3. TEST METHODOLOGY

3.1. GENERAL DESCRIPTION OF APPLIED STANDARDS

According to its specifications, the EUT must comply with the requirements of the following standards:
ARIB STD T-66 Second Generation Low Power Data Communication System/Wireless LAN System
RE-740 49.20 MIC Requirements for Certification

3.2. MEASUREMENT EQUIPMENT USED

Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval	Calibration Body	Calibration Method
Wideband Radio Communication Tester	R&S	CMW500	171168	2025/9/9	1Year	LISAI	(c)
Frequency Extender	R&S	CMW-Z800A	100430	2025/9/9	1Year	LISAI	(c)
Spectrum Analyzer	R&S	FSV3044	101289	2024/12/17 2025/12/16	1Year	LISAI	(c)
Analog Signal Generator	R&S	SMB100A	183237	2025/9/9	1Year	LISAI	(c)
Vector Signal Generator	R&S	SMM100A	101808	2025/9/9	1Year	LISAI	(c)
RF Control Unit(Power Meter)	Tonscend	JS0806-2	22C8060567	2025/9/9	1Year	LISAI	(c)
Temperature&Humidity Chamber	ESPEC	EL-02KA	12107166	2025/5/10	1 Year	LISAI	(c)
DC Power Supply	KEYSIGHT	E3642A	MY53030016	2025/9/9	1 Year	LISAI	(c)

Remark:

- (a) Calibration conducted by the National Institute of Information and Communications Technology (NICT) in Japan (hereinafter referred to as "NICT") or a designated calibration agency under Article 102-18 paragraph (1) in JRL.
- (b) Correction conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Act (Act No. 51 of 1992).
- (c) Calibration conducted in countries except Japan, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).
- (d) Calibration, etc. conducted by using measuring instruments and other equipment listed in the right column of appended table No. 3, which shall have been given any type of calibration, etc. listed above from (a) to (c). From JRL Article 24-2, paragraph 4, Item 2.

3.3. Description of test modes

The EUT has been tested under its typical operating condition.

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

Test of channel included the lowest and middle and highest frequency to perform the test, then record on this report.

WIFI 5G with 5150-5250MHz

Frequency and Channels list for 802.11a/n/ac/ax/be(20):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
36	5180	44	5220		
40	5200	48	5240		

Frequency and Channels list for 802.11n/ac/ax/be(40):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
38	5190				
46	5230				

Frequency and Channel list for 802.11ac/ax/be(80):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
42	5210				

Test Frequency and Channels for 802.11a/n/ac/ax/be(20):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
36	5180	40	5200	48	5240

Test Frequency and channels for 802.11n/ac/ax/be(40):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
38	5190			46	5230

Test Frequency and channels for 802.11ac/ax/be(80):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
42	5210				

WIFI 5G with 5250-5350MHz

Frequency and Channels list for 802.11a/n/ac/ax/be(20):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
52	5260	60	5300		
56	5280	64	5320		

Frequency and Channels list for 802.11n/ac/ax/be(40):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
54	5270				
62	5310				

Frequency and Channels list for 802.11ac/ax/be(80):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
58	5290				

Frequency and Channels list for 802.11ac/ax/be(160):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
50	5250				

Test Frequency and Channels for 802.11a/n/ac/ax/be(20):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
52	5260	56	5280	64	5320

Test Frequency and channels for 802.11n/ac/ax/be(40):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
54	5270			62	5310

Test Frequency and channels for 802.11ac/ax/be(80):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
58	5290				

Test Frequency and channels for 802.11ac/ax/be(160):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
50	5250				

WIFI 5G with 5470-5725MHz

Frequency and Channels list for 802.11a/n/ac/ax/be(20):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
100	5500	116	5580	132	5660
104	5520	120	5600	136	5680
108	5540	124	5620	140	5700
112	5560	128	5640		

Frequency and Channels list for 802.11n/ac/ax/be(40):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
102	5510	118	5590	134	5670
110	5550	126	5630		

Frequency and Channels list for 802.11ac/ax/be(80):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
106	5530	122	5610		

Frequency and channels for 802.11ac/ax/be(160):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
114	5570				

Test Frequency and Channels for 802.11a/n/ac/ax/be(20):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
100	5500	116	5580	140	5700

Test Frequency and channels for 802.11n/ac/ax/be(40):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
102	5510			134	5670

Test Frequency and channels for 802.11ac/ax/be(80):

Lowest Frequency		Middle Frequency		Highest Frequency	
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
106	5530	122	5610		

Test Frequency and channels for 802.11ac/ax/be(160):

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
114	5570				

4. FACILITIES AND ACCREDITATIONS

4.1. FACILITIES

All measurement facilities used to collect the measurement data are located at Bldg 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, China
The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4

4.2. LABORATORY ACCREDITATIONS AND LISTINGS

Site Description

EMC Lab. : The Certificate Registration Number is L2291
The Laboratory has been assessed and proved to be in compliance with CNAS-CL01 (identical to ISO/IEC 17025:2017)

3m Chamber #1 : Certificated by VCCI, Japan
Registration No.: R-12777
Registration No.: G-20141

10m Chamber : Certificated by VCCI, Japan
Registration No.: R-14410

Shielding Room #1 : Certificated by VCCI, Japan
Registration No.: C-13065
Registration No.: T-11318

Name of Firm : EMTEK (SHENZHEN) CO., LTD.

Site Location : Building 69, Majialong, Industry Zone, Nanshan District, Shenzhen, Guangdong, China

5. TEST SYSTEM UNCERTAINTY

The following measurement uncertainty levels have been estimated for tests performed on the apparatus:

Parameter	Uncertainty
Radio Frequency	$\pm 1 \times 10^{-5}$
Uncertainty for Output power test	$\pm 0.83\text{dB}$
Conducted Emissions Test	$\pm 2.0\text{dB}$
Radiated Emission Test	$\pm 2.0\text{dB}$
Occupied Bandwidth Test	$\pm 1.0\text{dB}$
Power density test	$\pm 1.85\text{dB}$
All emission, radiated	$\pm 3\text{dB}$
Antenna Port Emission	$\pm 3\text{dB}$
Temperature	$\pm 0.5^\circ\text{C}$
Humidity	$\pm 3\%$

Measurement Uncertainty for a level of Confidence of 95%.


6. Wireless module voltage test in extreme conditions

6.1. Applicable Standard


When there is a fluctuation of $\pm 10\%$ input voltage from external power to the test equipment. If the fluctuation of input voltage to the circuit of the radio part (excl. power) in the test equipment is confirmed below $\pm 1\%$, Measurement shall be tested with the rated voltage.

6.2. Test Configuration

Config A



Config B



6.3. Test Results

Temperature : 25°C Test By: LHJ
Humidity : 60 % Atmospheric Pressure: 101KPa

Test Sample DC Input Voltage	10.8V	12V	13.2V
Input Voltage To The Circuit	3.31	3.29	3.29
Module Rated Voltage	3.30	3.30	3.30
The Deviation of Module Voltage (%)	0.00%	0.00%	0.00%

Note: In extreme conditions, The test sample module power is confirmed below +/-1%.

6.4. SUPPORT EQUIPMENT

Adapter	: Model: P120W3000U Input: 100-240V~50/60Hz, 0.6A Output: 12V, 3A
PoE	: Model: RG-E-130(GE) Input: 100-240V~50/60Hz, 0.75A Max Output: 53V, 0.6A

Notes:

- 1.All the equipment/cables were placed in the worst-case configuration to maximize the emission during the test.
- 2.Grounding was established in accordance with the manufacturer's requirements and conditions for the intended use.

7. TEST REQUIREMENTS

7.1. FREQUENCY ERROR

7.1.1. Limit


Tolerance of frequency: $\pm 20\text{ppm}$.

7.1.2. Test Procedure

Test Method for Radio Equipment mentioned in MIC Notice No.88 Annex45 Clause 3

7.1.3. Test Configuration

Temperature and Voltage Measurement (under normal and extreme test conditions)



Remarks:

The spectrum analyzer could be connected to a monopole antenna or directly connected to the EUT, if the EUT has already employing an antenna connector.

7.1.4. TEST RESULTS


Temperature : 24.5℃ Test By: LHH
Humidity : 45 % Test voltage: Normal voltage

TestCondition	TestMode	Antenna	Frequency[MHz]	CenterFreq [MHz]	Result [ppm]	Limit [ppm]	Verdict
NTNV	11A	Ant1	5180	5179.999	-0.19305	±20	PASS
NTNV	11A	Ant2	5180	5179.998	-0.38610	±20	PASS
NTNV	11A	Ant1	5200	5199.988	-2.30769	±20	PASS
NTNV	11A	Ant2	5200	5199.988	-2.30769	±20	PASS
NTNV	11A	Ant1	5240	5239.987	-2.48092	±20	PASS
NTNV	11A	Ant2	5240	5239.987	-2.48092	±20	PASS
NTNV	11A	Ant1	5260	5259.986	-2.66160	±20	PASS
NTNV	11A	Ant2	5260	5259.986	-2.66160	±20	PASS
NTNV	11A	Ant1	5280	5279.986	-2.65152	±20	PASS
NTNV	11A	Ant2	5280	5279.985	-2.84091	±20	PASS
NTNV	11A	Ant1	5320	5319.985	-2.81955	±20	PASS
NTNV	11A	Ant2	5320	5319.984	-3.00752	±20	PASS
NTNV	11A	Ant1	5500	5499.983	-3.09091	±20	PASS
NTNV	11A	Ant2	5500	5499.983	-3.09091	±20	PASS
NTNV	11A	Ant1	5580	5579.983	-3.04660	±20	PASS
NTNV	11A	Ant2	5580	5579.983	-3.04660	±20	PASS
NTNV	11A	Ant1	5700	5699.981	-3.33333	±20	PASS
NTNV	11A	Ant2	5700	5699.981	-3.33333	±20	PASS
NTNV	11N20MIMO	Ant1	5180	5179.982	-3.47490	±20	PASS
NTNV	11N20MIMO	Ant2	5180	5179.982	-3.47490	±20	PASS
NTNV	11N20MIMO	Ant1	5200	5199.982	-3.46154	±20	PASS
NTNV	11N20MIMO	Ant2	5200	5199.982	-3.46154	±20	PASS
NTNV	11N20MIMO	Ant1	5240	5239.979	-4.00763	±20	PASS
NTNV	11N20MIMO	Ant2	5240	5239.979	-4.00763	±20	PASS
NTNV	11N20MIMO	Ant1	5260	5259.979	-3.99240	±20	PASS
NTNV	11N20MIMO	Ant2	5260	5259.979	-3.99240	±20	PASS
NTNV	11N20MIMO	Ant1	5280	5279.978	-4.16667	±20	PASS
NTNV	11N20MIMO	Ant2	5280	5279.978	-4.16667	±20	PASS
NTNV	11N20MIMO	Ant1	5320	5319.978	-4.13534	±20	PASS
NTNV	11N20MIMO	Ant2	5320	5319.978	-4.13534	±20	PASS
NTNV	11N20MIMO	Ant1	5500	5499.976	-4.36364	±20	PASS
NTNV	11N20MIMO	Ant2	5500	5499.976	-4.36364	±20	PASS
NTNV	11N20MIMO	Ant1	5580	5579.976	-4.30108	±20	PASS
NTNV	11N20MIMO	Ant2	5580	5579.976	-4.30108	±20	PASS
NTNV	11N20MIMO	Ant1	5700	5699.975	-4.38597	±20	PASS
NTNV	11N20MIMO	Ant2	5700	5699.975	-4.38597	±20	PASS
NTNV	11N40MIMO	Ant1	5190	5189.977	-4.43160	±20	PASS
NTNV	11N40MIMO	Ant2	5190	5189.977	-4.43160	±20	PASS
NTNV	11N40MIMO	Ant1	5230	5229.977	-4.39771	±20	PASS
NTNV	11N40MIMO	Ant2	5230	5229.977	-4.39771	±20	PASS
NTNV	11N40MIMO	Ant1	5270	5269.977	-4.36433	±20	PASS
NTNV	11N40MIMO	Ant2	5270	5269.977	-4.36433	±20	PASS
NTNV	11N40MIMO	Ant1	5310	5309.976	-4.51977	±20	PASS
NTNV	11N40MIMO	Ant2	5310	5309.976	-4.51977	±20	PASS
NTNV	11N40MIMO	Ant1	5510	5509.976	-4.35572	±20	PASS
NTNV	11N40MIMO	Ant2	5510	5509.975	-4.53721	±20	PASS
NTNV	11N40MIMO	Ant1	5670	5669.975	-4.40917	±20	PASS


NTNV	11N40MIMO	Ant2	5670	5669.975	-4.40917	±20	PASS
NTNV	11AC20MIMO	Ant1	5180	5179.977	-4.44015	±20	PASS
NTNV	11AC20MIMO	Ant2	5180	5179.977	-4.44015	±20	PASS
NTNV	11AC20MIMO	Ant1	5200	5199.977	-4.42308	±20	PASS
NTNV	11AC20MIMO	Ant2	5200	5199.977	-4.42308	±20	PASS
NTNV	11AC20MIMO	Ant1	5240	5239.977	-4.38931	±20	PASS
NTNV	11AC20MIMO	Ant2	5240	5239.977	-4.38931	±20	PASS
NTNV	11AC20MIMO	Ant1	5260	5259.976	-4.56274	±20	PASS
NTNV	11AC20MIMO	Ant2	5260	5259.977	-4.37262	±20	PASS
NTNV	11AC20MIMO	Ant1	5280	5279.976	-4.54546	±20	PASS
NTNV	11AC20MIMO	Ant2	5280	5279.977	-4.35606	±20	PASS
NTNV	11AC20MIMO	Ant1	5320	5319.976	-4.51128	±20	PASS
NTNV	11AC20MIMO	Ant2	5320	5319.976	-4.51128	±20	PASS
NTNV	11AC20MIMO	Ant1	5500	5499.976	-4.36364	±20	PASS
NTNV	11AC20MIMO	Ant2	5500	5499.975	-4.54546	±20	PASS
NTNV	11AC20MIMO	Ant1	5580	5579.975	-4.48029	±20	PASS
NTNV	11AC20MIMO	Ant2	5580	5579.975	-4.48029	±20	PASS
NTNV	11AC20MIMO	Ant1	5700	5699.974	-4.56140	±20	PASS
NTNV	11AC20MIMO	Ant2	5700	5699.974	-4.56140	±20	PASS
NTNV	11AC40MIMO	Ant1	5190	5189.977	-4.43160	±20	PASS
NTNV	11AC40MIMO	Ant2	5190	5189.977	-4.43160	±20	PASS
NTNV	11AC40MIMO	Ant1	5230	5229.977	-4.39771	±20	PASS
NTNV	11AC40MIMO	Ant2	5230	5229.977	-4.39771	±20	PASS
NTNV	11AC40MIMO	Ant1	5270	5269.976	-4.55408	±20	PASS
NTNV	11AC40MIMO	Ant2	5270	5269.976	-4.55408	±20	PASS
NTNV	11AC40MIMO	Ant1	5310	5309.976	-4.51977	±20	PASS
NTNV	11AC40MIMO	Ant2	5310	5309.976	-4.51977	±20	PASS
NTNV	11AC40MIMO	Ant1	5510	5509.975	-4.53721	±20	PASS
NTNV	11AC40MIMO	Ant2	5510	5509.975	-4.53721	±20	PASS
NTNV	11AC40MIMO	Ant1	5670	5669.975	-4.40917	±20	PASS
NTNV	11AC40MIMO	Ant2	5670	5669.975	-4.40917	±20	PASS
NTNV	11AC80MIMO	Ant1	5210	5209.977	-4.41459	±20	PASS
NTNV	11AC80MIMO	Ant2	5210	5209.977	-4.41459	±20	PASS
NTNV	11AC80MIMO	Ant1	5290	5289.976	-4.53686	±20	PASS
NTNV	11AC80MIMO	Ant2	5290	5289.976	-4.53686	±20	PASS
NTNV	11AC80MIMO	Ant1	5530	5529.975	-4.52080	±20	PASS
NTNV	11AC80MIMO	Ant2	5530	5529.975	-4.52080	±20	PASS
NTNV	11AC160MIMO	Ant1	5250	5249.976	-4.57143	±20	PASS
NTNV	11AC160MIMO	Ant2	5250	5249.976	-4.57143	±20	PASS
NTNV	11AC160MIMO	Ant1	5570	5569.975	-4.48833	±20	PASS
NTNV	11AC160MIMO	Ant2	5570	5569.975	-4.48833	±20	PASS
NTNV	11AX20MIMO	Ant1	5180	5179.977	-4.44015	±20	PASS
NTNV	11AX20MIMO	Ant2	5180	5179.977	-4.44015	±20	PASS
NTNV	11AX20MIMO	Ant1	5200	5199.976	-4.61539	±20	PASS
NTNV	11AX20MIMO	Ant2	5200	5199.976	-4.61539	±20	PASS
NTNV	11AX20MIMO	Ant1	5240	5239.976	-4.58015	±20	PASS
NTNV	11AX20MIMO	Ant2	5240	5239.976	-4.58015	±20	PASS
NTNV	11AX20MIMO	Ant1	5260	5259.976	-4.56274	±20	PASS
NTNV	11AX20MIMO	Ant2	5260	5259.976	-4.56274	±20	PASS
NTNV	11AX20MIMO	Ant1	5280	5279.976	-4.54546	±20	PASS
NTNV	11AX20MIMO	Ant2	5280	5279.976	-4.54546	±20	PASS
NTNV	11AX20MIMO	Ant1	5320	5319.976	-4.51128	±20	PASS
NTNV	11AX20MIMO	Ant2	5320	5319.976	-4.51128	±20	PASS
NTNV	11AX20MIMO	Ant1	5500	5499.975	-4.54546	±20	PASS
NTNV	11AX20MIMO	Ant2	5500	5499.975	-4.54546	±20	PASS

NTNV	11AX20MIMO	Ant1	5580	5579.975	-4.48029	±20	PASS
NTNV	11AX20MIMO	Ant2	5580	5579.975	-4.48029	±20	PASS
NTNV	11AX20MIMO	Ant1	5700	5699.975	-4.38597	±20	PASS
NTNV	11AX20MIMO	Ant2	5700	5699.974	-4.56140	±20	PASS
NTNV	11AX40MIMO	Ant1	5190	5189.977	-4.43160	±20	PASS
NTNV	11AX40MIMO	Ant2	5190	5189.977	-4.43160	±20	PASS
NTNV	11AX40MIMO	Ant1	5230	5229.977	-4.39771	±20	PASS
NTNV	11AX40MIMO	Ant2	5230	5229.977	-4.39771	±20	PASS
NTNV	11AX40MIMO	Ant1	5270	5269.976	-4.55408	±20	PASS
NTNV	11AX40MIMO	Ant2	5270	5269.976	-4.55408	±20	PASS
NTNV	11AX40MIMO	Ant1	5310	5309.976	-4.51977	±20	PASS
NTNV	11AX40MIMO	Ant2	5310	5309.976	-4.51977	±20	PASS
NTNV	11AX40MIMO	Ant1	5510	5509.975	-4.53721	±20	PASS
NTNV	11AX40MIMO	Ant2	5510	5509.975	-4.53721	±20	PASS
NTNV	11AX40MIMO	Ant1	5670	5669.975	-4.40917	±20	PASS
NTNV	11AX40MIMO	Ant2	5670	5669.975	-4.40917	±20	PASS
NTNV	11AX80MIMO	Ant1	5210	5209.977	-4.41459	±20	PASS
NTNV	11AX80MIMO	Ant2	5210	5209.977	-4.41459	±20	PASS
NTNV	11AX80MIMO	Ant1	5290	5289.977	-4.34783	±20	PASS
NTNV	11AX80MIMO	Ant2	5290	5289.977	-4.34783	±20	PASS
NTNV	11AX80MIMO	Ant1	5530	5529.976	-4.33996	±20	PASS
NTNV	11AX80MIMO	Ant2	5530	5529.976	-4.33996	±20	PASS
NTNV	11AX160MIMO	Ant1	5250	5249.977	-4.38095	±20	PASS
NTNV	11AX160MIMO	Ant2	5250	5249.977	-4.38095	±20	PASS
NTNV	11AX160MIMO	Ant1	5570	5569.976	-4.30880	±20	PASS
NTNV	11AX160MIMO	Ant2	5570	5569.976	-4.30880	±20	PASS
NTNV	11BE20MIMO	Ant1	5180	5179.977	-4.44015	±20	PASS
NTNV	11BE20MIMO	Ant2	5180	5179.978	-4.24710	±20	PASS
NTNV	11BE20MIMO	Ant1	5200	5199.978	-4.23077	±20	PASS
NTNV	11BE20MIMO	Ant2	5200	5199.978	-4.23077	±20	PASS
NTNV	11BE20MIMO	Ant1	5240	5239.977	-4.38931	±20	PASS
NTNV	11BE20MIMO	Ant2	5240	5239.977	-4.38931	±20	PASS
NTNV	11BE20MIMO	Ant1	5260	5259.977	-4.37262	±20	PASS
NTNV	11BE20MIMO	Ant2	5260	5259.977	-4.37262	±20	PASS
NTNV	11BE20MIMO	Ant1	5280	5279.977	-4.35606	±20	PASS
NTNV	11BE20MIMO	Ant2	5280	5279.977	-4.35606	±20	PASS
NTNV	11BE20MIMO	Ant1	5320	5319.977	-4.32331	±20	PASS
NTNV	11BE20MIMO	Ant2	5320	5319.977	-4.32331	±20	PASS
NTNV	11BE20MIMO	Ant1	5500	5499.976	-4.36364	±20	PASS
NTNV	11BE20MIMO	Ant2	5500	5499.976	-4.36364	±20	PASS
NTNV	11BE20MIMO	Ant1	5580	5579.976	-4.30108	±20	PASS
NTNV	11BE20MIMO	Ant2	5580	5579.976	-4.30108	±20	PASS
NTNV	11BE20MIMO	Ant1	5700	5699.975	-4.38597	±20	PASS
NTNV	11BE20MIMO	Ant2	5700	5699.975	-4.38597	±20	PASS
NTNV	11BE40MIMO	Ant1	5190	5189.978	-4.23892	±20	PASS
NTNV	11BE40MIMO	Ant2	5190	5189.978	-4.23892	±20	PASS
NTNV	11BE40MIMO	Ant1	5230	5229.977	-4.39771	±20	PASS
NTNV	11BE40MIMO	Ant2	5230	5229.977	-4.39771	±20	PASS
NTNV	11BE40MIMO	Ant1	5270	5269.977	-4.36433	±20	PASS
NTNV	11BE40MIMO	Ant2	5270	5269.977	-4.36433	±20	PASS
NTNV	11BE40MIMO	Ant1	5310	5309.977	-4.33145	±20	PASS
NTNV	11BE40MIMO	Ant2	5310	5309.977	-4.33145	±20	PASS
NTNV	11BE40MIMO	Ant1	5510	5509.976	-4.35572	±20	PASS
NTNV	11BE40MIMO	Ant2	5510	5509.976	-4.35572	±20	PASS
NTNV	11BE40MIMO	Ant1	5670	5669.976	-4.23280	±20	PASS



NTNV	11BE40MIMO	Ant2	5670	5669.976	-4.23280	±20	PASS
NTNV	11BE80MIMO	Ant1	5210	5209.978	-4.22265	±20	PASS
NTNV	11BE80MIMO	Ant2	5210	5209.978	-4.22265	±20	PASS
NTNV	11BE80MIMO	Ant1	5290	5289.977	-4.34783	±20	PASS
NTNV	11BE80MIMO	Ant2	5290	5289.977	-4.34783	±20	PASS
NTNV	11BE80MIMO	Ant1	5530	5529.976	-4.33996	±20	PASS
NTNV	11BE80MIMO	Ant2	5530	5529.976	-4.33996	±20	PASS
NTNV	11BE160MIMO	Ant1	5250	5249.977	-4.38095	±20	PASS
NTNV	11BE160MIMO	Ant2	5250	5249.977	-4.38095	±20	PASS
NTNV	11BE160MIMO	Ant1	5570	5569.976	-4.30880	±20	PASS
NTNV	11BE160MIMO	Ant2	5570	5569.976	-4.30880	±20	PASS




NTNV-11A-Ant1-5180-PASS




NTNV-11A-Ant2-5180-PASS







NTNV-11A-Ant1-5240-PASS




NTNV-11A-Ant2-5240-PASS




NTNV-11A-Ant1-5260-PASS




NTNV-11A-Ant2-5260-PASS




NTNV-11A-Ant1-5280-PASS




NTNV-11A-Ant2-5280-PASS




NTNV-11A-Ant1-5320-PASS




NTNV-11A-Ant2-5320-PASS




NTNV-11A-Ant1-5500-PASS




NTNV-11A-Ant2-5500-PASS




NTNV-11A-Ant1-5580-PASS




NTNV-11A-Ant2-5580-PASS




NTNV-11A-Ant1-5700-PASS




NTNV-11A-Ant2-5700-PASS




NTNV-11N20MIMO-Ant1-5180-PASS




NTNV-11N20MIMO-Ant2-5180-PASS




NTNV-11N20MIMO-Ant1-5200-PASS




NTNV-11N20MIMO-Ant2-5200-PASS




NTNV-11N20MIMO-Ant1-5240-PASS




NTNV-11N20MIMO-Ant2-5240-PASS




NTNV-11N20MIMO-Ant1-5260-PASS




NTNV-11N20MIMO-Ant2-5260-PASS




NTNV-11N20MIMO-Ant1-5280-PASS




NTNV-11N20MIMO-Ant2-5280-PASS




NTNV-11N20MIMO-Ant1-5320-PASS




NTNV-11N20MIMO-Ant2-5320-PASS




NTNV-11N20MIMO-Ant1-5500-PASS




NTNV-11N20MIMO-Ant2-5500-PASS




NTNV-11N20MIMO-Ant1-5580-PASS





NTNV-11N20MIMO-Ant2-5580-PASS




NTNV-11N20MIMO-Ant1-5700-PASS




NTNV-11N20MIMO-Ant2-5700-PASS







NTNV-11N40MIMO-Ant1-5230-PASS




NTNV-11N40MIMO-Ant2-5230-PASS




NTNV-11N40MIMO-Ant1-5270-PASS




NTNV-11N40MIMO-Ant2-5270-PASS




NTNV-11N40MIMO-Ant1-5310-PASS




NTNV-11N40MIMO-Ant2-5310-PASS




NTNV-11N40MIMO-Ant1-5510-PASS




NTNV-11N40MIMO-Ant2-5510-PASS




NTNV-11N40MIMO-Ant1-5670-PASS




NTNV-11N40MIMO-Ant2-5670-PASS




NTNV-11AC20MIMO-Ant1-5180-PASS




NTNV-11AC20MIMO-Ant2-5180-PASS




NTNV-11AC20MIMO-Ant1-5200-PASS




NTNV-11AC20MIMO-Ant2-5200-PASS




NTNV-11AC20MIMO-Ant1-5240-PASS




NTNV-11AC20MIMO-Ant2-5240-PASS




NTNV-11AC20MIMO-Ant1-5260-PASS




NTNV-11AC20MIMO-Ant2-5260-PASS




NTNV-11AC20MIMO-Ant1-5280-PASS




NTNV-11AC20MIMO-Ant2-5280-PASS




NTNV-11AC20MIMO-Ant1-5320-PASS




NTNV-11AC20MIMO-Ant2-5320-PASS




NTNV-11AC20MIMO-Ant1-5500-PASS




NTNV-11AC20MIMO-Ant2-5500-PASS




NTNV-11AC20MIMO-Ant1-5580-PASS




NTNV-11AC20MIMO-Ant2-5580-PASS




NTNV-11AC20MIMO-Ant1-5700-PASS




NTNV-11AC20MIMO-Ant2-5700-PASS




NTNV-11AC40MIMO-Ant1-5190-PASS




NTNV-11AC40MIMO-Ant2-5190-PASS




NTNV-11AC40MIMO-Ant1-5230-PASS




NTNV-11AC40MIMO-Ant2-5230-PASS




NTNV-11AC40MIMO-Ant1-5270-PASS




NTNV-11AC40MIMO-Ant2-5270-PASS




NTNV-11AC40MIMO-Ant1-5310-PASS




NTNV-11AC40MIMO-Ant2-5310-PASS




NTNV-11AC40MIMO-Ant1-5510-PASS




NTNV-11AC40MIMO-Ant2-5510-PASS




NTNV-11AC40MIMO-Ant1-5670-PASS




NTNV-11AC40MIMO-Ant2-5670-PASS




NTNV-11AC80MIMO-Ant1-5210-PASS




NTNV-11AC80MIMO-Ant2-5210-PASS




NTNV-11AC80MIMO-Ant1-5290-PASS




NTNV-11AC80MIMO-Ant2-5290-PASS




NTNV-11AC80MIMO-Ant1-5530-PASS




NTNV-11AC80MIMO-Ant2-5530-PASS




NTNV-11AC160MIMO-Ant1-5250-PASS




NTNV-11AC160MIMO-Ant2-5250-PASS




NTNV-11AC160MIMO-Ant1-5570-PASS




NTNV-11AC160MIMO-Ant2-5570-PASS




NTNV-11AX20MIMO-Ant1-5180-PASS




NTNV-11AX20MIMO-Ant2-5180-PASS




NTNV-11AX20MIMO-Ant1-5200-PASS




NTNV-11AX20MIMO-Ant2-5200-PASS




NTNV-11AX20MIMO-Ant1-5240-PASS




NTNV-11AX20MIMO-Ant2-5240-PASS




NTNV-11AX20MIMO-Ant1-5260-PASS




NTNV-11AX20MIMO-Ant2-5260-PASS




NTNV-11AX20MIMO-Ant1-5280-PASS





NTNV-11AX20MIMO-Ant2-5280-PASS




NTNV-11AX20MIMO-Ant1-5320-PASS




NTNV-11AX20MIMO-Ant2-5320-PASS







NTNV-11AX20MIMO-Ant1-5580-PASS




NTNV-11AX20MIMO-Ant2-5580-PASS




NTNV-11AX20MIMO-Ant1-5700-PASS




NTNV-11AX20MIMO-Ant2-5700-PASS




NTNV-11AX40MIMO-Ant1-5190-PASS




NTNV-11AX40MIMO-Ant2-5190-PASS




NTNV-11AX40MIMO-Ant1-5230-PASS




NTNV-11AX40MIMO-Ant2-5230-PASS




NTNV-11AX40MIMO-Ant1-5270-PASS




NTNV-11AX40MIMO-Ant2-5270-PASS




NTNV-11AX40MIMO-Ant1-5310-PASS




NTNV-11AX40MIMO-Ant2-5310-PASS




NTNV-11AX40MIMO-Ant1-5510-PASS




NTNV-11AX40MIMO-Ant2-5510-PASS




NTNV-11AX40MIMO-Ant1-5670-PASS




NTNV-11AX40MIMO-Ant2-5670-PASS




NTNV-11AX80MIMO-Ant1-5210-PASS




NTNV-11AX80MIMO-Ant2-5210-PASS




NTNV-11AX80MIMO-Ant1-5290-PASS




NTNV-11AX80MIMO-Ant2-5290-PASS




NTNV-11AX80MIMO-Ant1-5530-PASS




NTNV-11AX80MIMO-Ant2-5530-PASS




NTNV-11AX160MIMO-Ant1-5250-PASS




NTNV-11AX160MIMO-Ant2-5250-PASS




NTNV-11AX160MIMO-Ant1-5570-PASS




NTNV-11AX160MIMO-Ant2-5570-PASS




NTNV-11BE20MIMO-Ant1-5180-PASS





NTNV-11BE20MIMO-Ant2-5180-PASS




NTNV-11BE20MIMO-Ant1-5200-PASS




NTNV-11BE20MIMO-Ant2-5200-PASS








NTNV-11BE20MIMO-Ant1-5260-PASS




NTNV-11BE20MIMO-Ant2-5260-PASS







NTNV-11BE20MIMO-Ant1-5320-PASS




NTNV-11BE20MIMO-Ant2-5320-PASS




NTNV-11BE20MIMO-Ant1-5500-PASS




NTNV-11BE20MIMO-Ant2-5500-PASS




NTNV-11BE20MIMO-Ant1-5580-PASS




NTNV-11BE20MIMO-Ant2-5580-PASS




NTNV-11BE20MIMO-Ant1-5700-PASS




NTNV-11BE20MIMO-Ant2-5700-PASS




NTNV-11BE40MIMO-Ant1-5190-PASS




NTNV-11BE40MIMO-Ant2-5190-PASS




NTNV-11BE40MIMO-Ant1-5230-PASS




NTNV-11BE40MIMO-Ant2-5230-PASS




NTNV-11BE40MIMO-Ant1-5270-PASS




NTNV-11BE40MIMO-Ant2-5270-PASS




NTNV-11BE40MIMO-Ant1-5310-PASS




NTNV-11BE40MIMO-Ant2-5310-PASS




NTNV-11BE40MIMO-Ant1-5510-PASS




NTNV-11BE40MIMO-Ant2-5510-PASS




NTNV-11BE40MIMO-Ant1-5670-PASS




NTNV-11BE40MIMO-Ant2-5670-PASS




NTNV-11BE80MIMO-Ant1-5210-PASS




NTNV-11BE80MIMO-Ant2-5210-PASS




NTNV-11BE80MIMO-Ant1-5290-PASS




NTNV-11BE80MIMO-Ant2-5290-PASS




NTNV-11BE80MIMO-Ant1-5530-PASS




NTNV-11BE80MIMO-Ant2-5530-PASS




NTNV-11BE160MIMO-Ant1-5250-PASS



NTNV-11BE160MIMO-Ant2-5250-PASS



NTNV-11BE160MIMO-Ant1-5570-PASS



NTNV-11BE160MIMO-Ant2-5570-PASS

7.2. ANTENNA POWER AND E.I.R.P

7.2.1. Limit

W52 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
power tolerance between + 20% to - 80% power range that base on manufacturer

W53 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
power tolerance between + 20% to - 80% power range that base on manufacturer

W56 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
power tolerance between + 50% to - 50% power range that base on manufacturer

E.I.R.P

ARIB STD-T71, Clause 3.1.2(5)

W52 Band

approximately 20MHz bandwidth shell be 10mW/MHz(10dBm/MHz) or less
approximately 40MHz bandwidth shell be 5mW/MHz(7dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less

W53 Band

approximately 20MHz bandwidth with TCP shell be 10mW/MHz(10dBm/MHz) or less
approximately 20MHz bandwidth without TCP shell be 5mW/MHz(7dBm/MHz) or less
approximately 40MHz bandwidth with TCP shell be 5mW/MHz(7dBm/MHz) or less
approximately 40MHz bandwidth without TCP shell be 2.5mW/MHz(4dBm/MHz) or less
approximately 80MHz bandwidth shell be 2.5mW/MHz(4dBm/MHz) or less
approximately 160MHz bandwidth shell be 1.25mW/MHz(1dBm/MHz) or less


W56 Band

approximately 20MHz bandwidth with TCP shell be 50mW/MHz(17dBm/MHz) or less
approximately 20MHz bandwidth without TCP shell be 25mW/MHz(14dBm/MHz) or less
approximately 40MHz bandwidth with TCP shell be 25mW/MHz(14dBm/MHz) or less
approximately 40MHz bandwidth without TCP shell be 12.5mW/MHz(11dBm/MHz) or less
approximately 80MHz bandwidth shell be 12.5mW/MHz(11dBm/MHz) or less
approximately 160MHz bandwidth shell be 6.25mW/MHz(8dBm/MHz) or less

7.2.2. Test Procedure

Test Method for Radio Equipment mentioned in MIC Notice No.88 Annex45 Clause 6

7.2.3. Test Configuration



7.2.4. TEST RESULT

Rate	Duty Cycle	Trasmission cycle time
Mbs	%	ms
1	100	N/A
11	100	N/A
6	100	N/A
54	100	N/A
MCS0	100	N/A
MCS7	100	N/A

Temperature : 24.5℃
Humidity : 45 %

Test By:
Test voltage:

LHJ
Normal voltage

TestCondition	TestMode	Antenna	Frequency [MHz]	TPC	Result (dBm/MHz)	Result (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11A	Ant1	5180	NA	1.60	1.4454	≤10	PASS
NTNV	11A	Ant2	5180	NA	0.45	1.1092	≤10	PASS
NTNV	11A	Ant1	5200	NA	0.38	1.0914	≤10	PASS
NTNV	11A	Ant2	5200	NA	-0.97	0.7998	≤10	PASS
NTNV	11A	Ant1	5240	NA	1.01	1.2618	≤10	PASS
NTNV	11A	Ant2	5240	NA	-0.75	0.8414	≤10	PASS
NTNV	11A	Ant1	5260	TPC_H	2.08	1.6144	≤10	PASS
NTNV	11A	Ant2	5260	TPC_H	-0.09	0.9795	≤10	PASS
NTNV	11A	Ant1	5260	TPC_L	-1.63	0.6871	≤10	PASS
NTNV	11A	Ant2	5260	TPC_L	-3.33	0.4645	≤10	PASS
NTNV	11A	Ant1	5280	TPC_H	1.72	1.4859	≤10	PASS
NTNV	11A	Ant2	5280	TPC_H	-0.16	0.9638	≤10	PASS
NTNV	11A	Ant1	5280	TPC_L	-1.40	0.7244	≤10	PASS
NTNV	11A	Ant2	5280	TPC_L	-3.39	0.4581	≤10	PASS
NTNV	11A	Ant2	5320	TPC_H	0.49	1.1194	≤10	PASS
NTNV	11A	Ant1	5320	TPC_H	1.30	1.3490	≤10	PASS
NTNV	11A	Ant1	5320	TPC_L	-1.89	0.6471	≤10	PASS
NTNV	11A	Ant2	5320	TPC_L	-2.80	0.5248	≤10	PASS
NTNV	11A	Ant1	5500	TPC_H	3.94	2.4774	≤10	PASS
NTNV	11A	Ant2	5500	TPC_H	2.42	1.7458	≤10	PASS
NTNV	11A	Ant1	5500	TPC_L	0.52	1.1272	≤10	PASS
NTNV	11A	Ant2	5500	TPC_L	-1.01	0.7925	≤10	PASS
NTNV	11A	Ant1	5580	TPC_H	3.73	2.3605	≤10	PASS
NTNV	11A	Ant2	5580	TPC_H	3.85	2.4266	≤10	PASS
NTNV	11A	Ant1	5580	TPC_L	0.02	1.0046	≤10	PASS
NTNV	11A	Ant2	5580	TPC_L	0.31	1.0740	≤10	PASS
NTNV	11A	Ant1	5700	TPC_H	4.24	2.6546	≤10	PASS
NTNV	11A	Ant2	5700	TPC_H	3.81	2.4044	≤10	PASS
NTNV	11A	Ant1	5700	TPC_L	0.78	1.1967	≤10	PASS
NTNV	11A	Ant2	5700	TPC_L	0.55	1.1350	≤10	PASS
NTNV	11N20MIMO	Ant1	5180	NA	-0.87	0.8185	≤10	PASS
NTNV	11N20MIMO	Ant2	5180	NA	-1.51	0.7063	≤10	PASS
NTNV	11N20MIMO	total	5180	NA	1.83	1.5248	≤10	PASS
NTNV	11N20MIMO	Ant1	5200	NA	-2.07	0.6209	≤10	PASS
NTNV	11N20MIMO	Ant2	5200	NA	-1.77	0.6653	≤10	PASS
NTNV	11N20MIMO	total	5200	NA	1.09	1.2862	≤10	PASS
NTNV	11N20MIMO	Ant1	5240	NA	-1.24	0.7516	≤10	PASS
NTNV	11N20MIMO	Ant2	5240	NA	-2.86	0.5176	≤10	PASS
NTNV	11N20MIMO	total	5240	NA	1.04	1.2692	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC_H	-0.50	0.8913	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC_H	-2.26	0.5943	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC_H	1.72	1.4856	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC_L	-3.69	0.4276	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC_L	-5.46	0.2844	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC_L	-1.48	0.7120	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC_H	-0.45	0.9016	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC_H	-2.37	0.5794	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC_H	1.71	1.4810	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC_L	-3.97	0.4009	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC_L	-5.58	0.2767	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC_L	-1.69	0.6776	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC_H	-0.67	0.8570	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC_H	-1.58	0.6950	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC_H	1.91	1.5520	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC_L	-4.39	0.3639	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC_L	-5.12	0.3076	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC_L	-1.73	0.6715	≤10	PASS
NTNV	11N20MIMO	Ant1	5500	TPC_H	2.05	1.6032	≤10	PASS
NTNV	11N20MIMO	Ant2	5500	TPC_H	0.19	1.0447	≤10	PASS
NTNV	11N20MIMO	total	5500	TPC_H	4.23	2.6479	≤10	PASS

NTNV	11N20MIMO	Ant1	5500	TPC_L	-1.82	0.6577	≤10	PASS
NTNV	11N20MIMO	Ant2	5500	TPC_L	-3.34	0.4634	≤10	PASS
NTNV	11N20MIMO	total	5500	TPC_L	0.50	1.1211	≤10	PASS
NTNV	11N20MIMO	Ant1	5580	TPC_H	1.76	1.4997	≤10	PASS
NTNV	11N20MIMO	Ant2	5580	TPC_H	1.76	1.4997	≤10	PASS
NTNV	11N20MIMO	total	5580	TPC_H	4.77	2.9994	≤10	PASS
NTNV	11N20MIMO	Ant1	5580	TPC_L	-2.25	0.5957	≤10	PASS
NTNV	11N20MIMO	Ant2	5580	TPC_L	-1.89	0.6471	≤10	PASS
NTNV	11N20MIMO	total	5580	TPC_L	0.94	1.2428	≤10	PASS
NTNV	11N20MIMO	Ant1	5700	TPC_H	2.08	1.6144	≤10	PASS
NTNV	11N20MIMO	Ant2	5700	TPC_H	1.85	1.5311	≤10	PASS
NTNV	11N20MIMO	total	5700	TPC_H	4.98	3.1455	≤10	PASS
NTNV	11N20MIMO	Ant1	5700	TPC_L	-1.64	0.6855	≤10	PASS
NTNV	11N20MIMO	Ant2	5700	TPC_L	-1.76	0.6668	≤10	PASS
NTNV	11N20MIMO	total	5700	TPC_L	1.31	1.3523	≤10	PASS
NTNV	11N40MIMO	Ant1	5190	NA	-4.42	0.3614	≤5	PASS
NTNV	11N40MIMO	Ant2	5190	NA	-4.46	0.3581	≤5	PASS
NTNV	11N40MIMO	total	5190	NA	-1.43	0.7195	≤5	PASS
NTNV	11N40MIMO	Ant1	5230	NA	-4.11	0.3882	≤5	PASS
NTNV	11N40MIMO	Ant2	5230	NA	-5.62	0.2742	≤5	PASS
NTNV	11N40MIMO	total	5230	NA	-1.79	0.6624	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC_H	-6.13	0.2438	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC_H	-2.18	0.6060	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC_H	-4.41	0.3622	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC_L	-8.08	0.1556	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC_L	-9.71	0.1069	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC_L	-5.81	0.2625	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC_H	-4.54	0.3516	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC_H	-5.95	0.2541	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC_H	-2.18	0.6057	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC_L	-8.07	0.1560	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC_L	-9.34	0.1164	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC_L	-5.65	0.2724	≤5	PASS
NTNV	11N40MIMO	Ant1	5510	TPC_H	1.17	1.3092	≤5	PASS
NTNV	11N40MIMO	Ant2	5510	TPC_H	0.18	1.0423	≤5	PASS
NTNV	11N40MIMO	total	5510	TPC_H	3.71	2.3515	≤5	PASS
NTNV	11N40MIMO	Ant1	5510	TPC_L	-2.24	0.5970	≤5	PASS
NTNV	11N40MIMO	Ant2	5510	TPC_L	-2.87	0.5164	≤5	PASS
NTNV	11N40MIMO	total	5510	TPC_L	0.47	1.1134	≤5	PASS
NTNV	11N40MIMO	Ant1	5670	TPC_H	1.50	1.4125	≤5	PASS
NTNV	11N40MIMO	Ant2	5670	TPC_H	0.42	1.1015	≤5	PASS
NTNV	11N40MIMO	total	5670	TPC_H	4.00	2.5140	≤5	PASS
NTNV	11N40MIMO	Ant1	5670	TPC_L	-1.95	0.6383	≤5	PASS
NTNV	11N40MIMO	Ant2	5670	TPC_L	-2.98	0.5035	≤5	PASS
NTNV	11N40MIMO	total	5670	TPC_L	0.58	1.1418	≤5	PASS
NTNV	11AC20MIMO	Ant1	5180	NA	-0.86	0.8204	≤10	PASS
NTNV	11AC20MIMO	Ant2	5180	NA	-1.48	0.7112	≤10	PASS
NTNV	11AC20MIMO	total	5180	NA	1.85	1.5316	≤10	PASS
NTNV	11AC20MIMO	Ant1	5200	NA	-2.15	0.6095	≤10	PASS
NTNV	11AC20MIMO	Ant2	5200	NA	-1.87	0.6501	≤10	PASS
NTNV	11AC20MIMO	total	5200	NA	1.00	1.2596	≤10	PASS
NTNV	11AC20MIMO	Ant1	5240	NA	-1.35	0.7328	≤10	PASS
NTNV	11AC20MIMO	Ant2	5240	NA	-2.74	0.5321	≤10	PASS
NTNV	11AC20MIMO	total	5240	NA	1.02	1.2649	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC_H	-0.52	0.8872	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC_H	-2.16	0.6081	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC_H	1.75	1.4953	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC_L	-3.95	0.4027	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC_L	-5.73	0.2673	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC_L	-1.74	0.6700	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC_H	-0.33	0.9268	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC_H	-2.17	0.6067	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC_H	1.86	1.5335	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC_L	-4.06	0.3926	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC_L	-5.76	0.2655	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC_L	-1.82	0.6581	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC_H	-0.84	0.8241	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC_H	-1.54	0.7015	≤10	PASS

NTNV	11AC20MIMO	total	5320	TPC_H	1.83	1.5256	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC_L	-4.51	0.3540	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC_L	-5.44	0.2858	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC_L	-1.94	0.6398	≤10	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC_H	2.07	1.6106	≤10	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC_H	0.44	1.1066	≤10	PASS
NTNV	11AC20MIMO	total	5500	TPC_H	4.34	2.7172	≤10	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC_L	-1.36	0.7311	≤10	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC_L	-2.69	0.5383	≤10	PASS
NTNV	11AC20MIMO	total	5500	TPC_L	1.04	1.2694	≤10	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC_H	1.72	1.4859	≤10	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC_H	1.90	1.5488	≤10	PASS
NTNV	11AC20MIMO	total	5580	TPC_H	4.82	3.0347	≤10	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC_L	-2.09	0.6180	≤10	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC_L	-1.69	0.6776	≤10	PASS
NTNV	11AC20MIMO	total	5580	TPC_L	1.12	1.2956	≤10	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC_H	2.26	1.6827	≤10	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC_H	1.93	1.5596	≤10	PASS
NTNV	11AC20MIMO	total	5700	TPC_H	5.11	3.2423	≤10	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC_L	-1.29	0.7430	≤10	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC_L	-1.38	0.7278	≤10	PASS
NTNV	11AC20MIMO	total	5700	TPC_L	1.68	1.4708	≤10	PASS
NTNV	11AC40MIMO	Ant1	5190	NA	-4.68	0.3404	≤5	PASS
NTNV	11AC40MIMO	Ant2	5190	NA	-4.99	0.3170	≤5	PASS
NTNV	11AC40MIMO	total	5190	NA	-1.82	0.6574	≤5	PASS
NTNV	11AC40MIMO	Ant1	5230	NA	-4.35	0.3673	≤5	PASS
NTNV	11AC40MIMO	Ant2	5230	NA	-5.98	0.2523	≤5	PASS
NTNV	11AC40MIMO	total	5230	NA	-2.08	0.6196	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC_H	-4.50	0.3548	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC_H	-6.37	0.2307	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC_H	-2.32	0.5855	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC_L	-8.00	0.1585	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC_L	-9.89	0.1026	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC_L	-5.83	0.2611	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC_H	-4.93	0.3214	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC_H	-6.07	0.2472	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC_H	-2.45	0.5686	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC_L	-5.85	0.2598	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC_L	-8.34	0.1466	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC_L	-9.46	0.1132	≤5	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC_H	0.85	1.2162	≤5	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC_H	0.09	1.0209	≤5	PASS
NTNV	11AC40MIMO	total	5510	TPC_H	3.50	2.2371	≤5	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC_L	-2.57	0.5534	≤5	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC_L	-3.50	0.4467	≤5	PASS
NTNV	11AC40MIMO	total	5510	TPC_L	0.00	1.0001	≤5	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC_H	1.02	1.2647	≤5	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC_H	0.13	1.0304	≤5	PASS
NTNV	11AC40MIMO	total	5670	TPC_H	3.61	2.2951	≤5	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC_L	-2.01	0.6295	≤5	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC_L	-3.37	0.4603	≤5	PASS
NTNV	11AC40MIMO	total	5670	TPC_L	0.37	1.0898	≤5	PASS
NTNV	11AC80MIMO	Ant1	5210	NA	-8.63	0.1371	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5210	NA	-8.58	0.1387	≤2.5	PASS
NTNV	11AC80MIMO	total	5210	NA	-5.59	0.2758	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC_H	-7.77	0.1671	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC_H	-9.05	0.1245	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC_H	-5.35	0.2916	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC_L	-11.46	0.0714	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC_L	-12.81	0.0524	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC_L	-9.07	0.1238	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC_H	-2.06	0.6223	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC_H	-1.85	0.6531	≤2.5	PASS
NTNV	11AC80MIMO	total	5530	TPC_H	1.06	1.2754	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC_L	-5.75	0.2661	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC_L	-5.35	0.2917	≤2.5	PASS
NTNV	11AC80MIMO	total	5530	TPC_L	-2.54	0.5578	≤2.5	PASS
NTNV	11AC160MIMO	Ant1	5250	TPC_H	-10.27	0.0940	≤1.25	PASS

NTNV	11AC160MIMO	Ant2	5250	TPC_H	-11.15	0.0767	≤1.25	PASS
NTNV	11AC160MIMO	total	5250	TPC_H	-7.68	0.1707	≤1.25	PASS
NTNV	11AC160MIMO	Ant1	5250	TPC_L	-13.99	0.0399	≤1.25	PASS
NTNV	11AC160MIMO	Ant2	5250	TPC_L	-14.97	0.0318	≤1.25	PASS
NTNV	11AC160MIMO	total	5250	TPC_L	-11.44	0.0717	≤1.25	PASS
NTNV	11AC160MIMO	Ant1	5570	TPC_H	-4.65	0.3428	≤1.25	PASS
NTNV	11AC160MIMO	Ant2	5570	TPC_H	-5.04	0.3133	≤1.25	PASS
NTNV	11AC160MIMO	total	5570	TPC_H	-1.83	0.6561	≤1.25	PASS
NTNV	11AC160MIMO	Ant1	5570	TPC_L	-8.31	0.1476	≤1.25	PASS
NTNV	11AC160MIMO	Ant2	5570	TPC_L	-8.62	0.1374	≤1.25	PASS
NTNV	11AC160MIMO	total	5570	TPC_L	-5.45	0.2850	≤1.25	PASS
NTNV	11AX20MIMO	Ant1	5180	NA	-1.07	0.7816	≤10	PASS
NTNV	11AX20MIMO	Ant2	5180	NA	-1.75	0.6683	≤10	PASS
NTNV	11AX20MIMO	total	5180	NA	1.61	1.4499	≤10	PASS
NTNV	11AX20MIMO	Ant1	5200	NA	-2.29	0.5902	≤10	PASS
NTNV	11AX20MIMO	Ant2	5200	NA	-2.00	0.6310	≤10	PASS
NTNV	11AX20MIMO	total	5200	NA	0.87	1.2212	≤10	PASS
NTNV	11AX20MIMO	Ant1	5240	NA	-1.50	0.7079	≤10	PASS
NTNV	11AX20MIMO	Ant2	5240	NA	-3.46	0.4508	≤10	PASS
NTNV	11AX20MIMO	total	5240	NA	0.64	1.1587	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC_H	-0.67	0.8570	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC_H	-2.38	0.5781	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC_H	1.57	1.4351	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC_L	-4.19	0.3811	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC_L	-5.86	0.2594	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC_L	-1.93	0.6405	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC_H	-0.74	0.8433	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC_H	-2.68	0.5395	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC_H	1.41	1.3828	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC_L	-4.17	0.3828	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC_L	-6.70	0.2138	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC_L	-2.24	0.5966	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC_H	-1.14	0.7691	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC_H	-1.56	0.6982	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC_H	1.67	1.4673	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC_L	-4.84	0.3281	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC_L	-6.05	0.2483	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC_L	-2.39	0.5764	≤10	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC_H	2.11	1.6255	≤10	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC_H	0.04	1.0093	≤10	PASS
NTNV	11AX20MIMO	total	5500	TPC_H	4.21	2.6348	≤10	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC_L	-1.72	0.6730	≤10	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC_L	-3.24	0.4742	≤10	PASS
NTNV	11AX20MIMO	total	5500	TPC_L	0.60	1.1472	≤10	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC_H	1.56	1.4322	≤10	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC_H	1.81	1.5171	≤10	PASS
NTNV	11AX20MIMO	total	5580	TPC_H	4.70	2.9493	≤10	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC_L	-2.42	0.5728	≤10	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC_L	-1.94	0.6397	≤10	PASS
NTNV	11AX20MIMO	total	5580	TPC_L	0.84	1.2125	≤10	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC_H	1.92	1.5560	≤10	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC_H	1.42	1.3868	≤10	PASS
NTNV	11AX20MIMO	total	5700	TPC_H	4.69	2.9428	≤10	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC_L	-1.58	0.6950	≤10	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC_L	-1.77	0.6653	≤10	PASS
NTNV	11AX20MIMO	total	5700	TPC_L	1.34	1.3603	≤10	PASS
NTNV	11AX40MIMO	Ant1	5190	NA	-4.58	0.3483	≤5	PASS
NTNV	11AX40MIMO	Ant2	5190	NA	-4.80	0.3311	≤5	PASS
NTNV	11AX40MIMO	total	5190	NA	-1.68	0.6794	≤5	PASS
NTNV	11AX40MIMO	Ant1	5230	NA	-4.63	0.3443	≤5	PASS
NTNV	11AX40MIMO	Ant2	5230	NA	-5.81	0.2624	≤5	PASS
NTNV	11AX40MIMO	total	5230	NA	-2.17	0.6067	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC_H	-3.70	0.4266	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC_H	-5.49	0.2825	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC_H	-1.49	0.7091	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC_L	-7.20	0.1905	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC_L	-9.45	0.1135	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC_L	-5.17	0.3040	≤5	PASS

NTNV	11AX40MIMO	Ant2	5310	TPC_H	-5.13	0.3069	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC_H	-1.64	0.6853	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC_H	-4.22	0.3784	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC_L	-7.62	0.1730	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC_L	-8.94	0.1276	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC_L	-5.22	0.3006	≤5	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC_H	0.67	1.1668	≤5	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC_H	0.15	1.0351	≤5	PASS
NTNV	11AX40MIMO	total	5510	TPC_H	3.43	2.2019	≤5	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC_L	-3.12	0.4875	≤5	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC_L	-3.93	0.4046	≤5	PASS
NTNV	11AX40MIMO	total	5510	TPC_L	-0.50	0.8921	≤5	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC_H	1.13	1.2972	≤5	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC_H	-0.03	0.9931	≤5	PASS
NTNV	11AX40MIMO	total	5670	TPC_H	3.60	2.2903	≤5	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC_L	-2.28	0.5916	≤5	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC_L	-3.85	0.4121	≤5	PASS
NTNV	11AX40MIMO	total	5670	TPC_L	0.02	1.0037	≤5	PASS
NTNV	11AX80MIMO	Ant1	5210	NA	-7.57	0.1750	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	NA	-8.29	0.1483	≤2.5	PASS
NTNV	11AX80MIMO	total	5210	NA	-4.90	0.3233	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC_H	-7.81	0.1656	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC_H	-9.09	0.1233	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC_H	-5.39	0.2889	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC_L	-11.06	0.0783	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC_L	-12.37	0.0579	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC_L	-8.66	0.1362	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC_H	-2.85	0.5188	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC_H	-2.04	0.6252	≤2.5	PASS
NTNV	11AX80MIMO	total	5530	TPC_H	0.58	1.1440	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC_L	-6.28	0.2355	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC_L	-5.94	0.2547	≤2.5	PASS
NTNV	11AX80MIMO	total	5530	TPC_L	-3.10	0.4902	≤2.5	PASS
NTNV	11AX160MIMO	Ant1	5250	TPC_H	-11.15	0.0767	≤1.25	PASS
NTNV	11AX160MIMO	Ant2	5250	TPC_H	-11.51	0.0706	≤1.25	PASS
NTNV	11AX160MIMO	total	5250	TPC_H	-8.32	0.1473	≤1.25	PASS
NTNV	11AX160MIMO	Ant1	5250	TPC_L	-14.75	0.0335	≤1.25	PASS
NTNV	11AX160MIMO	Ant2	5250	TPC_L	-15.31	0.0294	≤1.25	PASS
NTNV	11AX160MIMO	total	5250	TPC_L	-12.01	0.0629	≤1.25	PASS
NTNV	11AX160MIMO	Ant1	5570	TPC_H	-4.98	0.3177	≤1.25	PASS
NTNV	11AX160MIMO	Ant2	5570	TPC_H	-5.41	0.2877	≤1.25	PASS
NTNV	11AX160MIMO	total	5570	TPC_H	-2.18	0.6054	≤1.25	PASS
NTNV	11AX160MIMO	Ant1	5570	TPC_L	-8.58	0.1387	≤1.25	PASS
NTNV	11AX160MIMO	Ant2	5570	TPC_L	-8.59	0.1384	≤1.25	PASS
NTNV	11AX160MIMO	total	5570	TPC_L	-5.57	0.2771	≤1.25	PASS
NTNV	11BE20MIMO	Ant1	5180	NA	-0.27	0.9397	≤10	PASS
NTNV	11BE20MIMO	Ant2	5180	NA	-1.07	0.7816	≤10	PASS
NTNV	11BE20MIMO	total	5180	NA	2.36	1.7213	≤10	PASS
NTNV	11BE20MIMO	Ant1	5200	NA	-0.48	0.8954	≤10	PASS
NTNV	11BE20MIMO	Ant2	5200	NA	-1.73	0.6714	≤10	PASS
NTNV	11BE20MIMO	total	5200	NA	1.95	1.5668	≤10	PASS
NTNV	11BE20MIMO	Ant1	5220	NA	-1.12	0.7727	≤10	PASS
NTNV	11BE20MIMO	Ant2	5220	NA	-0.95	0.8035	≤10	PASS
NTNV	11BE20MIMO	total	5220	NA	1.98	1.5762	≤10	PASS
NTNV	11BE20MIMO	total	5240	NA	1.79	1.5099	≤10	PASS
NTNV	11BE20MIMO	Ant1	5240	NA	-1.65	0.6839	≤10	PASS
NTNV	11BE20MIMO	Ant2	5240	NA	-0.83	0.8260	≤10	PASS
NTNV	11BE20MIMO	Ant1	5260	TPC_H	-1.83	0.6561	≤10	PASS
NTNV	11BE20MIMO	Ant2	5260	TPC_H	-1.21	0.7568	≤10	PASS
NTNV	11BE20MIMO	total	5260	TPC_H	1.50	1.4129	≤10	PASS
NTNV	11BE20MIMO	Ant1	5260	TPC_L	-5.05	0.3126	≤10	PASS
NTNV	11BE20MIMO	Ant2	5260	TPC_L	-7.10	0.1950	≤10	PASS
NTNV	11BE20MIMO	total	5260	TPC_L	-2.94	0.5076	≤10	PASS
NTNV	11BE20MIMO	Ant1	5280	TPC_H	-1.96	0.6368	≤10	PASS
NTNV	11BE20MIMO	Ant2	5280	TPC_H	-1.14	0.7691	≤10	PASS
NTNV	11BE20MIMO	total	5280	TPC_H	1.48	1.4059	≤10	PASS
NTNV	11BE20MIMO	Ant1	5280	TPC_L	-5.51	0.2812	≤10	PASS
NTNV	11BE20MIMO	Ant2	5280	TPC_L	-7.07	0.1963	≤10	PASS

NTNV	11BE20MIMO	total	5280	TPC_L	-3.21	0.4775	≤10	PASS
NTNV	11BE20MIMO	Ant1	5320	TPC_H	-1.08	0.7798	≤10	PASS
NTNV	11BE20MIMO	Ant2	5320	TPC_H	-2.03	0.6266	≤10	PASS
NTNV	11BE20MIMO	total	5320	TPC_H	1.48	1.4064	≤10	PASS
NTNV	11BE20MIMO	Ant1	5320	TPC_L	-4.93	0.3214	≤10	PASS
NTNV	11BE20MIMO	Ant2	5320	TPC_L	-6.26	0.2366	≤10	PASS
NTNV	11BE20MIMO	total	5320	TPC_L	-2.53	0.5580	≤10	PASS
NTNV	11BE20MIMO	Ant1	5500	TPC_H	2.84	1.9231	≤10	PASS
NTNV	11BE20MIMO	Ant2	5500	TPC_H	0.92	1.2359	≤10	PASS
NTNV	11BE20MIMO	total	5500	TPC_H	5.00	3.1590	≤10	PASS
NTNV	11BE20MIMO	Ant1	5500	TPC_L	-1.04	0.7870	≤10	PASS
NTNV	11BE20MIMO	Ant2	5500	TPC_L	-2.91	0.5117	≤10	PASS
NTNV	11BE20MIMO	total	5500	TPC_L	1.14	1.2987	≤10	PASS
NTNV	11BE20MIMO	Ant1	5580	TPC_H	2.08	1.6144	≤10	PASS
NTNV	11BE20MIMO	Ant2	5580	TPC_H	2.41	1.7418	≤10	PASS
NTNV	11BE20MIMO	total	5580	TPC_H	5.26	3.3562	≤10	PASS
NTNV	11BE20MIMO	Ant1	5580	TPC_L	-1.53	0.7031	≤10	PASS
NTNV	11BE20MIMO	Ant2	5580	TPC_L	-1.29	0.7430	≤10	PASS
NTNV	11BE20MIMO	total	5580	TPC_L	1.60	1.4461	≤10	PASS
NTNV	11BE20MIMO	Ant1	5700	TPC_H	2.68	1.8535	≤10	PASS
NTNV	11BE20MIMO	Ant2	5700	TPC_H	2.71	1.8664	≤10	PASS
NTNV	11BE20MIMO	total	5700	TPC_H	5.71	3.7199	≤10	PASS
NTNV	11BE20MIMO	Ant1	5700	TPC_L	-0.60	0.8710	≤10	PASS
NTNV	11BE20MIMO	Ant2	5700	TPC_L	-1.09	0.7780	≤10	PASS
NTNV	11BE20MIMO	total	5700	TPC_L	2.17	1.6490	≤10	PASS
NTNV	11BE40MIMO	Ant1	5190	NA	-4.95	0.3199	≤5	PASS
NTNV	11BE40MIMO	Ant2	5190	NA	-4.92	0.3221	≤5	PASS
NTNV	11BE40MIMO	total	5190	NA	-1.92	0.6420	≤5	PASS
NTNV	11BE40MIMO	Ant1	5230	NA	-4.71	0.3381	≤5	PASS
NTNV	11BE40MIMO	Ant2	5230	NA	-5.84	0.2606	≤5	PASS
NTNV	11BE40MIMO	total	5230	NA	-2.23	0.5987	≤5	PASS
NTNV	11BE40MIMO	Ant1	5270	TPC_H	-3.98	0.3999	≤5	PASS
NTNV	11BE40MIMO	Ant2	5270	TPC_H	-5.56	0.2780	≤5	PASS
NTNV	11BE40MIMO	total	5270	TPC_H	-1.69	0.6779	≤5	PASS
NTNV	11BE40MIMO	Ant1	5270	TPC_L	-7.28	0.1871	≤5	PASS
NTNV	11BE40MIMO	Ant2	5270	TPC_L	-9.46	0.1132	≤5	PASS
NTNV	11BE40MIMO	total	5270	TPC_L	-5.22	0.3003	≤5	PASS
NTNV	11BE40MIMO	Ant1	5310	TPC_H	-4.16	0.3837	≤5	PASS
NTNV	11BE40MIMO	Ant2	5310	TPC_H	-4.98	0.3177	≤5	PASS
NTNV	11BE40MIMO	total	5310	TPC_H	-1.54	0.7014	≤5	PASS
NTNV	11BE40MIMO	Ant1	5310	TPC_L	-8.04	0.1570	≤5	PASS
NTNV	11BE40MIMO	Ant2	5310	TPC_L	-9.09	0.1233	≤5	PASS
NTNV	11BE40MIMO	total	5310	TPC_L	-5.52	0.2803	≤5	PASS
NTNV	11BE40MIMO	Ant1	5510	TPC_H	0.32	1.0765	≤5	PASS
NTNV	11BE40MIMO	Ant2	5510	TPC_H	-0.03	0.9931	≤5	PASS
NTNV	11BE40MIMO	total	5510	TPC_H	3.16	2.0696	≤5	PASS
NTNV	11BE40MIMO	Ant1	5510	TPC_L	-3.13	0.4864	≤5	PASS
NTNV	11BE40MIMO	Ant2	5510	TPC_L	-3.91	0.4064	≤5	PASS
NTNV	11BE40MIMO	total	5510	TPC_L	-0.49	0.8928	≤5	PASS
NTNV	11BE40MIMO	Ant1	5670	TPC_H	1.13	1.2972	≤5	PASS
NTNV	11BE40MIMO	Ant2	5670	TPC_H	-0.14	0.9683	≤5	PASS
NTNV	11BE40MIMO	total	5670	TPC_H	3.55	2.2655	≤5	PASS
NTNV	11BE40MIMO	Ant1	5670	TPC_L	-2.44	0.5702	≤5	PASS
NTNV	11BE40MIMO	Ant2	5670	TPC_L	-4.02	0.3963	≤5	PASS
NTNV	11BE40MIMO	total	5670	TPC_L	-0.15	0.9665	≤5	PASS
NTNV	11BE80MIMO	Ant1	5210	NA	-7.55	0.1758	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	NA	-8.33	0.1469	≤2.5	PASS
NTNV	11BE80MIMO	total	5210	NA	-4.91	0.3227	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	TPC_H	-7.84	0.1644	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	TPC_H	-8.99	0.1262	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	TPC_H	-5.37	0.2906	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	TPC_L	-10.94	0.0805	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	TPC_L	-13.16	0.0483	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	TPC_L	-8.90	0.1288	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	TPC_H	-2.18	0.6053	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	TPC_H	-2.40	0.5754	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	TPC_H	0.72	1.1807	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	TPC_L	-5.77	0.2649	≤2.5	PASS

NTNV	11BE80MIMO	Ant2	5530	TPC_L	-6.04	0.2489	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	TPC_L	-2.89	0.5138	≤2.5	PASS
NTNV	11BE160MIMO	Ant1	5250	TPC_H	-10.36	0.0920	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	TPC_H	-11.17	0.0764	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	TPC_H	-7.74	0.1684	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	TPC_L	-14.10	0.0389	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	TPC_L	-15.50	0.0282	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	TPC_L	-11.73	0.0671	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	TPC_H	-5.98	0.2523	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	TPC_H	-5.27	0.2972	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	TPC_H	-2.60	0.5495	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	TPC_L	-9.12	0.1225	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	TPC_L	-8.86	0.1300	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	TPC_L	-5.98	0.2525	≤1.25	PASS

TestCondition	TestMode	Antenna	Frequency [MHz]	TPC	Result (mW/MHz)	EIRP (mW/MHz)	Limit (mW/MHz)	Verdict
NTNV	11A	Ant1	5180	NA	1.4454	7.0795	≤10	PASS
NTNV	11A	Ant2	5180	NA	1.1092	5.4325	≤10	PASS
NTNV	11A	Ant1	5200	NA	1.0914	5.3456	≤10	PASS
NTNV	11A	Ant2	5200	NA	0.7998	3.9174	≤10	PASS
NTNV	11A	Ant1	5240	NA	1.2618	6.1802	≤10	PASS
NTNV	11A	Ant2	5240	NA	0.8414	4.1210	≤10	PASS
NTNV	11A	Ant1	5260	TPC_H	1.6144	7.9068	≤10	PASS
NTNV	11A	Ant2	5260	TPC_H	0.9795	4.7973	≤10	PASS
NTNV	11A	Ant1	5260	TPC_L	0.6871	3.3651	≤10	PASS
NTNV	11A	Ant2	5260	TPC_L	0.4645	2.2751	≤10	PASS
NTNV	11A	Ant1	5280	TPC_H	1.4859	7.2778	≤10	PASS
NTNV	11A	Ant2	5280	TPC_H	0.9638	4.7206	≤10	PASS
NTNV	11A	Ant1	5280	TPC_L	0.7244	3.5481	≤10	PASS
NTNV	11A	Ant2	5280	TPC_L	0.4581	2.2439	≤10	PASS
NTNV	11A	Ant1	5320	TPC_H	1.3490	6.6069	≤10	PASS
NTNV	11A	Ant2	5320	TPC_H	1.1194	5.4828	≤10	PASS
NTNV	11A	Ant1	5320	TPC_L	0.6471	3.1696	≤10	PASS
NTNV	11A	Ant2	5320	TPC_L	0.5248	2.5704	≤10	PASS
NTNV	11A	Ant1	5500	TPC_H	2.4774	12.1339	≤50	PASS
NTNV	11A	Ant2	5500	TPC_H	1.7458	8.5507	≤50	PASS
NTNV	11A	Ant1	5500	TPC_L	1.1272	5.5208	≤50	PASS
NTNV	11A	Ant2	5500	TPC_L	0.7925	3.8815	≤50	PASS
NTNV	11A	Ant1	5580	TPC_H	2.3605	11.5611	≤50	PASS
NTNV	11A	Ant2	5580	TPC_H	2.4266	11.8850	≤50	PASS
NTNV	11A	Ant1	5580	TPC_L	1.0046	4.9204	≤50	PASS
NTNV	11A	Ant2	5580	TPC_L	1.0740	5.2602	≤50	PASS
NTNV	11A	Ant1	5700	TPC_H	2.6546	13.0017	≤50	PASS
NTNV	11A	Ant2	5700	TPC_H	2.4044	11.7761	≤50	PASS
NTNV	11A	Ant1	5700	TPC_L	1.1967	5.8614	≤50	PASS
NTNV	11A	Ant2	5700	TPC_L	1.1350	5.5590	≤50	PASS
NTNV	11N20MIMO	Ant1	5180	NA	0.8185	4.0087	≤10	PASS
NTNV	11N20MIMO	Ant2	5180	NA	0.7063	3.4594	≤10	PASS
NTNV	11N20MIMO	total	5180	NA	1.5248	7.4681	≤10	PASS
NTNV	11N20MIMO	Ant1	5200	NA	0.6209	3.0409	≤10	PASS
NTNV	11N20MIMO	Ant2	5200	NA	0.6653	3.2584	≤10	PASS
NTNV	11N20MIMO	total	5200	NA	1.2862	6.2993	≤10	PASS
NTNV	11N20MIMO	Ant1	5240	NA	0.7516	3.6813	≤10	PASS
NTNV	11N20MIMO	Ant2	5240	NA	0.5176	2.5351	≤10	PASS
NTNV	11N20MIMO	total	5240	NA	1.2692	6.2164	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC_H	0.8913	4.3652	≤10	PASS
NTNV	11N20MIMO	Ant2	5260	TPC_H	0.5943	2.9107	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC_H	1.4856	7.2759	≤10	PASS
NTNV	11N20MIMO	Ant1	5260	TPC_L	0.4276	2.0941	≤10	PASS

NTNV	11N20MIMO	Ant2	5260	TPC_L	0.2844	1.3932	≤10	PASS
NTNV	11N20MIMO	total	5260	TPC_L	0.7120	3.4873	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC_H	0.9016	4.4157	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC_H	0.5794	2.8379	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC_H	1.4810	7.2536	≤10	PASS
NTNV	11N20MIMO	Ant1	5280	TPC_L	0.4009	1.9634	≤10	PASS
NTNV	11N20MIMO	Ant2	5280	TPC_L	0.2767	1.3552	≤10	PASS
NTNV	11N20MIMO	total	5280	TPC_L	0.6776	3.3186	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC_H	0.8570	4.1976	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC_H	0.6950	3.4041	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC_H	1.5520	7.6017	≤10	PASS
NTNV	11N20MIMO	Ant1	5320	TPC_L	0.3639	1.7824	≤10	PASS
NTNV	11N20MIMO	Ant2	5320	TPC_L	0.3076	1.5066	≤10	PASS
NTNV	11N20MIMO	total	5320	TPC_L	0.6715	3.2890	≤10	PASS
NTNV	11N20MIMO	Ant1	5500	TPC_H	1.6032	7.8524	≤50	PASS
NTNV	11N20MIMO	Ant2	5500	TPC_H	1.0447	5.1168	≤50	PASS
NTNV	11N20MIMO	total	5500	TPC_H	2.6479	12.9692	≤50	PASS
NTNV	11N20MIMO	Ant1	5500	TPC_L	0.6577	3.2211	≤50	PASS
NTNV	11N20MIMO	Ant2	5500	TPC_L	0.4634	2.2699	≤50	PASS
NTNV	11N20MIMO	total	5500	TPC_L	1.1211	5.4910	≤50	PASS
NTNV	11N20MIMO	Ant1	5580	TPC_H	1.4997	7.3451	≤50	PASS
NTNV	11N20MIMO	Ant2	5580	TPC_H	1.4997	7.3451	≤50	PASS
NTNV	11N20MIMO	total	5580	TPC_H	2.9994	14.6902	≤50	PASS
NTNV	11N20MIMO	Ant1	5580	TPC_L	0.5957	2.9174	≤50	PASS
NTNV	11N20MIMO	Ant2	5580	TPC_L	0.6471	3.1696	≤50	PASS
NTNV	11N20MIMO	total	5580	TPC_L	1.2428	6.0870	≤50	PASS
NTNV	11N20MIMO	Ant1	5700	TPC_H	1.6144	7.9068	≤50	PASS
NTNV	11N20MIMO	Ant2	5700	TPC_H	1.5311	7.4989	≤50	PASS
NTNV	11N20MIMO	total	5700	TPC_H	3.1455	15.4057	≤50	PASS
NTNV	11N20MIMO	Ant1	5700	TPC_L	0.6855	3.3574	≤50	PASS
NTNV	11N20MIMO	Ant2	5700	TPC_L	0.6668	3.2659	≤50	PASS
NTNV	11N20MIMO	total	5700	TPC_L	1.3523	6.6233	≤50	PASS
NTNV	11N40MIMO	Ant1	5190	NA	0.3614	1.7701	≤5	PASS
NTNV	11N40MIMO	Ant2	5190	NA	0.3581	1.7539	≤5	PASS
NTNV	11N40MIMO	total	5190	NA	0.7195	3.5240	≤5	PASS
NTNV	11N40MIMO	Ant1	5230	NA	0.3882	1.9011	≤5	PASS
NTNV	11N40MIMO	Ant2	5230	NA	0.2742	1.3428	≤5	PASS
NTNV	11N40MIMO	total	5230	NA	0.6624	3.2439	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC_H	0.3622	1.7742	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC_H	0.6060	2.9682	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC_H	0.2438	1.1940	≤5	PASS
NTNV	11N40MIMO	Ant1	5270	TPC_L	0.1556	0.7621	≤5	PASS
NTNV	11N40MIMO	Ant2	5270	TPC_L	0.1069	0.5236	≤5	PASS
NTNV	11N40MIMO	total	5270	TPC_L	0.2625	1.2857	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC_H	0.3516	1.7219	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC_H	0.2541	1.2445	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC_H	0.6057	2.9664	≤5	PASS
NTNV	11N40MIMO	Ant1	5310	TPC_L	0.1560	0.7638	≤5	PASS
NTNV	11N40MIMO	Ant2	5310	TPC_L	0.1164	0.5702	≤5	PASS
NTNV	11N40MIMO	total	5310	TPC_L	0.2724	1.3340	≤5	PASS
NTNV	11N40MIMO	Ant1	5510	TPC_H	1.3092	6.4121	≤25	PASS
NTNV	11N40MIMO	Ant2	5510	TPC_H	1.0423	5.1050	≤25	PASS
NTNV	11N40MIMO	total	5510	TPC_H	2.3515	11.5171	≤25	PASS
NTNV	11N40MIMO	Ant1	5510	TPC_L	0.5970	2.9242	≤25	PASS
NTNV	11N40MIMO	Ant2	5510	TPC_L	0.5164	2.5293	≤25	PASS
NTNV	11N40MIMO	total	5510	TPC_L	1.1134	5.4535	≤25	PASS
NTNV	11N40MIMO	Ant1	5670	TPC_H	1.4125	6.9183	≤25	PASS
NTNV	11N40MIMO	Ant2	5670	TPC_H	1.1015	5.3951	≤25	PASS
NTNV	11N40MIMO	total	5670	TPC_H	2.5140	12.3134	≤25	PASS
NTNV	11N40MIMO	Ant1	5670	TPC_L	0.6383	3.1261	≤25	PASS
NTNV	11N40MIMO	Ant2	5670	TPC_L	0.5035	2.4660	≤25	PASS

NTNV	11N40MIMO	total	5670	TPC_L	1.1418	5.5921	≤25	PASS
NTNV	11AC20MIMO	Ant1	5180	NA	0.8204	4.0179	≤10	PASS
NTNV	11AC20MIMO	Ant2	5180	NA	0.7112	3.4834	≤10	PASS
NTNV	11AC20MIMO	total	5180	NA	1.5316	7.5013	≤10	PASS
NTNV	11AC20MIMO	total	5200	NA	1.2596	6.1696	≤10	PASS
NTNV	11AC20MIMO	Ant1	5200	NA	0.6095	2.9854	≤10	PASS
NTNV	11AC20MIMO	Ant2	5200	NA	0.6501	3.1842	≤10	PASS
NTNV	11AC20MIMO	Ant1	5240	NA	0.7328	3.5892	≤10	PASS
NTNV	11AC20MIMO	Ant2	5240	NA	0.5321	2.6062	≤10	PASS
NTNV	11AC20MIMO	total	5240	NA	1.2649	6.1954	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC_H	0.8872	4.3451	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC_H	0.6081	2.9785	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC_H	1.4953	7.3236	≤10	PASS
NTNV	11AC20MIMO	Ant1	5260	TPC_L	0.4027	1.9724	≤10	PASS
NTNV	11AC20MIMO	Ant2	5260	TPC_L	0.2673	1.3092	≤10	PASS
NTNV	11AC20MIMO	total	5260	TPC_L	0.6700	3.2816	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC_H	0.9268	4.5394	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC_H	0.6067	2.9717	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC_H	1.5335	7.5111	≤10	PASS
NTNV	11AC20MIMO	Ant1	5280	TPC_L	0.3926	1.9231	≤10	PASS
NTNV	11AC20MIMO	Ant2	5280	TPC_L	0.2655	1.3002	≤10	PASS
NTNV	11AC20MIMO	total	5280	TPC_L	0.6581	3.2233	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC_H	0.8241	4.0365	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC_H	0.7015	3.4356	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC_H	1.5256	7.4721	≤10	PASS
NTNV	11AC20MIMO	Ant1	5320	TPC_L	0.3540	1.7338	≤10	PASS
NTNV	11AC20MIMO	Ant2	5320	TPC_L	0.2858	1.3996	≤10	PASS
NTNV	11AC20MIMO	total	5320	TPC_L	0.6398	3.1334	≤10	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC_H	1.6106	7.8886	≤50	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC_H	1.1066	5.4200	≤50	PASS
NTNV	11AC20MIMO	total	5500	TPC_H	2.7172	13.3086	≤50	PASS
NTNV	11AC20MIMO	Ant1	5500	TPC_L	0.7311	3.5810	≤50	PASS
NTNV	11AC20MIMO	Ant2	5500	TPC_L	0.5383	2.6363	≤50	PASS
NTNV	11AC20MIMO	total	5500	TPC_L	1.2694	6.2173	≤50	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC_H	1.4859	7.2778	≤50	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC_H	1.5488	7.5858	≤50	PASS
NTNV	11AC20MIMO	total	5580	TPC_H	3.0347	14.8636	≤50	PASS
NTNV	11AC20MIMO	Ant1	5580	TPC_L	0.6180	3.0269	≤50	PASS
NTNV	11AC20MIMO	Ant2	5580	TPC_L	0.6776	3.3189	≤50	PASS
NTNV	11AC20MIMO	total	5580	TPC_L	1.2956	6.3458	≤50	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC_H	1.6827	8.2414	≤50	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC_H	1.5596	7.6384	≤50	PASS
NTNV	11AC20MIMO	total	5700	TPC_H	3.2423	15.8798	≤50	PASS
NTNV	11AC20MIMO	Ant1	5700	TPC_L	0.7430	3.6392	≤50	PASS
NTNV	11AC20MIMO	Ant2	5700	TPC_L	0.7278	3.5645	≤50	PASS
NTNV	11AC20MIMO	total	5700	TPC_L	1.4708	7.2037	≤50	PASS
NTNV	11AC40MIMO	Ant1	5190	NA	0.3404	1.6672	≤5	PASS
NTNV	11AC40MIMO	Ant2	5190	NA	0.3170	1.5524	≤5	PASS
NTNV	11AC40MIMO	total	5190	NA	0.6574	3.2196	≤5	PASS
NTNV	11AC40MIMO	Ant1	5230	NA	0.3673	1.7989	≤5	PASS
NTNV	11AC40MIMO	Ant2	5230	NA	0.2523	1.2359	≤5	PASS
NTNV	11AC40MIMO	total	5230	NA	0.6196	3.0348	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC_H	0.3548	1.7378	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC_H	0.2307	1.1298	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC_H	0.5855	2.8676	≤5	PASS
NTNV	11AC40MIMO	Ant1	5270	TPC_L	0.1585	0.7762	≤5	PASS
NTNV	11AC40MIMO	Ant2	5270	TPC_L	0.1026	0.5023	≤5	PASS
NTNV	11AC40MIMO	total	5270	TPC_L	0.2611	1.2785	≤5	PASS
NTNV	11AC40MIMO	Ant1	5310	TPC_H	0.3214	1.5740	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC_H	0.2472	1.2106	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC_H	0.5686	2.7846	≤5	PASS

NTNV	11AC40MIMO	Ant1	5310	TPC_L	0.1466	0.7178	≤5	PASS
NTNV	11AC40MIMO	Ant2	5310	TPC_L	0.1132	0.5546	≤5	PASS
NTNV	11AC40MIMO	total	5310	TPC_L	0.2598	1.2724	≤5	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC_H	1.2162	5.9566	≤25	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC_H	1.0209	5.0003	≤25	PASS
NTNV	11AC40MIMO	total	5510	TPC_H	2.2371	10.9569	≤25	PASS
NTNV	11AC40MIMO	Ant1	5510	TPC_L	0.5534	2.7102	≤25	PASS
NTNV	11AC40MIMO	Ant2	5510	TPC_L	0.4467	2.1878	≤25	PASS
NTNV	11AC40MIMO	total	5510	TPC_L	1.0001	4.8980	≤25	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC_H	1.2647	6.1944	≤25	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC_H	1.0304	5.0466	≤25	PASS
NTNV	11AC40MIMO	total	5670	TPC_H	2.2951	11.2410	≤25	PASS
NTNV	11AC40MIMO	Ant1	5670	TPC_L	0.6295	3.0832	≤25	PASS
NTNV	11AC40MIMO	Ant2	5670	TPC_L	0.4603	2.2542	≤25	PASS
NTNV	11AC40MIMO	total	5670	TPC_L	1.0898	5.3374	≤25	PASS
NTNV	11AC80MIMO	Ant1	5210	NA	0.1371	0.6714	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5210	NA	0.1387	0.6792	≤2.5	PASS
NTNV	11AC80MIMO	total	5210	NA	0.2758	1.3506	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC_H	0.1671	0.8185	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC_H	0.1245	0.6095	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC_H	0.2916	1.4280	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5290	TPC_L	0.0714	0.3499	≤2.5	PASS
NTNV	11AC80MIMO	Ant2	5290	TPC_L	0.0524	0.2564	≤2.5	PASS
NTNV	11AC80MIMO	total	5290	TPC_L	0.1238	0.6063	≤2.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC_H	0.6223	3.0479	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC_H	0.6531	3.1989	≤12.5	PASS
NTNV	11AC80MIMO	total	5530	TPC_H	1.2754	6.2468	≤12.5	PASS
NTNV	11AC80MIMO	Ant1	5530	TPC_L	0.2661	1.3032	≤12.5	PASS
NTNV	11AC80MIMO	Ant2	5530	TPC_L	0.2917	1.4289	≤12.5	PASS
NTNV	11AC80MIMO	total	5530	TPC_L	0.5578	2.7321	≤12.5	PASS
NTNV	11AC160MIMO	Ant1	5250	TPC_H	0.0940	0.4603	≤1.25	PASS
NTNV	11AC160MIMO	Ant2	5250	TPC_H	0.0767	0.3758	≤1.25	PASS
NTNV	11AC160MIMO	total	5250	TPC_H	0.1707	0.8361	≤1.25	PASS
NTNV	11AC160MIMO	Ant1	5250	TPC_L	0.0399	0.1954	≤1.25	PASS
NTNV	11AC160MIMO	Ant2	5250	TPC_L	0.0318	0.1560	≤1.25	PASS
NTNV	11AC160MIMO	total	5250	TPC_L	0.0717	0.3514	≤1.25	PASS
NTNV	11AC160MIMO	Ant1	5570	TPC_H	0.3428	1.6788	≤6.25	PASS
NTNV	11AC160MIMO	Ant2	5570	TPC_H	0.3133	1.5346	≤6.25	PASS
NTNV	11AC160MIMO	total	5570	TPC_H	0.6561	3.2134	≤6.25	PASS
NTNV	11AC160MIMO	Ant1	5570	TPC_L	0.1476	0.7228	≤6.25	PASS
NTNV	11AC160MIMO	Ant2	5570	TPC_L	0.1374	0.6730	≤6.25	PASS
NTNV	11AC160MIMO	total	5570	TPC_L	0.2850	1.3958	≤6.25	PASS
NTNV	11AX20MIMO	Ant1	5180	NA	0.7816	3.8282	≤10	PASS
NTNV	11AX20MIMO	Ant2	5180	NA	0.6683	3.2734	≤10	PASS
NTNV	11AX20MIMO	total	5180	NA	1.4499	7.1016	≤10	PASS
NTNV	11AX20MIMO	Ant1	5200	NA	0.5902	2.8907	≤10	PASS
NTNV	11AX20MIMO	Ant2	5200	NA	0.6310	3.0903	≤10	PASS
NTNV	11AX20MIMO	total	5200	NA	1.2212	5.9810	≤10	PASS
NTNV	11AX20MIMO	Ant1	5240	NA	0.7079	3.4674	≤10	PASS
NTNV	11AX20MIMO	Ant2	5240	NA	0.4508	2.2080	≤10	PASS
NTNV	11AX20MIMO	total	5240	NA	1.1587	5.6754	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC_H	0.8570	4.1976	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC_H	0.5781	2.8314	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC_H	1.4351	7.0290	≤10	PASS
NTNV	11AX20MIMO	Ant1	5260	TPC_L	0.3811	1.8664	≤10	PASS
NTNV	11AX20MIMO	Ant2	5260	TPC_L	0.2594	1.2706	≤10	PASS
NTNV	11AX20MIMO	total	5260	TPC_L	0.6405	3.1370	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC_H	0.8433	4.1305	≤10	PASS
NTNV	11AX20MIMO	Ant2	5280	TPC_H	0.5395	2.6424	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC_H	1.3828	6.7729	≤10	PASS
NTNV	11AX20MIMO	Ant1	5280	TPC_L	0.3828	1.8750	≤10	PASS

NTNV	11AX20MIMO	Ant2	5280	TPC_L	0.2138	1.0471	≤10	PASS
NTNV	11AX20MIMO	total	5280	TPC_L	0.5966	2.9221	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC_H	0.7691	3.7670	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC_H	0.6982	3.4198	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC_H	1.4673	7.1868	≤10	PASS
NTNV	11AX20MIMO	Ant1	5320	TPC_L	0.3281	1.6069	≤10	PASS
NTNV	11AX20MIMO	Ant2	5320	TPC_L	0.2483	1.2162	≤10	PASS
NTNV	11AX20MIMO	total	5320	TPC_L	0.5764	2.8231	≤10	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC_H	1.6255	7.9616	≤50	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC_H	1.0093	4.9431	≤50	PASS
NTNV	11AX20MIMO	total	5500	TPC_H	2.6348	12.9047	≤50	PASS
NTNV	11AX20MIMO	Ant1	5500	TPC_L	0.6730	3.2961	≤50	PASS
NTNV	11AX20MIMO	Ant2	5500	TPC_L	0.4742	2.3227	≤50	PASS
NTNV	11AX20MIMO	total	5500	TPC_L	1.1472	5.6188	≤50	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC_H	1.4322	7.0146	≤50	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC_H	1.5171	7.4302	≤50	PASS
NTNV	11AX20MIMO	total	5580	TPC_H	2.9493	14.4448	≤50	PASS
NTNV	11AX20MIMO	Ant1	5580	TPC_L	0.5728	2.8054	≤50	PASS
NTNV	11AX20MIMO	Ant2	5580	TPC_L	0.6397	3.1333	≤50	PASS
NTNV	11AX20MIMO	total	5580	TPC_L	1.2125	5.9387	≤50	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC_H	1.5560	7.6208	≤50	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC_H	1.3868	6.7920	≤50	PASS
NTNV	11AX20MIMO	total	5700	TPC_H	2.9428	14.4128	≤50	PASS
NTNV	11AX20MIMO	Ant1	5700	TPC_L	0.6950	3.4041	≤50	PASS
NTNV	11AX20MIMO	Ant2	5700	TPC_L	0.6653	3.2584	≤50	PASS
NTNV	11AX20MIMO	total	5700	TPC_L	1.3603	6.6625	≤50	PASS
NTNV	11AX40MIMO	Ant1	5190	NA	0.3483	1.7061	≤5	PASS
NTNV	11AX40MIMO	Ant2	5190	NA	0.3311	1.6218	≤5	PASS
NTNV	11AX40MIMO	total	5190	NA	0.6794	3.3279	≤5	PASS
NTNV	11AX40MIMO	Ant1	5230	NA	0.3443	1.6866	≤5	PASS
NTNV	11AX40MIMO	Ant2	5230	NA	0.2624	1.2853	≤5	PASS
NTNV	11AX40MIMO	total	5230	NA	0.6067	2.9719	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC_H	0.4266	2.0893	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC_H	0.2825	1.3836	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC_H	0.7091	3.4729	≤5	PASS
NTNV	11AX40MIMO	Ant1	5270	TPC_L	0.1905	0.9333	≤5	PASS
NTNV	11AX40MIMO	Ant2	5270	TPC_L	0.1135	0.5559	≤5	PASS
NTNV	11AX40MIMO	total	5270	TPC_L	0.3040	1.4892	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC_H	0.3784	1.8535	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC_H	0.3069	1.5031	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC_H	0.6853	3.3566	≤5	PASS
NTNV	11AX40MIMO	Ant1	5310	TPC_L	0.1730	0.8472	≤5	PASS
NTNV	11AX40MIMO	Ant2	5310	TPC_L	0.1276	0.6252	≤5	PASS
NTNV	11AX40MIMO	total	5310	TPC_L	0.3006	1.4724	≤5	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC_H	1.1668	5.7148	≤25	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC_H	1.0351	5.0699	≤25	PASS
NTNV	11AX40MIMO	total	5510	TPC_H	2.2019	10.7847	≤25	PASS
NTNV	11AX40MIMO	Ant1	5510	TPC_L	0.4875	2.3878	≤25	PASS
NTNV	11AX40MIMO	Ant2	5510	TPC_L	0.4046	1.9815	≤25	PASS
NTNV	11AX40MIMO	total	5510	TPC_L	0.8921	4.3693	≤25	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC_H	1.2972	6.3533	≤25	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC_H	0.9931	4.8641	≤25	PASS
NTNV	11AX40MIMO	total	5670	TPC_H	2.2903	11.2174	≤25	PASS
NTNV	11AX40MIMO	Ant1	5670	TPC_L	0.5916	2.8973	≤25	PASS
NTNV	11AX40MIMO	Ant2	5670	TPC_L	0.4121	2.0184	≤25	PASS
NTNV	11AX40MIMO	total	5670	TPC_L	1.0037	4.9157	≤25	PASS
NTNV	11AX80MIMO	Ant1	5210	NA	0.1750	0.8570	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5210	NA	0.1483	0.7261	≤2.5	PASS
NTNV	11AX80MIMO	total	5210	NA	0.3233	1.5831	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC_H	0.1656	0.8110	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC_H	0.1233	0.6039	≤2.5	PASS

NTNV	11AX80MIMO	total	5290	TPC_H	0.2889	1.4149	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5290	TPC_L	0.0783	0.3837	≤2.5	PASS
NTNV	11AX80MIMO	Ant2	5290	TPC_L	0.0579	0.2838	≤2.5	PASS
NTNV	11AX80MIMO	total	5290	TPC_L	0.1362	0.6675	≤2.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC_H	0.5188	2.5410	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC_H	0.6252	3.0620	≤12.5	PASS
NTNV	11AX80MIMO	total	5530	TPC_H	1.1440	5.6030	≤12.5	PASS
NTNV	11AX80MIMO	Ant1	5530	TPC_L	0.2355	1.1535	≤12.5	PASS
NTNV	11AX80MIMO	Ant2	5530	TPC_L	0.2547	1.2474	≤12.5	PASS
NTNV	11AX80MIMO	total	5530	TPC_L	0.4902	2.4009	≤12.5	PASS
NTNV	11AX160MIMO	Ant1	5250	TPC_H	0.0767	0.3758	≤1.25	PASS
NTNV	11AX160MIMO	Ant2	5250	TPC_H	0.0706	0.3459	≤1.25	PASS
NTNV	11AX160MIMO	total	5250	TPC_H	0.1473	0.7217	≤1.25	PASS
NTNV	11AX160MIMO	Ant1	5250	TPC_L	0.0335	0.1641	≤1.25	PASS
NTNV	11AX160MIMO	Ant2	5250	TPC_L	0.0294	0.1442	≤1.25	PASS
NTNV	11AX160MIMO	total	5250	TPC_L	0.0629	0.3083	≤1.25	PASS
NTNV	11AX160MIMO	Ant1	5570	TPC_H	0.3177	1.5560	≤6.25	PASS
NTNV	11AX160MIMO	Ant2	5570	TPC_H	0.2877	1.4093	≤6.25	PASS
NTNV	11AX160MIMO	total	5570	TPC_H	0.6054	2.9653	≤6.25	PASS
NTNV	11AX160MIMO	Ant1	5570	TPC_L	0.1387	0.6792	≤6.25	PASS
NTNV	11AX160MIMO	Ant2	5570	TPC_L	0.1384	0.6776	≤6.25	PASS
NTNV	11AX160MIMO	total	5570	TPC_L	0.2771	1.3568	≤6.25	PASS
NTNV	11BE20MIMO	Ant1	5180	NA	0.9397	4.6026	≤10	PASS
NTNV	11BE20MIMO	Ant2	5180	NA	0.7816	3.8282	≤10	PASS
NTNV	11BE20MIMO	total	5180	NA	1.7213	8.4308	≤10	PASS
NTNV	11BE20MIMO	Ant1	5200	NA	0.8954	4.3853	≤10	PASS
NTNV	11BE20MIMO	Ant2	5200	NA	0.6714	3.2885	≤10	PASS
NTNV	11BE20MIMO	total	5200	NA	1.5668	7.6738	≤10	PASS
NTNV	11BE20MIMO	Ant1	5220	NA	0.7727	3.7844	≤10	PASS
NTNV	11BE20MIMO	Ant2	5220	NA	0.8035	3.9355	≤10	PASS
NTNV	11BE20MIMO	total	5220	NA	1.5762	7.7199	≤10	PASS
NTNV	11BE20MIMO	Ant1	5240	NA	0.6839	3.3497	≤10	PASS
NTNV	11BE20MIMO	Ant2	5240	NA	0.8260	4.0458	≤10	PASS
NTNV	11BE20MIMO	total	5240	NA	1.5099	7.3955	≤10	PASS
NTNV	11BE20MIMO	Ant1	5260	TPC_H	0.6561	3.2137	≤10	PASS
NTNV	11BE20MIMO	Ant2	5260	TPC_H	0.7568	3.7068	≤10	PASS
NTNV	11BE20MIMO	total	5260	TPC_H	1.4129	6.9205	≤10	PASS
NTNV	11BE20MIMO	Ant1	5260	TPC_L	0.3126	1.5311	≤10	PASS
NTNV	11BE20MIMO	Ant2	5260	TPC_L	0.1950	0.9550	≤10	PASS
NTNV	11BE20MIMO	total	5260	TPC_L	0.5076	2.4861	≤10	PASS
NTNV	11BE20MIMO	Ant1	5280	TPC_H	0.6368	3.1189	≤10	PASS
NTNV	11BE20MIMO	Ant2	5280	TPC_H	0.7691	3.7670	≤10	PASS
NTNV	11BE20MIMO	total	5280	TPC_H	1.4059	6.8859	≤10	PASS
NTNV	11BE20MIMO	Ant1	5280	TPC_L	0.2812	1.3772	≤10	PASS
NTNV	11BE20MIMO	Ant2	5280	TPC_L	0.1963	0.9616	≤10	PASS
NTNV	11BE20MIMO	total	5280	TPC_L	0.4775	2.3388	≤10	PASS
NTNV	11BE20MIMO	Ant1	5320	TPC_H	0.7798	3.8194	≤10	PASS
NTNV	11BE20MIMO	Ant2	5320	TPC_H	0.6266	3.0690	≤10	PASS
NTNV	11BE20MIMO	total	5320	TPC_H	1.4064	6.8884	≤10	PASS
NTNV	11BE20MIMO	Ant1	5320	TPC_L	0.3214	1.5740	≤10	PASS
NTNV	11BE20MIMO	Ant2	5320	TPC_L	0.2366	1.1588	≤10	PASS
NTNV	11BE20MIMO	total	5320	TPC_L	0.5580	2.7328	≤10	PASS
NTNV	11BE20MIMO	Ant1	5500	TPC_H	1.9231	9.4189	≤50	PASS
NTNV	11BE20MIMO	Ant2	5500	TPC_H	1.2359	6.0534	≤50	PASS
NTNV	11BE20MIMO	total	5500	TPC_H	3.1590	15.4723	≤50	PASS
NTNV	11BE20MIMO	Ant1	5500	TPC_L	0.7870	3.8548	≤50	PASS
NTNV	11BE20MIMO	Ant2	5500	TPC_L	0.5117	2.5061	≤50	PASS
NTNV	11BE20MIMO	total	5500	TPC_L	1.2987	6.3609	≤50	PASS
NTNV	11BE20MIMO	Ant1	5580	TPC_H	1.6144	7.9068	≤50	PASS
NTNV	11BE20MIMO	Ant2	5580	TPC_H	1.7418	8.5310	≤50	PASS
NTNV	11BE20MIMO	total	5580	TPC_H	3.3562	16.4378	≤50	PASS

NTNV	11BE20MIMO	Ant1	5580	TPC_L	0.7031	3.4435	≤50	PASS
NTNV	11BE20MIMO	Ant2	5580	TPC_L	0.7430	3.6392	≤50	PASS
NTNV	11BE20MIMO	total	5580	TPC_L	1.4461	7.0827	≤50	PASS
NTNV	11BE20MIMO	Ant1	5700	TPC_H	1.8535	9.0782	≤50	PASS
NTNV	11BE20MIMO	Ant2	5700	TPC_H	1.8664	9.1411	≤50	PASS
NTNV	11BE20MIMO	total	5700	TPC_H	3.7199	18.2193	≤50	PASS
NTNV	11BE20MIMO	Ant1	5700	TPC_L	0.8710	4.2658	≤50	PASS
NTNV	11BE20MIMO	Ant2	5700	TPC_L	0.7780	3.8107	≤50	PASS
NTNV	11BE20MIMO	total	5700	TPC_L	1.6490	8.0765	≤50	PASS
NTNV	11BE40MIMO	Ant1	5190	NA	0.3199	1.5668	≤5	PASS
NTNV	11BE40MIMO	Ant2	5190	NA	0.3221	1.5776	≤5	PASS
NTNV	11BE40MIMO	total	5190	NA	0.6420	3.1444	≤5	PASS
NTNV	11BE40MIMO	Ant1	5230	NA	0.3381	1.6558	≤5	PASS
NTNV	11BE40MIMO	Ant2	5230	NA	0.2606	1.2764	≤5	PASS
NTNV	11BE40MIMO	total	5230	NA	0.5987	2.9322	≤5	PASS
NTNV	11BE40MIMO	Ant1	5270	TPC_H	0.3999	1.9588	≤5	PASS
NTNV	11BE40MIMO	Ant2	5270	TPC_H	0.2780	1.3614	≤5	PASS
NTNV	11BE40MIMO	total	5270	TPC_H	0.6779	3.3202	≤5	PASS
NTNV	11BE40MIMO	Ant1	5270	TPC_L	0.1871	0.9162	≤5	PASS
NTNV	11BE40MIMO	Ant2	5270	TPC_L	0.1132	0.5546	≤5	PASS
NTNV	11BE40MIMO	total	5270	TPC_L	0.3003	1.4708	≤5	PASS
NTNV	11BE40MIMO	Ant1	5310	TPC_H	0.3837	1.8793	≤5	PASS
NTNV	11BE40MIMO	Ant2	5310	TPC_H	0.3177	1.5560	≤5	PASS
NTNV	11BE40MIMO	total	5310	TPC_H	0.7014	3.4353	≤5	PASS
NTNV	11BE40MIMO	Ant1	5310	TPC_L	0.1570	0.7691	≤5	PASS
NTNV	11BE40MIMO	Ant2	5310	TPC_L	0.1233	0.6039	≤5	PASS
NTNV	11BE40MIMO	total	5310	TPC_L	0.2803	1.3730	≤5	PASS
NTNV	11BE40MIMO	Ant1	5510	TPC_H	1.0765	5.2723	≤25	PASS
NTNV	11BE40MIMO	Ant2	5510	TPC_H	0.9931	4.8641	≤25	PASS
NTNV	11BE40MIMO	total	5510	TPC_H	2.0696	10.1364	≤25	PASS
NTNV	11BE40MIMO	Ant1	5510	TPC_L	0.4864	2.3823	≤25	PASS
NTNV	11BE40MIMO	Ant2	5510	TPC_L	0.4064	1.9907	≤25	PASS
NTNV	11BE40MIMO	total	5510	TPC_L	0.8928	4.3730	≤25	PASS
NTNV	11BE40MIMO	Ant1	5670	TPC_H	1.2972	6.3533	≤25	PASS
NTNV	11BE40MIMO	Ant2	5670	TPC_H	0.9683	4.7424	≤25	PASS
NTNV	11BE40MIMO	total	5670	TPC_H	2.2655	11.0957	≤25	PASS
NTNV	11BE40MIMO	Ant1	5670	TPC_L	0.5702	2.7925	≤25	PASS
NTNV	11BE40MIMO	Ant2	5670	TPC_L	0.3963	1.9409	≤25	PASS
NTNV	11BE40MIMO	total	5670	TPC_L	0.9665	4.7334	≤25	PASS
NTNV	11BE80MIMO	Ant1	5210	NA	0.1758	0.8610	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	NA	0.1469	0.7194	≤2.5	PASS
NTNV	11BE80MIMO	total	5210	NA	0.3227	1.5804	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	TPC_H	0.1644	0.8054	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	TPC_H	0.1262	0.6180	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	TPC_H	0.2906	1.4234	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	TPC_L	0.0805	0.3945	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	TPC_L	0.0483	0.2366	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	TPC_L	0.1288	0.6311	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	TPC_H	0.6053	2.9648	≤12.5	PASS
NTNV	11BE80MIMO	Ant2	5530	TPC_H	0.5754	2.8184	≤12.5	PASS
NTNV	11BE80MIMO	total	5530	TPC_H	1.1807	5.7832	≤12.5	PASS
NTNV	11BE80MIMO	Ant1	5530	TPC_L	0.2649	1.2972	≤12.5	PASS
NTNV	11BE80MIMO	Ant2	5530	TPC_L	0.2489	1.2190	≤12.5	PASS
NTNV	11BE80MIMO	total	5530	TPC_L	0.5138	2.5162	≤12.5	PASS
NTNV	11BE160MIMO	Ant1	5250	TPC_H	0.0920	0.4508	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	TPC_H	0.0764	0.3741	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	TPC_H	0.1684	0.8249	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	TPC_L	0.0389	0.1905	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	TPC_L	0.0282	0.1380	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	TPC_L	0.0671	0.3285	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	TPC_H	0.2523	1.2359	≤6.25	PASS

NTNV	11BE160MIMO	Ant2	5570	TPC_H	0.2972	1.4555	≤6.25	PASS
NTNV	11BE160MIMO	total	5570	TPC_H	0.5495	2.6914	≤6.25	PASS
NTNV	11BE160MIMO	Ant1	5570	TPC_L	0.1225	0.5998	≤6.25	PASS
NTNV	11BE160MIMO	Ant2	5570	TPC_L	0.1300	0.6368	≤6.25	PASS
NTNV	11BE160MIMO	total	5570	TPC_L	0.2525	1.2366	≤6.25	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	TPC	Power (mW/MHz)	RatedPower (mW/MHz)	Result (%)	Limit (%)	Verdict
NTNV	11A	Ant1	5180	NA	1.4454	2	-27.73	-80 to +20	PASS
NTNV	11A	Ant2	5180	NA	1.1092	2	-44.54	-80 to +20	PASS
NTNV	11A	Ant1	5200	NA	1.0914	2	-45.43	-80 to +20	PASS
NTNV	11A	Ant2	5200	NA	0.7998	2	-60.01	-80 to +20	PASS
NTNV	11A	Ant1	5240	NA	1.2618	2	-36.91	-80 to +20	PASS
NTNV	11A	Ant2	5240	NA	0.8414	2	-57.93	-80 to +20	PASS
NTNV	11A	Ant1	5260	TPC_H	1.6144	2	-19.28	-80 to +20	PASS
NTNV	11A	Ant2	5260	TPC_H	0.9795	2	-51.03	-80 to +20	PASS
NTNV	11A	Ant1	5260	TPC_L	0.6871	1	-31.29	-80 to +20	PASS
NTNV	11A	Ant2	5260	TPC_L	0.4645	1	-53.55	-80 to +20	PASS
NTNV	11A	Ant1	5280	TPC_H	1.4859	2	-25.71	-80 to +20	PASS
NTNV	11A	Ant2	5280	TPC_H	0.9638	2	-51.81	-80 to +20	PASS
NTNV	11A	Ant1	5280	TPC_L	0.7244	1	-27.56	-80 to +20	PASS
NTNV	11A	Ant2	5280	TPC_L	0.4581	1	-54.19	-80 to +20	PASS
NTNV	11A	Ant1	5320	TPC_H	1.3490	2	-32.55	-80 to +20	PASS
NTNV	11A	Ant2	5320	TPC_H	1.1194	2	-44.03	-80 to +20	PASS
NTNV	11A	Ant1	5320	TPC_L	0.6471	1	-35.29	-80 to +20	PASS
NTNV	11A	Ant2	5320	TPC_L	0.5248	1	-47.52	-80 to +20	PASS
NTNV	11A	Ant1	5500	TPC_H	2.4774	3	-17.42	-50 to +50	PASS
NTNV	11A	Ant2	5500	TPC_H	1.7458	3	-41.81	-50 to +50	PASS
NTNV	11A	Ant1	5500	TPC_L	1.1272	1	12.72	-50 to +50	PASS
NTNV	11A	Ant2	5500	TPC_L	0.7925	1	-20.75	-50 to +50	PASS
NTNV	11A	Ant1	5580	TPC_H	2.3605	3	-21.32	-50 to +50	PASS
NTNV	11A	Ant2	5580	TPC_H	2.4266	3	-19.11	-50 to +50	PASS
NTNV	11A	Ant1	5580	TPC_L	1.0046	1	0.46	-50 to +50	PASS
NTNV	11A	Ant2	5580	TPC_L	1.0740	1	7.40	-50 to +50	PASS
NTNV	11A	Ant1	5700	TPC_H	2.6546	3	-11.51	-50 to +50	PASS
NTNV	11A	Ant2	5700	TPC_H	2.4044	3	-19.85	-50 to +50	PASS
NTNV	11A	Ant1	5700	TPC_L	1.1967	1	19.67	-50 to +50	PASS
NTNV	11A	Ant2	5700	TPC_L	1.1350	1	13.50	-50 to +50	PASS
NTNV	11N20MIMO	total	5180	NA	1.5248	2	-23.76	-80 to +20	PASS
NTNV	11N20MIMO	total	5200	NA	1.2862	2	-35.69	-80 to +20	PASS
NTNV	11N20MIMO	total	5240	NA	1.2692	2	-36.54	-80 to +20	PASS
NTNV	11N20MIMO	total	5260	TPC_H	1.4856	2	-25.72	-80 to +20	PASS
NTNV	11N20MIMO	total	5260	TPC_L	0.7120	1	-28.80	-80 to +20	PASS
NTNV	11N20MIMO	total	5280	TPC_H	1.4810	2	-25.95	-80 to +20	PASS
NTNV	11N20MIMO	total	5280	TPC_L	0.6776	1	-32.24	-80 to +20	PASS
NTNV	11N20MIMO	total	5320	TPC_H	1.5520	2	-22.40	-80 to +20	PASS
NTNV	11N20MIMO	total	5320	TPC_L	0.6715	1	-32.85	-80 to +20	PASS
NTNV	11N20MIMO	total	5500	TPC_H	2.6479	3	-11.74	-50 to +50	PASS
NTNV	11N20MIMO	total	5500	TPC_L	1.1211	0.8	40.14	-50 to +50	PASS
NTNV	11N20MIMO	total	5580	TPC_H	2.9994	3	-0.02	-50 to +50	PASS
NTNV	11N20MIMO	total	5580	TPC_L	1.2428	1	24.28	-50 to +50	PASS
NTNV	11N20MIMO	total	5700	TPC_H	3.1455	3	4.85	-50 to +50	PASS
NTNV	11N20MIMO	total	5700	TPC_L	1.3523	1	35.23	-50 to +50	PASS
NTNV	11N40MIMO	total	5190	NA	0.7195	1	-28.05	-80 to +20	PASS
NTNV	11N40MIMO	total	5230	NA	0.6624	1	-33.76	-80 to +20	PASS
NTNV	11N40MIMO	total	5270	TPC_H	0.6060	1	-39.40	-80 to +20	PASS
NTNV	11N40MIMO	total	5270	TPC_L	0.2625	0.25	5.00	-80 to +20	PASS
NTNV	11N40MIMO	total	5310	TPC_H	0.6057	1	-39.43	-80 to +20	PASS
NTNV	11N40MIMO	total	5310	TPC_L	0.2724	0.25	8.96	-80 to +20	PASS
NTNV	11N40MIMO	total	5510	TPC_H	2.3515	2	17.58	-50 to +50	PASS
NTNV	11N40MIMO	total	5510	TPC_L	1.1134	0.8	39.18	-50 to +50	PASS
NTNV	11N40MIMO	total	5670	TPC_H	2.5140	2	25.70	-50 to +50	PASS
NTNV	11N40MIMO	total	5670	TPC_L	1.1418	0.8	42.73	-50 to +50	PASS
NTNV	11AC20MIMO	total	5180	NA	1.5316	2	-23.42	-80 to +20	PASS
NTNV	11AC20MIMO	total	5200	NA	1.2596	2	-37.02	-80 to +20	PASS

NTNV	11AC20MIMO	total	5240	NA	1.2649	2	-36.76	-80 to +20	PASS
NTNV	11AC20MIMO	total	5260	TPC H	1.4953	2	-25.24	-80 to +20	PASS
NTNV	11AC20MIMO	total	5260	TPC L	0.6700	1	-33.00	-80 to +20	PASS
NTNV	11AC20MIMO	total	5280	TPC H	1.5335	2	-23.33	-80 to +20	PASS
NTNV	11AC20MIMO	total	5280	TPC L	0.6581	1	-34.19	-80 to +20	PASS
NTNV	11AC20MIMO	total	5320	TPC H	1.5256	2	-23.72	-80 to +20	PASS
NTNV	11AC20MIMO	total	5320	TPC L	0.6398	1	-36.02	-80 to +20	PASS
NTNV	11AC20MIMO	total	5500	TPC H	2.7172	3	-9.43	-50 to +50	PASS
NTNV	11AC20MIMO	total	5500	TPC L	1.2694	0.9	41.04	-50 to +50	PASS
NTNV	11AC20MIMO	total	5580	TPC H	3.0347	3	1.16	-50 to +50	PASS
NTNV	11AC20MIMO	total	5580	TPC L	1.2956	1	29.56	-50 to +50	PASS
NTNV	11AC20MIMO	total	5700	TPC H	3.2423	3	8.08	-50 to +50	PASS
NTNV	11AC20MIMO	total	5700	TPC L	1.4708	1	47.08	-50 to +50	PASS
NTNV	11AC40MIMO	total	5190	NA	0.6574	1	-34.26	-80 to +20	PASS
NTNV	11AC40MIMO	total	5230	NA	0.6196	1	-38.04	-80 to +20	PASS
NTNV	11AC40MIMO	total	5270	TPC H	0.5855	1	-41.45	-80 to +20	PASS
NTNV	11AC40MIMO	total	5270	TPC L	0.2611	0.25	4.44	-80 to +20	PASS
NTNV	11AC40MIMO	total	5310	TPC H	0.5686	1	-43.14	-80 to +20	PASS
NTNV	11AC40MIMO	total	5310	TPC L	0.2598	0.25	3.92	-80 to +20	PASS
NTNV	11AC40MIMO	total	5510	TPC H	2.2371	2	11.86	-50 to +50	PASS
NTNV	11AC40MIMO	total	5510	TPC L	1.0001	0.8	25.01	-50 to +50	PASS
NTNV	11AC40MIMO	total	5670	TPC H	2.2951	2	14.76	-50 to +50	PASS
NTNV	11AC40MIMO	total	5670	TPC L	1.0898	0.8	36.23	-50 to +50	PASS
NTNV	11AC80MIMO	total	5210	NA	0.2758	0.5	-44.84	-80 to +20	PASS
NTNV	11AC80MIMO	total	5290	TPC H	0.2916	0.5	-41.68	-80 to +20	PASS
NTNV	11AC80MIMO	total	5290	TPC L	0.1238	0.25	-50.48	-80 to +20	PASS
NTNV	11AC80MIMO	total	5530	TPC H	1.2754	1	27.54	-50 to +50	PASS
NTNV	11AC80MIMO	total	5530	TPC L	0.5578	0.5	11.56	-50 to +50	PASS
NTNV	11AC160MIMO	total	5250	TPC H	0.1707	0.25	-31.72	-80 to +20	PASS
NTNV	11AC160MIMO	total	5250	TPC L	0.0717	0.08	-10.38	-80 to +20	PASS
NTNV	11AC160MIMO	total	5570	TPC H	0.6561	1	-34.39	-50 to +50	PASS
NTNV	11AC160MIMO	total	5570	TPC L	0.2850	0.25	14.00	-50 to +50	PASS
NTNV	11AX20MIMO	total	5180	NA	1.4499	2	-27.51	-80 to +20	PASS
NTNV	11AX20MIMO	total	5200	NA	1.2212	2	-38.94	-80 to +20	PASS
NTNV	11AX20MIMO	total	5240	NA	1.1587	2	-42.07	-80 to +20	PASS
NTNV	11AX20MIMO	total	5260	TPC H	1.4351	2	-28.25	-80 to +20	PASS
NTNV	11AX20MIMO	total	5260	TPC L	0.6405	1	-35.95	-80 to +20	PASS
NTNV	11AX20MIMO	total	5280	TPC H	1.3828	2	-30.86	-80 to +20	PASS
NTNV	11AX20MIMO	total	5280	TPC L	0.5966	1	-40.34	-80 to +20	PASS
NTNV	11AX20MIMO	total	5320	TPC H	1.4673	2	-26.64	-80 to +20	PASS
NTNV	11AX20MIMO	total	5320	TPC L	0.5764	1	-42.36	-80 to +20	PASS
NTNV	11AX20MIMO	total	5500	TPC H	2.6348	3	-12.17	-50 to +50	PASS
NTNV	11AX20MIMO	total	5500	TPC L	1.1472	0.8	43.40	-50 to +50	PASS
NTNV	11AX20MIMO	total	5580	TPC H	2.9493	3	-1.69	-50 to +50	PASS
NTNV	11AX20MIMO	total	5580	TPC L	1.2125	1	21.25	-50 to +50	PASS
NTNV	11AX20MIMO	total	5700	TPC H	2.9428	3	-1.91	-50 to +50	PASS
NTNV	11AX20MIMO	total	5700	TPC L	1.3603	1	36.03	-50 to +50	PASS
NTNV	11AX40MIMO	total	5190	NA	0.6794	1	-32.06	-80 to +20	PASS
NTNV	11AX40MIMO	total	5230	NA	0.6067	1	-39.33	-80 to +20	PASS
NTNV	11AX40MIMO	total	5270	TPC H	0.7091	1	-29.09	-80 to +20	PASS
NTNV	11AX40MIMO	total	5270	TPC L	0.3040	0.3	1.33	-80 to +20	PASS
NTNV	11AX40MIMO	total	5310	TPC H	0.6853	1	-31.47	-80 to +20	PASS
NTNV	11AX40MIMO	total	5310	TPC L	0.3006	0.3	0.20	-80 to +20	PASS
NTNV	11AX40MIMO	total	5510	TPC H	2.2019	2	10.10	-50 to +50	PASS
NTNV	11AX40MIMO	total	5510	TPC L	0.8921	0.7	27.44	-50 to +50	PASS
NTNV	11AX40MIMO	total	5670	TPC H	2.2903	2	14.52	-50 to +50	PASS
NTNV	11AX40MIMO	total	5670	TPC L	1.0037	0.7	43.39	-50 to +50	PASS
NTNV	11AX80MIMO	total	5210	NA	0.3233	0.5	-35.34	-80 to +20	PASS
NTNV	11AX80MIMO	total	5290	TPC H	0.2889	0.5	-42.22	-80 to +20	PASS
NTNV	11AX80MIMO	total	5290	TPC L	0.1362	0.2	-31.90	-80 to +20	PASS
NTNV	11AX80MIMO	total	5530	TPC H	1.1440	1	14.40	-50 to +50	PASS
NTNV	11AX80MIMO	total	5530	TPC L	0.4902	0.4	22.55	-50 to +50	PASS
NTNV	11AX160MIMO	total	5250	TPC H	0.1473	0.25	-41.08	-80 to +20	PASS
NTNV	11AX160MIMO	total	5250	TPC L	0.0629	0.08	-21.38	-80 to +20	PASS
NTNV	11AX160MIMO	total	5570	TPC H	0.6054	1	-39.46	-50 to +50	PASS
NTNV	11AX160MIMO	total	5570	TPC L	0.2771	0.2	38.55	-50 to +50	PASS
NTNV	11BE20MIMO	total	5180	NA	1.7213	2	-13.94	-80 to +20	PASS
NTNV	11BE20MIMO	total	5200	NA	1.5668	2	-21.66	-80 to +20	PASS

NTNV	11BE20MIMO	total	5220	NA	1.5762	2	-21.19	-80 to +20	PASS
NTNV	11BE20MIMO	total	5240	NA	1.5099	2	-24.51	-80 to +20	PASS
NTNV	11BE20MIMO	total	5260	TPC H	1.4129	2	-29.36	-80 to +20	PASS
NTNV	11BE20MIMO	total	5260	TPC L	0.5076	0.7	-27.49	-80 to +20	PASS
NTNV	11BE20MIMO	total	5280	TPC H	1.4059	2	-29.71	-80 to +20	PASS
NTNV	11BE20MIMO	total	5280	TPC L	0.4775	0.7	-31.79	-80 to +20	PASS
NTNV	11BE20MIMO	total	5320	TPC H	1.4064	2	-29.68	-80 to +20	PASS
NTNV	11BE20MIMO	total	5320	TPC L	0.5580	0.7	-20.29	-80 to +20	PASS
NTNV	11BE20MIMO	total	5500	TPC H	3.1590	3	5.30	-50 to +50	PASS
NTNV	11BE20MIMO	total	5500	TPC L	1.2987	1	29.87	-50 to +50	PASS
NTNV	11BE20MIMO	total	5580	TPC H	3.3562	3	11.87	-50 to +50	PASS
NTNV	11BE20MIMO	total	5580	TPC L	1.4461	1	44.61	-50 to +50	PASS
NTNV	11BE20MIMO	total	5700	TPC H	3.7199	3	24.00	-50 to +50	PASS
NTNV	11BE20MIMO	total	5700	TPC L	1.6490	1.2	37.42	-50 to +50	PASS
NTNV	11BE40MIMO	total	5190	NA	0.6420	1	-35.80	-80 to +20	PASS
NTNV	11BE40MIMO	total	5230	NA	0.5987	1	-40.13	-80 to +20	PASS
NTNV	11BE40MIMO	total	5270	TPC H	0.6779	1	-32.21	-80 to +20	PASS
NTNV	11BE40MIMO	total	5270	TPC L	0.3003	0.3	0.10	-80 to +20	PASS
NTNV	11BE40MIMO	total	5310	TPC H	0.7014	1	-29.86	-80 to +20	PASS
NTNV	11BE40MIMO	total	5310	TPC L	0.2803	0.3	-6.57	-80 to +20	PASS
NTNV	11BE40MIMO	total	5510	TPC H	2.0696	2	3.48	-50 to +50	PASS
NTNV	11BE40MIMO	total	5510	TPC L	0.8928	0.7	27.54	-50 to +50	PASS
NTNV	11BE40MIMO	total	5670	TPC H	2.2655	2	13.28	-50 to +50	PASS
NTNV	11BE40MIMO	total	5670	TPC L	0.9665	0.7	38.07	-50 to +50	PASS
NTNV	11BE80MIMO	total	5210	NA	0.3227	0.5	-35.46	-80 to +20	PASS
NTNV	11BE80MIMO	total	5290	TPC H	0.2906	0.5	-41.88	-80 to +20	PASS
NTNV	11BE80MIMO	total	5290	TPC L	0.1288	0.2	-35.60	-80 to +20	PASS
NTNV	11BE80MIMO	total	5530	TPC H	1.1807	1	18.07	-50 to +50	PASS
NTNV	11BE80MIMO	total	5530	TPC L	0.5138	0.4	28.45	-50 to +50	PASS
NTNV	11BE160MIMO	total	5250	TPC H	0.1684	0.25	-32.64	-80 to +20	PASS
NTNV	11BE160MIMO	total	5250	TPC L	0.0671	0.08	-16.13	-80 to +20	PASS
NTNV	11BE160MIMO	total	5570	TPC H	0.5495	1	-45.05	-50 to +50	PASS
NTNV	11BE160MIMO	total	5570	TPC L	0.2525	0.2	26.25	-50 to +50	PASS

MRU_Trigger-Based

Antenna Power								
Test Condition	Test Mode	Antenna	Channel	Mru Type	Mru Index	Result (mW)	Limit (mW)	Verdict
NTNV	11BE80MIMO	Ant1	5210	484+242 OFDMA	1	0.1762	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	484+242 OFDMA	1	0.1406	≤2.5	PASS
NTNV	11BE80MIMO	total	5210	484+242 OFDMA	1	0.3168	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5210	484+242 OFDMA	2	0.1687	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	484+242 OFDMA	2	0.1466	≤2.5	PASS
NTNV	11BE80MIMO	total	5210	484+242 OFDMA	2	0.3153	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5210	484+242 OFDMA	3	0.1774	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	484+242 OFDMA	3	0.1442	≤2.5	PASS
NTNV	11BE80MIMO	total	5210	484+242 OFDMA	3	0.3216	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5210	484+242 OFDMA	4	0.1581	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5210	484+242 OFDMA	4	0.1449	≤2.5	PASS
NTNV	11BE80MIMO	total	5210	484+242 OFDMA	4	0.3030	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	1	0.1442	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	1	0.1167	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	1	0.2609	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	1	0.0671	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	1	0.0507	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	1	0.1178	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	2	0.1585	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	2	0.1178	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	2	0.2763	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	2	0.0698	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	2	0.0447	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	2	0.1145	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	3	0.1538	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	3	0.1199	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	3	0.2737	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	3	0.0640	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	3	0.0516	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	3	0.1156	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	4	0.1294	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	4	0.1019	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	4	0.2313	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5290	484+242 OFDMA	4	0.0644	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5290	484+242 OFDMA	4	0.0450	≤2.5	PASS
NTNV	11BE80MIMO	total	5290	484+242 OFDMA	4	0.1094	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	1	0.7430	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	1	0.9099	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	1	1.6529	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	1	0.3556	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	1	0.4285	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	1	0.7841	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	2	0.9162	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	2	0.9183	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	2	1.8345	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	2	0.4236	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	2	0.4227	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	2	0.8463	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	3	0.7516	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	3	0.8453	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	3	1.5969	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	3	0.3483	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	3	0.4130	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	3	0.7613	≤2.5	PASS
NTNV	11BE80MIMO	Ant1	5530	484+242 OFDMA	4	0.7430	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242 OFDMA	4	0.7709	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242 OFDMA	4	1.5139	≤2.5	PASS

NTNV	11BE80MIMO	Ant1	5530	484+242_OFDMA	4	0.3428	≤2.5	PASS
NTNV	11BE80MIMO	Ant2	5530	484+242_OFDMA	4	0.2844	≤2.5	PASS
NTNV	11BE80MIMO	total	5530	484+242_OFDMA	4	0.6272	≤2.5	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	1	0.0824	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	1	0.0998	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	1	0.1822	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	1	0.0356	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	1	0.0270	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	1	0.0626	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	2	0.0705	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	2	0.0664	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	2	0.1369	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	2	0.0338	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	2	0.0296	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	2	0.0634	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	3	0.0771	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	3	0.0603	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	3	0.1374	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	3	0.0352	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	3	0.0294	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	3	0.0646	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	4	0.0705	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	4	0.0646	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	4	0.1351	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484_OFDMA	4	0.0314	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484_OFDMA	4	0.0292	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484_OFDMA	4	0.0606	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	1	0.0711	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	1	0.0546	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	1	0.1257	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	1	0.0311	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	1	0.0241	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	1	0.0552	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	2	0.0617	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	2	0.0577	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	2	0.1194	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	2	0.0308	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	2	0.0230	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	2	0.0538	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	3	0.0689	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	3	0.0573	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	3	0.1262	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	3	0.0290	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	3	0.0267	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	3	0.0557	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	4	0.0706	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	4	0.0564	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	4	0.1270	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	4	0.0303	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	4	0.0258	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	4	0.0561	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	5	0.0710	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	5	0.0550	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	5	0.1260	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	5	0.0312	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	5	0.0228	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	5	0.0540	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	6	0.0678	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	6	0.0551	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	6	0.1229	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	6	0.0320	≤1.25	PASS

NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	6	0.0226	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	6	0.0546	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	7	0.0690	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	7	0.0488	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	7	0.1178	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	7	0.0303	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	7	0.0197	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	7	0.0500	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	8	0.0593	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	8	0.0574	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	8	0.1167	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5250	996+484+242_OFDMA	8	0.0259	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5250	996+484+242_OFDMA	8	0.0240	≤1.25	PASS
NTNV	11BE160MIMO	total	5250	996+484+242_OFDMA	8	0.0499	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	1	0.3981	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	1	0.3664	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	1	0.7645	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	1	0.1545	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	1	0.1770	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	1	0.3315	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	2	0.4645	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	2	0.4406	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	2	0.9051	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	2	0.1746	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	2	0.1622	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	2	0.3368	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	3	0.4519	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	3	0.4325	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	3	0.8844	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	3	0.1982	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	3	0.1722	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	3	0.3704	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	4	0.3873	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	4	0.4036	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	4	0.7909	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484_OFDMA	4	0.1592	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484_OFDMA	4	0.1828	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484_OFDMA	4	0.3420	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	1	0.3319	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	1	0.3556	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	1	0.6875	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	1	0.1422	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	1	0.1355	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	1	0.2777	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	2	0.3917	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	2	0.3548	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	2	0.7465	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	2	0.1687	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	2	0.1626	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	2	0.3313	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	3	0.3365	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	3	0.3828	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	3	0.7193	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	3	0.1271	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	3	0.1614	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	3	0.2885	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	4	0.3622	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	4	0.3741	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	4	0.7363	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	4	0.1503	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	4	0.1510	≤1.25	PASS

NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	4	0.3013	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	5	0.3540	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	5	0.3170	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	5	0.6710	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	5	0.1496	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	5	0.1545	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	5	0.3041	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	6	0.3365	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	6	0.3141	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	6	0.6506	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	6	0.1667	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	6	0.1570	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	6	0.3237	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	7	0.4046	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	7	0.3342	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	7	0.7388	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	7	0.1742	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	7	0.1574	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	7	0.3316	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	8	0.3436	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	8	0.3733	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	8	0.7169	≤1.25	PASS
NTNV	11BE160MIMO	Ant1	5570	996+484+242_OFDMA	8	0.1493	≤1.25	PASS
NTNV	11BE160MIMO	Ant2	5570	996+484+242_OFDMA	8	0.1472	≤1.25	PASS
NTNV	11BE160MIMO	total	5570	996+484+242_OFDMA	8	0.2965	≤1.25	PASS


Tolerance										
Test Condition	Test Mode	Antenna	Channel	Mru Type	Mru Index	Power (mW)	Rated Power (mW)	Result (%)	Limit (%)	Verdict
NTNV	11BE80MI MO	total	5210	484+242_OFDMA	1	0.3168	0.4	-20.80	-80 to +20	PASS
NTNV	11BE80MI MO	total	5210	484+242_OFDMA	2	0.3153	0.4	-21.18	-80 to +20	PASS
NTNV	11BE80MI MO	total	5210	484+242_OFDMA	3	0.3216	0.4	-19.60	-80 to +20	PASS
NTNV	11BE80MI MO	total	5210	484+242_OFDMA	4	0.3030	0.4	-24.25	-80 to +20	PASS
NTNV	11BE80MI MO	total	5290	484+242_OFDMA	1	0.2609	0.4	-34.78	-80 to +20	PASS
NTNV	11BE80MI MO	total	5290	484+242_OFDMA	1	0.1178	0.15	-21.47	-80 to +20	PASS
NTNV	11BE80MI MO	total	5290	484+242_OFDMA	2	0.2763	0.4	-30.93	-80 to +20	PASS
NTNV	11BE80MI MO	total	5290	484+242_OFDMA	2	0.1145	0.15	-23.67	-80 to +20	PASS
NTNV	11BE80MI MO	total	5290	484+242_OFDMA	3	0.2737	0.4	-31.58	-80 to +20	PASS
NTNV	11BE80MI MO	total	5290	484+242_OFDMA	3	0.1156	0.15	-22.93	-80 to +20	PASS
NTNV	11BE80MI	total	5290	484+2	4	0.2313	0.4	-42.18	-80 to	PASS

	MO			42_OF DMA					+20	
NTNV	11BE80MI MO	total	5290	484+2 42_OF DMA	4	0.1094	0.15	-27.07	-80 to +20	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	1	1.6529	1.5	10.19	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	1	0.7841	0.7	12.01	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	2	1.8345	1.5	22.30	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	2	0.8463	0.7	20.90	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	3	1.5969	1.5	6.46	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	3	0.7613	0.6	26.88	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	4	1.5139	1.5	0.93	-50 to +50	PASS
NTNV	11BE80MI MO	total	5530	484+2 42_OF DMA	4	0.6272	0.5	25.44	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	1	0.1822	0.2	-8.90	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	1	0.0626	0.07	-10.57	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	2	0.1369	0.2	-31.55	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	2	0.0634	0.07	-9.43	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	3	0.1374	0.2	-31.30	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	3	0.0646	0.07	-7.71	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	4	0.1351	0.2	-32.45	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84_OF DMA	4	0.0606	0.07	-13.43	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	1	0.1257	0.2	-37.15	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	1	0.0552	0.07	-21.14	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24	2	0.1194	0.2	-40.30	-80 to +20	PASS


				2_OF DMA						
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	2	0.0538	0.07	-23.14	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	3	0.1262	0.2	-36.90	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	3	0.0557	0.07	-20.43	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	4	0.1270	0.2	-36.50	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	4	0.0561	0.07	-19.86	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	5	0.1260	0.2	-37.00	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	5	0.0540	0.07	-22.86	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	6	0.1229	0.2	-38.55	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	6	0.0546	0.07	-22.00	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	7	0.1178	0.2	-41.10	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	7	0.0500	0.07	-28.57	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	8	0.1167	0.2	-41.65	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5250	996+4 84+24 2_OF DMA	8	0.0499	0.07	-28.71	-80 to +20	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	1	0.7645	0.75	1.93	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	1	0.3315	0.3	10.50	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	2	0.9051	0.75	20.68	-50 to +50	PASS


NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	2	0.3368	0.3	12.27	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	3	0.8844	0.75	17.92	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	3	0.3704	0.3	23.47	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	4	0.7909	0.75	5.45	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84_OF DMA	4	0.3420	0.3	14.00	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	1	0.6875	0.75	-8.33	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	1	0.2777	0.25	11.08	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	2	0.7465	0.75	-0.47	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	2	0.3313	0.25	32.52	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	3	0.7193	0.75	-4.09	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	3	0.2885	0.25	15.40	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	4	0.7363	0.75	-1.83	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	4	0.3013	0.25	20.52	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	5	0.6710	0.75	-10.53	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	5	0.3041	0.25	21.64	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	6	0.6506	0.75	-13.25	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	6	0.3237	0.25	29.48	-50 to +50	PASS

NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	7	0.7388	0.75	-1.49	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	7	0.3316	0.25	32.64	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	8	0.7169	0.75	-4.41	-50 to +50	PASS
NTNV	11BE160 MIMO	total	5570	996+4 84+24 2_OF DMA	8	0.2965	0.25	18.60	-50 to +50	PASS




NTNV-11A-Ant1-5180-PASS







NTNV-11A-Ant2-5180-PASS







NTNV-11A-Ant1-5200-PASS







NTNV-11A-Ant2-5200-PASS







NTNV-11A-Ant1-5240-PASS







NTNV-11A-Ant2-5240-PASS







NTNV-11A-Ant1-5260-TPC_H-PASS







NTNV-11A-Ant2-5260-TPC_H-PASS







NTNV-11A-Ant1-5260-TPC_L-PASS







NTNV-11A-Ant2-5260-TPC_L-PASS







NTNV-11A-Ant1-5280-TPC_H-PASS







NTNV-11A-Ant2-5280-TPC_H-PASS







NTNV-11A-Ant1-5280-TPC_L-PASS







NTNV-11A-Ant2-5280-TPC_L-PASS







NTNV-11A-Ant1-5320-TPC_H-PASS







NTNV-11A-Ant2-5320-TPC_H-PASS








NTNV-11A-Ant1-5320-TPC_L-PASS







NTNV-11A-Ant2-5320-TPC_L-PASS










NTNV-11A-Ant2-5500-TPC_H-PASS







NTNV-11A-Ant1-5500-TPC_L-PASS







NTNV-11A-Ant2-5500-TPC_L-PASS







NTNV-11A-Ant2-5580-TPC_H-PASS







NTNV-11A-Ant1-5580-TPC_H-PASS







NTNV-11A-Ant1-5580-TPC_L-PASS







NTNV-11A-Ant2-5580-TPC_L-PASS






NTNV-11A-Ant2-5700-TPC_H-PASS







NTNV-11A-Ant1-5700-TPC_H-PASS







NTNV-11A-Ant1-5700-TPC_L-PASS







NTNV-11A-Ant2-5700-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5180-PASS







NTNV-11N20MIMO-Ant1-5180-PASS







NTNV-11N20MIMO-Ant1-5200-PASS







NTNV-11N20MIMO-Ant2-5200-PASS






NTNV-11N20MIMO-Ant1-5240-PASS







NTNV-11N20MIMO-Ant2-5240-PASS







NTNV-11N20MIMO-Ant1-5260-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5260-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5260-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5260-TPC_L-PASS







NTNV-11N20MIMO-Ant1-5280-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5280-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5280-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5280-TPC_L-PASS







NTNV-11N20MIMO-Ant1-5320-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5320-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5320-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5320-TPC_L-PASS







NTNV-11N20MIMO-Ant1-5500-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5500-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5500-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5500-TPC_L-PASS







NTNV-11N20MIMO-Ant1-5580-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5580-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5580-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5580-TPC_L-PASS







NTNV-11N20MIMO-Ant1-5700-TPC_H-PASS







NTNV-11N20MIMO-Ant2-5700-TPC_H-PASS







NTNV-11N20MIMO-Ant1-5700-TPC_L-PASS







NTNV-11N20MIMO-Ant2-5700-TPC_L-PASS







NTNV-11N40MIMO-Ant1-5190-PASS







NTNV-11N40MIMO-Ant2-5190-PASS







NTNV-11N40MIMO-Ant1-5230-PASS







NTNV-11N40MIMO-Ant2-5230-PASS







NTNV-11N40MIMO-Ant1-5270-TPC_H-PASS







NTNV-11N40MIMO-Ant2-5270-TPC_H-PASS







NTNV-11N40MIMO-Ant1-5270-TPC_L-PASS







NTNV-11N40MIMO-Ant2-5270-TPC_L-PASS







NTNV-11N40MIMO-Ant1-5310-TPC_H-PASS







NTNV-11N40MIMO-Ant2-5310-TPC_H-PASS







NTNV-11N40MIMO-Ant1-5310-TPC_L-PASS







NTNV-11N40MIMO-Ant2-5310-TPC_L-PASS







NTNV-11N40MIMO-Ant1-5510-TPC_H-PASS







NTNV-11N40MIMO-Ant2-5510-TPC_H-PASS







NTNV-11N40MIMO-Ant1-5510-TPC_L-PASS







NTNV-11N40MIMO-Ant2-5510-TPC_L-PASS







NTNV-11N40MIMO-Ant1-5670-TPC_H-PASS







NTNV-11N40MIMO-Ant2-5670-TPC_H-PASS







NTNV-11N40MIMO-Ant1-5670-TPC_L-PASS







NTNV-11N40MIMO-Ant2-5670-TPC_L-PASS







NTNV-11AC20MIMO-Ant1-5180-PASS







NTNV-11AC20MIMO-Ant2-5180-PASS







NTNV-11AC20MIMO-Ant1-5200-PASS







NTNV-11AC20MIMO-Ant2-5200-PASS







NTNV-11AC20MIMO-Ant1-5240-PASS







NTNV-11AC20MIMO-Ant2-5240-PASS







NTNV-11AC20MIMO-Ant1-5260-TPC_H-PASS







NTNV-11AC20MIMO-Ant2-5260-TPC_H-PASS







NTNV-11AC20MIMO-Ant1-5260-TPC_L-PASS







NTNV-11AC20MIMO-Ant2-5260-TPC_L-PASS







NTNV-11AC20MIMO-Ant1-5280-TPC_H-PASS







NTNV-11AC20MIMO-Ant2-5280-TPC_H-PASS







NTNV-11AC20MIMO-Ant1-5280-TPC_L-PASS







NTNV-11AC20MIMO-Ant2-5280-TPC_L-PASS







NTNV-11AC20MIMO-Ant1-5320-TPC_H-PASS







NTNV-11AC20MIMO-Ant2-5320-TPC_H-PASS







NTNV-11AC20MIMO-Ant1-5320-TPC_L-PASS







NTNV-11AC20MIMO-Ant2-5320-TPC_L-PASS







NTNV-11AC20MIMO-Ant1-5500-TPC_H-PASS







NTNV-11AC20MIMO-Ant2-5500-TPC_H-PASS







NTNV-11AC20MIMO-Ant1-5500-TPC_L-PASS







NTNV-11AC20MIMO-Ant2-5500-TPC_L-PASS







NTNV-11AC20MIMO-Ant1-5580-TPC_H-PASS







NTNV-11AC20MIMO-Ant2-5580-TPC_H-PASS







NTNV-11AC20MIMO-Ant1-5580-TPC_L-PASS





NTNV-11AC20MIMO-Ant2-5580-TPC_L-PASS





NTNV-11AC20MIMO-Ant1-5700-TPC_H-PASS

