

Japan Test Report

Equipment : Meter/IVI
Model No. : HAWW
Brand Name : GARMIN
Applicant : Garmin Corp.
Address : No.68, Zhangshu 2nd Rd., Xizhi Dist., New
Taipei City 221, Taiwan (R.O.C)
Standard : Article 2 Paragraph 1 Item 19
Received Date : Feb. 12, 2025
Tested Date : Nov. 04 ~ Nov. 05, 2025

Measurement was conducted by the following test method:
the test method of Ordinance Concerning Technical Regulations Conformity Certification
etc. of Specified Radio Equipment in Annex 1, the Ministry of Internal Affairs and
Communications notification in Annex "43" of Article 88, Paragraph 1.

We, International Certification Corporation, would like to declare that the tested sample has
been evaluated and in compliance with the requirement of the above standards. The test
results contained in this report refer exclusively to the product. It shall not be reproduced
except in full without the written approval of our laboratory.

Reviewed by:

Approved by:


Alex Huang / Supervisor


Gary Chang / Manager

Table of Contents

1	GENERAL DESCRIPTION	5
1.1	Information.....	5
1.2	Test Equipment and Calibration Data	7
1.3	Testing Applied Standards	7
1.4	Deviation from Test Standard and Measurement Procedure.....	7
1.5	Measurement Uncertainty	7
2	TEST CONFIGURATION	8
2.1	Testing Location and Conditions.....	8
2.2	Testing Facility	8
2.3	Supporting Units.....	8
2.4	The Worst Test Modes and Channel Details	8
3	TRANSMITTER TEST RESULTS.....	9
3.1	Antenna Power	9
3.2	Frequency Tolerance	11
3.3	Occupied Bandwidth	12
3.4	Transmitter Spurious Emissions.....	13
3.5	Interference Prevention Function	14
4	RECEIVER TEST RESULTS	15
4.1	Receiver Spurious Emissions.....	15
5	TEST LABORATORY INFORMATION.....	16
	Appendix A. Antenna Power	
	Appendix B. Frequency Tolerance	
	Appendix C. Occupied Bandwidth	
	Appendix D. Transmitter Spurious Emissions	
	Appendix E. Interference Prevention Function	
	Appendix F. Receiver Spurious Emissions	

Release Record

Report No.	Version	Description	Issued Date
JR521201AC	Rev. 01	Initial issue	Dec. 01, 2026

Summary of Test Results

Ref. Std. Clause	Description	Result
3.2(2)(3)	Antenna Power	Pass
3.2(4)	Frequency Tolerance	Pass
3.2(6)	Transmitter Spurious Emission	Pass
3.2(7)	Occupied Bandwidth	Pass
3.3(1)	Receiver Emission	Pass
3.4.1	Interference prevention function	Pass
3.4.1(3)	Carrier Sense	Note

Note: This item is not required since the device does not support 802.11n HT 40 / 802.11ax HE40 function.

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Information

1.1.1 Specification of the Equipment under Test (EUT)

Power Type	DC 12V
Type(s) of Modulation / Technology	DBPSK, DQPSK, CCK / DSSS 1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK / OFDM
Frequency Range (MHz)	2412 ~ 2472
Total Channel Number	13
Operating Mode: IEEE Std. 802.11 / Data rate (Mbps)	802.11b: Up to 11 Mbps 802.11g: Up to 54 Mbps 802.11n HT20 (MCS 0~7) 802.11ax HE20 (MCS 0~11)
HW Version	A
SW Version	v2.00

1.1.2 Accessories

N/A

1.1.3 Antenna Details

Brand	Model	Type	Connector	Gain (dBi)
INPAQ	700-00228-10	PCB	IPEX	3.96

Note: Please refer to antenna report for more details about antenna pattern and other information.

1.1.4 Antenna Power

Operating Mode	Rated Power (mW/MHz)	Measured Conducted Power (mW/MHz)	Radiated Power (mW/MHz)
11b	1.7	1.67494	4.16869
11g	1	0.97499	2.42661
11n HT20	1	0.87902	2.18776
11ax HE20	1	0.86298	2.14783

1.1.5 Channel List

Channel	Frequency(MHz)
1	2412
2	2417
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462
12	2467
13	2472

1.1.6 Test Tool and Power Index

Test Tool
By hardware, Version: [1.25], [1.23], [2.23]

Power Index					
Channel	Frequency (MHz)	802.11b	802.11g	802.11n HT20	802.11ax HE20
1	2412	11	11	11	11
7	2442	11	11	11	11
13	2472	11	11	11	11

1.1.7 Test Voltage

Test Voltage	☒ Vnom (12 Vdc)	☒ Vmax (16 Vdc)	☒ Vmin (10 Vdc)
--------------	---	---	---

1.1.8 Protection Method for High Frequency and Modulation Section

Protected Method	Description
Glue Case	RF and Modulation components are covered within case of EUT and this case used Glue to protect anybody to open this case. Then use the glue to compress tightly and protect the outer cover is not opened easily. The glue will be damaged and calibration function will be broken that causes measured value will be incorrect if the cover was opened.

1.2 Test Equipment and Calibration Data

Test Item	RF Conducted						
Test Site	(TH01-WS)						
Tested Date	Nov. 04 ~ Nov. 05, 2025						
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until	Calibration Authority	Calibration Method
Spectrum Analyzer	R&S	FSV40	101486	Mar. 03, 2025	Mar. 02, 2026	ETC	(C)
DC POWER SOURCE	GW INSTEK	GPE-6030	GEZ824073	Oct. 27, 2025	Oct. 26, 2026	ETC	(C)
Power Sensor	Anritsu	MA2411B	1207367	Feb. 18, 2025	Feb. 17, 2026	ETC	(C)
Power Meter	Anritsu	ML2495A	1218007	Feb. 18, 2025	Feb. 17, 2026	ETC	(C)
Measurement Software	Sperton	SENSE	5.11.8	NA	NA	N/A	N/A
Note 1: Calibration Interval of instruments listed above is one year.							
Note 2: Calibration Method							
a. Calibration conducted by the National Institute of Information and Communications Technology(NICT) or a designated calibration agency under Article 102-18 paragraph (1) of the Radio Law.							
b. Calibration conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992) Japan Calibration Service System.							
c. Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).							
d. Calibration conducted by using other equipment that listed above from a) to c).							

1.3 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

Article 2 Paragraph 1 Item 19

1.4 Deviation from Test Standard and Measurement Procedure

None

1.5 Measurement Uncertainty

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor ($k=2$)).

Measurement Uncertainty	
Parameters	Uncertainty
Bandwidth	± 34.139 Hz
Conducted power	± 0.808 dB
Frequency error	$\pm 1 \times 10^{-9}$
TX Conducted emission	± 2.680 dB
RX Conducted emission	± 3.034 dB

2 Test Configuration

2.1 Testing Location and Conditions

Test Site	Site Category	Ambient Condition	Tested By
TH01-WS	OVEN Room	20.6°C / 65%	Alan Tang

2.2 Testing Facility

Test Laboratory	International Certification Corporation
Test Site	TH01-WS
Address of Test Site	No.3-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

2.3 Supporting Units

Support Unit	Brand	Model	FCC ID
Laptop	DELL	Latitude 5400	DoC

2.4 The Worst Test Modes and Channel Details

Test item	Mode	Test channel
Antenna Power Frequency Tolerance Occupied Bandwidth Transmitter Spurious Emission Interference prevention function Receiver Spurious Emissions	11b / 11g / 11n HT20 / 11ax HE20	1 / 7 / 13

3 Transmitter Test Results

3.1 Antenna Power


3.1.1 Limit of Antenna Power

Spread Spectrum Method	Frequency Range	Limit	Tolerance
1) FHSS (compound method with DSSS or OFDM)	2427 ~ 2470.75 MHz	3 mW / MHz	+20 %
	2400 ~ 2483.5 MHz (except 2427 ~2470.75MHz)	10 mW/MHz	
2) DSSS	2400 ~ 2483.5 MHz	10 mW / MHz	
3) OFDM (OBW with 26 MHz)	2400 ~ 2483.5 MHz	10 mW / MHz	
4) OFDM (OWB with 26 ~ 40MHz)	2400 ~ 2483.5 MHz	5 mW / MHz	
5) Other method (Except SS & OFDM)	2400 ~ 2483.5 MHz	10mW	

3.1.2 Test Procedures

1. A power meter is connected on the IF output port of the spectrum analyzer. Adjust the spectrum analyzer to have the center frequency the same with the measured carrier. RBW=VBW=1MHz, detector mode is positive peak. Turn off the averaging function and use zero span.
2. The calibrating signal power shall be reduced to 0 dBm and it shall be verified that the power meter reading also reduces by 10 dB. Connect the equipment to be measured. Using the following settings of the spectrum analyzer in combination with "max hold" function, find the frequency of highest power output in the power envelope: center frequency equal to operating frequency; RBW & VBW: 1 MHz; detector mode: positive peak; averaging: off; span: 3 times the spectrum width; amplitude: adjust for middle of the instrument's range. The frequency found shall be recorded.
3. Set the center frequency of the spectrum analyzer to the found frequency and switch to zero span. The power meter indicates the measured power density "E". Remove the EUT and put the replacing standard signal generator (SSG). Set the standard signal generator (SSG) at same frequency and transmit on, then set SSG output power at Pt to give the equivalent output level of "E".
4. Calculate antenna power density by the formula below $PD = Pt + 10 \cdot \log(1/x)$.
x: The duty cycle of the EUT in continuously transmitting mode.
Pt: Output power of the SSG.
5. Antenna Power Error is definition that actual measure antenna power tolerance between + 20% to - 80% power range that base on manufacturer declare the conducted power density.

3.1.3 Test Setup



3.1.4 Test Result

Refer to Appendix A.

3.2 Frequency Tolerance

3.2.1 Limit of Frequency Tolerance


Frequency tolerance shall be +/- 50ppm.

3.2.2 Test Procedures

1. Set Span = 500kHz, RBW = 1kHz, VBW = 3kHz, Sweep time = Auto, detector = Peak.
2. Use Peak search function to find the max peak value and record this value (RF).
3. Calculate frequency tolerance by below formula
$$FT(ppm) = \{ (RF) - (MF) / (MF) \} \times 1000000$$

(FT: Frequency Tolerance, RF: Reading Frequency, MF: Measurement Frequency.)

3.2.3 Test Setup



3.2.4 Test Result

Refer to Appendix B.

3.3 Occupied Bandwidth

3.3.1 Limit of Occupied Bandwidth

Spread Spectrum Method	Limit (MHz)
FHSS (compound method with DSSS or OFDM)	83.5
DSSS	26
OFDM(Narrow bandwidth)	26
OFDM(Wide bandwidth)	26 ~ 40
Other method (Except SS & OFDM)	26

3.3.2 Test Procedures

1. Set Span = 2 times the limit of above table, RBW = VBW= About 3% or less of the limit of above table, detector = Peak, Sweep time = Auto.
2. Enable OBW function of spectrum analyzer to measure OBW and capture test plot.

3.3.3 Test Setup



3.3.4 Test Result

Refer to Appendix C.

3.4 Transmitter Spurious Emissions


3.4.1 Limit of Transmitter Spurious Emissions

Item	Limits
Tx Spurious Emission	$\leq 2.5 \mu\text{W} / \text{MHz}$ ($2387\text{MHz} > f$; $2496.5\text{MHz} < f$).
	$\leq 25 \mu\text{W} / \text{MHz}$ ($2387\text{MHz} \leq f < 2400\text{MHz}$) and ($2483.5\text{MHz} < f \leq 2496.5\text{MHz}$).

3.4.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto.
3. Following above setting of spectrum analyzer to measure spurious emission of 30~12500 MHz.

3.4.3 Test Setup



3.4.4 Test Result

Refer to Appendix D.

3.5 Interference Prevention Function


3.5.1 Limit of Interference Prevention Function

Limits
The identification code shall be 48 bits long

3.5.2 Test Procedures

1. Set EUT under operating mode and link up with companion equipment
2. Check communication status between EUT and companion equipment is normal
3. Confirm the MAC address of EUT

3.5.3 Test Setup



3.5.4 Test Result

Refer to Appendix E.

4 Receiver Test Results

4.1 Receiver Spurious Emissions

4.1.1 Limit of Receiver Spurious Emissions

Item	Limits
Rx Spurious Emission	$\leq 4\text{nW}$ ($f < 1\text{GHz}$).
	$\leq 20\text{nW}$ ($1\text{GHz} \leq f$).

4.1.2 Test Procedures

1. Set EUT under receiving condition to perform test
2. Set RBW = VBW = 100kHz, detector = Peak, Sweep time = Auto for emission measurement below 1GHz.
3. Set RBW = VBW=1MHz, detector = Peak, Sweep time = Auto for emission measurement above 1GHz.

4.1.3 Test Setup



4.1.4 Test Result

Refer to Appendix F.

5 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corporation (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <https://www.icertifi.com.tw>.

Linkou

Tel: 886-2-2601-1640

No.30-2, Ding Fwu Tsuen, Lin Kou
District, New Taipei City, Taiwan
(R.O.C.)

Kwei Shan

Tel: 886-3-271-8666

No.3-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)
No.2-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

Kwei Shan Site II

Tel: 886-3-271-8640

No.14-1, Lane 19, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666

Fax: 886-3-318-0345

Email: ICC_Service@icertifi.com.tw

==END==

Summary

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
2.4-2.4835GHz	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	2.24	1.67494	1.7	-1.47	20	-Inf
802.11g_(6Mbps)_1TX	Pass	-0.11	0.97499	1	-2.50	20	-Inf
802.11n HT20_Nss1,(MCS0)_1TX	Pass	-0.56	0.87902	1	-12.10	20	-Inf
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	-0.64	0.86298	1	-13.70	20	-Inf

Inf = There's no restriction for the limit.

Result

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	1.65	1.46218	1.7	-13.99	20	-Inf
2412MHz_TnomVmin	Pass	1.70	1.47911	1.7	-12.99	20	-Inf
2412MHz_TnomVmax	Pass	1.68	1.47231	1.7	-13.39	20	-Inf
2442MHz_TnomVnom	Pass	2.20	1.65959	1.7	-2.38	20	-Inf
2442MHz_TnomVmin	Pass	2.23	1.67109	1.7	-1.70	20	-Inf
2442MHz_TnomVmax	Pass	2.24	1.67494	1.7	-1.47	20	-Inf
2472MHz_TnomVnom	Pass	1.07	1.27938	1.7	-24.74	20	-Inf
2472MHz_TnomVmin	Pass	1.12	1.29420	1.7	-23.87	20	-Inf
2472MHz_TnomVmax	Pass	1.11	1.29122	1.7	-24.05	20	-Inf
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	-0.67	0.85704	1	-14.30	20	-Inf
2412MHz_TnomVmin	Pass	-0.67	0.85704	1	-14.30	20	-Inf
2412MHz_TnomVmax	Pass	-0.70	0.85114	1	-14.89	20	-Inf
2442MHz_TnomVnom	Pass	-0.14	0.96828	1	-3.17	20	-Inf
2442MHz_TnomVmin	Pass	-0.11	0.97499	1	-2.50	20	-Inf
2442MHz_TnomVmax	Pass	-0.19	0.95719	1	-4.28	20	-Inf
2472MHz_TnomVnom	Pass	-1.32	0.73790	1	-26.21	20	-Inf
2472MHz_TnomVmin	Pass	-1.31	0.73961	1	-26.04	20	-Inf
2472MHz_TnomVmax	Pass	-1.32	0.73790	1	-26.21	20	-Inf
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	-0.96	0.80168	1	-19.83	20	-Inf
2412MHz_TnomVmin	Pass	-0.94	0.80538	1	-19.46	20	-Inf
2412MHz_TnomVmax	Pass	-0.99	0.79616	1	-20.38	20	-Inf
2442MHz_TnomVnom	Pass	-0.58	0.87498	1	-12.50	20	-Inf
2442MHz_TnomVmin	Pass	-0.58	0.87498	1	-12.50	20	-Inf
2442MHz_TnomVmax	Pass	-0.56	0.87902	1	-12.10	20	-Inf
2472MHz_TnomVnom	Pass	-1.67	0.68077	1	-31.92	20	-Inf
2472MHz_TnomVmin	Pass	-1.72	0.67298	1	-32.70	20	-Inf
2472MHz_TnomVmax	Pass	-1.76	0.66681	1	-33.32	20	-Inf
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	-1.10	0.77625	1	-22.38	20	-Inf

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
2412MHz_TnomVmin	Pass	-1.05	0.78524	1	-21.48	20	-Inf
2412MHz_TnomVmax	Pass	-1.11	0.77446	1	-22.55	20	-Inf
2442MHz_TnomVnom	Pass	-0.64	0.86298	1	-13.70	20	-Inf
2442MHz_TnomVmin	Pass	-0.65	0.86099	1	-13.90	20	-Inf
2442MHz_TnomVmax	Pass	-0.64	0.86298	1	-13.70	20	-Inf
2472MHz_TnomVnom	Pass	-1.78	0.66374	1	-33.63	20	-Inf
2472MHz_TnomVmin	Pass	-1.81	0.65917	1	-34.08	20	-Inf
2472MHz_TnomVmax	Pass	-1.84	0.65464	1	-34.54	20	-Inf

Inf = There's no restriction for the limit.



Summary

Mode	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)
2.4-2.4835GHz	-	-	-	-
802.11b_(1Mbps)_1TX	2.24	1.67494	6.20	4.16869
802.11g_(6Mbps)_1TX	-0.11	0.97499	3.85	2.42661
802.11n HT20_Nss1,(MCS0)_1TX	-0.56	0.87902	3.40	2.18776
802.11ax HEW20_Nss1,(MCS0)_1TX	-0.64	0.86298	3.32	2.14783

Result

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	3.96	1.65	1.65	1.46218	10	5.61	3.63915	16.368
2412MHz_TnomVmin	Pass	3.96	1.70	1.70	1.47911	10	5.66	3.68129	16.368
2412MHz_TnomVmax	Pass	3.96	1.68	1.68	1.47231	10	5.64	3.66438	16.368
2442MHz_TnomVnom	Pass	3.96	2.20	2.20	1.65959	10	6.16	4.13048	16.368
2442MHz_TnomVmin	Pass	3.96	2.23	2.23	1.67109	10	6.19	4.15911	16.368
2442MHz_TnomVmax	Pass	3.96	2.24	2.24	1.67494	10	6.20	4.16869	16.368
2472MHz_TnomVnom	Pass	3.96	1.07	1.07	1.27938	10	5.03	3.18420	16.368
2472MHz_TnomVmin	Pass	3.96	1.12	1.12	1.29420	10	5.08	3.22107	16.368
2472MHz_TnomVmax	Pass	3.96	1.11	1.11	1.29122	10	5.07	3.21366	16.368
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	3.96	-0.67	-0.67	0.85704	10	3.29	2.13304	16.368
2412MHz_TnomVmin	Pass	3.96	-0.67	-0.67	0.85704	10	3.29	2.13304	16.368
2412MHz_TnomVmax	Pass	3.96	-0.70	-0.70	0.85114	10	3.26	2.11836	16.368
2442MHz_TnomVnom	Pass	3.96	-0.14	-0.14	0.96828	10	3.82	2.40991	16.368
2442MHz_TnomVmin	Pass	3.96	-0.11	-0.11	0.97499	10	3.85	2.42661	16.368
2442MHz_TnomVmax	Pass	3.96	-0.19	-0.19	0.95719	10	3.77	2.38232	16.368
2472MHz_TnomVnom	Pass	3.96	-1.32	-1.32	0.73790	10	2.64	1.83654	16.368
2472MHz_TnomVmin	Pass	3.96	-1.31	-1.31	0.73961	10	2.65	1.84077	16.368
2472MHz_TnomVmax	Pass	3.96	-1.32	-1.32	0.73790	10	2.64	1.83654	16.368
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	3.96	-0.96	-0.96	0.80168	10	3.00	1.99526	16.368
2412MHz_TnomVmin	Pass	3.96	-0.94	-0.94	0.80538	10	3.02	2.00447	16.368
2412MHz_TnomVmax	Pass	3.96	-0.99	-0.99	0.79616	10	2.97	1.98153	16.368
2442MHz_TnomVnom	Pass	3.96	-0.58	-0.58	0.87498	10	3.38	2.17771	16.368
2442MHz_TnomVmin	Pass	3.96	-0.58	-0.58	0.87498	10	3.38	2.17771	16.368
2442MHz_TnomVmax	Pass	3.96	-0.56	-0.56	0.87902	10	3.40	2.18776	16.368
2472MHz_TnomVnom	Pass	3.96	-1.67	-1.67	0.68077	10	2.29	1.69434	16.368
2472MHz_TnomVmin	Pass	3.96	-1.72	-1.72	0.67298	10	2.24	1.67494	16.368
2472MHz_TnomVmax	Pass	3.96	-1.76	-1.76	0.66681	10	2.20	1.65959	16.368
802.11ax	-	-	-	-	-	-	-	-	-



Mode	Result	Gain (dBi)	P1 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
HEW20_Nss1,(MCS0)_1TX									
2412MHz_TnomVnom	Pass	3.96	-1.10	-1.10	0.77625	10	2.86	1.93197	16.368
2412MHz_TnomVmin	Pass	3.96	-1.05	-1.05	0.78524	10	2.91	1.95434	16.368
2412MHz_TnomVmax	Pass	3.96	-1.11	-1.11	0.77446	10	2.85	1.92752	16.368
2442MHz_TnomVnom	Pass	3.96	-0.64	-0.64	0.86298	10	3.32	2.14783	16.368
2442MHz_TnomVmin	Pass	3.96	-0.65	-0.65	0.86099	10	3.31	2.14289	16.368
2442MHz_TnomVmax	Pass	3.96	-0.64	-0.64	0.86298	10	3.32	2.14783	16.368
2472MHz_TnomVnom	Pass	3.96	-1.78	-1.78	0.66374	10	2.18	1.65196	16.368
2472MHz_TnomVmin	Pass	3.96	-1.81	-1.81	0.65917	10	2.15	1.64059	16.368
2472MHz_TnomVmax	Pass	3.96	-1.84	-1.84	0.65464	10	2.12	1.62930	16.368

P1 = Port 1 Antenna Power; P2 = Port 2 Antenna Power; Pn = Port n Antenna Power;

Antenna Power = Sum by P1~Pn;

Inf = There's no restriction for the limit.



Frequency Tolerance

Appendix B

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2.4-2.4835GHz	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	2.442G	2.442000789G	0.3231	±50	1	-
802.11g_(6Mbps)_1TX	Pass	2.442G	2.442000789G	0.3231	±50	1	-
802.11n HT20_Nss1,(MCS0)_1TX	Pass	2.412G	2.41200078G	0.3234	±50	1	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.412G	2.412000781G	0.3238	±50	1	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.412000776G	0.3217	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.412000775G	0.3213	±50	1	-
2412MHz_TnomVmax	Pass	2.412G	2.412000775G	0.3213	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.442000786G	0.3219	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.442000788G	0.3227	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.442000789G	0.3231	±50	1	-
2472MHz_TnomVnom	Pass	2.472G	2.472000794G	0.3212	±50	1	-
2472MHz_TnomVmin	Pass	2.472G	2.472000795G	0.3216	±50	1	-
2472MHz_TnomVmax	Pass	2.472G	2.472000796G	0.322	±50	1	-
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.412000776G	0.3217	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.412000778G	0.3226	±50	1	-
2412MHz_TnomVmax	Pass	2.412G	2.412000779G	0.323	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.442000787G	0.3223	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.442000789G	0.3231	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.442000787G	0.3223	±50	1	-
2472MHz_TnomVnom	Pass	2.472G	2.472000797G	0.3224	±50	1	-
2472MHz_TnomVmin	Pass	2.472G	2.472000796G	0.322	±50	1	-
2472MHz_TnomVmax	Pass	2.472G	2.472000798G	0.3228	±50	1	-
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.412000778G	0.3226	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.412000779G	0.323	±50	1	-
2412MHz_TnomVmax	Pass	2.412G	2.41200078G	0.3234	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.442000787G	0.3223	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.442000787G	0.3223	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.442000789G	0.3231	±50	1	-
2472MHz_TnomVnom	Pass	2.472G	2.472000797G	0.3224	±50	1	-
2472MHz_TnomVmin	Pass	2.472G	2.472000798G	0.3228	±50	1	-
2472MHz_TnomVmax	Pass	2.472G	2.472000798G	0.3228	±50	1	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	2.412G	2.41200078G	0.3234	±50	1	-
2412MHz_TnomVmin	Pass	2.412G	2.412000779G	0.323	±50	1	-



Frequency Tolerance

Appendix B

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
2412MHz_TnomVmax	Pass	2.412G	2.412000781G	0.3238	±50	1	-
2442MHz_TnomVnom	Pass	2.442G	2.44200079G	0.3235	±50	1	-
2442MHz_TnomVmin	Pass	2.442G	2.442000789G	0.3231	±50	1	-
2442MHz_TnomVmax	Pass	2.442G	2.442000789G	0.3231	±50	1	-
2472MHz_TnomVnom	Pass	2.472G	2.472000798G	0.3228	±50	1	-
2472MHz_TnomVmin	Pass	2.472G	2.472000799G	0.3232	±50	1	-
2472MHz_TnomVmax	Pass	2.472G	2.472000796G	0.322	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2412MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2412MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2412MHz_TnomVmax

04/11/2025




Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000775G	-	-	0.3213	±50	1	-

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2442MHz_TnomVnom

04/11/2025



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000786G	-	-	0.3219	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2442MHz_TnomVmin

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000788G	-	-	0.3227	±50	1	-


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2442MHz_TnomVmax

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000789G	-	-	0.3231	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2472MHz_TnomVnom

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000794G	-	-	0.3212	±50	1	-


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2472MHz_TnomVmin

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000795G	-	-	0.3216	±50	1	-




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

Freq. Stability

2472MHz_TnomVmax

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000796G	-	-	0.322	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2412MHz_TnomVnom

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000776G	-	-	0.3217	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2412MHz_TnomVmin

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000778G	-	-	0.3226	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2412MHz_TnomVmax

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000779G	-	-	0.323	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2442MHz_TnomVnom

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000787G	-	-	0.3223	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2442MHz_TnomVmin

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000789G	-	-	0.3231	±50	1	-




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2442MHz_TnomVmax

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2472MHz_TnomVnom

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2472MHz_TnomVmin

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000796G	-	-	0.322	±50	1	-


2.4-2.4835GHz_802.11g_(6Mbps)_1TX

Freq. Stability

2472MHz_TnomVmax

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000798G	-	-	0.3228	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVnom

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000778G	-	-	0.3226	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVmin

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000779G	-	-	0.323	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVmax

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.41200078G	-	-	0.3234	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVnom

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000787G	-	-	0.3223	±50	1	-




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVmin

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000787G	-	-	0.3223	±50	1	-


2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVmax

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000789G	-	-	0.3231	±50	1	-




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

Freq. Stability

2472MHz_TnomVnom

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000797G	-	-	0.3224	±50	1	-


2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

Freq. Stability

2472MHz_TnomVmin

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000798G	-	-	0.3228	±50	1	-




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

Freq. Stability

2472MHz_TnomVmax

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVnom

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak






2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVmin

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000779G	-	-	0.323	±50	1	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2412MHz_TnomVmax

04/11/2025

CF (Hz)
2.412G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.412G	2.412000781G	-	-	0.3238	±50	1	-




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVnom

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.44200079G	-	-	0.3235	±50	1	-


2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVmin

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000789G	-	-	0.3231	±50	1	-




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2442MHz_TnomVmax

04/11/2025

CF (Hz)
2.442G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.442G	2.442000789G	-	-	0.3231	±50	1	-


2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2472MHz_TnomVnom

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000798G	-	-	0.3228	±50	1	-




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2472MHz_TnomVmin

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000799G	-	-	0.3232	±50	1	-


2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

Freq. Stability

2472MHz_TnomVmax

04/11/2025

CF (Hz)
2.472G
Span (Hz)
500k
RBW (Hz)
1k
VBW (Hz)
3k
Sweep Time (s)
50m
Detector Type
Peak



Ch(Hz)	Center(Hz)	F(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
2.472G	2.472000796G	-	-	0.322	±50	1	-

Summary

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
2.4-2.4835GHz	-	-	-
802.11b_(1Mbps)_1TX	13.293M	13M3G1D	13.273M
802.11g_(6Mbps)_1TX	16.572M	16M6D1D	16.552M
802.11n HT20_Nss1,(MCS0)_1TX	17.591M	17M6D1D	17.571M
802.11ax HEW20_Nss1,(MCS0)_1TX	18.771M	18M8D1D	18.751M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)
802.11b_(1Mbps)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	13.293M
2412MHz_TnomVmin	Pass	26M	13.293M
2412MHz_TnomVmax	Pass	26M	13.293M
2442MHz_TnomVnom	Pass	26M	13.293M
2442MHz_TnomVmin	Pass	26M	13.273M
2442MHz_TnomVmax	Pass	26M	13.273M
2472MHz_TnomVnom	Pass	26M	13.273M
2472MHz_TnomVmin	Pass	26M	13.273M
2472MHz_TnomVmax	Pass	26M	13.273M
802.11g_(6Mbps)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	16.572M
2412MHz_TnomVmin	Pass	26M	16.572M
2412MHz_TnomVmax	Pass	26M	16.572M
2442MHz_TnomVnom	Pass	26M	16.552M
2442MHz_TnomVmin	Pass	26M	16.552M
2442MHz_TnomVmax	Pass	26M	16.572M
2472MHz_TnomVnom	Pass	26M	16.552M
2472MHz_TnomVmin	Pass	26M	16.552M
2472MHz_TnomVmax	Pass	26M	16.572M
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	17.571M
2412MHz_TnomVmin	Pass	26M	17.571M
2412MHz_TnomVmax	Pass	26M	17.571M
2442MHz_TnomVnom	Pass	26M	17.571M
2442MHz_TnomVmin	Pass	26M	17.571M
2442MHz_TnomVmax	Pass	26M	17.571M
2472MHz_TnomVnom	Pass	26M	17.591M
2472MHz_TnomVmin	Pass	26M	17.571M
2472MHz_TnomVmax	Pass	26M	17.571M
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-
2412MHz_TnomVnom	Pass	26M	18.771M



Mode	Result	Limit (Hz)	P1-OBW (Hz)
2412MHz_TnomVmin	Pass	26M	18.771M
2412MHz_TnomVmax	Pass	26M	18.771M
2442MHz_TnomVnom	Pass	26M	18.751M
2442MHz_TnomVmin	Pass	26M	18.751M
2442MHz_TnomVmax	Pass	26M	18.771M
2472MHz_TnomVnom	Pass	26M	18.751M
2472MHz_TnomVmin	Pass	26M	18.771M
2472MHz_TnomVmax	Pass	26M	18.751M


P1-OBW = Port 1 99% occupied bandwidth;

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2412MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2412MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2412MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2442MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2442MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2442MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2472MHz_TnomVnom

04/11/2025

CF (Hz)
2.472G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
13.273M	2.465363G	2.478637G	26M	1


2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2472MHz_TnomVmin

04/11/2025

CF (Hz)
2.472G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
13.273M	2.465363G	2.478637G	26M	1




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

OBW

2472MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2412MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2412MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2412MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

2442MHz_TnomVnom

CF (Hz)
2.442G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.552M	2.433724G	2.450276G	26M	1

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

2442MHz_TnomVmin

CF (Hz)
2.442G
Span (Hz)
40M
RBW (Hz)
200k
VBW (Hz)
200k
Sweep Time (s)
500m
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.552M	2.433724G	2.450276G	26M	1




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2442MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2472MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2472MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

OBW

2472MHz_TnomVmax


04/11/2025






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

2412MHz_TnomVnom



2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

2412MHz_TnomVmin






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2412MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2442MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2442MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2442MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2472MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2472MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

OBW

2472MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2412MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2412MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2412MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2442MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2442MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2442MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2472MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2472MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

OBW

2472MHz_TnomVmax

04/11/2025





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	2.4965G	12.5G	1M	11.20861G	-43.78	-43.78	0.04188	-26.02	2.5
802.11g_(6Mbps)_1TX	Pass	2.4965G	12.5G	1M	12.46217G	-43.87	-43.87	0.04102	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_1TX	Pass	2.4965G	12.5G	1M	11.30677G	-43.84	-43.84	0.0413	-26.02	2.5
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.4965G	12.5G	1M	11.2455G	-43.83	-43.83	0.0414	-26.02	2.5



Transmitter Spurious Emissions

Appendix E

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.3856G	-51.65	-51.65	0.00684	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39919G	-47.60	-47.60	0.01738	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49313G	-52.46	-52.46	0.00568	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.47343G	-44.32	-44.32	0.03698	-26.02	2.5
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.38612G	-51.67	-51.67	0.00681	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39877G	-47.85	-47.85	0.01641	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48577G	-52.50	-52.50	0.00562	-16.02	25
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.19329G	-44.19	-44.19	0.03811	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	2.38604G	-51.60	-51.60	0.00692	-26.02	2.5
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39869G	-47.51	-47.51	0.01774	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49295G	-52.57	-52.57	0.00553	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	10.50243G	-44.33	-44.33	0.0369	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	2.28896G	-53.68	-53.68	0.00429	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39842G	-51.74	-51.74	0.0067	-16.02	25
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49614G	-52.46	-52.46	0.00568	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.20861G	-43.78	-43.78	0.04188	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.36851G	-53.61	-53.61	0.00436	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39905G	-52.84	-52.84	0.0052	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49072G	-52.42	-52.42	0.00573	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.2108G	-44.20	-44.20	0.03802	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	2.28447G	-53.82	-53.82	0.00415	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39881G	-52.77	-52.77	0.00528	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49345G	-52.55	-52.55	0.00556	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.22424G	-44.60	-44.60	0.03467	-26.02	2.5
2472MHz_TnomVnom	Pass	30M	2.387G	1M	2.33168G	-53.89	-53.89	0.00408	-26.02	2.5
2472MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39384G	-52.94	-52.94	0.00508	-16.02	25
2472MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48548G	-46.02	-46.02	0.025	-16.02	25
2472MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.25832G	-44.01	-44.01	0.03972	-26.02	2.5
2472MHz_TnomVmin	Pass	30M	2.387G	1M	2.33684G	-53.59	-53.59	0.00438	-26.02	2.5
2472MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39197G	-53.08	-53.08	0.00492	-16.02	25
2472MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48541G	-45.93	-45.93	0.02553	-16.02	25
2472MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.49156G	-43.89	-43.89	0.04083	-26.02	2.5
2472MHz_TnomVmax	Pass	30M	2.387G	1M	2.34826G	-54.00	-54.00	0.00398	-26.02	2.5
2472MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39379G	-53.10	-53.10	0.0049	-16.02	25
2472MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48541G	-45.82	-45.82	0.02618	-16.02	25
2472MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.20517G	-44.19	-44.19	0.03811	-26.02	2.5
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.37772G	-52.34	-52.34	0.00583	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39789G	-44.92	-44.92	0.03221	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.496G	-52.00	-52.00	0.00631	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.44154G	-44.16	-44.16	0.03837	-26.02	2.5



Transmitter Spurious Emissions

Appendix E

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.38501G	-52.67	-52.67	0.00541	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.3982G	-45.16	-45.16	0.03048	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.49458G	-51.89	-51.89	0.00647	-16.02	25
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.17891G	-44.13	-44.13	0.03864	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	2.38678G	-52.91	-52.91	0.00512	-26.02	2.5
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39696G	-45.21	-45.21	0.03013	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49162G	-51.81	-51.81	0.00659	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.46217G	-43.87	-43.87	0.04102	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	2.31769G	-53.37	-53.37	0.0046	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.3987G	-52.26	-52.26	0.00594	-16.02	25
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49269G	-51.70	-51.70	0.00676	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.20392G	-44.48	-44.48	0.03565	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.38663G	-53.38	-53.38	0.00459	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39919G	-52.11	-52.11	0.00615	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48594G	-51.87	-51.87	0.0065	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.49656G	-44.06	-44.06	0.03926	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	2.31224G	-53.15	-53.15	0.00484	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39883G	-52.33	-52.33	0.00585	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48808G	-51.72	-51.72	0.00673	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.28145G	-44.45	-44.45	0.03589	-26.02	2.5
2472MHz_TnomVnom	Pass	30M	2.387G	1M	2.30878G	-53.80	-53.80	0.00417	-26.02	2.5
2472MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39332G	-52.94	-52.94	0.00508	-16.02	25
2472MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48351G	-43.02	-43.02	0.04989	-16.02	25
2472MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.47812G	-44.34	-44.34	0.03681	-26.02	2.5
2472MHz_TnomVmin	Pass	30M	2.387G	1M	2.29964G	-53.80	-53.80	0.00417	-26.02	2.5
2472MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.38858G	-53.14	-53.14	0.00485	-16.02	25
2472MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48352G	-42.71	-42.71	0.05358	-16.02	25
2472MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.45561G	-44.22	-44.22	0.03784	-26.02	2.5
2472MHz_TnomVmax	Pass	30M	2.387G	1M	2.23262G	-53.67	-53.67	0.0043	-26.02	2.5
2472MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39593G	-52.97	-52.97	0.00505	-16.02	25
2472MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.4835G	-43.24	-43.24	0.04742	-16.02	25
2472MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.49406G	-44.47	-44.47	0.03573	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.3828G	-52.28	-52.28	0.00592	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39758G	-39.15	-39.15	0.12162	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48826G	-52.25	-52.25	0.00596	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.48937G	-44.44	-44.44	0.03597	-26.02	2.5
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.387G	-52.47	-52.47	0.00566	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39761G	-39.29	-39.29	0.11776	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48825G	-52.11	-52.11	0.00615	-16.02	25
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.18016G	-43.98	-43.98	0.03999	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	2.38612G	-52.45	-52.45	0.00569	-26.02	2.5

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39738G	-39.13	-39.13	0.12218	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48699G	-52.02	-52.02	0.00628	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.49G	-44.36	-44.36	0.03664	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	2.27431G	-53.64	-53.64	0.00433	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39974G	-51.92	-51.92	0.00643	-16.02	25
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49093G	-51.82	-51.82	0.00658	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.30677G	-43.84	-43.84	0.0413	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.36814G	-53.31	-53.31	0.00467	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39918G	-52.26	-52.26	0.00594	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48693G	-51.78	-51.78	0.00664	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.19798G	-43.93	-43.93	0.04046	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	2.33264G	-53.11	-53.11	0.00489	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39883G	-52.37	-52.37	0.00579	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48639G	-51.69	-51.69	0.00678	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.20799G	-44.13	-44.13	0.03864	-26.02	2.5
2472MHz_TnomVnom	Pass	30M	2.387G	1M	1.13713G	-54.13	-54.13	0.00386	-26.02	2.5
2472MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39448G	-52.65	-52.65	0.00543	-16.02	25
2472MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48674G	-39.24	-39.24	0.11912	-16.02	25
2472MHz_TnomVnom	Pass	2.4965G	12.5G	1M	12.46342G	-43.87	-43.87	0.04102	-26.02	2.5
2472MHz_TnomVmin	Pass	30M	2.387G	1M	2.36859G	-53.68	-53.68	0.00429	-26.02	2.5
2472MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39408G	-52.78	-52.78	0.00527	-16.02	25
2472MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48636G	-38.98	-38.98	0.12647	-16.02	25
2472MHz_TnomVmin	Pass	2.4965G	12.5G	1M	12.49344G	-44.46	-44.46	0.03581	-26.02	2.5
2472MHz_TnomVmax	Pass	30M	2.387G	1M	2.29891G	-53.98	-53.98	0.004	-26.02	2.5
2472MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39717G	-53.16	-53.16	0.00483	-16.02	25
2472MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48614G	-38.94	-38.94	0.12764	-16.02	25
2472MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.48124G	-44.23	-44.23	0.03776	-26.02	2.5
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	2.387G	1M	2.387G	-52.53	-52.53	0.00558	-26.02	2.5
2412MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39814G	-35.39	-35.39	0.28907	-16.02	25
2412MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.49395G	-51.92	-51.92	0.00643	-16.02	25
2412MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.2033G	-44.20	-44.20	0.03802	-26.02	2.5
2412MHz_TnomVmin	Pass	30M	2.387G	1M	2.38641G	-51.84	-51.84	0.00655	-26.02	2.5
2412MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39813G	-35.36	-35.36	0.29107	-16.02	25
2412MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48485G	-52.17	-52.17	0.00607	-16.02	25
2412MHz_TnomVmin	Pass	2.4965G	12.5G	1M	11.16766G	-44.11	-44.11	0.03882	-26.02	2.5
2412MHz_TnomVmax	Pass	30M	2.387G	1M	2.38671G	-52.25	-52.25	0.00596	-26.02	2.5
2412MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.398G	-35.70	-35.70	0.26915	-16.02	25
2412MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.49585G	-52.15	-52.15	0.0061	-16.02	25
2412MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.48218G	-44.28	-44.28	0.03733	-26.02	2.5
2442MHz_TnomVnom	Pass	30M	2.387G	1M	2.3814G	-53.36	-53.36	0.00461	-26.02	2.5
2442MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.39614G	-52.42	-52.42	0.00573	-16.02	25

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
2442MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48367G	-51.69	-51.69	0.00678	-16.02	25
2442MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.28551G	-44.28	-44.28	0.03733	-26.02	2.5
2442MHz_TnomVmin	Pass	30M	2.387G	1M	2.37057G	-53.37	-53.37	0.0046	-26.02	2.5
2442MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.39891G	-52.26	-52.26	0.00594	-16.02	25
2442MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.484G	-51.40	-51.40	0.00724	-16.02	25
2442MHz_TnomVmin	Pass	2.4965G	12.5G	1M	10.5018G	-44.65	-44.65	0.03428	-26.02	2.5
2442MHz_TnomVmax	Pass	30M	2.387G	1M	2.36586G	-53.50	-53.50	0.00447	-26.02	2.5
2442MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39749G	-52.32	-52.32	0.00586	-16.02	25
2442MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48369G	-51.60	-51.60	0.00692	-16.02	25
2442MHz_TnomVmax	Pass	2.4965G	12.5G	1M	12.48937G	-44.13	-44.13	0.03864	-26.02	2.5
2472MHz_TnomVnom	Pass	30M	2.387G	1M	2.38332G	-53.57	-53.57	0.0044	-26.02	2.5
2472MHz_TnomVnom	Pass	2.387G	2.4G	1M	2.3991G	-53.00	-53.00	0.00501	-16.02	25
2472MHz_TnomVnom	Pass	2.4835G	2.4965G	1M	2.48636G	-35.52	-35.52	0.28054	-16.02	25
2472MHz_TnomVnom	Pass	2.4965G	12.5G	1M	11.2455G	-43.83	-43.83	0.0414	-26.02	2.5
2472MHz_TnomVmin	Pass	30M	2.387G	1M	2.32852G	-53.48	-53.48	0.00449	-26.02	2.5
2472MHz_TnomVmin	Pass	2.387G	2.4G	1M	2.38902G	-52.62	-52.62	0.00547	-16.02	25
2472MHz_TnomVmin	Pass	2.4835G	2.4965G	1M	2.48568G	-36.67	-36.67	0.21528	-16.02	25
2472MHz_TnomVmin	Pass	2.4965G	12.5G	1M	10.49086G	-44.14	-44.14	0.03855	-26.02	2.5
2472MHz_TnomVmax	Pass	30M	2.387G	1M	2.34479G	-53.92	-53.92	0.00406	-26.02	2.5
2472MHz_TnomVmax	Pass	2.387G	2.4G	1M	2.39743G	-53.01	-53.01	0.005	-16.02	25
2472MHz_TnomVmax	Pass	2.4835G	2.4965G	1M	2.48553G	-36.99	-36.99	0.19999	-16.02	25
2472MHz_TnomVmax	Pass	2.4965G	12.5G	1M	11.25675G	-44.11	-44.11	0.03882	-26.02	2.5





2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2412MHz_TnomVnom

04/11/2025





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.3856G	-51.65	-26.02	-25.63	-51.65
2.387G	2.4G	2.39919G	-47.60	-16.02	-31.58	-47.60
2.4835G	2.4965G	2.49313G	-52.46	-16.02	-36.44	-52.46
2.4965G	12.5G	12.47349G	-44.32	-26.02	-18.30	-44.32

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2412MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.38612G	-51.67	-26.02	-25.65	-51.67
2.387G	2.4G	2.39677G	-47.85	-16.02	-31.83	-47.85
2.4835G	2.4965G	2.48577G	-52.50	-16.02	-36.48	-52.50
2.4965G	12.5G	11.19329G	-44.19	-26.02	-18.17	-44.19




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2412MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2442MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2442MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2442MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2472MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2472MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-TX

2472MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2412MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2412MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2412MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2442MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2442MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2442MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2472MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2472MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-TX

2472MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2442MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2442MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-TX

2442MHz_TnomVmax

04/11/2025






2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-TX

2472MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-TX

2472MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-TX

2472MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE-TX

2412MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11ax_HEW20_Nss1.(MCS0)_1TX

CSE-TX

2412MHz_TnomVmin

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.38641G	-51.84	-26.02	-25.82	-51.84
2.387G	2.4G	2.39813G	-35.36	-16.02	-19.34	-35.36
2.4835G	2.4965G	2.48485G	-52.17	-16.02	-36.15	-52.17
2.4965G	12.5G	11.16766G	-44.11	-26.02	-18.09	-44.11

2.4-2.4835GHz_802.11ax_HEW20_Nss1.(MCS0)_1TX

CSE-TX

2412MHz_TnomVmax

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	2.387G	2.38671G	-52.25	-26.02	-26.23	-52.25
2.387G	2.4G	2.398G	-35.70	-16.02	-19.68	-35.70
2.4835G	2.4965G	2.49585G	-52.15	-16.02	-36.13	-52.15
2.4965G	12.5G	12.48218G	-44.28	-26.02	-18.26	-44.28




2.4-2.4835GHz_802.11ax HEW20_Nss1.(MCS0)_1TX

CSE-TX

2442MHz_TnomVnom

04/11/2025




2.4-2.4835GHz_802.11ax HEW20_Nss1.(MCS0)_1TX

CSE-TX

2442MHz_TnomVmin

04/11/2025






2.4-2.4835GHz_802.11ax_HEW20_Nss1.(MCS0)_1TX

CSE-TX

2442MHz_TnomVmax

04/11/2025




2.4-2.4835GHz_802.11ax_HEW20_Nss1.(MCS0)_1TX

CSE-TX

2472MHz_TnomVnom

04/11/2025






2.4-2.4835GHz_802.11ax HEW20_Nss1.(MCS0)_1TX

CSE-TX

2472MHz_TnomVmin

04/11/2025




2.4-2.4835GHz_802.11ax HEW20_Nss1.(MCS0)_1TX

CSE-TX

2472MHz_TnomVmax

04/11/2025





Summary

Mode	Result	MAC (ID Length)	ID Limit	Function
2.4-2.4835GHz	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	38:F9:F5:E8:99:F5	48 bits	Good
802.11g_(6Mbps)_1TX	Pass	38:F9:F5:E8:99:F5	48 bits	Good
802.11n HT20_Nss1,(MCS0)_1TX	Pass	38:F9:F5:E8:99:F5	48 bits	Good
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	38:F9:F5:E8:99:F5	48 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
802.11b_(1Mbps)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
802.11g_(6Mbps)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-
2412MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2412MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good



Mode	Result	MAC (ID Length)	ID Limit	Function
2412MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2442MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVnom	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmin	Pass	38:F9:F5:E8:99:F5	48 bits	Good
2472MHz_TnomVmax	Pass	38:F9:F5:E8:99:F5	48 bits	Good



Receiver Spurious Emissions

Appendix F

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_(1Mbps)_1TX	Pass	1G	12.5G	1M	3.29605G	-74.42	-74.42	0.03614	-46.99	20
802.11g_(6Mbps)_1TX	Pass	1G	12.5G	1M	3.29605G	-73.96	-73.96	0.04018	-46.99	20
802.11n HT20_Nss1,(MCS0)_1TX	Pass	1G	12.5G	1M	3.29605G	-74.14	-74.14	0.03855	-46.99	20
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	1G	12.5G	1M	3.29605G	-74.29	-74.29	0.03724	-46.99	20

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
802.11b_(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	958.93M	-89.67	-89.67	0.00108	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	3.21591G	-76.97	-76.97	0.02009	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	884.66M	-89.25	-89.25	0.00119	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	3.21591G	-76.43	-76.43	0.02275	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	675.17M	-89.90	-89.90	0.00102	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	3.21591G	-76.32	-76.32	0.02333	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	948.83M	-89.38	-89.38	0.00115	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	3.2558G	-75.20	-75.20	0.0302	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	750.68M	-89.09	-89.09	0.00123	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	3.2558G	-74.57	-74.57	0.03491	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	1G	-89.17	-89.17	0.00121	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	3.2558G	-74.86	-74.86	0.03266	-46.99	20
2472MHz_TnomVnom	Pass	30M	1G	100k	816.19M	-88.63	-88.63	0.00137	-53.98	4
2472MHz_TnomVnom	Pass	1G	12.5G	1M	3.29569G	-74.68	-74.68	0.03404	-46.99	20
2472MHz_TnomVmin	Pass	30M	1G	100k	934.46M	-90.26	-90.26	0.00094	-53.98	4
2472MHz_TnomVmin	Pass	1G	12.5G	1M	3.29605G	-74.42	-74.42	0.03614	-46.99	20
2472MHz_TnomVmax	Pass	30M	1G	100k	901.12M	-89.49	-89.49	0.00112	-53.98	4
2472MHz_TnomVmax	Pass	1G	12.5G	1M	3.29605G	-74.60	-74.60	0.03467	-46.99	20
802.11g_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	963.72M	-89.67	-89.67	0.00108	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	3.21591G	-77.18	-77.18	0.01914	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	978.57M	-89.58	-89.58	0.0011	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	3.21591G	-76.75	-76.75	0.02113	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	940.35M	-89.25	-89.25	0.00119	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	3.21591G	-76.36	-76.36	0.02312	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	991.15M	-89.98	-89.98	0.001	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	3.2558G	-75.54	-75.54	0.02793	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	966.9M	-90.09	-90.09	0.00098	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	3.2558G	-75.14	-75.14	0.03062	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	766.75M	-89.99	-89.99	0.001	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	3.2558G	-75.16	-75.16	0.03048	-46.99	20
2472MHz_TnomVnom	Pass	30M	1G	100k	998.15M	-89.70	-89.70	0.00107	-53.98	4



Receiver Spurious Emissions

Appendix F

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2472MHz_TnomVnom	Pass	1G	12.5G	1M	3.29605G	-73.96	-73.96	0.04018	-46.99	20
2472MHz_TnomVmin	Pass	30M	1G	100k	1G	-90.08	-90.08	0.00098	-53.98	4
2472MHz_TnomVmin	Pass	1G	12.5G	1M	3.29569G	-74.33	-74.33	0.0369	-46.99	20
2472MHz_TnomVmax	Pass	30M	1G	100k	901.61M	-89.85	-89.85	0.00104	-53.98	4
2472MHz_TnomVmax	Pass	1G	12.5G	1M	3.29569G	-74.50	-74.50	0.03548	-46.99	20
802.11n HT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	841.95M	-89.84	-89.84	0.00104	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	3.21591G	-76.20	-76.20	0.02399	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	719.79M	-89.36	-89.36	0.00116	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	3.21591G	-77.47	-77.47	0.01791	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	607.3M	-89.57	-89.57	0.0011	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	3.21591G	-76.28	-76.28	0.02355	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	847.53M	-90.21	-90.21	0.00095	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	3.2558G	-74.89	-74.89	0.03243	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	772.14M	-89.74	-89.74	0.00106	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	3.2558G	-75.23	-75.23	0.02999	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	863.93M	-90.38	-90.38	0.00092	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	3.2558G	-75.16	-75.16	0.03048	-46.99	20
2472MHz_TnomVnom	Pass	30M	1G	100k	867.29M	-90.02	-90.02	0.001	-53.98	4
2472MHz_TnomVnom	Pass	1G	12.5G	1M	3.29605G	-74.24	-74.24	0.03767	-46.99	20
2472MHz_TnomVmin	Pass	30M	1G	100k	922.61M	-90.23	-90.23	0.00095	-53.98	4
2472MHz_TnomVmin	Pass	1G	12.5G	1M	3.29605G	-74.14	-74.14	0.03855	-46.99	20
2472MHz_TnomVmax	Pass	30M	1G	100k	995.88M	-89.28	-89.28	0.00118	-53.98	4
2472MHz_TnomVmax	Pass	1G	12.5G	1M	3.29605G	-74.22	-74.22	0.03784	-46.99	20
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TnomVnom	Pass	30M	1G	100k	694.51M	-89.13	-89.13	0.00122	-53.98	4
2412MHz_TnomVnom	Pass	1G	12.5G	1M	3.21591G	-76.49	-76.49	0.02244	-46.99	20
2412MHz_TnomVmin	Pass	30M	1G	100k	773.02M	-89.96	-89.96	0.00101	-53.98	4
2412MHz_TnomVmin	Pass	1G	12.5G	1M	3.21591G	-77.01	-77.01	0.01991	-46.99	20
2412MHz_TnomVmax	Pass	30M	1G	100k	902.3M	-89.92	-89.92	0.00102	-53.98	4
2412MHz_TnomVmax	Pass	1G	12.5G	1M	3.21591G	-76.72	-76.72	0.02128	-46.99	20
2442MHz_TnomVnom	Pass	30M	1G	100k	914.43M	-89.83	-89.83	0.00104	-53.98	4
2442MHz_TnomVnom	Pass	1G	12.5G	1M	3.2558G	-75.48	-75.48	0.02831	-46.99	20
2442MHz_TnomVmin	Pass	30M	1G	100k	846.22M	-89.51	-89.51	0.00112	-53.98	4
2442MHz_TnomVmin	Pass	1G	12.5G	1M	3.2558G	-75.09	-75.09	0.03097	-46.99	20
2442MHz_TnomVmax	Pass	30M	1G	100k	970.2M	-89.79	-89.79	0.00105	-53.98	4
2442MHz_TnomVmax	Pass	1G	12.5G	1M	3.2558G	-74.92	-74.92	0.03221	-46.99	20
2472MHz_TnomVnom	Pass	30M	1G	100k	875.93M	-90.06	-90.06	0.00099	-53.98	4
2472MHz_TnomVnom	Pass	1G	12.5G	1M	3.29605G	-74.33	-74.33	0.0369	-46.99	20
2472MHz_TnomVmin	Pass	30M	1G	100k	669.44M	-89.40	-89.40	0.00115	-53.98	4
2472MHz_TnomVmin	Pass	1G	12.5G	1M	3.29605G	-74.29	-74.29	0.03724	-46.99	20
2472MHz_TnomVmax	Pass	30M	1G	100k	872.35M	-89.70	-89.70	0.00107	-53.98	4



Receiver Spurious Emissions

Appendix F

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
2472MHz_TnomVmax	Pass	1G	12.5G	1M	3.29605G	-74.32	-74.32	0.03698	-46.99	20




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2412MHz_TnomVnom

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	958.93M	-89.67	-53.98	-35.69	-89.67
1G	12.5G	3.21591G	-76.97	-46.99	-29.98	-76.97

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2412MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	884.66M	-89.25	-53.98	-35.27	-89.25
1G	12.5G	3.21591G	-76.43	-46.99	-29.44	-76.43




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2412MHz_TnomVmax

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	675.17M	-89.90	-53.98	-35.92	-89.90
1G	12.5G	3.21591G	-76.32	-46.99	-29.33	-76.32

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2442MHz_TnomVnom

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	948.83M	-89.38	-53.98	-35.40	-89.38
1G	12.5G	3.2558G	-75.20	-46.99	-28.21	-75.20




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2442MHz_TnomVmin

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	750.68M	-89.09	-53.98	-35.11	-89.09
1G	12.5G	3.2558G	-74.57	-46.99	-27.58	-74.57

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2442MHz_TnomVmax

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	1G	-89.17	-53.98	-35.19	-89.17
1G	12.5G	3.2558G	-74.86	-46.99	-27.87	-74.86




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2472MHz_TnomVnom

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	816.19M	-88.63	-53.98	-34.65	-88.63
1G	12.5G	3.29569G	-74.68	-46.99	-27.69	-74.68

2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2472MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	934.46M	-90.26	-53.98	-36.28	-90.26
1G	12.5G	3.29605G	-74.42	-46.99	-27.43	-74.42




2.4-2.4835GHz_802.11b_(1Mbps)_1TX

CSE-RX

2472MHz_TnomVmax

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	901.12M	-89.49	-53.98	-35.51	-89.49
1G	12.5G	3.29605G	-74.60	-46.99	-27.61	-74.60

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2412MHz_TnomVnom

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	963.72M	-89.67	-53.98	-35.69	-89.67
1G	12.5G	3.21591G	-77.18	-46.99	-30.19	-77.18




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2412MHz_TnomVmin

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	978.57M	-89.58	-53.98	-35.60	-89.58
1G	12.5G	3.21591G	-76.75	-46.99	-29.76	-76.75

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2412MHz_TnomVmax

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	940.35M	-89.25	-53.98	-35.27	-89.25
1G	12.5G	3.21591G	-76.36	-46.99	-29.37	-76.36




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2442MHz_TnomVnom

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	991.15M	-89.98	-53.98	-36.00	-89.98
1G	12.5G	3.2558G	-75.54	-46.99	-28.55	-75.54

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2442MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	956.9M	-90.09	-53.98	-36.11	-90.09
1G	12.5G	3.2558G	-75.14	-46.99	-28.15	-75.14




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2442MHz_TnomVmax

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	766.75M	-89.99	-53.98	-36.01	-89.99
1G	12.5G	3.2558G	-75.16	-46.99	-28.17	-75.16

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2472MHz_TnomVnom

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	998.15M	-89.70	-53.98	-35.72	-89.70
1G	12.5G	3.29605G	-73.96	-46.99	-26.97	-73.96




2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2472MHz_TnomVmin

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	1G	-90.08	-53.98	-36.10	-90.08
1G	12.5G	3.29569G	-74.33	-46.99	-27.34	-74.33

2.4-2.4835GHz_802.11g_(6Mbps)_1TX

CSE-RX

2472MHz_TnomVmax

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	901.61M	-89.85	-53.98	-35.87	-89.85
1G	12.5G	3.29569G	-74.50	-46.99	-27.51	-74.50




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVnom

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	841.95M	-89.84	-53.98	-35.86	-89.84
1G	12.5G	3.21591G	-76.20	-46.99	-29.21	-76.20

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	719.79M	-89.36	-53.98	-35.38	-89.36
1G	12.5G	3.21591G	-77.47	-46.99	-30.48	-77.47




2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVmax

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	607.3M	-89.57	-53.98	-35.59	-89.57
1G	12.5G	3.21591G	-76.28	-46.99	-29.29	-76.28

2.4-2.4835GHz_802.11n_HT20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVnom

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	847.53M	-90.21	-53.98	-36.23	-90.21
1G	12.5G	3.2558G	-74.89	-46.99	-27.90	-74.89




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVmin

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	772.14M	-89.74	-53.98	-35.76	-89.74
1G	12.5G	3.2558G	-75.23	-46.99	-28.24	-75.23

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVmax

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	863.93M	-90.38	-53.98	-36.40	-90.38
1G	12.5G	3.2558G	-75.16	-46.99	-28.17	-75.16




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2472MHz_TnomVnom

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	867.29M	-90.02	-53.98	-36.04	-90.02
1G	12.5G	3.29605G	-74.24	-46.99	-27.25	-74.24

2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2472MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	922.61M	-90.23	-53.98	-36.25	-90.23
1G	12.5G	3.29605G	-74.14	-46.99	-27.15	-74.14




2.4-2.4835GHz_802.11n HT20_Nss1,(MCS0)_1TX

CSE-RX

2472MHz_TnomVmax

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	995.88M	-89.28	-53.98	-35.30	-89.28
1G	12.5G	3.29605G	-74.22	-46.99	-27.23	-74.22

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVnom

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	694.51M	-89.13	-53.98	-35.15	-89.13
1G	12.5G	3.21591G	-76.49	-46.99	-29.50	-76.49




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVmin

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	773.02M	-89.96	-53.98	-35.98	-89.96
1G	12.5G	3.21591G	-77.01	-46.99	-30.02	-77.01

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE-RX

2412MHz_TnomVmax

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	902.3M	-89.92	-53.98	-35.94	-89.92
1G	12.5G	3.21591G	-76.72	-46.99	-29.73	-76.72




2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVnom

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	914.43M	-89.83	-53.98	-35.85	-89.83
1G	12.5G	3.2558G	-75.48	-46.99	-28.49	-75.48

2.4-2.4835GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVmin

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	846.22M	-89.51	-53.98	-35.53	-89.51
1G	12.5G	3.2558G	-75.09	-46.99	-28.10	-75.09




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE-RX

2442MHz_TnomVmax

04/11/2025




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	970.2M	-89.79	-53.98	-35.81	-89.79
1G	12.5G	3.2535G	-74.92	-46.99	-27.93	-74.92

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE-RX

2472MHz_TnomVnom

04/11/2025



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)
30M	1G	875.93M	-90.06	-53.98	-36.08	-90.06
1G	12.5G	3.29605G	-74.33	-46.99	-27.34	-74.33




2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE-RX

2472MHz_TnomVmin

04/11/2025



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE-RX

2472MHz_TnomVmax

04/11/2025

