







NTLV 11N40SISO Ant1 5310 5249~5250





NTLV 11N40SISO Ant1 5310 5350~5358.4




NTLV 11N40SISO Ant1 5310 5358.4~26000









NTLV 11AX20SISO Ant1 5180 30~5142




NTLV 11AX20SISO Ant1 5180 5142~5150



NTLV 11AX20SISO Ant1 5180 5250~5250.2












NTLV_11AX20SISO_Ant1_5200_5260~5266.7




NTLV_11AX20SISO_Ant1_5200_5266.7~26000



NTLV_11AX20SISO_Ant1_5240_30~5142







NTLV 11AX20SISO Ant1 5260 30~5233.3



NTLV 11AX20SISO Ant1 5260 5233.3~5240




NTLV 11AX20SISO Ant1 5260 5240~5249









NTLV 11AX20SISO Ant1 5320 30~5233.3





NTLV 11AX20SISO Ant1 5320 5233.3~5240



NTLV 11AX20SISO Ant1 5320 5240~5249





















NTLV 11AX40SISO Ant1 5230 5251~5270








NTLV 11AX40SISO Ant1 5230 5270~5278.4





NTLV 11AX40SISO Ant1 5230 5278.4~26000























NTHV 11A Ant1 5200 5266.7~26000











NTHV 11A Ant1 5260 5249~5250



NTHV 11A Ant1 5260 5350~26000



NTHV 11A Ant1 5280 30~5233.3




NTHV 11A Ant1 5280 5233.3~5240



NTHV 11A Ant1 5280 5240~5249



NTHV 11A Ant1 5280 5249~5250







NTHV 11A Ant1 5320 5240~5249




NTHV 11A Ant1 5320 5249~5250






NTHV 11A Ant1 5320 5350~26000






















NTHV 11N20SISO Ant1 5200 5251~5260









NTHV 11N20SISO Ant1 5200 5260~5266.7



NTHV 11N20SISO Ant1 5200 5266.7~26000
























NTHV 11N20SISO Ant1 5500 30~5460








NTHV 11N20SISO Ant1 5500 5460~5470





NTHV 11N20SISO Ant1 5500 5745~5765






















NTHV 11N40SISO Ant1 5310 30~5221.6



NTHV 11N40SISO Ant1 5310 5221.6~5230



NTHV 11N40SISO Ant1 5310 5230~5249




NTHV 11N40SISO Ant1 5310 5249~5250



NTHV 11N40SISO Ant1 5310 5350~5358.4



NTHV 11N40SISO Ant1 5310 5358.4~26000





NTHV 11N40SISO Ant1 5510 30~5460





NTHV 11N40SISO Ant1 5510 5460~5470




NTHV 11N40SISO Ant1 5510 5770~26000















NTHV 11AX20SISO Ant1 5200 5250~5250.2



NTHV 11AX20SISO Ant1 5200 5250.2~5251





NTHV 11AX20SISO Ant1 5200 5251~5260











Appendix A


CN26FF1U 002

Page 264 of 522



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products






NTHV 11AX20SISO Ant1 5280 30~5233.3




NTHV 11AX20SISO Ant1 5280 5233.3~5240



NTHV 11AX20SISO Ant1 5280 5240~5249






NTHV 11AX20SISO Ant1 5320 30~5233.3



NTHV 11AX20SISO Ant1 5320 5233.3~5240




NTHV 11AX20SISO Ant1 5320 5240~5249



NTHV 11AX20SISO Ant1 5500 5745~5765





NTHV 11AX20SISO Ant1 5500 5765~26000




NTHV 11AX20SISO Ant1 5580 30~5460



NTHV 11AX20SISO Ant1 5580 5460~5470







NTHV 11AX40SISO Ant1 5190 30~5141.6





NTHV 11AX40SISO Ant1 5190 5141.6~5150




NTHV 11AX40SISO Ant1 5190 5250~5251









NTHV 11AX40SISO Ant1 5270 30~5221.6




NTHV 11AX40SISO Ant1 5270 5221.6~5230




NTHV 11AX40SISO Ant1 5270 5230~5249




NTHV 11AX40SISO Ant1 5270 5249~5250



NTHV 11AX40SISO Ant1 5270 5350~5358.4



NTHV 11AX40SISO Ant1 5270 5358.4~26000



Antenna	Frequency	Power	Antenna	Frequency	Power
NTHV 11AX40SISO	Ant1 5310	5221.6~5230			





NTHV 11AX40SISO Ant1 5310 5221.6~5230



NTHV 11AX40SISO Ant1 5310 5230~5249









NTHV 11AX40SISO Ant1 5670 5460~5470



NTHV 11AX40SISO Ant1 5670 5460~5470



NTHV 11AX40SISO Ant1 5670 5770~26000





Appendix A.5: Test Results of Spurious Emissions for Receiver

Test Result

Test Condition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~500	200.85	-66.20	≤-54	0.23988	≤4	PASS
				500~1000	731.75	-74.55	≤-54	0.03508	≤4	PASS
				1000~26000	25655.00	-60.55	≤-47	0.88105	≤20	PASS
			5200	30~500	181.81	-66.48	≤-54	0.22491	≤4	PASS
				500~1000	731.75	-74.50	≤-54	0.03548	≤4	PASS
				1000~26000	23877.50	-61.42	≤-47	0.72111	≤20	PASS
			5240	30~500	142.57	-66.40	≤-54	0.22909	≤4	PASS
				500~1000	731.75	-73.45	≤-54	0.04519	≤4	PASS
				1000~26000	23908.75	-60.70	≤-47	0.85114	≤20	PASS
			5260	30~500	176.88	-66.32	≤-54	0.23335	≤4	PASS
				500~1000	731.75	-73.91	≤-54	0.04064	≤4	PASS
				1000~26000	25663.75	-60.26	≤-47	0.94189	≤20	PASS
			5280	30~500	193.80	-65.94	≤-54	0.25468	≤4	PASS
				500~1000	731.75	-74.61	≤-54	0.03459	≤4	PASS
				1000~26000	24186.25	-61.37	≤-47	0.72946	≤20	PASS
			5320	30~500	191.92	-66.65	≤-54	0.21627	≤4	PASS
				500~1000	731.75	-73.69	≤-54	0.04276	≤4	PASS
				1000~26000	25350.00	-61.23	≤-47	0.75336	≤20	PASS
			5500	30~500	185.57	-66.45	≤-54	0.22646	≤4	PASS
				500~1000	731.75	-74.05	≤-54	0.03936	≤4	PASS
				1000~26000	24545.00	-60.57	≤-47	0.87700	≤20	PASS
			5580	30~500	181.58	-66.18	≤-54	0.24099	≤4	PASS
				500~1000	731.75	-73.58	≤-54	0.04385	≤4	PASS
				1000~26000	25641.25	-60.62	≤-47	0.86696	≤20	PASS
			5700	30~500	200.85	-65.96	≤-54	0.25351	≤4	PASS
				500~1000	731.75	-73.03	≤-54	0.04977	≤4	PASS
				1000~26000	23927.50	-60.74	≤-47	0.84333	≤20	PASS
	11N20SISO	Ant1	5180	30~500	186.04	-67.93	≤-54	0.16106	≤4	PASS
				500~1000	731.75	-74.59	≤-54	0.03475	≤4	PASS
				1000~26000	24162.50	-61.45	≤-47	0.71614	≤20	PASS
			5200	30~500	182.52	-67.28	≤-54	0.18707	≤4	PASS
				500~1000	731.75	-74.38	≤-54	0.03648	≤4	PASS
				1000~26000	25813.75	-61.39	≤-47	0.72611	≤20	PASS
			5240	30~500	182.05	-66.93	≤-54	0.20277	≤4	PASS
				500~1000	731.75	-73.98	≤-54	0.03999	≤4	PASS
				1000~26000	25535.00	-60.45	≤-47	0.90157	≤20	PASS
			5260	30~500	210.48	-67.67	≤-54	0.17100	≤4	PASS
				500~1000	731.75	-73.88	≤-54	0.04093	≤4	PASS
				1000~26000	25075.00	-61.69	≤-47	0.67764	≤20	PASS
			5280	30~500	185.34	-67.44	≤-54	0.18030	≤4	PASS
				500~1000	731.75	-73.86	≤-54	0.04111	≤4	PASS
				1000~26000	25673.75	-61.36	≤-47	0.73114	≤20	PASS
			5320	30~500	192.15	-65.93	≤-54	0.25527	≤4	PASS
				500~1000	731.75	-74.07	≤-54	0.03917	≤4	PASS
				1000~26000	25723.75	-60.60	≤-47	0.87096	≤20	PASS
			5500	30~500	184.16	-67.16	≤-54	0.19231	≤4	PASS
				500~1000	731.75	-73.85	≤-54	0.04121	≤4	PASS
				1000~26000	23886.25	-61.36	≤-47	0.73114	≤20	PASS
			5580	30~500	195.21	-66.22	≤-54	0.23878	≤4	PASS
				500~1000	731.75	-73.97	≤-54	0.04009	≤4	PASS
				1000~26000	25788.75	-61.18	≤-47	0.76208	≤20	PASS
			5700	30~500	191.45	-66.42	≤-54	0.22803	≤4	PASS
				500~1000	972.75	-75.27	≤-54	0.02972	≤4	PASS
				1000~26000	25436.25	-61.07	≤-47	0.78163	≤20	PASS
	11N40SISO	Ant1	5190	30~500	185.34	-66.63	≤-54	0.21727	≤4	PASS
				500~1000	731.75	-75.08	≤-54	0.03105	≤4	PASS
				1000~26000	25006.25	-61.08	≤-47	0.77983	≤20	PASS
			5230	30~500	190.04	-66.64	≤-54	0.21677	≤4	PASS
				500~1000	731.75	-75.27	≤-54	0.02972	≤4	PASS
				1000~26000	25578.75	-61.07	≤-47	0.78163	≤20	PASS
			5270	30~500	190.04	-66.36	≤-54	0.23121	≤4	PASS
				500~1000	731.75	-74.47	≤-54	0.03573	≤4	PASS
				1000~26000	25492.50	-60.91	≤-47	0.81096	≤20	PASS
			5310	30~500	192.86	-66.69	≤-54	0.21429	≤4	PASS

Appendix A



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

CN26FF1U 002

Page 285 of 522

				500~1000	731.75	-73.94	≤-54	0.04036	≤4	PASS
				1000~26000	25646.25	-60.62	≤-47	0.86696	≤20	PASS
				30~500	186.28	-67.09	≤-54	0.19543	≤4	PASS
				500~1000	731.75	-74.20	≤-54	0.03802	≤4	PASS
			5510	1000~26000	25900.00	-61.54	≤-47	0.70146	≤20	PASS
				30~500	205.08	-66.60	≤-54	0.21878	≤4	PASS
				500~1000	731.75	-74.67	≤-54	0.03412	≤4	PASS
				1000~26000	23911.25	-60.87	≤-47	0.81846	≤20	PASS
			5550	30~500	192.62	-66.92	≤-54	0.20324	≤4	PASS
				500~1000	731.75	-73.35	≤-54	0.04624	≤4	PASS
				1000~26000	23840.00	-60.81	≤-47	0.82985	≤20	PASS
				30~500	142.57	-66.27	≤-54	0.23605	≤4	PASS
			5670	500~1000	731.75	-74.06	≤-54	0.03926	≤4	PASS
				1000~26000	24976.25	-61.44	≤-47	0.71779	≤20	PASS
				30~500	185.57	-67.33	≤-54	0.18493	≤4	PASS
				500~1000	731.75	-74.26	≤-54	0.03750	≤4	PASS
			5180	1000~26000	25783.75	-61.49	≤-47	0.70958	≤20	PASS
			5200	30~500	177.58	-65.86	≤-54	0.25942	≤4	PASS
			5240	500~1000	731.75	-74.06	≤-54	0.03926	≤4	PASS
			5260	1000~26000	25700.00	-61.18	≤-47	0.76208	≤20	PASS
			5280	30~500	194.50	-66.08	≤-54	0.24660	≤4	PASS
			5320	500~1000	731.75	-74.36	≤-54	0.03664	≤4	PASS
			5500	1000~26000	24002.50	-60.92	≤-47	0.80910	≤20	PASS
			5580	30~500	196.62	-67.10	≤-54	0.19498	≤4	PASS
			5700	500~1000	731.75	-73.90	≤-54	0.04074	≤4	PASS
			5190	1000~26000	23880.00	-61.04	≤-47	0.78705	≤20	PASS
			5230	30~500	197.09	-67.03	≤-54	0.19815	≤4	PASS
			5270	500~1000	731.75	-74.48	≤-54	0.03565	≤4	PASS
			5310	1000~26000	25632.50	-61.09	≤-47	0.77804	≤20	PASS
			5510	30~500	201.79	-67.37	≤-54	0.18323	≤4	PASS
			5550	500~1000	731.75	-74.35	≤-54	0.03673	≤4	PASS
			5670	1000~26000	24077.50	-60.72	≤-47	0.84723	≤20	PASS
			5190	30~500	142.57	-66.40	≤-54	0.22909	≤4	PASS
			5230	500~1000	731.75	-74.68	≤-54	0.03404	≤4	PASS
			5270	1000~26000	25682.50	-60.46	≤-47	0.89950	≤20	PASS
			5310	30~500	215.18	-67.16	≤-54	0.19231	≤4	PASS
			5350	500~1000	731.75	-73.79	≤-54	0.04178	≤4	PASS
			5390	1000~26000	23858.75	-60.74	≤-47	0.84333	≤20	PASS
			5430	30~500	176.41	-65.69	≤-54	0.26977	≤4	PASS
			5470	500~1000	731.75	-74.26	≤-54	0.03750	≤4	PASS
			5510	1000~26000	24007.50	-61.37	≤-47	0.72946	≤20	PASS
			5550	30~500	175.47	-66.78	≤-54	0.20989	≤4	PASS
			5590	500~1000	731.75	-73.72	≤-54	0.04246	≤4	PASS
			5630	1000~26000	23855.00	-60.97	≤-47	0.79983	≤20	PASS
			5670	30~500	142.57	-66.71	≤-54	0.21330	≤4	PASS
			5710	500~1000	731.75	-74.61	≤-54	0.03459	≤4	PASS
			5750	1000~26000	25716.25	-60.82	≤-47	0.82794	≤20	PASS
			5790	30~500	188.39	-67.58	≤-54	0.17458	≤4	PASS
			5830	500~1000	731.75	-73.66	≤-54	0.04305	≤4	PASS
			5870	1000~26000	24147.50	-60.94	≤-47	0.80538	≤20	PASS
			5910	30~500	167.71	-67.34	≤-54	0.18450	≤4	PASS
			5950	500~1000	731.75	-74.36	≤-54	0.03664	≤4	PASS
			5990	1000~26000	25707.50	-61.92	≤-47	0.64269	≤20	PASS
			6030	30~500	190.74	-66.92	≤-54	0.20324	≤4	PASS
			6070	500~1000	731.75	-73.37	≤-54	0.04603	≤4	PASS
			6110	1000~26000	23782.50	-60.64	≤-47	0.86298	≤20	PASS
			6150	30~500	142.57	-67.21	≤-54	0.19011	≤4	PASS
			6190	500~1000	731.75	-74.57	≤-54	0.03491	≤4	PASS
			6230	1000~26000	25690.00	-61.15	≤-47	0.76736	≤20	PASS
			6270	30~500	174.76	-66.40	≤-54	0.22909	≤4	PASS
			6310	500~1000	731.75	-73.23	≤-54	0.04753	≤4	PASS
			6350	1000~26000	23855.00	-61.13	≤-47	0.77090	≤20	PASS
			6390	30~500	194.27	-66.61	≤-54	0.21827	≤4	PASS
			6430	500~1000	731.75	-73.65	≤-54	0.04315	≤4	PASS
			6470	1000~26000	25956.25	-60.32	≤-47	0.92897	≤20	PASS
			6510	30~500	195.91	-66.09	≤-54	0.24604	≤4	PASS
			6550	500~1000	731.75	-73.19	≤-54	0.04797	≤4	PASS
			6590	1000~26000	25895.00	-61.30	≤-47	0.74131	≤20	PASS
			6630	30~500	180.40	-66.61	≤-54	0.21827	≤4	PASS
			6670	500~1000	731.75	-74.81	≤-54	0.03304	≤4	PASS
			6710	1000~26000	24842.50	-60.66	≤-47	0.85901	≤20	PASS

Appendix A

CN26FF1U 002

Page 286 of 522



TÜVRheinland®

Prüfbericht - Produkte

Test Report - Products

			5280	30~500	177.82	-66.67	≤-54	0.21528	≤4	PASS
				500~1000	731.75	-74.54	≤-54	0.03516	≤4	PASS
				1000~26000	25660.00	-60.93	≤-47	0.80724	≤20	PASS
			5320	30~500	182.52	-66.39	≤-54	0.22961	≤4	PASS
				500~1000	731.75	-73.64	≤-54	0.04325	≤4	PASS
				1000~26000	25986.25	-60.64	≤-47	0.86298	≤20	PASS
			5500	30~500	185.81	-66.50	≤-54	0.22387	≤4	PASS
				500~1000	731.75	-73.61	≤-54	0.04355	≤4	PASS
				1000~26000	23956.25	-60.57	≤-47	0.87700	≤20	PASS
			5580	30~500	170.53	-65.41	≤-54	0.28774	≤4	PASS
				500~1000	731.75	-73.61	≤-54	0.04355	≤4	PASS
				1000~26000	23921.25	-60.87	≤-47	0.81846	≤20	PASS
			5700	30~500	221.29	-66.65	≤-54	0.21627	≤4	PASS
				500~1000	561.00	-74.61	≤-54	0.03459	≤4	PASS
				1000~26000	25745.00	-60.33	≤-47	0.92683	≤20	PASS
	11N20SISO	Ant1	5180	30~500	188.63	-66.64	≤-54	0.21677	≤4	PASS
				500~1000	731.75	-74.65	≤-54	0.03428	≤4	PASS
				1000~26000	23833.75	-61.60	≤-47	0.69183	≤20	PASS
			5200	30~500	179.23	-66.82	≤-54	0.20797	≤4	PASS
				500~1000	790.50	-74.89	≤-54	0.03243	≤4	PASS
				1000~26000	23986.25	-61.71	≤-47	0.67453	≤20	PASS
			5240	30~500	174.06	-66.89	≤-54	0.20464	≤4	PASS
				500~1000	731.75	-74.88	≤-54	0.03251	≤4	PASS
				1000~26000	25693.75	-60.82	≤-47	0.82794	≤20	PASS
			5260	30~500	188.86	-67.00	≤-54	0.19953	≤4	PASS
				500~1000	731.75	-73.72	≤-54	0.04246	≤4	PASS
				1000~26000	23848.75	-61.05	≤-47	0.78524	≤20	PASS
			5280	30~500	175.70	-64.17	≤-54	0.38282	≤4	PASS
				500~1000	731.75	-73.98	≤-54	0.03999	≤4	PASS
				1000~26000	25762.50	-60.75	≤-47	0.84140	≤20	PASS
			5320	30~500	198.03	-66.33	≤-54	0.23281	≤4	PASS
				500~1000	731.75	-73.97	≤-54	0.04009	≤4	PASS
				1000~26000	25742.50	-61.15	≤-47	0.76736	≤20	PASS
			5500	30~500	175.23	-67.30	≤-54	0.18621	≤4	PASS
				500~1000	731.75	-74.72	≤-54	0.03373	≤4	PASS
				1000~26000	25577.50	-61.45	≤-47	0.71614	≤20	PASS
			5580	30~500	190.74	-66.36	≤-54	0.23121	≤4	PASS
				500~1000	731.75	-74.15	≤-54	0.03846	≤4	PASS
				1000~26000	25720.00	-60.85	≤-47	0.82224	≤20	PASS
			5700	30~500	191.21	-66.66	≤-54	0.21577	≤4	PASS
				500~1000	731.75	-73.97	≤-54	0.04009	≤4	PASS
				1000~26000	25676.25	-61.19	≤-47	0.76033	≤20	PASS
	11N40SISO	Ant1	5190	30~500	186.98	-66.90	≤-54	0.20417	≤4	PASS
				500~1000	731.75	-74.71	≤-54	0.03381	≤4	PASS
				1000~26000	25713.75	-60.49	≤-47	0.89331	≤20	PASS
			5230	30~500	196.85	-67.10	≤-54	0.19498	≤4	PASS
				500~1000	731.75	-73.87	≤-54	0.04102	≤4	PASS
				1000~26000	24502.50	-61.92	≤-47	0.64269	≤20	PASS
			5270	30~500	188.86	-67.03	≤-54	0.19815	≤4	PASS
				500~1000	731.75	-74.47	≤-54	0.03573	≤4	PASS
				1000~26000	25762.50	-61.38	≤-47	0.72778	≤20	PASS
			5310	30~500	184.63	-66.50	≤-54	0.22387	≤4	PASS
				500~1000	731.75	-73.78	≤-54	0.04188	≤4	PASS
				1000~26000	25565.00	-60.87	≤-47	0.81846	≤20	PASS
			5510	30~500	142.57	-66.78	≤-54	0.20989	≤4	PASS
				500~1000	731.75	-74.29	≤-54	0.03724	≤4	PASS
				1000~26000	25155.00	-61.53	≤-47	0.70307	≤20	PASS
			5550	30~500	196.85	-65.88	≤-54	0.25823	≤4	PASS
				500~1000	731.75	-73.66	≤-54	0.04305	≤4	PASS
				1000~26000	25850.00	-61.11	≤-47	0.77446	≤20	PASS
			5670	30~500	178.52	-66.63	≤-54	0.21727	≤4	PASS
				500~1000	731.75	-74.41	≤-54	0.03622	≤4	PASS
				1000~26000	25592.50	-61.56	≤-47	0.69823	≤20	PASS
	11AX20SISO	Ant1	5180	30~500	142.57	-67.16	≤-54	0.19231	≤4	PASS
				500~1000	731.75	-74.30	≤-54	0.03715	≤4	PASS
				1000~26000	25640.00	-60.72	≤-47	0.84723	≤20	PASS
			5200	30~500	142.57	-67.32	≤-54	0.18535	≤4	PASS
				500~1000	731.75	-74.19	≤-54	0.03811	≤4	PASS
				1000~26000	25615.00	-61.22	≤-47	0.75509	≤20	PASS
			5240	30~500	189.57	-66.16	≤-54	0.24210	≤4	PASS
				500~1000	731.75	-74.60	≤-54	0.03467	≤4	PASS

Appendix A

CN26FF1U 002

Page 287 of 522



TÜVRheinland®

Prüfbericht - Produkte

Test Report - Products

NTHV	11AX40SISO	Ant1	5260	1000~26000	24303.75	-61.46	≤-47	0.71450	≤20	PASS
				30~500	197.32	-67.29	≤-54	0.18664	≤4	PASS
				500~1000	731.75	-74.17	≤-54	0.03828	≤4	PASS
			5280	1000~26000	24270.00	-60.92	≤-47	0.80910	≤20	PASS
				30~500	185.10	-66.95	≤-54	0.20184	≤4	PASS
				500~1000	731.75	-74.17	≤-54	0.03828	≤4	PASS
			5320	1000~26000	25957.50	-61.38	≤-47	0.72778	≤20	PASS
				30~500	192.86	-66.66	≤-54	0.21577	≤4	PASS
				500~1000	731.75	-73.88	≤-54	0.04093	≤4	PASS
			5500	1000~26000	25896.25	-60.54	≤-47	0.88308	≤20	PASS
				30~500	176.17	-67.03	≤-54	0.19815	≤4	PASS
				500~1000	731.75	-73.97	≤-54	0.04009	≤4	PASS
			5580	1000~26000	25723.75	-61.06	≤-47	0.78343	≤20	PASS
				30~500	191.92	-66.87	≤-54	0.20559	≤4	PASS
				500~1000	731.75	-73.24	≤-54	0.04742	≤4	PASS
			5700	1000~26000	23696.25	-61.21	≤-47	0.75683	≤20	PASS
				30~500	193.80	-66.71	≤-54	0.21330	≤4	PASS
				500~1000	731.75	-74.18	≤-54	0.03819	≤4	PASS
	11A	Ant1	5190	1000~26000	23811.25	-60.74	≤-47	0.84333	≤20	PASS
				30~500	198.73	-66.99	≤-54	0.19999	≤4	PASS
				500~1000	731.75	-74.96	≤-54	0.03192	≤4	PASS
			5230	1000~26000	25601.25	-61.41	≤-47	0.72277	≤20	PASS
				30~500	168.18	-67.34	≤-54	0.18450	≤4	PASS
				500~1000	731.75	-74.12	≤-54	0.03873	≤4	PASS
			5270	1000~26000	25977.50	-59.98	≤-47	1.00462	≤20	PASS
				30~500	163.95	-67.21	≤-54	0.19011	≤4	PASS
				500~1000	731.75	-74.65	≤-54	0.03428	≤4	PASS
			5310	1000~26000	25371.25	-61.52	≤-47	0.70469	≤20	PASS
				30~500	230.93	-67.08	≤-54	0.19588	≤4	PASS
				500~1000	731.75	-73.61	≤-54	0.04355	≤4	PASS
			5510	1000~26000	23887.50	-61.01	≤-47	0.79250	≤20	PASS
				30~500	182.99	-66.77	≤-54	0.21038	≤4	PASS
				500~1000	731.75	-74.70	≤-54	0.03388	≤4	PASS
			5550	1000~26000	25988.75	-60.46	≤-47	0.89950	≤20	PASS
				30~500	197.79	-67.48	≤-54	0.17865	≤4	PASS
				500~1000	731.75	-74.37	≤-54	0.03656	≤4	PASS
			5670	1000~26000	25890.00	-61.12	≤-47	0.77268	≤20	PASS
				30~500	195.21	-66.38	≤-54	0.23014	≤4	PASS
				500~1000	731.75	-73.66	≤-54	0.04305	≤4	PASS
	11N20SISO	Ant1	5180	1000~26000	25705.00	-61.67	≤-47	0.68077	≤20	PASS
				30~500	198.50	-66.48	≤-54	0.22491	≤4	PASS
				500~1000	731.75	-74.68	≤-54	0.03404	≤4	PASS
			5200	1000~26000	25983.75	-61.35	≤-47	0.73282	≤20	PASS
				30~500	178.76	-66.28	≤-54	0.23550	≤4	PASS
				500~1000	731.75	-74.23	≤-54	0.03776	≤4	PASS
			5240	1000~26000	25898.75	-60.52	≤-47	0.88716	≤20	PASS
				30~500	194.74	-66.67	≤-54	0.21528	≤4	PASS
				500~1000	731.75	-74.20	≤-54	0.03802	≤4	PASS
			5260	1000~26000	24162.50	-59.89	≤-47	1.02565	≤20	PASS
				30~500	182.52	-66.44	≤-54	0.22699	≤4	PASS
				500~1000	731.75	-74.26	≤-54	0.03750	≤4	PASS
			5280	1000~26000	25717.50	-60.46	≤-47	0.89950	≤20	PASS
				30~500	200.38	-66.16	≤-54	0.24210	≤4	PASS
				500~1000	731.75	-74.61	≤-54	0.03459	≤4	PASS
			5320	1000~26000	25957.50	-60.98	≤-47	0.79799	≤20	PASS
				30~500	194.03	-66.00	≤-54	0.25119	≤4	PASS
				500~1000	731.75	-73.65	≤-54	0.04315	≤4	PASS
			5500	1000~26000	24833.75	-60.56	≤-47	0.87902	≤20	PASS
				30~500	188.16	-66.87	≤-54	0.20559	≤4	PASS
				500~1000	731.75	-74.15	≤-54	0.03846	≤4	PASS
			5580	1000~26000	23786.25	-60.91	≤-47	0.81096	≤20	PASS
				30~500	142.57	-66.33	≤-54	0.23281	≤4	PASS
				500~1000	731.75	-73.73	≤-54	0.04236	≤4	PASS
			5700	1000~26000	23598.75	-61.25	≤-47	0.74989	≤20	PASS
				30~500	194.27	-66.42	≤-54	0.22803	≤4	PASS
				500~1000	731.75	-72.79	≤-54	0.05260	≤4	PASS
	11N20SISO	Ant1	5180	1000~26000	23811.25	-60.46	≤-47	0.89950	≤20	PASS
				30~500	232.10	-66.28	≤-54	0.23550	≤4	PASS
				500~1000	731.75	-74.63	≤-54	0.03443	≤4	PASS
			5200	1000~26000	25625.00	-60.59	≤-47	0.87297	≤20	PASS
				30~500	198.03	-67.62	≤-54	0.17298	≤4	PASS

Appendix A

CN26FF1U 002

Page 288 of 522



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

	11N40SISO	Ant1		500~1000	731.75	-74.11	≤-54	0.03882	≤4	PASS
				1000~26000	24135.00	-61.65	≤-47	0.68391	≤20	PASS
			5240	30~500	142.57	-66.83	≤-54	0.20749	≤4	PASS
				500~1000	731.75	-75.02	≤-54	0.03148	≤4	PASS
				1000~26000	25803.75	-60.80	≤-47	0.83176	≤20	PASS
			5260	30~500	180.17	-66.41	≤-54	0.22856	≤4	PASS
				500~1000	731.75	-74.25	≤-54	0.03758	≤4	PASS
				1000~26000	25753.75	-61.22	≤-47	0.75509	≤20	PASS
			5280	30~500	173.59	-66.94	≤-54	0.20230	≤4	PASS
				500~1000	731.75	-72.86	≤-54	0.05176	≤4	PASS
				1000~26000	25775.00	-61.20	≤-47	0.75858	≤20	PASS
			5320	30~500	193.80	-66.74	≤-54	0.21184	≤4	PASS
				500~1000	731.75	-72.76	≤-54	0.05297	≤4	PASS
				1000~26000	25707.50	-61.37	≤-47	0.72946	≤20	PASS
			5500	30~500	186.75	-67.19	≤-54	0.19099	≤4	PASS
				500~1000	731.75	-74.29	≤-54	0.03724	≤4	PASS
				1000~26000	23980.00	-61.55	≤-47	0.69984	≤20	PASS
			5580	30~500	190.27	-65.19	≤-54	0.30269	≤4	PASS
				500~1000	731.75	-73.10	≤-54	0.04898	≤4	PASS
				1000~26000	23791.25	-61.33	≤-47	0.73621	≤20	PASS
			5700	30~500	197.32	-66.58	≤-54	0.21979	≤4	PASS
				500~1000	731.75	-74.14	≤-54	0.03855	≤4	PASS
				1000~26000	25698.75	-60.78	≤-47	0.83560	≤20	PASS
			5190	30~500	193.33	-67.66	≤-54	0.17140	≤4	PASS
				500~1000	731.75	-75.01	≤-54	0.03155	≤4	PASS
				1000~26000	24040.00	-61.45	≤-47	0.71614	≤20	PASS
			5230	30~500	177.58	-66.79	≤-54	0.20941	≤4	PASS
				500~1000	731.75	-74.75	≤-54	0.03350	≤4	PASS
				1000~26000	25662.50	-61.35	≤-47	0.73282	≤20	PASS
			5270	30~500	183.69	-67.28	≤-54	0.18707	≤4	PASS
				500~1000	731.75	-74.25	≤-54	0.03758	≤4	PASS
				1000~26000	23946.25	-60.82	≤-47	0.82794	≤20	PASS
			5310	30~500	189.33	-66.06	≤-54	0.24774	≤4	PASS
				500~1000	731.75	-75.25	≤-54	0.02985	≤4	PASS
				1000~26000	25651.25	-61.21	≤-47	0.75683	≤20	PASS
			5510	30~500	186.51	-66.51	≤-54	0.22336	≤4	PASS
				500~1000	731.75	-74.43	≤-54	0.03606	≤4	PASS
				1000~26000	23688.75	-61.33	≤-47	0.73621	≤20	PASS
			5550	30~500	179.70	-67.00	≤-54	0.19953	≤4	PASS
				500~1000	731.75	-74.59	≤-54	0.03475	≤4	PASS
				1000~26000	25048.75	-60.98	≤-47	0.79799	≤20	PASS
			5670	30~500	196.15	-66.13	≤-54	0.24378	≤4	PASS
				500~1000	731.75	-75.06	≤-54	0.03119	≤4	PASS
				1000~26000	24792.50	-60.81	≤-47	0.82985	≤20	PASS
	11AX20SISO	Ant1	5180	30~500	184.16	-67.00	≤-54	0.19953	≤4	PASS
				500~1000	731.75	-75.14	≤-54	0.03062	≤4	PASS
				1000~26000	25786.25	-61.30	≤-47	0.74131	≤20	PASS
			5200	30~500	195.91	-67.11	≤-54	0.19454	≤4	PASS
				500~1000	731.75	-75.07	≤-54	0.03112	≤4	PASS
				1000~26000	23821.25	-61.48	≤-47	0.71121	≤20	PASS
			5240	30~500	194.03	-66.57	≤-54	0.22029	≤4	PASS
				500~1000	731.75	-75.06	≤-54	0.03119	≤4	PASS
				1000~26000	23895.00	-61.12	≤-47	0.77268	≤20	PASS
			5260	30~500	202.26	-66.93	≤-54	0.20277	≤4	PASS
				500~1000	731.75	-73.80	≤-54	0.04169	≤4	PASS
				1000~26000	25678.75	-61.71	≤-47	0.67453	≤20	PASS
			5280	30~500	188.86	-66.09	≤-54	0.24604	≤4	PASS
				500~1000	731.75	-74.78	≤-54	0.03327	≤4	PASS
				1000~26000	24808.75	-61.44	≤-47	0.71779	≤20	PASS
			5320	30~500	186.04	-66.13	≤-54	0.24378	≤4	PASS
				500~1000	731.75	-74.81	≤-54	0.03304	≤4	PASS
				1000~26000	24475.00	-60.47	≤-47	0.89743	≤20	PASS
			5500	30~500	191.21	-66.45	≤-54	0.22646	≤4	PASS
				500~1000	731.75	-74.86	≤-54	0.03266	≤4	PASS
				1000~26000	24978.75	-61.73	≤-47	0.67143	≤20	PASS
			5580	30~500	189.33	-65.63	≤-54	0.27353	≤4	PASS
				500~1000	731.75	-73.34	≤-54	0.04634	≤4	PASS
				1000~26000	25832.50	-60.82	≤-47	0.82794	≤20	PASS
			5700	30~500	200.38	-66.05	≤-54	0.24831	≤4	PASS
				500~1000	731.75	-73.46	≤-54	0.04508	≤4	PASS
				1000~26000	23833.75	-61.11	≤-47	0.77446	≤20	PASS



	11AX40SISO	Ant1	5190	30~500	179.46	-67.04	≤-54	0.19770	≤4	PASS
				500~1000	731.75	-74.14	≤-54	0.03855	≤4	PASS
				1000~26000	23867.50	-61.58	≤-47	0.69502	≤20	PASS
			5230	30~500	190.98	-66.03	≤-54	0.24946	≤4	PASS
				500~1000	731.75	-75.06	≤-54	0.03119	≤4	PASS
				1000~26000	25697.50	-61.03	≤-47	0.78886	≤20	PASS
			5270	30~500	195.91	-67.15	≤-54	0.19275	≤4	PASS
				500~1000	731.75	-74.72	≤-54	0.03373	≤4	PASS
				1000~26000	25935.00	-61.34	≤-47	0.73451	≤20	PASS
			5310	30~500	181.81	-67.35	≤-54	0.18408	≤4	PASS
				500~1000	731.75	-74.70	≤-54	0.03388	≤4	PASS
				1000~26000	24135.00	-61.01	≤-47	0.79250	≤20	PASS
			5510	30~500	180.87	-66.81	≤-54	0.20845	≤4	PASS
				500~1000	731.75	-73.80	≤-54	0.04169	≤4	PASS
				1000~26000	24042.50	-61.06	≤-47	0.78343	≤20	PASS
			5550	30~500	186.98	-66.20	≤-54	0.23988	≤4	PASS
				500~1000	731.75	-74.27	≤-54	0.03741	≤4	PASS
				1000~26000	23897.50	-60.57	≤-47	0.87700	≤20	PASS
			5670	30~500	172.65	-66.56	≤-54	0.22080	≤4	PASS
				500~1000	731.75	-74.05	≤-54	0.03936	≤4	PASS
				1000~26000	23773.75	-61.30	≤-47	0.74131	≤20	PASS

Test Graphs

