

低功率射頻電機試驗報告

申請廠商	美尼亞國際有限公司 台中市西屯區西墩里黎明路三段163、165、167號1樓
製造廠商	Trek Bicycle Corporation
產品名稱	DuoTrap S Digital Sensor
廠牌	Bontrager
型號	437960
發射功率	93.07dBuV/m (Peak)
工作頻率	2457MHz
調變方式	GFSK
法規	LP0002: 3.10.2節

實驗室資訊

程智科技股份有限公司 五股實驗室

新北市五股區五工六路11號

實驗室認證有效期間：105年10月18日起至108年10月17日止

受理日期 民國108年06月11日

完成日期 民國108年08月22日

蔡永譚

報告簽署人
蔡永譚 簽章

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
T190611W01-RD2	Rev.00	Initial creation of document	All	Jul. 18, 2019	Elle Chang
T190611W01-RD2	Rev.01	移除頻率容許差度之量測章節	Page 8, 28, 29	Aug. 22, 2019	Elle Chang

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試標準

國家通訊傳播委員會低功率射頻電機技術規範

民國 107 年 1 月 10 日版本

待測裝置已於程智科技股份有限公司 五股實驗室，依據國家通訊傳播委員會於中華民國一百零七年一月頒佈之低功率射頻電機技術規範測試。


程智科技股份有限公司根據此條文規範項目測試，測試各項數據皆能符合此規範規定之限度值。

程智科技股份有限公司依低功率射頻電機技術規範審驗要點規範製作測試結果報告，測試結果評判為合格。

備註：

1. 報告中所描述之測試結果和待測設備的架構組合，均根據實際量測情況作詳實的記錄，且本測試報告僅對上述待測設備樣品負責。
2. 此份報告未經本公司同意，不得部份摘錄複製使用。

測試人員：




日期：

08/22/2019

呂建伸 / 工程師

報告製作：



日期：

08/22/2019

張瑜捷 / 行政

報告審核：



日期：

08/22/2019

蔡永譚 / 副理

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試實驗室資料:

實驗室認可登錄 : 中華民國實驗室認證體系

認可編號 : TAF 1309, 認可頻率範圍9kHz ~ 40GHz

認證有效期間 : 105年10月18日起至108年10月17日止

測試場地 : 新北市五股區五工六路11號

實驗室名稱 : 程智科技股份有限公司
五股實驗室

實驗室地址 : 新北市五股區五工六路11號

電話 : 886-2-22999720

傳真 : 886-2-22981882

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

實驗室之量測不確定度

測試項目	測試場地 / 測試頻率	不確定度(dB)
傳導干擾電壓量測	Powerline Conducted Emission	+/-1.2575
輻射干擾場強量測 (測試距離: 3m)	3M Semi Anechoic Chamber / 30MHz ~ 200MHz	+/- 4.12
	3M Semi Anechoic Chamber / 200MHz ~ 1GHz	+/- 4.68
	3M Semi Anechoic Chamber / 1GHz ~ 8GHz	+/- 5.18
	3M Semi Anechoic Chamber / 8GHz ~ 18GHz	+/- 5.47
	3M Semi Anechoic Chamber / 18GHz ~ 26GHz	+/- 3.81
	3M Semi Anechoic Chamber / 26GHz ~ 40GHz	+/- 3.87

附註: K=2 即代表測試結果具有95%的量測可信度。

符合性判定僅依據試驗結果，不考慮其試驗結果的量測不確定度

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

目錄	頁次
1 一般資料.....	7
2 適用規範.....	9
3 受測裝置之系統說明.....	11
4 量測儀器設備.....	12
5 電源線傳導干擾之量測.....	14
6 場強輻射之量測.....	15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 一般資料

1.1 產品特性

產品名稱	DuoTrap S Digital Sensor
產品型號	437960
產品商標	Bontrager
Hardware Version	1.0
Software Version	1.0
使用電源	3Vdc from CR2032 Battery
發射頻帶	2457MHz
輸出功率	93.07dBuV/m
調變方式	GFSK
頻道數	1 Channel
天線型式 / 天線增益	Monopole Antenna, Gain: 0dBi Model No.: BS645XX/BS64700; Supplier: DAYTON INDUSTRIAL CO, LYD.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.2 測試方法之依據

本測試報告之所有項目皆依據國家通訊傳播委員會低功率射頻電機技術規範(LP0002, 107.1.10版本) 如無國家標準可適用者，得依美國EIA、IEEE ANSI檢驗法檢驗，及美國FCC 47 CFR Part 2有關檢驗之規定及參考ANSI 63.10:2013、FCC CFR 47 15.249之檢驗法。

特別規定：除3.10.1節外，其他任何發射型式之器材

項次	測試項目	適用規範	測試結果	量測設備	備註
1	電源線傳導干擾	低功率射頻電機技術規範 2.3節	請參閱5.5節	請參閱4.1節	N/A
2	主波發射	低功率射頻電機技術規範 3.10.2節(2)	請參閱6.5節	請參閱4.2節	合格
3	不必要發射	低功率射頻電機技術規範 3.10.2節(2)	請參閱6.5節	請參閱4.2節	合格
	以下空白				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2 適用規範

輻射之規定

(1)使用頻率：

(1.1) 2400-2483.5 兆赫(MHz)

(1.2) 5725-5875 兆赫(MHz)

(1.3) 24.0-24.25 吉赫(GHz)

(2)主波發射：距3公尺處其電場強度限值如下表，除諧波外，指定頻帶外之發射應比主波低50dB以上或依第2.8節之發射限制，兩者取其較鬆者：

主波頻率 (兆赫)	主波電場強度 (毫伏/公尺)	諧波電場強度 (微伏/公尺)
2400-2483.5	50	500
5725-5875	50	500
24000-24250	250	2500

(3)本節之所有發射限制值係以平均值檢測儀量測，且須符合第低功率射頻電機5.14節之峰值規定。

(4)傳導之規定

依據NCC低功率射頻電機技術規範之2.3節，電源傳導干擾之限制要求如下：

頻率(MHz)	傳導限制值 (dBuV)	
	準峰值 (Quasi – peak)	平均值 (Average)
0.15 – 0.5	66 – 56	56 - 46
0.5 – 5	56	46
5 - 30	60	50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

(5) 禁用頻帶限制之規定

依據NCC低功率射頻電機技術規範2.7節之要求，任何低功率射頻電機之主波皆不得使用下表所列各頻帶內之頻率；低功率射頻電機落於下表所列頻帶內之混附發射，其電場強度必須符合第2.8節的限制規定。

頻率 (MHz)	頻率 (MHz)	頻率 (MHz)
0.090~0.110	240.00~285.00	3332.0~3339.0
0.490~0.510	322.00~335.40	3345.8~3358.0
2.172~2.198	399.90~410.00	3500.0~4400.0
3.013~3.033	485.00~510.00	4500.0~5250.0
4.115~4.198	608.00~614.00	5350.0~5460.0
5.670~5.690	703.00~748.00	7250.0~7750.0
6.200~6.300	758.00~803.00	8025.0~8500.0
8.230~8.400	825.00~915.00	9000.0~9200.0
12.265~12.600	930.00~1240.0	9300.0~9500.0
13.340~13.430	1300.0~1427.0	10600~12700
14.965~15.020	1435.0~1626.5	13250~13400
16.700~16.755	1660.0~1785.0	14470~14500
19.965~20.020	1805.0~1880.0	15350~16200
25.500~25.700	1885.0~1900.0	17700~21400
37.475~38.275	1905.0~1985.0	22010~23120
73.500~75.400	2010.0~2025.0	23600~24000
108.00~138.00	2110.0~2170.0	31200~31800
149.90~150.05	2200.0~2300.0	36430~36500
156.70~156.90	2310.0~2390.0	38600 以上
162.01~167.17	2483.5~2900.0	
167.72~173.20	3260.0~3267.0	

(6) 依據NCC低功率射頻電機技術規範2.11節之要求，收、發信機為成套銷售者，收、發信機應一併送審或提供經型式認證合格之對應收、發信機之送審資料；送信機之輻射電場強度不得超過第2.8節之發射規定，且不得接收、解調第2.7節所列之頻率

(7) 發射天線之要求

低功率發射機，依據NCC低功率射頻電機技術規範2.2節之規定，其發射天線應為全固定式或半固定式，不得使用可供引接之天線接頭。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3 受測裝置之系統說明

裝置名稱	製造者/申請者	型號
* DuoTrap S Digital Sensor	Trek Bicycle Corporation / 美尼亞國際有限公司	437960

3.1 量測配置圖

3.1.1 Conducted & Radiated 量測配置圖



3.2 輔助測試週邊設備名稱描述

編號	產品別	商標	型號	序號	信號線	電源線
1.	2.4G Test Software	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4 量測儀器設備

4.1 AC 電源端傳導干擾之量測儀器

N/A

4.2 天線端傳導測試之量測儀器

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
DC Block	PASTERNAK	PE8210	RF256	02/26/2019	02/25/2020
Spectrum Analyzer	Agilent	N9010A	MY53400256	11/21/2018	11/20/2019
Power Meter	Anritsu	ML2496A	1326001	08/03/2018	08/02/2019
Power Sensor	Anritsu	MA2411B	1315048	08/03/2018	08/02/2019
Power Sensor	Anritsu	MA2411B	1315049	08/03/2018	08/02/2019

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.3 量測場強輻射之量測儀器

966A Chamber					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Low Pass Filter	EWT	EWT-56-0019	RF46	02/26/2019	02/25/2020
High Pass Filter	R&S	F13 HPF 3GHz	RF64	02/26/2019	02/25/2020
Band Reject Filters	MICRO TRONICS	BRM 50702	120	02/26/2019	02/25/2020
Bilog Antenna	Sunol Sciences	JB3	A030105	07/13/2018	07/12/2019
Cable	HUBER SUHNER	SUCOFLEX 104PEA	25157	02/26/2019	02/25/2020
Cable	HUBER SUHNER	SUCOFLEX 104PEA	20995	02/26/2019	02/25/2020
Digital Thermo-Hygro Meter	WISEWIND	1206	D07	01/30/2019	01/29/2020
double Ridged Guide Horn Antenna	ETC	MCTD 1209	DRH13M02003	08/20/2018	08/19/2019
Loop Antenna	COM-POWER	AL-130	121051	03/22/2019	03/21/2020
Horn Antenna	ETS LINDGREN	3116	00026370	12/26/2018	12/25/2019
Pre-Amplifier	EMEC	EM330	060609	02/26/2019	02/25/2020
Pre-Amplifier	HP	8449B	3008A00965	02/26/2019	02/25/2020
PSA Series Spectrum Analyzer	Agilent	E4446A	MY46180323	05/29/2019	05/28/2020
Antenna Tower	CCS	CC-A-1F	N/A	N.C.R	N.C.R
Controller	CCS	CC-C-1F	N/A	N.C.R	N.C.R
Turn Table	CCS	CC-T-1F	N/A	N.C.R	N.C.R
Software	e3 V6.11-20180413				

註: 以上部份設備跟量測值沒有影響，且沒有直接關聯，因此不需要進行校正。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 電源線傳導干擾之量測


5.1 適用標準

依據NCC低功率射頻電機技術規範2.3節之要求。

5.2 測試方法

將待測物置於0.8米高的非金屬桌面，使其在工作狀態，待測物電源線接至電源線阻抗穩定網路上，從測試接收機記錄頻率由 0.15MHz 至 30MHz 之間之電源線傳導放射強度的峰值量側 (Peak)並提供掃描圖，Mark 最大的六個頻率點進行準峰值量測(QP),如果準峰值QP結果值已低於AV限制值時將不再進行AV值的量測。

5.3 測試配置



5.4 干擾值之計算

電源傳導干擾電壓之計算公式如下

$$\text{結果值}(QP/AV \text{ Level}) = \text{儀器讀值}(QP/AV \text{ Reading}) + \text{校正因子}$$

其中校正因子為：

饋線損失 + 電源阻抗模擬網路損失

5.5 傳導干擾之量測結果

N/A，此產品使用CR2032 3V電池，故無須測試。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 場強輻射之量測

6.1 適用標準

依據NCC低功率射頻電機技術規範3.10節(2)之要求，(2)主波發射：距3公尺處其電場強度限值如下表，除諧波外，指定頻帶外之發射應比主波低50dB以上或依第2.8節之發射限制，兩者取其較鬆者。

6.2 量測方法

將待測物置於 0.8 米高的非金屬桌面，使其在工作狀態，接收天線置於 3 米外相同的高度。待測物分別要垂直或水平放置，而且桌面要 360 度旋轉，另外接收天線也要從 1.0 米至 4.0 米升降變化，以找出最大的輻射電場強度，接收天線置於水平、垂直極向各執行測試一次。1GHz 以下先進行Peak 值量測，若Peak 以低於QP 限制值將不在進行QP 量測，否則，則進行QP 值量測，1GHz 以上將待測物置於 1.5 米高的非金屬桌面，先進行Peak 值量測，若Peak 以低於AV 限制值將不在進行AV值量測，否則，則進行AV 值量測。

6.3 場強度之計算

A. 場強之計算公式如下

$$\text{結果值} = \text{讀值} + \text{校正因數}$$

其中校正因數為：

天線因數+ 饋線損失+ 濾波器損失（若有使用）- 放大器增益（若有使用）
量測結果請見下頁。

B. 限制值的計算公式如下

主波 (Average)

$$50 \text{ mV/m} = 20 \log (50 \times 1000) = 94 \text{ dBuV/m}$$

主波 (Peak)

$$114 \text{ dBuV/m} = 94 \text{ dBuV/m} + 20$$

諧波 (Average)

$$500 \text{ uV/m} = 20 \log (500) = 54 \text{ dBuV/m}$$

諧波 (Peak)

$$74 \text{ dBuV/m} = 54 \text{ dBuV/m} + 20$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9kHz~150kHz 測試

解析頻寬:	300Hz	視訊頻寬:	300Hz
量測天線:	ETS.LINDGREN	檢測器:	Quasi-Peak

150kHz~30MHz 測試

解析頻寬:	10kHz	視訊頻寬:	10kHz
量測天線:	ETS.LINDGREN	檢測器:	Quasi-Peak

1GHz 以下測試

解析頻寬:	100kHz	視訊頻寬:	100kHz
量測天線:	CBL 6112D	檢測器:	Quasi-Peak

1GHz 以上測試

量測天線:	3117	檢測器:	Peak, Average
頻譜分析儀設定	Peak: RBW: 1MHz ; VBW: 1MHz , Average: RBW: 1MHz ; VBW: 10Hz		

註 1:輻射量測僅放最差模式 (30MHz ~1000MHz) 。

註 2:經評估後，9 kHz ~ 30MHz 之輻射量測皆低於限制值 20dB 以上，依據 LP0002 5.13 規定混附發射毋需記錄。

註 3: 經評估後，比較 H PLAN、E1 PLAN 和 E2 PLAN 測試值後附上最差模式 E2 PLAN 數據。

註 4: Actual FS(dB_μV/m) = SPA. Reading level(dB_μV) + Factor(dB)

Factor(dB) = Antenna Factor(dB_μV/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.4 輻射之測試配置


(A) 量測頻率低於 30MHz 以下之測試配置



(B) 量測頻率 30MHz 至 1000MHz 之測試配置



(C) 量測頻率 1000MHz 以上之測試配置



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.5 場強輻射之量測結果

6.5.1 發射機 - 主波及頻帶邊緣

Project Number :T190611W01
Operation Band :2.4G
Fundamental Frequency :2457 MHz
Operation Mode :Main
EUT Pol. :E2 Plan

Test Date :2019-07-09
Temp./Humi. :24/49
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
2457.05	Peak	87.54	-3.08	84.46	114.00	-29.54
2457.05	Average	--	-32.39	52.07	94.00	-41.93

Note: Avg correct Factor = $20\log(2.4/100) = -32.39$


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Main
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
2457.03	Peak	96.15	-3.08	93.07	114.00	-20.93
2457.05	Average	--	-32.39	60.68	94.00	-33.32

Note: Avg correct Factor = $20\log(2.4 / 100) = -32.39$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.5.2 發射機諧波及指定頻帶外之場強輻射量測(1GHz 以下)

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Tx CH Mid
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :VERTICAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
105.66	Peak	35.30	-11.02	24.28	43.50	-19.22
199.75	Peak	26.46	-9.29	17.17	43.50	-26.33
333.61	Peak	27.19	-7.22	19.97	46.00	-26.03
419.94	Peak	26.63	-4.62	22.01	46.00	-23.99
449.04	Peak	26.95	-3.88	23.07	46.00	-22.93
631.40	Peak	25.48	-0.40	25.08	46.00	-20.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Tx CH Mid
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
105.66	Peak	34.37	-11.02	23.35	43.50	-20.15
199.75	Peak	26.38	-9.29	17.09	43.50	-26.41
413.15	Peak	26.25	-4.90	21.35	46.00	-24.65
488.81	Peak	25.44	-3.07	22.37	46.00	-23.63
752.65	Peak	26.15	2.17	28.32	46.00	-17.68
812.79	Peak	26.22	2.44	28.66	46.00	-17.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.5.3 發射機諧波及指定頻帶外之場強輻射量測(1GHz 以上)

Project Number :T190611W01
Operation Band :2.4G
Fundamental Frequency :2457 MHz
Operation Mode :Tx CH Mid
EUT Pol. :E2 Plan

Test Date :2019-07-09
Temp./Humi. :24/49
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4914.00	Peak	48.90	3.66	52.56	74.00	-21.44
4914.00	Average	--	-32.39	20.17	54.00	-33.83

Note: Avg correct Factor = $20\log(2.4 / 100) = -32.39$


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Tx CH Mid
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4914.00	Peak	58.46	3.66	62.12	74.00	-11.88
4914.00	Average	--	-32.39	29.73	54.00	-24.27

Note: Avg correct Factor = $20\log(2.4 / 100) = -32.39$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.5.4 接收機場強輻射之量測結果(1GHz 以下) (最差模式)

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Rx CH Mid
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :VERTICAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
105.66	Peak	34.42	-11.02	23.40	43.50	-20.10
162.89	Peak	27.27	-10.18	17.09	43.50	-26.41
374.35	Peak	25.65	-6.37	19.28	46.00	-26.72
449.04	Peak	27.32	-3.88	23.44	46.00	-22.56
623.64	Peak	25.34	-0.66	24.68	46.00	-21.32
715.79	Peak	26.25	0.41	26.66	46.00	-19.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Rx CH Mid
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
105.66	Peak	33.25	-11.02	22.23	43.50	-21.27
219.15	Peak	28.13	-11.37	16.76	46.00	-29.24
265.71	Peak	27.85	-8.88	18.97	46.00	-27.03
483.96	Peak	27.40	-3.03	24.37	46.00	-21.63
536.34	Peak	25.76	-2.18	23.58	46.00	-22.42
663.41	Peak	25.62	0.05	25.67	46.00	-20.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.5.5 接收機場強輻射之量測結果(1GHz 以上) (最差模式)

Project Number	:T190611W01	Test Date	:2019-07-09
Operation Band	:2.4G	Temp./Humi.	:24/49
Fundamental Frequency	:2457 MHz	Engineer	:Kane
Operation Mode	:Rx CH Mid	Measurement Antenna Pol.	:VERTICAL
EUT Pol.	:E2 Plan		



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
2099.00	Peak	40.47	-2.65	37.82	74.00	-36.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number :T190611W01
 Operation Band :2.4G
 Fundamental Frequency :2457 MHz
 Operation Mode :Rx CH Mid
 EUT Pol. :E2 Plan

Test Date :2019-07-09
 Temp./Humi. :24/49
 Engineer :Kane
 Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
2204.00	Peak	41.12	-3.06	38.06	74.00	-35.94

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.