


測試頻道: IEEE 802.11a / 5260 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5258.200	65.12	37.97	103.09	68.30	34.79	peak	主波訊號不予判定
2	X	5263.800	56.25	37.99	94.24	68.30	25.94	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5260 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10524.97	50.37	1.75	52.12	68.30	-16.18	peak	

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5298.500	66.48	38.03	104.51	68.30	36.21	peak	主波訊號不予判定
2	X	5301.000	57.96	38.03	95.99	68.30	27.69	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10601.26	38.77	1.87	40.64	54.00	-13.36	AVG	
2		10603.70	50.11	1.87	51.98	74.00	-22.02	peak	

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5303.100	66.90	38.03	104.93	68.30	36.63	peak	主波訊號不予判定
2	X	5303.500	57.39	38.03	95.42	68.30	27.12	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10600.49	50.08	1.87	51.95	74.00	-22.05	peak	
2	*	10603.70	38.80	1.87	40.67	54.00	-13.33	AVG	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5315.900	56.94	38.05	94.99	68.30	26.69	AVG	主波訊號不予判定
2	*	5316.100	65.78	38.05	103.83	68.30	35.53	peak	主波訊號不予判定
3		5350.000	17.58	38.09	55.67	74.00	-18.33	peak	
4		5350.000	7.27	38.09	45.36	54.00	-8.64	AVG	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10641.02	50.85	1.94	52.79	74.00	-21.21	peak	
2	*	10644.63	39.53	1.94	41.47	54.00	-12.53	AVG	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5318.100	64.66	38.05	102.71	68.30	34.41	peak	主波訊號不予判定
2	X	5323.700	55.60	38.05	93.65	68.30	25.35	AVG	主波訊號不予判定
3		5350.000	17.08	38.09	55.17	74.00	-18.83	peak	
4		5350.000	7.12	38.09	45.21	54.00	-8.79	AVG	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10636.24	39.35	1.94	41.29	54.00	-12.71	AVG	
2		10638.56	50.24	1.94	52.18	74.00	-21.82	peak	

測試頻道: IEEE 802.11n (HT20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5261.200	65.34	37.99	103.33	68.30	35.03	AVG	主波訊號不予判定
2	*	5263.700	73.15	37.99	111.14	68.30	42.84	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10521.31	51.22	1.75	52.97	68.30	-15.33	peak	

測試頻道: IEEE 802.11n (HT20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5261.600	71.32	37.99	109.31	68.30	41.01	peak	主波訊號不予判定
2	X	5262.400	63.76	37.99	101.75	68.30	33.45	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10522.31	51.14	1.75	52.89	68.30	-15.41	peak	

測試頻道: IEEE 802.11n (HT20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5298.300	73.62	38.03	111.65	68.30	43.35	peak	主波訊號不予判定
2	X	5301.800	64.32	38.03	102.35	68.30	34.05	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10601.69	50.71	1.87	52.58	74.00	-21.42	peak	
2	*	10602.44	39.01	1.87	40.88	54.00	-13.12	AVG	

測試頻道: IEEE 802.11n (HT20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5298.500	72.61	38.03	110.64	68.30	42.34	peak	主波訊號不予判定
2	X	5301.600	63.26	38.03	101.29	68.30	32.99	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10601.88	39.01	1.87	40.88	54.00	-13.12	AVG	
2		10602.09	51.26	1.87	53.13	74.00	-20.87	peak	

測試頻道: IEEE 802.11n (HT20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5317.300	64.22	38.05	102.27	68.30	33.97	AVG	主波訊號不予判定
2	*	5322.200	73.90	38.05	111.95	68.30	43.65	peak	主波訊號不予判定
3		5350.000	18.93	38.09	57.02	74.00	-16.98	peak	
4		5350.000	10.57	38.09	48.66	54.00	-5.34	AVG	

測試頻道: IEEE 802.11n (HT20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		10638.53	50.31	1.94	52.25	74.00	-21.75	peak
2	*	10642.40	39.14	1.94	41.08	54.00	-12.92	AVG

測試頻道: IEEE 802.11n (HT20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5317.500	60.37	38.05	98.42	68.30	30.12	AVG	主波訊號不予判定
2	*	5322.200	69.56	38.05	107.61	68.30	39.31	peak	主波訊號不予判定
3		5350.000	19.03	38.09	57.12	74.00	-16.88	peak	
4		5350.000	7.99	38.09	46.08	54.00	-7.92	AVG	

測試頻道: IEEE 802.11n (HT20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




測試頻道: IEEE 802.11n (HT40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5263.600	61.20	37.99	99.19	68.30	30.89	AVG	主波訊號不予判定
2	*	5282.100	69.90	38.01	107.91	68.30	39.61	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.00	50.58	1.78	52.36	68.30	-15.94	peak	

測試頻道: IEEE 802.11n (HT40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5268.300	56.10	37.99	94.09	68.30	25.79	AVG	主波訊號不予判定
2	*	5280.400	67.39	38.01	105.40	68.30	37.10	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.00	50.67	1.78	52.45	68.30	-15.85	peak	

測試頻道: IEEE 802.11n (HT40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5317.300	70.52	38.05	108.57	68.30	40.27	peak	主波訊號不予判定
2	X	5317.700	60.63	38.05	98.68	68.30	30.38	AVG	主波訊號不予判定
3		5350.000	18.73	38.09	56.82	74.00	-17.18	peak	
4		5350.000	10.83	38.09	48.92	54.00	-5.08	AVG	

測試頻道: IEEE 802.11n (HT40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.00	50.55	1.90	52.45	74.00	-21.55	peak	
2	*	10620.00	38.94	1.90	40.84	54.00	-13.16	AVG	

測試頻道: IEEE 802.11n (HT40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5321.000	58.96	38.05	97.01	68.30	28.71	AVG	主波訊號不予判定
2	*	5321.100	68.45	38.05	106.50	68.30	38.20	peak	主波訊號不予判定
3		5350.000	18.91	38.09	57.00	74.00	-17.00	peak	
4		5350.000	10.28	38.09	48.37	54.00	-5.63	AVG	

測試頻道: IEEE 802.11n (HT40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.00	50.61	1.90	52.51	74.00	-21.49	peak	
2	*	10620.00	38.93	1.90	40.83	54.00	-13.17	AVG	

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	14.85	38.23	53.08	74.00	-20.92	peak	
2		5460.000	5.99	38.23	44.22	54.00	-9.78	AVG	
3		5470.000	16.08	38.23	54.31	68.30	-13.99	peak	
4	*	5502.500	65.21	38.27	103.48	68.30	35.18	peak	主波訊號不予判定
5	X	5503.400	57.01	38.28	95.29	68.30	26.99	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		11000.10	49.13	2.49	51.62	74.00	-22.38	peak	
2	*	11002.38	37.54	2.49	40.03	54.00	-13.97	AVG	

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	18.78	38.23	57.01	74.00	-16.99	peak	
2		5460.000	5.79	38.23	44.02	54.00	-9.98	AVG	
3		5470.000	16.99	38.23	55.22	68.30	-13.08	peak	
4	*	5502.600	64.15	38.27	102.42	68.30	34.12	peak	主波訊號不予判定
5	X	5503.800	55.85	38.28	94.13	68.30	25.83	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11000.25	37.83	2.49	40.32	54.00	-13.68	AVG	
2		11001.01	50.03	2.49	52.52	74.00	-21.48	peak	

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5576.800	56.89	38.42	95.31	68.30	27.01	AVG	主波訊號不予判定
2	*	5581.900	65.14	38.44	103.58	68.30	35.28	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11158.89	49.95	2.63	52.58	74.00	-21.42	peak	
2	*	11161.02	37.76	2.63	40.39	54.00	-13.61	AVG	

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5575.800	64.10	38.42	102.52	68.30	34.22	peak	主波訊號不予判定
2	X	5576.400	55.34	38.42	93.76	68.30	25.46	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11160.54	37.87	2.63	40.50	54.00	-13.50	AVG	
2		11161.69	49.08	2.63	51.71	74.00	-22.29	peak	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5694.700	67.24	38.67	105.91	68.30	37.61	peak	主波訊號不予判定
2	X	5697.800	58.29	38.68	96.97	68.30	28.67	AVG	主波訊號不予判定
3		5725.000	15.63	38.73	54.36	68.30	-13.94	peak	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11401.05	49.53	2.82	52.35	74.00	-21.65	peak	
2	*	11401.43	38.35	2.82	41.17	54.00	-12.83	AVG	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5696.700	56.47	38.67	95.14	68.30	26.84	AVG	主波訊號不予判定
2	*	5701.200	66.06	38.68	104.74	68.30	36.44	peak	主波訊號不予判定
3		5725.000	15.87	38.73	54.60	68.30	-13.70	peak	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11400.48	38.37	2.82	41.19	54.00	-12.81	AVG	
2		11401.11	49.80	2.82	52.62	74.00	-21.38	peak	

測試頻道: IEEE 802.11n (HT20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	14.98	38.23	53.21	74.00	-20.79	peak	
2		5460.000	7.33	38.23	45.56	54.00	-8.44	AVG	
3		5470.000	21.67	38.23	59.90	68.30	-8.40	peak	
4	X	5502.200	65.15	38.27	103.42	68.30	35.12	AVG	主波訊號不予判定
5	*	5503.600	74.08	38.28	112.36	68.30	44.06	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10997.93	37.56	2.49	40.05	54.00	-13.95	AVG	
2		10998.72	49.67	2.49	52.16	74.00	-21.84	peak	

測試頻道: IEEE 802.11n (HT20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	16.79	38.23	55.02	74.00	-18.98	peak	
2		5460.000	6.40	38.23	44.63	54.00	-9.37	AVG	
3		5470.000	18.70	38.23	56.93	68.30	-11.37	peak	
4	*	5497.100	71.32	38.27	109.59	68.30	41.29	peak	主波訊號不予判定
5	X	5497.900	62.60	38.27	100.87	68.30	32.57	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11000.63	37.74	2.49	40.23	54.00	-13.77	AVG	
2		11002.33	49.54	2.49	52.03	74.00	-21.97	peak	

測試頻道: IEEE 802.11n (HT20) /
5580 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5579.000	61.10	38.43	99.53	68.30	31.23	AVG	主波訊號不予判定
2	*	5583.000	68.82	38.44	107.26	68.30	38.96	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5580 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11159.52	49.65	2.63	52.28	74.00	-21.72	peak	
2	*	11161.91	37.86	2.63	40.49	54.00	-13.51	AVG	

測試頻道: IEEE 802.11n (HT20) /
5580 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5583.500	59.10	38.44	97.54	68.30	29.24	AVG	主波訊號不予判定
2	*	5584.700	67.23	38.45	105.68	68.30	37.38	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5580 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	*	11158.05	37.98	2.63	40.61	54.00	-13.39	AVG
2		11161.63	50.04	2.63	52.67	74.00	-21.33	peak

測試頻道: IEEE 802.11n (HT20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5701.100	63.44	38.68	102.12	68.30	33.82	AVG	主波訊號不予判定
2	*	5701.600	72.41	38.68	111.09	68.30	42.79	peak	主波訊號不予判定
3		5725.000	25.76	38.73	64.49	68.30	-3.81	peak	

測試頻道: IEEE 802.11n (HT20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		11397.66	49.93	2.82	52.75	74.00	-21.25	peak	
2	*	11399.56	38.18	2.82	41.00	54.00	-13.00	AVG	

測試頻道: IEEE 802.11n (HT20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5698.400	70.82	38.68	109.50	68.30	41.20	peak	主波訊號不予判定
2	X	5703.800	61.23	38.69	99.92	68.30	31.62	AVG	主波訊號不予判定
3		5725.000	24.85	38.73	63.58	68.30	-4.72	peak	

測試頻道: IEEE 802.11n (HT20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11400.47	38.36	2.82	41.18	54.00	-12.82	AVG	
2		11401.98	49.98	2.83	52.81	74.00	-21.19	peak	

測試頻道: IEEE 802.11n (HT40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	21.39	38.23	59.62	74.00	-14.38	peak	
2		5460.000	12.21	38.23	50.44	54.00	-3.56	AVG	
3		5470.000	22.90	38.23	61.13	68.30	-7.17	peak	
4	X	5498.400	57.34	38.27	95.61	68.30	27.31	AVG	主波訊號不予判定
5	*	5499.600	66.59	38.27	104.86	68.30	36.56	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11020.51	48.86	2.50	51.36	74.00	-22.64	peak	
2	*	11021.36	37.81	2.50	40.31	54.00	-13.69	AVG	

測試頻道: IEEE 802.11n (HT40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09


Orthogonal Axis: X

Polarization: Horizontal



測試頻道: IEEE 802.11n (HT40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11019.09	37.96	2.50	40.46	54.00	-13.54	AVG	
2		11020.06	49.79	2.50	52.29	74.00	-21.71	peak	

測試頻道: IEEE 802.11n (HT40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5559.400	72.00	38.40	110.40	68.30	42.10	peak	主波訊號不予判定
2	X	5560.500	63.04	38.40	101.44	68.30	33.14	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10998.03	37.74	2.49	40.23	54.00	-13.77	AVG	
2		10998.10	49.67	2.49	52.16	74.00	-21.84	peak	

測試頻道: IEEE 802.11n (HT40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5555.500	69.49	38.38	107.87	68.30	39.57	peak	主波訊號不予判定
2	X	5560.100	60.98	38.40	99.38	68.30	31.08	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10999.20	37.66	2.49	40.15	54.00	-13.85	AVG	
2		11000.17	49.48	2.49	51.97	74.00	-22.03	peak	

測試頻道: IEEE 802.11n (HT40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5679.300	72.57	38.64	111.21	68.30	42.91	peak	主波訊號不予判定
2	X	5679.800	62.28	38.64	100.92	68.30	32.62	AVG	主波訊號不予判定
3		5725.000	21.49	38.73	60.22	68.30	-8.08	peak	

測試頻道: IEEE 802.11n (HT40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11339.45	49.60	2.77	52.37	74.00	-21.63	peak	
2	*	11339.68	38.15	2.77	40.92	54.00	-13.08	AVG	

測試頻道: IEEE 802.11n (HT40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5667.300	61.09	38.61	99.70	68.30	31.40	peak	主波訊號不予判定
2	*	5677.000	69.81	38.63	108.44	68.30	40.14	peak	主波訊號不予判定
3		5725.000	20.54	38.73	59.27	68.30	-9.03	peak	

測試頻道: IEEE 802.11n (HT40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11339.23	50.21	2.77	52.98	74.00	-21.02	peak	
2	*	11341.97	38.14	2.77	40.91	54.00	-13.09	AVG	

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	15.27	38.70	53.97	109.40	-55.43	peak	
2		5725.000	16.59	38.73	55.32	122.20	-66.88	peak	
3	*	5743.700	66.70	38.77	105.47	122.20	-16.73	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV


測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11490.03	38.27	2.89	41.16	54.00	-12.84	AVG	
2		11490.86	50.61	2.89	53.50	74.00	-20.50	peak	

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	15.31	38.70	54.01	109.40	-55.39	peak	
2		5725.000	14.63	38.73	53.36	122.20	-68.84	peak	
3	*	5741.500	66.21	38.77	104.98	122.20	-17.22	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11490.11	50.20	2.89	53.09	74.00	-20.91	peak	
2	*	11490.17	38.25	2.89	41.14	54.00	-12.86	AVG	

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5782.800	66.85	38.84	105.69	122.20	-16.51	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11568.80	49.49	2.73	52.22	74.00	-21.78	peak	
2	*	11570.74	38.30	2.71	41.01	54.00	-12.99	AVG	

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5783.300	64.68	38.84	103.52	122.20	-18.68	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11570.34	50.56	2.72	53.28	74.00	-20.72	peak	
2	*	11570.95	38.49	2.71	41.20	54.00	-12.80	AVG	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5827.100	64.81	38.93	103.74	122.20	-18.46	peak	主波訊號不予判定
2		5850.000	16.15	38.98	55.13	122.20	-67.07	peak	
3		5860.000	15.54	39.01	54.55	109.40	-54.85	peak	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11649.69	38.41	2.50	40.91	54.00	-13.09	AVG	
2		11651.56	50.20	2.50	52.70	74.00	-21.30	peak	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5821.000	64.04	38.92	102.96	122.20	-19.24	peak	主波訊號不予判定
2		5850.000	17.41	38.98	56.39	122.20	-65.81	peak	
3		5860.000	15.85	39.01	54.86	109.40	-54.54	peak	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz/1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 3000 kHz/10 Hz
 測試距離: 3 米
 測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11648.75	50.69	2.50	53.19	74.00	-20.81	peak	
2	*	11650.83	38.36	2.50	40.86	54.00	-13.14	AVG	

測試頻道: IEEE 802.11n (HT20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	17.27	38.70	55.97	109.40	-53.43	peak	
2		5725.000	23.25	38.73	61.98	122.20	-60.22	peak	
3	*	5743.200	73.01	38.77	111.78	122.20	-10.42	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11490.26	38.14	2.89	41.03	54.00	-12.97	AVG	
2		11490.77	49.72	2.89	52.61	74.00	-21.39	peak	

測試頻道: IEEE 802.11n (HT20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	17.55	38.70	56.25	109.40	-53.15	peak	
2		5725.000	21.18	38.73	59.91	122.20	-62.29	peak	
3	*	5746.900	70.66	38.78	109.44	122.20	-12.76	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11488.47	38.28	2.89	41.17	54.00	-12.83	AVG	
2		11492.24	49.88	2.90	52.78	74.00	-21.22	peak	

測試頻道: IEEE 802.11n (HT20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5786.300	73.27	38.86	112.13	122.20	-10.07	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11571.26	49.60	2.71	52.31	74.00	-21.69	peak	
2	*	11572.19	38.29	2.71	41.00	54.00	-13.00	AVG	

測試頻道: IEEE 802.11n (HT20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5789.200	70.27	38.86	109.13	122.20	-13.07	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11568.74	38.22	2.73	40.95	54.00	-13.05	AVG	
2		11571.41	49.69	2.71	52.40	74.00	-21.60	peak	

測試頻道: IEEE 802.11n (HT20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5824.000	73.14	38.93	112.07	122.20	-10.13	peak	主波訊號不予判定
2		5850.000	25.47	38.98	64.45	122.20	-57.75	peak	
3		5860.000	17.62	39.01	56.63	109.40	-52.77	peak	

測試頻道: IEEE 802.11n (HT20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11650.48	50.52	2.50	53.02	74.00	-20.98	peak	
2	*	11651.39	38.58	2.50	41.08	54.00	-12.92	AVG	

測試頻道: IEEE 802.11n (HT20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5823.000	69.72	38.93	108.65	122.20	-13.55	peak	主波訊號不予判定
2		5850.000	18.49	38.98	57.47	122.20	-64.73	peak	
3		5860.000	16.95	39.01	55.96	109.40	-53.44	peak	

測試頻道: IEEE 802.11n (HT20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11648.26	50.97	2.50	53.47	74.00	-20.53	peak	
2	*	11649.44	38.68	2.50	41.18	54.00	-12.82	AVG	

測試頻道: IEEE 802.11n (HT40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	23.57	38.70	62.27	109.40	-47.13	peak	
2		5725.000	25.74	38.73	64.47	122.20	-57.73	peak	
3	*	5762.300	70.84	38.81	109.65	122.20	-12.55	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11507.60	49.94	2.88	52.82	74.00	-21.18	peak	
2	*	11507.94	38.23	2.88	41.11	54.00	-12.89	AVG	


測試頻道: IEEE 802.11n (HT40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



測試頻道: IEEE 802.11n (HT40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11508.15	38.37	2.88	41.25	54.00	-12.75	AVG	
2		11512.50	49.96	2.88	52.84	74.00	-21.16	peak	

測試頻道: IEEE 802.11n (HT40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5798.700	71.36	38.88	110.24	122.20	-11.96	peak	主波訊號不予判定
2		5850.000	19.23	38.98	58.21	122.20	-63.99	peak	
3		5860.000	18.97	39.01	57.98	109.40	-51.42	peak	

測試頻道: IEEE 802.11n (HT40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11588.91	50.29	2.67	52.96	74.00	-21.04	peak	
2	*	11589.94	38.33	2.67	41.00	54.00	-13.00	AVG	

測試頻道: IEEE 802.11n (HT40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5804.900	70.86	38.89	109.75	122.20	-12.45	peak	主波訊號不予判定
2		5850.000	18.16	38.98	57.14	122.20	-65.06	peak	
3		5860.000	16.02	39.01	55.03	109.40	-54.37	peak	

測試頻道: IEEE 802.11n (HT40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11589.36	38.35	2.67	41.02	54.00	-12.98	AVG	
2		11591.64	49.50	2.66	52.16	74.00	-21.84	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	15.73	37.31	53.04	74.00	-20.96	peak	
2		5150.000	9.64	37.31	46.95	54.00	-7.05	AVG	
3	*	5186.400	63.48	37.34	100.82	68.30	32.52	peak	主波訊號不予判定
4	X	5197.600	53.52	37.36	90.88	68.30	22.58	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10421.93	50.51	1.64	52.15	68.30	-16.15	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5150.000	15.79	37.31	53.10	74.00	-20.90	peak	
2		5150.000	8.35	37.31	45.66	54.00	-8.34	AVG	
3	*	5186.000	57.21	37.34	94.55	68.30	26.25	peak	主波訊號不予判定
4	X	5186.800	46.11	37.34	83.45	68.30	15.15	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10419.61	49.90	1.64	51.54	68.30	-16.76	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5274.800	52.25	37.44	89.69	68.30	21.39	AVG	主波訊號不予判定
2	*	5277.200	61.81	37.45	99.26	68.30	30.96	peak	主波訊號不予判定
3		5350.000	18.18	37.53	55.71	74.00	-18.29	peak	
4		5350.000	9.25	37.53	46.78	54.00	-7.22	AVG	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10578.80	49.55	1.84	51.39	68.30	-16.91	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5266.400	53.75	37.43	91.18	68.30	22.88	peak	主波訊號不予判定
2	X	5313.200	44.28	37.49	81.77	68.30	13.47	AVG	主波訊號不予判定
3		5350.000	16.84	37.53	54.37	74.00	-19.63	peak	
4		5350.000	7.83	37.53	45.36	54.00	-8.64	AVG	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10579.50	49.61	1.84	51.45	68.30	-16.85	peak	

測試頻道: IEEE 802.11ac (VHT160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5258.000	57.60	37.42	95.02	68.30	26.72	peak	主波訊號不予判定
2	X	5258.000	49.39	37.42	86.81	68.30	18.51	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10499.41	50.61	1.72	52.33	68.30	-15.97	peak	

測試頻道: IEEE 802.11ac (VHT160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5235.600	48.23	37.40	85.63	68.30	17.33	peak	主波訊號不予判定
2	X	5258.800	39.81	37.43	77.24	68.30	8.94	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10497.89	51.06	1.72	52.78	68.30	-15.52	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	17.07	37.65	54.72	74.00	-19.28	peak	
2		5460.000	8.51	37.65	46.16	54.00	-7.84	AVG	
3		5470.000	18.07	37.66	55.73	68.30	-12.57	peak	
4	*	5527.600	60.15	37.74	97.89	68.30	29.59	peak	主波訊號不予判定
5	X	5533.200	50.73	37.76	88.49	68.30	20.19	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11059.82	38.25	2.54	40.79	54.00	-13.21	AVG	
2		11062.22	49.98	2.54	52.52	74.00	-21.48	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	16.58	37.65	54.23	74.00	-19.77	peak	
2		5460.000	7.70	37.65	45.35	54.00	-8.65	AVG	
3		5470.000	15.11	37.66	52.77	68.30	-15.53	peak	
4	*	5523.200	56.81	37.74	94.55	68.30	26.25	peak	主波訊號不予判定
5	X	5533.600	46.83	37.76	84.59	68.30	16.29	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11058.97	38.13	2.54	40.67	54.00	-13.33	AVG	
2		11060.40	49.83	2.54	52.37	74.00	-21.63	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5602.800	60.12	37.90	98.02	68.30	29.72	peak	主波訊號不予判定
2	X	5613.600	50.35	37.92	88.27	68.30	19.97	AVG	主波訊號不予判定
3		5725.000	14.64	38.15	52.79	68.30	-15.51	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11219.14	50.07	2.67	52.74	74.00	-21.26	peak	
2	*	11221.13	38.64	2.67	41.31	54.00	-12.69	AVG	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5592.400	58.42	37.88	96.30	68.30	28.00	peak	主波訊號不予判定
2	X	5633.200	47.99	37.96	85.95	68.30	17.65	AVG	主波訊號不予判定
3		5725.000	14.79	38.15	52.94	68.30	-15.36	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AVG

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11219.30	49.67	2.67	52.34	74.00	-21.66	peak	
2	*	11222.11	38.61	2.67	41.28	54.00	-12.72	AVG	

測試頻道: IEEE 802.11ac (VHT160) /
5570 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5517.200	47.64	37.73	85.37	68.30	17.07	AVG	主波訊號不予判定
2	*	5522.000	56.72	37.74	94.46	68.30	26.16	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT160) /
5570 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11113.32	49.27	2.58	51.85	74.00	-22.15	peak	
2	*	11114.77	38.01	2.58	40.59	54.00	-13.41	AVG	

測試頻道: IEEE 802.11ac (VHT160) /
5570 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5542.800	46.25	37.78	84.03	68.30	15.73	peak	主波訊號不予判定
2	X	5586.000	37.60	37.87	75.47	68.30	7.17	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT160) /
5570 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11114.02	38.41	2.58	40.99	54.00	-13.01	AVG	
2		11116.11	49.82	2.59	52.41	74.00	-21.59	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	17.44	38.13	55.57	109.40	-53.83	peak	
2		5725.000	20.71	38.15	58.86	122.20	-63.34	peak	
3	*	5770.200	57.50	38.24	95.74	122.20	-26.46	peak	主波訊號不予判定
4		5850.000	19.11	38.41	57.52	122.20	-64.68	peak	
5		5860.000	16.46	38.44	54.90	109.40	-54.50	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11548.81	38.62	2.77	41.39	54.00	-12.61	AVG	
2		11552.14	49.98	2.77	52.75	74.00	-21.25	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		5715.000	16.55	38.13	54.68	109.40	-54.72	peak	
2		5725.000	17.22	38.15	55.37	122.20	-66.83	peak	
3	*	5751.400	56.68	38.21	94.89	122.20	-27.31	peak	主波訊號不予判定
4		5850.000	17.47	38.41	55.88	122.20	-66.32	peak	
5		5860.000	15.52	38.44	53.96	109.40	-55.44	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11550.77	49.32	2.77	52.09	74.00	-21.91	peak	
2	*	11551.08	38.74	2.77	41.51	54.00	-12.49	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5180 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	15.70	37.85	53.55	74.00	-20.45	peak	
2		5150.000	6.70	37.85	44.55	54.00	-9.45	AVG	
3	X	5183.700	62.40	37.89	100.29	68.30	31.99	AVG	主波訊號不予判定
4	*	5183.900	71.21	37.89	109.10	68.30	40.80	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5180 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10360.80	49.81	1.58	51.39	68.30	-16.91	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5180 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	16.47	37.85	54.32	74.00	-19.68	peak	
2		5150.000	6.86	37.85	44.71	54.00	-9.29	AVG	
3	*	5176.000	69.19	37.89	107.08	68.30	38.78	peak	主波訊號不予判定
4	X	5183.400	60.06	37.89	97.95	68.30	29.65	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5180 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10362.02	51.57	1.58	53.15	68.30	-15.15	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5200 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5197.500	63.29	37.91	101.20	68.30	32.90	AVG	主波訊號不予判定
2	*	5204.500	74.37	37.91	112.28	68.30	43.98	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5200 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10399.71	50.89	1.62	52.51	68.30	-15.79	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5200 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5198.900	72.09	37.91	110.00	68.30	41.70	peak	主波訊號不予判定
2	X	5201.800	62.60	37.91	100.51	68.30	32.21	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5200 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10399.27	50.56	1.62	52.18	68.30	-16.12	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5240 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5243.500	74.03	37.97	112.00	68.30	43.70	peak	主波訊號不予判定
2	X	5244.000	64.18	37.97	102.15	68.30	33.85	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5240 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10479.78	50.33	1.69	52.02	68.30	-16.28	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5240 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5243.500	73.50	37.97	111.47	68.30	43.17	peak	主波訊號不予判定
2	X	5243.600	62.71	37.97	100.68	68.30	32.38	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5240 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10479.57	51.05	1.69	52.74	68.30	-15.56	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5190 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	20.15	37.85	58.00	74.00	-16.00	peak	
2		5150.000	9.48	37.85	47.33	54.00	-6.67	AVG	
3	*	5198.100	68.11	37.91	106.02	68.30	37.72	peak	主波訊號不予判定
4	X	5201.000	58.36	37.91	96.27	68.30	27.97	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5190 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10379.64	50.11	1.59	51.70	68.30	-16.60	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5190 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	18.56	37.85	56.41	74.00	-17.59	peak	
2		5150.000	9.10	37.85	46.95	54.00	-7.05	AVG	
3	*	5181.100	66.89	37.89	104.78	68.30	36.48	peak	主波訊號不予判定
4	X	5181.900	57.04	37.89	94.93	68.30	26.63	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5190 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10388.20	50.14	1.60	51.74	68.30	-16.56	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5230 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5240.700	69.76	37.95	107.71	68.30	39.41	peak	主波訊號不予判定
2	X	5241.600	60.15	37.95	98.10	68.30	29.80	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5230 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10459.02	51.24	1.68	52.92	68.30	-15.38	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5230 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5220.900	68.62	37.93	106.55	68.30	38.25	peak	主波訊號不予判定
2	X	5221.200	54.95	37.93	92.88	68.30	24.58	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5230 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10457.78	50.62	1.68	52.30	68.30	-16.00	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	17.29	37.85	55.14	74.00	-18.86	peak	
2		5150.000	8.04	37.85	45.89	54.00	-8.11	AVG	
3	X	5206.000	53.41	37.91	91.32	68.30	23.02	AVG	主波訊號不予判定
4	*	5207.000	61.59	37.91	99.50	68.30	31.20	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10420.00	49.99	1.64	51.63	68.30	-16.67	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	15.45	37.85	53.30	74.00	-20.70	peak	
2		5150.000	7.52	37.85	45.37	54.00	-8.63	AVG	
3	X	5233.200	52.75	37.95	90.70	68.30	22.40	AVG	主波訊號不予判定
4	*	5234.000	62.87	37.95	100.82	68.30	32.52	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW80) /
5210 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10420.00	49.92	1.64	51.56	68.30	-16.74	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5256.500	74.36	37.97	112.33	68.30	44.03	peak	主波訊號不予判定
2	X	5262.200	65.55	37.99	103.54	68.30	35.24	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10519.91	51.25	1.75	53.00	68.30	-15.30	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5260 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5261.300	62.12	37.99	100.11	68.30	31.81	AVG	主波訊號不予判定
2	*	5261.600	70.72	37.99	108.71	68.30	40.41	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5260 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10522.04	50.59	1.75	52.34	68.30	-15.96	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5295.500	74.02	38.03	112.05	68.30	43.75	peak	主波訊號不予判定
2	X	5302.600	63.71	38.03	101.74	68.30	33.44	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10600.24	51.32	1.87	53.19	74.00	-20.81	peak	
2	*	10601.77	38.85	1.87	40.72	54.00	-13.28	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5301.100	71.39	38.03	109.42	68.30	41.12	peak	主波訊號不予判定
2	X	5303.500	62.74	38.03	100.77	68.30	32.47	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5300 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10600.39	50.19	1.87	52.06	74.00	-21.94	peak	
2	*	10600.91	38.89	1.87	40.76	54.00	-13.24	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5316.900	72.29	38.05	110.34	68.30	42.04	peak	主波訊號不予判定
2	X	5321.100	63.85	38.05	101.90	68.30	33.60	AVG	主波訊號不予判定
3		5350.000	19.58	38.09	57.67	74.00	-16.33	peak	
4		5350.000	10.03	38.09	48.12	54.00	-5.88	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10639.58	39.28	1.94	41.22	54.00	-12.78	AVG	
2		10639.72	50.99	1.94	52.93	74.00	-21.07	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5317.700	73.64	38.05	111.69	68.30	43.39	peak	主波訊號不予判定
2	X	5321.900	63.75	38.05	101.80	68.30	33.50	AVG	主波訊號不予判定
3		5350.000	17.85	38.09	55.94	74.00	-18.06	peak	
4		5350.000	8.90	38.09	46.99	54.00	-7.01	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5320 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10638.78	50.16	1.94	52.10	74.00	-21.90	peak	
2	*	10642.25	39.09	1.94	41.03	54.00	-12.97	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5270 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5266.200	60.41	37.99	98.40	68.30	30.10	AVG	主波訊號不予判定
2	*	5278.100	71.20	38.01	109.21	68.30	40.91	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.80	49.98	1.78	51.76	68.30	-16.54	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5261.100	58.63	37.99	96.62	68.30	28.32	AVG	主波訊號不予判定
2	*	5264.500	67.81	37.99	105.80	68.30	37.50	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5270 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10539.88	50.39	1.78	52.17	68.30	-16.13	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5313.800	70.75	38.05	108.80	68.30	40.50	peak	主波訊號不予判定
2	X	5322.100	59.90	38.05	97.95	68.30	29.65	AVG	主波訊號不予判定
3		5350.000	22.78	38.09	60.87	74.00	-13.13	peak	
4		5350.000	12.84	38.09	50.93	54.00	-3.07	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10620.00	50.02	1.90	51.92	74.00	-22.08	peak	
2	*	10620.00	39.07	1.90	40.97	54.00	-13.03	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5299.700	69.06	38.03	107.09	68.30	38.79	peak	主波訊號不予判定
2	X	5303.900	57.69	38.03	95.72	68.30	27.42	AVG	主波訊號不予判定
3		5350.000	19.79	38.09	57.88	74.00	-16.12	peak	
4		5350.000	10.42	38.09	48.51	54.00	-5.49	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5310 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10620.00	50.66	1.90	52.56	74.00	-21.44	peak	
2	*	10620.00	39.07	1.90	40.97	54.00	-13.03	AVG	

測試頻道: IEEE 802.11ax (HEW80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5281.800	64.23	38.01	102.24	68.30	33.94	peak	主波訊號不予判定
2	X	5313.200	55.11	38.05	93.16	68.30	24.86	AVG	主波訊號不予判定
3		5350.000	19.83	38.09	57.92	74.00	-16.08	peak	
4		5350.000	12.32	38.09	50.41	54.00	-3.59	AVG	

測試頻道: IEEE 802.11ax (HEW80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10580.00	50.03	1.84	51.87	68.30	-16.43	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5265.600	52.60	37.99	90.59	68.30	22.29	AVG	主波訊號不予判定
2	*	5265.800	63.20	37.99	101.19	68.30	32.89	peak	主波訊號不予判定
3		5350.000	18.30	38.09	56.39	74.00	-17.61	peak	
4		5350.000	10.05	38.09	48.14	54.00	-5.86	AVG	

測試頻道: IEEE 802.11ax (HEW80) /
5290 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10580.00	50.11	1.84	51.95	68.30	-16.35	peak	

測試頻道: IEEE 802.11ax (HEW160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	14.33	37.85	52.18	74.00	-21.82	peak	
2		5150.000	9.09	37.85	46.94	54.00	-7.06	AVG	
3	X	5256.400	51.28	37.97	89.25	68.30	20.95	AVG	主波訊號不予判定
4	*	5302.400	56.55	38.03	94.58	68.30	26.28	peak	主波訊號不予判定
5		5350.000	18.85	38.09	56.94	74.00	-17.06	peak	
6		5350.000	12.80	38.09	50.89	54.00	-3.11	AVG	

測試頻道: IEEE 802.11ax (HEW160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10500.00	50.28	1.72	52.00	68.30	-16.30	peak	

測試頻道: IEEE 802.11ax (HEW160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	14.03	37.85	51.88	74.00	-22.12	peak	
2		5150.000	8.62	37.85	46.47	54.00	-7.53	AVG	
3	X	5242.000	49.63	37.97	87.60	68.30	19.30	AVG	主波訊號不予判定
4	*	5277.600	57.28	38.01	95.29	68.30	26.99	peak	主波訊號不予判定
5		5350.000	16.38	38.09	54.47	74.00	-19.53	peak	
6		5350.000	9.68	38.09	47.77	54.00	-6.23	AVG	

測試頻道: IEEE 802.11ax (HEW160) /
5250 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10500.00	50.94	1.72	52.66	68.30	-15.64	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	17.37	38.23	55.60	74.00	-18.40	peak	
2		5460.000	7.92	38.23	46.15	54.00	-7.85	AVG	
3		5470.000	19.94	38.23	58.17	68.30	-10.13	peak	
4	*	5498.200	72.89	38.27	111.16	68.30	42.86	peak	主波訊號不予判定
5	X	5501.000	64.31	38.27	102.58	68.30	34.28	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1	*	10999.87	37.78	2.49	40.27	54.00	-13.73	AVG
2		11002.01	49.23	2.49	51.72	74.00	-22.28	peak

測試頻道: IEEE 802.11ax (HEW20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	15.87	38.23	54.10	74.00	-19.90	peak	
2		5460.000	7.30	38.23	45.53	54.00	-8.47	AVG	
3		5470.000	19.65	38.23	57.88	68.30	-10.42	peak	
4	*	5501.100	69.59	38.27	107.86	68.30	39.56	peak	主波訊號不予判定
5	X	5502.200	60.86	38.27	99.13	68.30	30.83	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5500 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10998.91	37.71	2.49	40.20	54.00	-13.80	AVG	
2		11000.45	49.67	2.49	52.16	74.00	-21.84	peak	

測試頻道:	IEEE 802.11ax (HEW20) /	測試模式:	發射
	5580 MHz		
解析頻寬:	1000 kHz/1000 kHz	視頻頻寬:	3000 kHz/10 Hz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5578.600	73.63	38.43	112.06	68.30	43.76	peak	主波訊號不予判定
2	X	5581.500	64.84	38.44	103.28	68.30	34.98	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5580 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11161.08	37.95	2.63	40.58	54.00	-13.42	AVG	
2		11161.47	49.73	2.63	52.36	74.00	-21.64	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5580 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5582.600	62.78	38.44	101.22	68.30	32.92	AVG	主波訊號不予判定
2	*	5583.000	72.00	38.44	110.44	68.30	42.14	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5580 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz


視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11161.20	37.82	2.63	40.45	54.00	-13.55	AVG	
2		11161.72	49.81	2.63	52.44	74.00	-21.56	peak	