



802.11ac(VHT160) MCH_6185MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.34	/	/	/	/
Adjacent	-160	160.00	-11.23	-31.57	-25	6.57	Pass
Adjacent	160	160.00	-9.79	-30.13	-25	5.13	Pass
Alternate	-320	160.00	-25.95	-46.29	-40	6.29	Pass
Alternate	320	160.00	-28.28	-48.62	-40	8.62	Pass

802.11ac(VHT160) MCH_6185MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.81	/	/	/	/
Adjacent	-160	160.00	-10.40	-31.21	-25	6.21	Pass
Adjacent	160	160.00	-7.47	-28.28	-25	3.28	Pass
Alternate	-320	160.00	-25.86	-46.67	-40	6.67	Pass
Alternate	320	160.00	-26.73	-47.54	-40	7.54	Pass

802.11ac(VHT160) HCH_6345MHz_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.47	/	/	/	/
Adjacent	-160	160.00	-12.78	-33.25	-25	8.25	Pass
Adjacent	160	160.00	-7.92	-28.39	-25	3.39	Pass
Alternate	-320	160.00	-24.93	-45.40	-40	5.40	Pass
Alternate	320	160.00	-29.19	-49.66	-40	9.66	Pass

802.11ac(VHT160) HCH_6345MHz_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.63	/	/	/	/
Adjacent	-160	160.00	-10.82	-31.45	-25	6.45	Pass
Adjacent	160	160.00	-6.87	-27.50	-25	2.50	Pass
Alternate	-320	160.00	-26.47	-47.10	-40	7.10	Pass
Alternate	320	160.00	-27.15	-47.78	-40	7.78	Pass

802.11ax(HEW20) LCH 5955MHz RU242 61_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.94	/	/	/	/
Adjacent	-20	20.00	-14.28	-27.22	-25	2.22	Pass
Adjacent	20	20.00	-14.73	-27.67	-25	2.67	Pass
Alternate	-40	20.00	-43.09	-56.03	-40	16.03	Pass
Alternate	40	20.00	-40.96	-53.90	-40	13.90	Pass

802.11ax(HEW20) LCH 5955MHz RU242 61_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.14	/	/	/	/
Adjacent	-20	20.00	-15.17	-27.31	-25	2.31	Pass
Adjacent	20	20.00	-15.22	-27.36	-25	2.36	Pass
Alternate	-40	20.00	-41.44	-53.58	-40	13.58	Pass
Alternate	40	20.00	-40.61	-52.75	-40	12.75	Pass

802.11ax(HEW20) MCH 6175MHz RU242 61_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	13.23	/	/	/	/
Adjacent	-20	20.00	-13.33	-26.56	-25	1.56	Pass
Adjacent	20	20.00	-15.26	-28.49	-25	3.49	Pass
Alternate	-40	20.00	-41.72	-54.95	-40	14.95	Pass
Alternate	40	20.00	-41.05	-54.28	-40	14.28	Pass

802.11ax(HEW20) MCH 6175MHz RU242 61_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	13.44	/	/	/	/
Adjacent	-20	20.00	-13.38	-26.82	-25	1.82	Pass
Adjacent	20	20.00	-14.38	-27.82	-25	2.82	Pass
Alternate	-40	20.00	-40.62	-54.06	-40	14.06	Pass
Alternate	40	20.00	-38.92	-52.36	-40	12.36	Pass

802.11ax(HEW20)_HCH 6415MHz_RU242_61_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.60	/	/	/	/
Adjacent	-20	20.00	-14.85	-27.45	-25	2.45	Pass
Adjacent	20	20.00	-14.86	-27.46	-25	2.46	Pass
Alternate	-40	20.00	-42.76	-55.36	-40	15.36	Pass
Alternate	40	20.00	-40.63	-53.23	-40	13.23	Pass

802.11ax(HEW20)_HCH 6415MHz_RU242_61_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	12.43	/	/	/	/
Adjacent	-20	20.00	-14.88	-27.31	-25	2.31	Pass
Adjacent	20	20.00	-14.65	-27.08	-25	2.08	Pass
Alternate	-40	20.00	-41.17	-53.60	-40	13.60	Pass
Alternate	40	20.00	-39.66	-52.09	-40	12.09	Pass

802.11ax(HEW40) LCH 5965MHz RU484 65_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	18.60	/	/	/	/
Adjacent	-40	40.00	-14.18	-32.78	-25	7.78	Pass
Adjacent	40	40.00	-14.55	-33.15	-25	8.15	Pass
Alternate	-80	40.00	-34.41	-53.01	-40	13.01	Pass
Alternate	80	40.00	-34.38	-52.98	-40	12.98	Pass

802.11ax(HEW40) LCH 5965MHz RU484 65_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	17.83	/	/	/	/
Adjacent	-40	40.00	-14.93	-32.76	-25	7.76	Pass
Adjacent	40	40.00	-15.13	-32.96	-25	7.96	Pass
Alternate	-80	40.00	-30.24	-48.07	-40	8.07	Pass
Alternate	80	40.00	-32.11	-49.94	-40	9.94	Pass

802.11ax(HEW40) MCH 6165MHz RU484 65_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	18.76	/	/	/	/
Adjacent	-40	40.00	-14.02	-32.78	-25	7.78	Pass
Adjacent	40	40.00	-15.70	-34.46	-25	9.46	Pass
Alternate	-80	40.00	-33.58	-52.34	-40	12.34	Pass
Alternate	80	40.00	-34.23	-52.99	-40	12.99	Pass

802.11ax(HEW40) MCH 6165MHz RU484 65_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	18.92	/	/	/	/
Adjacent	-40	40.00	-13.85	-32.77	-25	7.77	Pass
Adjacent	40	40.00	-14.98	-33.90	-25	8.90	Pass
Alternate	-80	40.00	-34.27	-53.19	-40	13.19	Pass
Alternate	80	40.00	-33.92	-52.84	-40	12.84	Pass

802.11ax(HEW40) HCH 6405MHz RU484 65_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	18.77	/	/	/	/
Adjacent	-40	40.00	-13.54	-32.31	-25	7.31	Pass
Adjacent	40	40.00	-14.60	-33.37	-25	8.37	Pass
Alternate	-80	40.00	-34.07	-52.84	-40	12.84	Pass
Alternate	80	40.00	-34.15	-52.92	-40	12.92	Pass

802.11ax(HEW40) HCH 6405MHz RU484 65_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	40.00	18.66	/	/	/	/
Adjacent	-40	40.00	-13.78	-32.44	-25	7.44	Pass
Adjacent	40	40.00	-15.57	-34.23	-25	9.23	Pass
Alternate	-80	40.00	-33.36	-52.02	-40	12.02	Pass
Alternate	80	40.00	-33.66	-52.32	-40	12.32	Pass


802.11ax(HEW80) LCH 5985MHz RU996 67_Ant1_NTNV



802.11ax(HEW80) LCH 5985MHz RU996 67_Ant2_NTNV




802.11ax(HEW80) MCH 6145MHz RU996 67_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	80.00	19.38	/	/	/	/
Adjacent	-80	80.00	-13.99	-33.37	-25	8.37	Pass
Adjacent	80	80.00	-15.27	-34.65	-25	9.65	Pass
Alternate	-160	80.00	-31.75	-51.13	-40	11.13	Pass
Alternate	160	80.00	-32.01	-51.39	-40	11.39	Pass

802.11ax(HEW80) MCH 6145MHz RU996 67_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	80.00	19.80	/	/	/	/
Adjacent	-80	80.00	-14.07	-33.87	-25	8.87	Pass
Adjacent	80	80.00	-14.13	-33.93	-25	8.93	Pass
Alternate	-160	80.00	-31.70	-51.50	-40	11.50	Pass
Alternate	160	80.00	-31.71	-51.51	-40	11.51	Pass

802.11ax(HEW80)_HCH_6385MHz_RU996_67_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	80.00	19.37	/	/	/	/
Adjacent	-80	80.00	-14.63	-34.00	-25	9.00	Pass
Adjacent	80	80.00	-14.63	-34.00	-25	9.00	Pass
Alternate	-160	80.00	-35.06	-54.43	-40	14.43	Pass
Alternate	160	80.00	-36.16	-55.53	-40	15.53	Pass

802.11ax(HEW80)_HCH_6385MHz_RU996_67_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	80.00	19.26	/	/	/	/
Adjacent	-80	80.00	-14.60	-33.86	-25	8.86	Pass
Adjacent	80	80.00	-14.39	-33.65	-25	8.65	Pass
Alternate	-160	80.00	-34.13	-53.39	-40	13.39	Pass
Alternate	160	80.00	-35.80	-55.06	-40	15.06	Pass

802.11ax(HEW160) LCH_6025MHz_2xRU996_68_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.97	/	/	/	/
Adjacent	-160	160.00	-13.54	-34.51	-25	9.51	Pass
Adjacent	160	160.00	-9.89	-30.86	-25	5.86	Pass
Alternate	-320	160.00	-29.36	-50.33	-40	10.33	Pass
Alternate	320	160.00	-30.11	-51.08	-40	11.08	Pass

802.11ax(HEW160) LCH_6025MHz_2xRU996_68_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.82	/	/	/	/
Adjacent	-160	160.00	-9.50	-30.32	-25	5.32	Pass
Adjacent	160	160.00	-8.85	-29.67	-25	4.67	Pass
Alternate	-320	160.00	-23.55	-44.37	-40	4.37	Pass
Alternate	320	160.00	-26.16	-46.98	-40	6.98	Pass

802.11ax(HEW160)_MCH_6185MHz_2xRU996_68_Ant1_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	20.99	/	/	/	/
Adjacent	-160	160.00	-11.62	-32.61	-25	7.61	Pass
Adjacent	160	160.00	-10.76	-31.75	-25	6.75	Pass
Alternate	-320	160.00	-27.23	-48.22	-40	8.22	Pass
Alternate	320	160.00	-29.36	-50.35	-40	10.35	Pass

802.11ax(HEW160)_MCH_6185MHz_2xRU996_68_Ant2_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	21.63	/	/	/	/
Adjacent	-160	160.00	-11.76	-33.39	-25	8.39	Pass
Adjacent	160	160.00	-9.01	-30.64	-25	5.64	Pass
Alternate	-320	160.00	-26.78	-48.41	-40	8.41	Pass
Alternate	320	160.00	-27.87	-49.50	-40	9.50	Pass

802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_Ant1_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	21.13	/	/	/	/
Adjacent	-160	160.00	-14.42	-35.55	-25	10.55	Pass
Adjacent	160	160.00	-9.91	-31.04	-25	6.04	Pass
Alternate	-320	160.00	-25.91	-47.04	-40	7.04	Pass
Alternate	320	160.00	-30.62	-51.75	-40	11.75	Pass

802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_Ant2_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	160.00	21.51	/	/	/	/
Adjacent	-160	160.00	-11.37	-32.88	-25	7.88	Pass
Adjacent	160	160.00	-7.97	-29.48	-25	4.48	Pass
Alternate	-320	160.00	-27.28	-48.79	-40	8.79	Pass
Alternate	320	160.00	-28.51	-50.02	-40	10.02	Pass

複製禁止

複製禁止

複製禁止

80%	
80% (H)	


Report No.:STS2603331W01_RF_Appendix WIFI 6E

802.11ac (VHT40)	MIMO	5965	/	/	MIMO	6435.9	6445.9	6436.02	-26.97	2.009	/	/	12.5	Pass
						5915	5925	5922.54	-34.51	0.354	/	/	2	Pass
						6425	6440.1	6439.753	-45.11	0.031	/	/	50	Pass
						6440.1	6450.1	6440.81	-44.54	0.035	/	/	12.5	Pass
		6165	/	/	MIMO	5915	5925	5921.3	-44.62	0.035	/	/	2	Pass
						6425	6440.1	6427.869	-44.26	0.037	/	/	50	Pass
						6440.1	6450.1	6449.29	-44.39	0.036	/	/	12.5	Pass
						5915	5925	5920.48	-45.09	0.031	/	/	2	Pass
		6405	/	/	MIMO	6425	6440.1	6425.045	-7.98	159.189	-20.52	8.875	50	Pass
						6440.1	6450.1	6448.37	-33.46	0.451	/	/	12.5	Pass
						5915	5925	5924.69	-31.73	0.671	/	/	2	Pass
						6425	6440.4	6434.456	-44.65	0.034	/	/	50	Pass
802.11ac (VHT80)	MIMO	5985	/	/	MIMO	6440.4	6450.4	6445.06	-44.55	0.035	/	/	12.5	Pass
						5915	5925	5922.86	-43.55	0.044	/	/	2	Pass
						6425	6440.4	6436.565	-43.70	0.043	/	/	50	Pass
						6440.4	6450.4	6444.95	-44.45	0.036	/	/	12.5	Pass
		6145	/	/	MIMO	5915	5925	5918.47	-44.32	0.037	/	/	2	Pass
						6425	6440.4	6425.015	-9.89	102.506	-21.71	6.746	50	Pass
						6440.4	6450.4	6449.52	-28.90	1.289	/	/	12.5	Pass
						5915	5925	5920.47	-25.20	3.017	-36.49	0.225	2	Pass
		6385	/	/	MIMO	6425	6425.5	6425.238	-44.26	0.038	/	/	50	Pass
						6425.5	6435.5	6431.12	-45.35	0.029	/	/	12.5	Pass
						5915	5925	5921.69	-36.70	0.214	/	/	2	Pass
						6425	6425.5	6425.365	-38.91	0.129	/	/	50	Pass
802.11ac (VHT160)	MIMO	6025	/	/	MIMO	6425.5	6435.5	6430.51	-38.68	0.136	/	/	12.5	Pass
						5915	5925	5915.97	-45.83	0.026	/	/	2	Pass
						6425	6425.5	6425.113	-8.51	140.942	-24.12	3.873	50	Pass
						6425.5	6435.5	6425.51	-11.64	68.478	-24.90	3.232	12.5	Pass
		6185	/	/	MIMO	5915	5925	5923.43	-44.19	0.038	/	/	2	Pass
						6425	6435.9	6425.36	-50.39	0.009	/	/	50	Pass
						6435.9	6445.9	6436.86	-50.43	0.009	/	/	12.5	Pass
						5915	5925	5924.96	-50.45	0.009	/	/	2	Pass
		6345	/	/	MIMO	6425	6435.9	6426.559	-49.96	0.010	/	/	50	Pass
						6435.9	6445.9	6436.86	-50.43	0.009	/	/	12.5	Pass
						6425	6435.9	6425.098	-2.27	593.067	-13.63	43.357	50	Pass
						6435.9	6445.9	6439.9	-36.95	0.202	/	/	12.5	Pass
802.11ax (HEW20)	MIMO	5955	RU242	61	MIMO	5915	5925	5916.45	-50.32	0.009	/	/	2	Pass
						6425	6435.9	6425.36	-50.39	0.009	/	/	50	Pass
						6435.9	6445.9	6438.92	-50.84	0.008	/	/	12.5	Pass
						5915	5925	5916.45	-50.32	0.009	/	/	2	Pass
		6175	RU242	61	MIMO	6425	6435.9	6426.559	-49.96	0.010	/	/	50	Pass
						6435.9	6445.9	6436.86	-50.43	0.009	/	/	12.5	Pass
						5915	5925	5924.96	-50.45	0.009	/	/	2	Pass
						6425	6435.9	6425.098	-2.27	593.067	-13.63	43.357	50	Pass
		6415	RU242	61	MIMO	6435.9	6445.9	6439.9	-36.95	0.202	/	/	12.5	Pass
						5915	5925	5921.42	-33.62	0.435	/	/	2	Pass
						6425	6440.1	6436.174	-44.83	0.033	/	/	50	Pass
						6440.1	6450.1	6441.13	-44.77	0.033	/	/	12.5	Pass
802.11ax (HEW40)	MIMO	5965	RU484	65	MIMO	5915	5925	5920.02	-43.94	0.040	/	/	2	Pass
						6425	6440.1	6436.416	-44.32	0.037	/	/	50	Pass
						6440.1	6450.1	6446.04	-44.49	0.036	/	/	12.5	Pass
						5915	5925	5918.13	-43.87	0.041	/	/	2	Pass
		6165	RU484	65	MIMO	6425	6440.1	6425.045	-4.71	338.168	-17.34	18.438	50	Pass
						6440.1	6450.1	6449.08	-33.64	0.433	/	/	12.5	Pass
						5915	5925	5920.39	-33.58	0.438	/	/	2	Pass
						6425	6440.4	6433.716	-49.43	0.011	/	/	50	Pass
		6405	RU484	65	MIMO	6440.4	6450.4	6442.78	-49.79	0.010	/	/	12.5	Pass
						5915	5925	5915.64	-44.30	0.037	/	/	2	Pass
						6425	6440.4	6425.015	-44.26	0.037	/	/	50	Pass
						6440.4	6450.4	6442.14	-44.24	0.038	/	/	12.5	Pass
802.11ax (HEW80)	MIMO	5985	RU996	67	MIMO	5915	5925	5922.12	-50.08	0.010	/	/	2	Pass
						6425	6440.4	6425.015	-4.89	324.687	-19.09	12.338	50	Pass
						6440.4	6450.4	6442.39	-31.61	0.690	/	/	12.5	Pass
						5915	5925	5916.84	-26.97	2.008	-36.61	0.218	2	Pass
		6145	RU996	67	MIMO	6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
						6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass
						5915	5925	5922.71	-38.57	0.139	/	/	2	Pass
						6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
		6385	RU996	67	MIMO	6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass
						5915	5925	5922.71	-38.57	0.139	/	/	2	Pass
						6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
						6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass
802.11ax (HEW160)	MIMO	6025	2xRU996	68	MIMO	5915	5925	5916.84	-26.97	2.008	-36.61	0.218	2	Pass
						6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
						6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass
						5915	5925	5922.71	-38.57	0.139	/	/	2	Pass
		6185	2xRU996	68	MIMO	6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
						6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass
						5915	5925	5922.71	-38.57	0.139	/	/	2	Pass
						6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
		6385	RU996	67	MIMO	6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass
						5915	5925	5922.71	-38.57	0.139	/	/	2	Pass
						6425	6425.5	6425.049	-43.38	0.046	/	/	50	Pass
						6425.5	6435.5	6433.46	-44.32	0.037	/	/	12.5	Pass


						6425	6425.5	6425.236	-40.29	0.094	/	/	50	Pass
						6425.5	6435.5	6432.98	-40.60	0.087	/	/	12.5	Pass
						5915	5925	5923.64	-45.54	0.028	/	/	2	Pass
						6425	6425.5	6425.029	-5.10	308.722	-20.96	8.018	50	Pass
						6425.5	6435.5	6425.59	-10.16	96.397	-25.76	2.653	12.5	Pass

5.2 Test Graph

5.2.1 SEM_5_NTNV




802.11a_MCH_6175MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5915.330	-45.24	/	2.44	-42.80	/	-26.99	Pass
6425	6435.9	1	1	6433.001	-44.84	/	2.44	-42.40	/	-13.01	Pass
6435.9	6445.9	1	1	6443.390	-45.02	/	2.44	-42.58	/	-19.03	Pass

802.11a_MCH_6175MHz_Ant2_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.210	-44.80	/	2.44	-42.36	/	-26.99	Pass
6425	6435.9	1	1	6431.616	-44.69	/	2.44	-42.25	/	-13.01	Pass
6435.9	6445.9	1	1	6436.210	-44.98	/	2.44	-42.54	/	-19.03	Pass

802.11a_HCH_6415MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.010	-45.43	/	2.44	-42.99	/	-26.99	Pass
6425	6435.9	1	1	6425.055	-5.26	-18.07	2.44	-2.82	-15.63	-13.01	Pass
6435.9	6445.9	1	1	6435.930	-28.16	/	2.44	-25.72	/	-19.03	Pass

802.11a_HCH_6415MHz_Ant1_NTNV




802.11a_HCH_6415MHz_Ant2_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5923.780	-45.62	/	2.44	-43.18	/	-26.99	Pass
6425	6435.9	1	1	6425.011	-6.64	-18.45	2.44	-4.20	-16.01	-13.01	Pass
6435.9	6445.9	1	1	6439.800	-30.13	/	2.44	-27.69	/	-19.03	Pass

802.11a_HCH_6415MHz_Ant2_NTNV




802.11n(HT20)_LCH_5955MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5920.870	-38.80	/	MIMO	-36.36	/	-26.99	Pass
6425	6435.9	1	1	6431.616	-47.31	/	MIMO	-44.87	/	-13.01	Pass
6435.9	6445.9	1	1	6438.530	-46.79	/	MIMO	-44.35	/	-19.03	Pass

802.11n(HT20)_MCH_6175MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5916.390	-47.04	/	MIMO	-44.61	/	-26.99	Pass
6425	6435.9	1	1	6426.199	-46.54	/	MIMO	-44.10	/	-13.01	Pass
6435.9	6445.9	1	1	6440.510	-46.75	/	MIMO	-44.31	/	-19.03	Pass


802.11n(HT20)_HCH_6415MHz_MIMO_NTNV




802.11n(HT20)_HCH_6415MHz_MIMO_NTNV



802.11n(HT20)_HCH_6415MHz_MIMO_NTNV




802.11n(HT40)_LCH_5965MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5924.810	-35.59	/	MIMO	-33.15	/	-26.99	Pass
6425	6440.1	1	1	6432.837	-47.02	/	MIMO	-44.58	/	-13.01	Pass
6440.1	6450.1	1	1	6442.210	-47.23	/	MIMO	-44.79	/	-19.03	Pass

802.11n(HT40)_MCH_6165MHz_MIMO_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5923.180	-46.90	/	MIMO	-44.46	/	-26.99	Pass
6425	6440.1	1	1	6437.941	-47.13	/	MIMO	-44.69	/	-13.01	Pass
6440.1	6450.1	1	1	6443.560	-46.38	/	MIMO	-43.94	/	-19.03	Pass


802.11n(HT40)_HCH_6405MHz_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5918.300	-46.68	/	MIMO	-44.24	/	-26.99	Pass
6425	6440.1	1	1	6425.091	-10.18	-22.87	MIMO	-7.74	-20.43	-13.01	Pass
6440.1	6450.1	1	1	6448.740	-35.55	/	MIMO	-33.11	/	-19.03	Pass




802.11ac(VHT20)_LCH_5955MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.330	-38.85	/	MIMO	-36.41	/	-26.99	Pass
6425	6435.9	1	1	6428.728	-47.42	/	MIMO	-44.98	/	-13.01	Pass
6435.9	6445.9	1	1	6445.870	-46.92	/	MIMO	-44.48	/	-19.03	Pass

802.11ac(VHT20)_MCH_6175MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5921.430	-46.49	/	MIMO	-44.04	/	-26.99	Pass
6425	6435.9	1	1	6425.785	-46.62	/	MIMO	-44.18	/	-13.01	Pass
6435.9	6445.9	1	1	6445.170	-47.05	/	MIMO	-44.61	/	-19.03	Pass


802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV




802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV



802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV




802.11ac(VHT40)_LCH_5965MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.540	-36.95	/		-34.51	/	-26.99	Pass
6425	6440.1	1	1	6439.753	-47.55	/	MIMO	-45.11	/	-13.01	Pass
6440.1	6450.1	1	1	6440.810	-46.98	/	MIMO	-44.54	/	-19.03	Pass

802.11ac(VHT40)_MCH_6165MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5921.300	-47.06	/	MIMO	-44.62	/	-26.99	Pass
6425	6440.1	1	1	6427.869	-46.70	/	MIMO	-44.26	/	-13.01	Pass
6440.1	6450.1	1	1	6449.290	-46.82	/	MIMO	-44.39	/	-19.03	Pass

802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5920.480	-47.53	/	MIMO	-45.09	/	-26.99	Pass
6425	6440.1	1	1	6425.045	-10.42	-22.96	MIMO	-7.98	-20.52	-13.01	Pass
6440.1	6450.1	1	1	6448.370	-35.90	/	MIMO	-33.46	/	-19.03	Pass


802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV



802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV




802.11ac(VHT80)_LCH_5985MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5924.690	-34.17	/	MIMO	-31.73	/	-26.99	Pass
6425	6440.4	1	1	6434.456	-47.09	/	MIMO	-44.65	/	-13.01	Pass
6440.4	6450.4	1	1	6445.060	-46.99	/	MIMO	-44.55	/	-19.03	Pass

802.11ac(VHT80)_MCH_6145MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.860	-45.99	/	MIMO	-43.55	/	-26.99	Pass
6425	6440.4	1	1	6436.565	-46.14	/	MIMO	-43.70	/	-13.01	Pass
6440.4	6450.4	1	1	6444.950	-46.89	/	MIMO	-44.45	/	-19.03	Pass

802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5918.470	-46.76	/	MIMO	-44.32	/	-26.99	Pass
6425	6440.4	1	1	6425.015	-12.33	-24.15	MIMO	-9.89	-21.71	-13.01	Pass
6440.4	6450.4	1	1	6449.520	-31.34	/	MIMO	-28.90	/	-19.03	Pass


802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV



802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5920.470	-27.64	-38.93	MIMO	-25.20	-36.49	-26.99	Pass
6425	6425.5	1	1	6425.238	-46.70	/	MIMO	-44.26	/	-13.01	Pass
6425.5	6435.5	1	1	6431.120	-47.80	/	MIMO	-45.35	/	-19.03	Pass


802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV



802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV




802.11ac(VHT160)_MCH_6185MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5921.690	-39.14	/	MIMO	-36.70	/	-26.99	Pass
6425	6425.5	1	1	6425.365	-41.34	/	MIMO	-38.91	/	-13.01	Pass
6425.5	6435.5	1	1	6430.510	-41.12	/	MIMO	-38.68	/	-19.03	Pass

802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5915.970	-48.27	/	MIMO	-45.83	/	-26.99	Pass
6425	6425.5	1	1	6425.113	-10.95	-26.56	MIMO	-8.51	-24.12	-13.01	Pass
6425.5	6435.5	1	1	6425.510	-14.09	-27.34	MIMO	-11.64	-24.90	-19.03	Pass


802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV



802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ax(HEW20)_LCH_5955MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5923.430	-46.63	/	MIMO	-44.19	/	-26.99	Pass
6425	6435.9	1	1	6425.360	-52.82	/	MIMO	-50.39	/	-13.01	Pass
6435.9	6445.9	1	1	6438.920	-53.27	/	MIMO	-50.84	/	-19.03	Pass

802.11ax(HEW20)_MCH_6175MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5916.450	-52.76	/	MIMO	-50.32	/	-26.99	Pass
6425	6435.9	1	1	6426.559	-52.39	/	MIMO	-49.96	/	-13.01	Pass
6435.9	6445.9	1	1	6436.860	-52.87	/	MIMO	-50.43	/	-19.03	Pass


802.11ax(HEW20)_HCH_6415MHz_RU242_61_MIMO_NTNV




802.11ax(HEW20)_HCH_6415MHz_RU242_61_MIMO_NTNV



802.11ax(HEW20)_HCH_6415MHz_RU242_61_MIMO_NTNV




802.11ax(HEW40)_LCH_5965MHz_RU484_65_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5921.420	-36.06	/		-33.62	/	-26.99	Pass
6425	6440.1	1	1	6436.174	-47.27	/	MIMO	-44.83	/	-13.01	Pass
6440.1	6450.1	1	1	6441.130	-47.21	/	MIMO	-44.77	/	-19.03	Pass


802.11ax(HEW40)_MCH_6165MHz_RU484_65_MIMO_NTNV




802.11ax(HEW40)_HCH_6405MHz_RU484_65_MIMO_NTNV




802.11ax(HEW40)_HCH_6405MHz_RU484_65_MIMO_NTNV




802.11ax(HEW40)_HCH_6405MHz_RU484_65_MIMO_NTNV




802.11ax(HEW80)_LCH_5985MHz_RU996_67_MIMO_NTNV



802.11ax(HEW80)_MCH_6145MHz_RU996_67_MIMO_NTNV




802.11ax(HEW80)_HCH_6385MHz_RU996_67_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.120	-52.52	/	MIMO	-50.08	/	-26.99	Pass
6425	6440.4	1	1	6425.015	-7.33	-21.53	MIMO	-4.89	-19.09	-13.01	Pass
6440.4	6450.4	1	1	6442.390	-34.05	/	MIMO	-31.61	/	-19.03	Pass


802.11ax(HEW80)_HCH_6385MHz_RU996_67_MIMO_NTNV



802.11ax(HEW80)_HCH_6385MHz_RU996_67_MIMO_NTNV




802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5916.840	-29.42	-39.05	MIMO	-26.97	-36.61	-26.99	Pass
6425	6425.5	1	1	6425.049	-45.82	/	MIMO	-43.38	/	-13.01	Pass
6425.5	6435.5	1	1	6433.460	-46.75	/	MIMO	-44.32	/	-19.03	Pass


802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV



802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV




802.11ax(HEW160)_MCH_6185MHz_2xRU996_68_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5922.710	-41.01	/	MIMO	-38.57	/	-26.99	Pass
6425	6425.5	1	1	6425.236	-42.73	/	MIMO	-40.29	/	-13.01	Pass
6425.5	6435.5	1	1	6432.980	-43.04	/	MIMO	-40.60	/	-19.03	Pass

802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
5915	5925	1	1	5923.640	-47.98	/	MIMO	-45.54	/	-26.99	Pass
6425	6425.5	1	1	6425.029	-7.55	-23.40	MIMO	-5.10	-20.96	-13.01	Pass
6425.5	6435.5	1	1	6425.590	-12.60	-28.20	MIMO	-10.16	-25.76	-19.03	Pass


802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV




802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV



802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV



802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV



6. Transmission Burst Length


6.1 Test Result

6.1.1 TBL_5_Ant1


Ant1								
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Burst Length (ms)		Verdict
						Result	Limit	
NTNV	802.11a	SISO	5955	/	/	0.193	<=8	Pass
			6175	/	/	0.193	<=8	Pass
			6415	/	/	0.193	<=8	Pass
	802.11n (HT20)	MIMO	5955	/	/	0.353	<=8	Pass
			6175	/	/	0.353	<=8	Pass
			6415	/	/	0.353	<=8	Pass
	802.11n (HT40)	MIMO	5965	/	/	0.341	<=8	Pass
			6165	/	/	0.343	<=8	Pass
			6405	/	/	0.343	<=8	Pass
	802.11ac (VHT20)	MIMO	5955	/	/	0.321	<=8	Pass
			6175	/	/	0.321	<=8	Pass
			6415	/	/	0.321	<=8	Pass
	802.11ac (VHT40)	MIMO	5965	/	/	0.301	<=8	Pass
			6165	/	/	0.301	<=8	Pass
			6405	/	/	0.301	<=8	Pass
	802.11ac (VHT80)	MIMO	5985	/	/	0.289	<=8	Pass
			6145	/	/	0.289	<=8	Pass
			6385	/	/	0.289	<=8	Pass
	802.11ac (VHT160)	MIMO	6025	/	/	0.285	<=8	Pass
			6185	/	/	0.285	<=8	Pass
			6345	/	/	0.285	<=8	Pass
	802.11ax (HEW20)	MIMO	5955	RU242	61	0.478	<=8	Pass
			6175	RU242	61	0.478	<=8	Pass
			6415	RU242	61	0.476	<=8	Pass
	802.11ax (HEW40)	MIMO	5965	RU484	65	0.299	<=8	Pass
			6165	RU484	65	0.299	<=8	Pass
			6405	RU484	65	0.299	<=8	Pass
	802.11ax (HEW80)	MIMO	5985	RU996	67	0.300	<=8	Pass
			6145	RU996	67	0.299	<=8	Pass
			6385	RU996	67	0.299	<=8	Pass
	802.11ax (HEW160)	MIMO	6025	2xRU996	68	0.299	<=8	Pass
			6185	2xRU996	68	0.299	<=8	Pass
			6345	2xRU996	68	0.299	<=8	Pass

6.2 Test Graph


6.2.1 TBL_5_Ant1




802.11a_HCH_6415MHz_Ant1_NTNV




802.11n(HT20)_LCH_5955MHz_Ant1_NTNV




802.11n(HT20) MCH 6175MHz_Ant1_NTNV




802.11n(HT20) HCH 6415MHz_Ant1_NTNV




802.11n(HT40)_LCH_5965MHz_Ant1_NTNV




802.11n(HT40)_MCH_6165MHz_Ant1_NTNV




802.11n(HT40) HCH 6405MHz_Ant1_NTNV




802.11ac(VHT20) LCH 5955MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_6175MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_6415MHz_Ant1_NTNV




802.11ac(VHT40) LCH_5965MHz_Ant1_NTNV




802.11ac(VHT40) MCH_6165MHz_Ant1_NTNV




802.11ac(VHT40) HCH 6405MHz Ant1 NTN




802.11ac(VHT80) LCH 5985MHz Ant1 NTN




802.11ac(VHT80)_MCH_6145MHz_Ant1_NTNV




802.11ac(VHT80)_HCH_6385MHz_Ant1_NTNV




802.11ac(VHT160)_LCH_6025MHz_Ant1_NTNV




802.11ac(VHT160)_MCH_6185MHz_Ant1_NTNV




802.11ac(VHT160) HCH 6345MHz_Ant1_NTNV




802.11ax(HEW20) LCH 5955MHz_RU242_61_Ant1_NTNV




802.11ax(HEW20) MCH 6175MHz RU242 61_Ant1_NTNV




802.11ax(HEW20) HCH 6415MHz RU242 61_Ant1_NTNV




802.11ax(HEW40) LCH 5965MHz RU484 65_Ant1_NTNV




802.11ax(HEW40) MCH 6165MHz RU484 65_Ant1_NTNV




802.11ax(HEW40) HCH 6405MHz RU484_65_Ant1_NTNV




802.11ax(HEW80) LCH 5985MHz RU996_67_Ant1_NTNV




802.11ax(HEW80) MCH 6145MHz RU996 67_Ant1_NTNV




802.11ax(HEW80) HCH 6385MHz RU996 67_Ant1_NTNV




802.11ax(HEW160) LCH_6025MHz_2xRU996_68_Ant1_NTNV



802.11ax(HEW160) MCH_6185MHz_2xRU996_68_Ant1_NTNV





7. Spurious Emission Intensity

7.1 Test Result


7.1.1 TxSe_5_NTNV

NTNV														
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)		
802.11a	SISO	5955	/	/	1	30	5915	2441.5	-38.12	0.154	/	/	2	Pass
						6445.9	40000	25677.113	-32.44	0.570	/	/	12.5	Pass
					2	30	5915	5913.5	-35.98	0.252	/	/	2	Pass
						6445.9	40000	25649.706	-32.31	0.587	/	/	12.5	Pass
		6175	/	/	1	30	5915	2545.5	-40.52	0.089	/	/	2	Pass
						6445.9	40000	25677.782	-31.80	0.661	/	/	12.5	Pass
					2	30	5915	3582.5	-40.42	0.091	/	/	2	Pass
						6445.9	40000	25784.737	-32.68	0.540	/	/	12.5	Pass
		6415	/	/	1	30	5915	2443.5	-39.57	0.110	/	/	2	Pass
						6445.9	40000	25804.123	-31.98	0.634	/	/	12.5	Pass
					2	30	5915	2445	-39.63	0.109	/	/	2	Pass
						6445.9	40000	6447.237	-31.40	0.724	/	/	12.5	Pass
802.11n (HT20)	MIMO	5955	/	/	MIMO	30	5915	5914.5	-39.47	0.113	/	/	2	Pass
						6445.9	40000	25641.685	-33.90	0.407	/	/	12.5	Pass
		6175	/	/	MIMO	30	5915	2444	-37.15	0.193	/	/	2	Pass
						6445.9	40000	25616.283	-33.52	0.444	/	/	12.5	Pass
		6415	/	/	MIMO	30	5915	2443.5	-39.41	0.115	/	/	2	Pass
						6445.9	40000	25709.868	-33.09	0.491	/	/	12.5	Pass
802.11n (HT40)	MIMO	5965	/	/	MIMO	30	5915	5913.5	-36.37	0.231	/	/	2	Pass
						6450.1	40000	25708.029	-33.83	0.414	/	/	12.5	Pass
		6165	/	/	MIMO	30	5915	2441	-38.82	0.131	/	/	2	Pass
						6450.1	40000	25720.727	-33.86	0.411	/	/	12.5	Pass
		6405	/	/	MIMO	30	5915	2441	-38.88	0.129	/	/	2	Pass
						6450.1	40000	25740.777	-33.66	0.431	/	/	12.5	Pass
802.11ac (VHT20)	MIMO	5955	/	/	MIMO	30	5915	2441	-39.56	0.111	/	/	2	Pass
						6445.9	40000	25721.901	-34.08	0.391	/	/	12.5	Pass
		6175	/	/	MIMO	30	5915	2440.5	-37.41	0.182	/	/	2	Pass
						6445.9	40000	25716.553	-34.00	0.398	/	/	12.5	Pass
		6415	/	/	MIMO	30	5915	2441	-36.51	0.223	/	/	2	Pass
						6445.9	40000	25681.793	-33.59	0.438	/	/	12.5	Pass
802.11ac (VHT40)	MIMO	5965	/	/	MIMO	30	5915	5910	-36.13	0.244	/	/	2	Pass
						6450.1	40000	25653.226	-33.88	0.410	/	/	12.5	Pass
		6165	/	/	MIMO	30	5915	2441.5	-36.93	0.203	/	/	2	Pass
						6450.1	40000	26152.468	-33.57	0.439	/	/	12.5	Pass
		6405	/	/	MIMO	30	5915	2444	-38.46	0.143	/	/	2	Pass
						6450.1	40000	25554.981	-33.06	0.494	/	/	12.5	Pass
802.11ac (VHT80)	MIMO	5985	/	/	MIMO	30	5915	5910.5	-32.93	0.509	/	/	2	Pass
						6450.4	40000	26264.083	-33.62	0.434	/	/	12.5	Pass
		6145	/	/	MIMO	30	5915	3175	-42.08	0.062	/	/	2	Pass
						6450.4	40000	25752.15	-33.67	0.429	/	/	12.5	Pass
		6385	/	/	MIMO	30	5915	2441	-38.78	0.132	/	/	2	Pass
						6450.4	40000	6455.747	-30.42	0.908	/	/	12.5	Pass
802.11ac (VHT160)	MIMO	6025	/	/	MIMO	30	5915	5868	-23.91	4.068	-34.50	0.355	2	Pass
						6435.5	40000	25674.011	-39.95	0.101	/	/	12.5	Pass


		6185	/	/	MIMO	30	5915	2441.5	-37.73	0.168	/	/	2	Pass
						6435.5	40000	25702.102	-39.47	0.113	/	/	12.5	Pass
		6345	/	/	MIMO	30	5915	2441	-36.04	0.249	/	/	2	Pass
						6435.5	40000	6498.369	-20.10	9.773	-30.19	0.958	12.5	Pass
802.11ax (HEW20)	MIMO	5955	RU242	61	MIMO	30	5915	2441	-38.45	0.143	/	/	2	Pass
						6445.9	40000	25660.402	-39.50	0.112	/	/	12.5	Pass
		6175	RU242	61	MIMO	30	5915	2441.5	-37.80	0.166	/	/	2	Pass
						6445.9	40000	25705.858	-39.99	0.100	/	/	12.5	Pass
		6415	RU242	61	MIMO	30	5915	2441	-38.73	0.134	/	/	2	Pass
						6445.9	40000	25651.712	-39.16	0.121	/	/	12.5	Pass
802.11ax (HEW40)	MIMO	5965	RU484	65	MIMO	30	5915	5909.5	-35.80	0.263	/	/	2	Pass
						6450.1	40000	25719.391	-34.21	0.379	/	/	12.5	Pass
		6165	RU484	65	MIMO	30	5915	2440.5	-38.40	0.144	/	/	2	Pass
						6450.1	40000	25737.435	-33.54	0.442	/	/	12.5	Pass
		6405	RU484	65	MIMO	30	5915	2441.5	-38.36	0.146	/	/	2	Pass
						6450.1	40000	25627.829	-33.69	0.427	/	/	12.5	Pass
802.11ax (HEW80)	MIMO	5985	RU996	67	MIMO	30	5915	5906	-35.17	0.304	/	/	2	Pass
						6450.4	40000	25685.986	-39.63	0.109	/	/	12.5	Pass
		6145	RU996	67	MIMO	30	5915	2442	-37.74	0.168	/	/	2	Pass
						6450.4	40000	25625.169	-33.91	0.406	/	/	12.5	Pass
		6385	RU996	67	MIMO	30	5915	2440.5	-40.61	0.087	/	/	2	Pass
						6450.4	40000	6453.073	-33.97	0.401	/	/	12.5	Pass
802.11ax (HEW160)	MIMO	6025	2xRU996	68	MIMO	30	5915	5888.5	-25.37	2.902	-34.42	0.361	2	Pass
						6435.5	40000	25559.644	-39.30	0.117	/	/	12.5	Pass
		6185	2xRU996	68	MIMO	30	5915	2441	-39.57	0.110	/	/	2	Pass
						6435.5	40000	25725.51	-40.06	0.099	/	/	12.5	Pass
		6345	2xRU996	68	MIMO	30	5915	2441.5	-40.80	0.083	/	/	2	Pass
						6435.5	40000	6498.369	-21.27	7.470	-32.02	0.627	12.5	Pass

7.2 Test Graph

7.2.1 TxSe_5_NTNV




802.11a_MCH_6175MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2545.500	-42.96	/	2.44	-40.52	/	-26.99	Pass
6445.9	40000	1	1	25677.782	-34.24	/	2.44	-31.80	/	-19.03	Pass

802.11a_MCH_6175MHz_Ant2_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	3582.500	-42.86	/	2.44	-40.42	/	-26.99	Pass
6445.9	40000	1	1	25784.737	-35.12	/	2.44	-32.68	/	-19.03	Pass

802.11a_HCH_6415MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2443.500	-42.01	/	2.44	-39.57	/	-26.99	Pass
6445.9	40000	1	1	25804.123	-34.42	/	2.44	-31.98	/	-19.03	Pass

802.11a_HCH_6415MHz_Ant2_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2445.000	-42.07	/	2.44	-39.63	/	-26.99	Pass
6445.9	40000	1	1	6447.237	-33.84	/	2.44	-31.40	/	-19.03	Pass

802.11n(HT20)_LCH_5955MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	5914.500	-41.91	/	MIMO	-39.47	/	-26.99	Pass
6445.9	40000	1	1	25641.685	-36.34	/	MIMO	-33.90	/	-19.03	Pass

802.11n(HT20)_MCH_6175MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2444.000	-39.58	/	MIMO	-37.15	/	-26.99	Pass
6445.9	40000	1	1	25616.283	-35.97	/	MIMO	-33.52	/	-19.03	Pass


802.11n(HT20)_HCH_6415MHz_MIMO_NTNV



802.11n(HT40)_LCH_5965MHz_MIMO_NTNV




802.11n(HT40)_MCH_6165MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.000	-41.26	/	MIMO	-38.82	/	-26.99	Pass
6450.1	40000	1	1	25720.727	-36.30	/	MIMO	-33.86	/	-19.03	Pass

802.11n(HT40)_HCH_6405MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.000	-41.32	/	MIMO	-38.88	/	-26.99	Pass
6450.1	40000	1	1	25740.777	-36.10	/	MIMO	-33.66	/	-19.03	Pass


802.11ac(VHT20)_LCH_5955MHz_MIMO_NTNV



802.11ac(VHT20)_MCH_6175MHz_MIMO_NTNV




802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.000	-38.95	/	MIMO	-36.51	/	-26.99	Pass
6445.9	40000	1	1	25681.793	-36.03	/	MIMO	-33.59	/	-19.03	Pass

802.11ac(VHT40)_LCH_5965MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	5910.000	-38.56	/	MIMO	-36.13	/	-26.99	Pass
6450.1	40000	1	1	25653.226	-36.31	/	MIMO	-33.88	/	-19.03	Pass

802.11ac(VHT40)_MCH_6165MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.500	-39.37	/	MIMO	-36.93	/	-26.99	Pass
6450.1	40000	1	1	26152.468	-36.01	/	MIMO	-33.57	/	-19.03	Pass

802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2444.000	-40.90	/	MIMO	-38.46	/	-26.99	Pass
6450.1	40000	1	1	26554.981	-35.50	/	MIMO	-33.06	/	-19.03	Pass

802.11ac(VHT80)_LCH_5985MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	5910.500	-35.37	/	MIMO	-32.93	/	-26.99	Pass
6450.4	40000	1	1	26264.083	-36.06	/	MIMO	-33.62	/	-19.03	Pass

802.11ac(VHT80)_MCH_6145MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	3175.000	-44.52	/	MIMO	-42.08	/	-26.99	Pass
6450.4	40000	1	1	26752.150	-36.11	/	MIMO	-33.67	/	-19.03	Pass


802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV




802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV



802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV




802.11ac(VHT160)_MCH_6185MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.500	-40.17	/	MIMO	-37.73	/	-26.99	Pass
6435.5	40000	1	1	25702.102	-41.91	/	MIMO	-39.47	/	-19.03	Pass

802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.000	-38.48	/	MIMO	-36.04	/	-26.99	Pass
6435.5	40000	1	1	6498.369	-22.54	-32.63	MIMO	-20.10	-30.19	-19.03	Pass


802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV



802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ax(HEW20)_LCH_5955MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.000	-40.89	/	MIMO	-38.45	/	-26.99	Pass
6445.9	40000	1	1	25660.402	-41.94	/	MIMO	-39.50	/	-19.03	Pass

802.11ax(HEW20)_MCH_6175MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.500	-40.24	/	MIMO	-37.80	/	-26.99	Pass
6445.9	40000	1	1	25705.858	-42.43	/	MIMO	-39.99	/	-19.03	Pass


802.11ax(HEW20)_HCH_6415MHz_RU242_61_MIMO_NTNV



802.11ax(HEW40)_LCH_5965MHz_RU484_65_MIMO_NTNV




802.11ax(HEW40)_MCH_6165MHz_RU484_65_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2440.500	-40.85	/	MIMO	-38.40	/	-26.99	Pass
6450.1	40000	1	1	25737.435	-35.98	/	MIMO	-33.54	/	-19.03	Pass

802.11ax(HEW40)_HCH_6405MHz_RU484_65_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.500	-40.80	/	MIMO	-38.36	/	-26.99	Pass
6450.1	40000	1	1	25627.829	-36.13	/	MIMO	-33.69	/	-19.03	Pass

802.11ax(HEW80)_LCH_5985MHz_RU996_67_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	5906.000	-37.61	/	MIMO	-35.17	/	-26.99	Pass
6450.4	40000	1	1	25685.986	-42.07	/	MIMO	-39.63	/	-19.03	Pass

802.11ax(HEW80)_MCH_6145MHz_RU996_67_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2442.000	-40.18	/	MIMO	-37.74	/	-26.99	Pass
6450.4	40000	1	1	25625.169	-36.36	/	MIMO	-33.91	/	-19.03	Pass


802.11ax(HEW80)_HCH_6385MHz_RU996_67_MIMO_NTNV




802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV




802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV



802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV




802.11ax(HEW160)_MCH_6185MHz_2xRU996_68_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.000	-42.01	/	MIMO	-39.57	/	-26.99	Pass
6435.5	40000	1	1	25725.510	-42.51	/	MIMO	-40.06	/	-19.03	Pass

802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5915	1	1	2441.500	-43.24	/	MIMO	-40.80	/	-26.99	Pass
6435.5	40000	1	1	6498.369	-23.71	-34.46	MIMO	-21.27	-32.02	-19.03	Pass

802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV



802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV



8. Secondary Radiated Emission

8.1 Test Result

8.1.1 RxSe_5_NTNV


NTNV																
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker					Limit (nW)	Verdict		
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm)	PK EIRP (nW)	AV EIRP (dBm)	AV EIRP (nW)				
802.11a	SISO	5955	/	/	1	30	1000	746.75	-83.63	0.004	/	/	4	Pass		
						1000	26000	25745.833	-62.14	0.611	/	/	20	Pass		
					2	30	1000	871.65	-84.25	0.004	/	/	4	Pass		
						1000	26000	25615.833	-63.10	0.490	/	/	20	Pass		
		6175	/	/	1	30	1000	788.85	-83.61	0.004	/	/	4	Pass		
						1000	26000	25679.167	-62.68	0.540	/	/	20	Pass		
					2	30	1000	658.9	-83.68	0.004	/	/	4	Pass		
						1000	26000	25556.667	-63.06	0.494	/	/	20	Pass		
		6415	/	/	1	30	1000	801.3	-84.15	0.004	/	/	4	Pass		
						1000	26000	25606.667	-62.47	0.566	/	/	20	Pass		
					2	30	1000	957.85	-84.16	0.004	/	/	4	Pass		
						1000	26000	25218.333	-62.30	0.589	/	/	20	Pass		
802.11n (HT20)	MIMO	5955	/	/	MIMO	30	1000	793.6	-81.78	0.007	/	/	4	Pass		
						1000	26000	25674.167	-60.07	0.984	/	/	20	Pass		
		6175	/	/	MIMO	30	1000	212.5	-82.22	0.006	/	/	4	Pass		
						1000	26000	25648.333	-60.51	0.890	/	/	20	Pass		
		6415	/	/	MIMO	30	1000	978.35	-71.68	0.068	/	/	4	Pass		
						1000	26000	25200	-50.48	8.944	-60.64	0.863	20	Pass		
								25592.5	-49.82	10.418	-60.20	0.955	20	Pass		
								25674.167	-49.85	10.353	-59.87	1.030	20	Pass		
								25906.667	-50.03	9.925	-60.30	0.934	20	Pass		
						25970.833	-50.32	9.283	-60.71	0.849	20	Pass				
		802.11n (HT40)	MIMO	5965	/	/	MIMO	30	1000	810.3	-81.25	0.007	/	/	4	Pass
								1000	26000	25715.833	-59.35	1.161	/	/	20	Pass
6165	/			/	MIMO	30	1000	209.6	-81.77	0.007	/	/	4	Pass		
						1000	26000	25729.167	-59.90	1.024	/	/	20	Pass		
6405	/			/	MIMO	30	1000	730.3	-71.52	0.070	/	/	4	Pass		
						1000	26000	25132.5	-50.14	9.676	-60.68	0.856	20	Pass		
								25553.333	-50.82	8.281	-60.32	0.930	20	Pass		
								25673.333	-49.86	10.335	-59.91	1.021	20	Pass		
								25844.167	-50.37	9.181	-60.84	0.824	20	Pass		
						25965.833	-51.20	7.592	-60.63	0.865	20	Pass				
802.11ac (VHT20)	MIMO	5955	/	/	MIMO	30	1000	769.7	-82.36	0.006	/	/	4	Pass		
						1000	26000	25719.167	-60.09	0.979	/	/	20	Pass		
		6175	/	/	MIMO	30	1000	868.8	-82.01	0.006	/	/	4	Pass		
						1000	26000	25726.667	-60.46	0.899	/	/	20	Pass		
		6415	/	/	MIMO	30	1000	777.45	-70.72	0.085	/	/	4	Pass		
						1000	26000	25067.5	-50.54	8.829	-60.96	0.801	20	Pass		
								25580	-50.48	8.961	-60.22	0.950	20	Pass		
								25650	-50.03	9.938	-59.95	1.012	20	Pass		
								25755	-49.84	10.383	-60.26	0.941	20	Pass		
						25983.333	-50.59	8.731	-60.80	0.832	20	Pass				
802.11ac (VHT40)	MIMO	5965	/	/	MIMO	30	1000	203.75	-82.19	0.006	/	/	4	Pass		
						1000	26000	25606.667	-60.50	0.892	/	/	20	Pass		

Report No.:STS2603331W01_RF_Appendix WIFI 6E


		6165	/	/	MIMO	30	1000	520.05	-82.47	0.006	/	/	4	Pass
						1000	26000	25628.333	-60.81	0.831	/	/	20	Pass
		6405	/	/	MIMO	30	1000	815.7	-71.16	0.076	/	/	4	Pass
						1000	26000	25086.667	-50.93	8.081	-60.82	0.827	20	Pass
								25235.833	-50.93	8.075	-60.71	0.849	20	Pass
								25501.667	-50.29	9.353	-61.17	0.765	20	Pass
								25683.333	-50.00	9.990	-59.88	1.027	20	Pass
802.11ac (VHT80)	MIMO	5985	/	/	MIMO	30	1000	793.65	-81.63	0.007	/	/	4	Pass
						1000	26000	25228.333	-60.54	0.883	/	/	20	Pass
		6145	/	/	MIMO	30	1000	953.55	-81.90	0.006	/	/	4	Pass
						1000	26000	25739.167	-60.65	0.862	/	/	20	Pass
		6385	/	/	MIMO	30	1000	770.1	-71.54	0.070	/	/	4	Pass
						1000	26000	24223.333	-50.59	8.730	-60.97	0.800	20	Pass
								25112.5	-50.30	9.327	-60.72	0.848	20	Pass
								25357.5	-51.37	7.289	-61.59	0.693	20	Pass
								25615	-50.37	9.194	-60.13	0.971	20	Pass
								25949.167	-50.92	8.086	-60.53	0.886	20	Pass
802.11ac (VHT160)	MIMO	6025	/	/	MIMO	30	1000	794.45	-82.28	0.006	/	/	4	Pass
						1000	26000	25707.5	-60.36	0.920	/	/	20	Pass
		6185	/	/	MIMO	30	1000	786.3	-81.72	0.007	/	/	4	Pass
						1000	26000	25719.167	-60.50	0.891	/	/	20	Pass
		6345	/	/	MIMO	30	1000	481.05	-71.13	0.077	/	/	4	Pass
						1000	26000	23251.667	-52.45	5.691	-62.74	0.532	20	Pass
								24050	-51.16	7.651	-61.26	0.748	20	Pass
								24640.833	-51.42	7.213	-61.67	0.681	20	Pass
								25206.667	-50.41	9.091	-60.63	0.865	20	Pass
								25733.333	-49.80	10.464	-60.02	0.996	20	Pass
802.11ax (HEW20)	MIMO	5955	RU242	61	MIMO	30	1000	206.45	-81.95	0.006	/	/	4	Pass
						1000	26000	25720.833	-60.13	0.971	/	/	20	Pass
		6175	RU242	61	MIMO	30	1000	210.25	-81.96	0.006	/	/	4	Pass
						1000	26000	25665.833	-60.35	0.923	/	/	20	Pass
		6415	RU242	61	MIMO	30	1000	796.65	-81.83	0.007	/	/	4	Pass
						1000	26000	25645.833	-60.60	0.871	/	/	20	Pass
802.11ax (HEW40)	MIMO	5965	RU484	65	MIMO	30	1000	212.15	-82.13	0.006	/	/	4	Pass
						1000	26000	25683.333	-59.70	1.071	/	/	20	Pass
		6165	RU484	65	MIMO	30	1000	823.4	-82.13	0.006	/	/	4	Pass
						1000	26000	25694.167	-60.56	0.878	/	/	20	Pass
		6405	RU484	65	MIMO	30	1000	216.3	-82.09	0.006	/	/	4	Pass
						1000	26000	25659.167	-60.52	0.888	/	/	20	Pass
802.11ax (HEW80)	MIMO	5985	RU996	67	MIMO	30	1000	782.35	-81.75	0.007	/	/	4	Pass
						1000	26000	25723.333	-60.50	0.890	/	/	20	Pass
		6145	RU996	67	MIMO	30	1000	771.95	-81.98	0.006	/	/	4	Pass
						1000	26000	25910.833	-60.72	0.846	/	/	20	Pass
		6385	RU996	67	MIMO	30	1000	841.5	-81.93	0.006	/	/	4	Pass
						1000	26000	25641.667	-60.12	0.972	/	/	20	Pass
802.11ax (HEW160)	MIMO	6025	2xRU996	68	MIMO	30	1000	795.35	-82.14	0.006	/	/	4	Pass
						1000	26000	25691.667	-60.25	0.944	/	/	20	Pass
		6185	2xRU996	68	MIMO	30	1000	794.3	-81.88	0.006	/	/	4	Pass
						1000	26000	25600.833	-60.45	0.901	/	/	20	Pass
		6345	2xRU996	68	MIMO	30	1000	962.3	-82.04	0.006	/	/	4	Pass
						1000	26000	25893.333	-60.22	0.952	/	/	20	Pass

8.2 Test Graph


8.2.1 RxSe_5_NTNV




802.11a_MCH_6175MHz_Ant1_NTNV




802.11a_MCH_6175MHz_Ant2_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV




802.11a_HCH_6415MHz_Ant2_NTNV




802.11n(HT20)_LCH_5955MHz_MIMO_NTNV



802.11n(HT20)_MCH_6175MHz_MIMO_NTNV




802.11n(HT20)_HCH_6415MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	978.350	-74.12	/	MIMO	-71.68	/	-54	Pass
1000	26000	1	1	25200.000	-52.93	-63.08	MIMO	-50.48	-60.64	-47	Pass
1000	26000	1	1	25592.500	-52.26	-62.64	MIMO	-49.82	-60.20	-47	Pass
1000	26000	1	1	25674.167	-52.29	-62.31	MIMO	-49.85	-59.87	-47	Pass
1000	26000	1	1	25906.667	-52.47	-62.74	MIMO	-50.03	-60.30	-47	Pass
1000	26000	1	1	25970.833	-52.76	-63.15	MIMO	-50.32	-60.71	-47	Pass


802.11n(HT20)_HCH_6415MHz_MIMO_NTNV







802.11n(HT20)_HCH_6415MHz_MIMO_NTNV






802.11n(HT20)_HCH_6415MHz_MIMO_NTNV













802.11n(HT40)_MCH_6165MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	209.600	-84.20	/	MIMO	-81.77	/	-54	Pass
1000	26000	1	1	25729.167	-62.34	/	MIMO	-59.90	/	-47	Pass



802.11n(HT40)_HCH_6405MHz_MIMO_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	730.300	-73.97	/	MIMO	-71.52	/	-54	Pass
1000	26000	1	1	25132.500	-52.59	-63.12	MIMO	-50.14	-60.68	-47	Pass
1000	26000	1	1	25553.333	-53.26	-62.76	MIMO	-50.82	-60.32	-47	Pass
1000	26000	1	1	25673.333	-52.30	-62.35	MIMO	-49.86	-59.91	-47	Pass
1000	26000	1	1	25844.167	-52.81	-63.28	MIMO	-50.37	-60.84	-47	Pass
1000	26000	1	1	25965.833	-53.64	-63.07	MIMO	-51.20	-60.63	-47	Pass












802.11n(HT40)_HCH_6405MHz_MIMO_NTNV



802.11n(HT40)_HCH_6405MHz_MIMO_NTNV




802.11ac(VHT20)_LCH_5955MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	769.700	-84.80	/	MIMO	-82.36	/	-54	Pass
1000	26000	1	1	25719.167	-62.53	/	MIMO	-60.09	/	-47	Pass

802.11ac(VHT20)_MCH_6175MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	868.800	-84.45	/	MIMO	-82.01	/	-54	Pass
1000	26000	1	1	25726.667	-62.90	/	MIMO	-60.46	/	-47	Pass

802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	777.450	-73.17	/	MIMO	-70.72	/	-54	Pass
1000	26000	1	1	25067.500	-52.98	-63.40	MIMO	-50.54	-60.96	-47	Pass
1000	26000	1	1	25580.000	-52.92	-62.66	MIMO	-50.48	-60.22	-47	Pass
1000	26000	1	1	25650.000	-52.47	-62.39	MIMO	-50.03	-59.95	-47	Pass
1000	26000	1	1	25755.000	-52.28	-62.70	MIMO	-49.84	-60.26	-47	Pass
1000	26000	1	1	25983.333	-53.03	-63.24	MIMO	-50.59	-60.80	-47	Pass


802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV







802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV





802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV











802.11ac(VHT20)_HCH_6415MHz_MIMO_NTNV




802.11ac(VHT40)_LCH_5965MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	203.750	-84.63	/	MIMO	-82.19	/	-54	Pass
1000	26000	1	1	25606.667	-62.94	/	MIMO	-60.50	/	-47	Pass

802.11ac(VHT40)_MCH_6165MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	520.050	-84.91	/	MIMO	-82.47	/	-54	Pass
1000	26000	1	1	25628.333	-63.25	/	MIMO	-60.81	/	-47	Pass

802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	815.700	-73.60	/	MIMO	-71.16	/	-54	Pass
1000	26000	1	1	25086.667	-53.36	-63.26	MIMO	-50.93	-60.82	-47	Pass
1000	26000	1	1	25235.833	-53.37	-63.15	MIMO	-50.93	-60.71	-47	Pass
1000	26000	1	1	25501.667	-52.74	-63.61	MIMO	-50.29	-61.17	-47	Pass
1000	26000	1	1	25683.333	-52.44	-62.32	MIMO	-50.00	-59.88	-47	Pass
1000	26000	1	1	25929.167	-52.99	-62.81	MIMO	-50.55	-60.37	-47	Pass










802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_6405MHz_MIMO_NTNV








802.11ac(VHT80)_LCH_5985MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	793.650	-84.07	/	MIMO	-81.63	/	-54	Pass
1000	26000	1	1	25228.333	-62.98	/	MIMO	-60.54	/	-47	Pass

802.11ac(VHT80)_MCH_6145MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	953.550	-84.34	/	MIMO	-81.90	/	-54	Pass
1000	26000	1	1	25739.167	-63.08	/	MIMO	-60.65	/	-47	Pass

802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	770.100	-73.99	/	MIMO	-71.54	/	-54	Pass
1000	26000	1	1	24223.333	-53.03	-63.41	MIMO	-50.59	-60.97	-47	Pass
1000	26000	1	1	25112.500	-52.74	-63.16	MIMO	-50.30	-60.72	-47	Pass
1000	26000	1	1	25357.500	-53.81	-64.03	MIMO	-51.37	-61.59	-47	Pass
1000	26000	1	1	25615.000	-52.80	-62.57	MIMO	-50.37	-60.13	-47	Pass
1000	26000	1	1	25949.167	-53.36	-62.97	MIMO	-50.92	-60.53	-47	Pass


802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV



802.11ac(VHT80)_HCH_6385MHz_MIMO_NTNV




802.11ac(VHT160)_LCH_6025MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	794.450	-84.72	/	MIMO	-82.28	/	-54	Pass
1000	26000	1	1	25707.500	-62.80	/	MIMO	-60.36	/	-47	Pass

802.11ac(VHT160)_MCH_6185MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	786.300	-84.16	/	MIMO	-81.72	/	-54	Pass
1000	26000	1	1	25719.167	-62.94	/	MIMO	-60.50	/	-47	Pass

802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	481.050	-73.58	/	MIMO	-71.13	/	-54	Pass
1000	26000	1	1	23251.667	-54.89	-65.18	MIMO	-52.45	-62.74	-47	Pass
1000	26000	1	1	24050.000	-53.60	-63.70	MIMO	-51.16	-61.26	-47	Pass
1000	26000	1	1	24640.833	-53.86	-64.11	MIMO	-51.42	-61.67	-47	Pass
1000	26000	1	1	25206.667	-52.85	-63.07	MIMO	-50.41	-60.63	-47	Pass
1000	26000	1	1	25733.333	-52.25	-62.46	MIMO	-49.80	-60.02	-47	Pass


802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV



802.11ac(VHT160)_HCH_6345MHz_MIMO_NTNV




802.11ax(HEW20)_LCH_5955MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	206.450	-84.39	/	MIMO	-81.95	/	-54	Pass
1000	26000	1	1	25720.833	-62.57	/	MIMO	-60.13	/	-47	Pass

802.11ax(HEW20)_MCH_6175MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	210.250	-84.41	/	MIMO	-81.96	/	-54	Pass
1000	26000	1	1	25665.833	-62.79	/	MIMO	-60.35	/	-47	Pass

802.11ax(HEW20)_HCH_6415MHz_RU242_61_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	796.650	-84.27	/	MIMO	-81.83	/	-54	Pass
1000	26000	1	1	25645.833	-63.04	/	MIMO	-60.60	/	-47	Pass

802.11ax(HEW40)_LCH_5965MHz_RU484_65_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	212.150	-84.57	/	MIMO	-82.13	/	-54	Pass
1000	26000	1	1	25683.333	-62.14	/	MIMO	-59.70	/	-47	Pass

802.11ax(HEW40)_MCH_6165MHz_RU484_65_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	823.400	-84.57	/	MIMO	-82.13	/	-54	Pass
1000	26000	1	1	25694.167	-63.00	/	MIMO	-60.56	/	-47	Pass

802.11ax(HEW40)_HCH_6405MHz_RU484_65_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	216.300	-84.53	/	MIMO	-82.09	/	-54	Pass
1000	26000	1	1	25659.167	-62.95	/	MIMO	-60.52	/	-47	Pass

802.11ax(HEW80)_LCH_5985MHz_RU996_67_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	782.350	-84.19	/	MIMO	-81.75	/	-54	Pass
1000	26000	1	1	25723.333	-62.95	/	MIMO	-60.50	/	-47	Pass

802.11ax(HEW80)_MCH_6145MHz_RU996_67_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	771.950	-84.42	/	MIMO	-81.98	/	-54	Pass
1000	26000	1	1	25910.833	-63.16	/	MIMO	-60.72	/	-47	Pass

802.11ax(HEW80)_HCH_6385MHz_RU996_67_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	841.500	-84.37	/	MIMO	-81.93	/	-54	Pass
1000	26000	1	1	25641.667	-62.57	/	MIMO	-60.12	/	-47	Pass

802.11ax(HEW160)_LCH_6025MHz_2xRU996_68_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	795.350	-84.58	/	MIMO	-82.14	/	-54	Pass
1000	26000	1	1	25691.667	-62.69	/	MIMO	-60.25	/	-47	Pass

802.11ax(HEW160)_MCH_6185MHz_2xRU996_68_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	794.300	-84.32	/	MIMO	-81.88	/	-54	Pass
1000	26000	1	1	25893.333	-62.90	/	MIMO	-60.45	/	-47	Pass

802.11ax(HEW160)_HCH_6345MHz_2xRU996_68_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	962.300	-84.48	/	MIMO	-82.04	/	-54	Pass
1000	26000	1	1	25893.333	-62.66	/	MIMO	-60.22	/	-47	Pass