

	11AX20SISO	Ant1	2462	1000~2387	2382.15	-30.44	≤-26	0.90365	≤2.5	PASS
				2387~2400	2399.96	-10.41	≤-16	90.9913 3	≤25	See table below
				2483.5~2496.5	2491.69	-40.33	≤-16	0.09268	≤25	PASS
				2496.5~13000	4852.96	-50.81	≤-26	0.00830	≤2.5	PASS
				30~500	173.00	-47.58	≤-26	0.01746	≤2.5	PASS
				500~1000	899.88	-56.36	≤-26	0.00231	≤2.5	PASS
				1000~2387	2336.37	-34.37	≤-26	0.36559	≤2.5	PASS
				2387~2400	2388.77	-31.50	≤-16	0.70795	≤25	PASS
				2483.5~2496.5	2483.71	-9.53	≤-16	111.429 45	≤25	See table below
				2496.5~13000	2501.75	-37.73	≤-26	0.16866	≤2.5	PASS
			2412	30~500	180.87	-49.14	≤-26	0.01219	≤2.5	PASS
				500~1000	964.13	-56.25	≤-26	0.00237	≤2.5	PASS
				1000~2387	2387.00	-34.70	≤-26	0.33884	≤2.5	PASS
				2387~2400	2399.88	-4.68	≤-16	340.408 19	≤25	See table below
				2483.5~2496.5	2490.43	-42.64	≤-16	0.05445	≤25	PASS
				2496.5~13000	4830.90	-45.64	≤-26	0.02729	≤2.5	PASS
	11AX40SISO	Ant1	2472	30~500	191.33	-49.16	≤-26	0.01213	≤2.5	PASS
				500~1000	890.13	-53.47	≤-26	0.00450	≤2.5	PASS
				1000~2387	1475.74	-32.98	≤-26	0.50350	≤2.5	PASS
				2387~2400	2396.11	-32.23	≤-16	0.59841	≤25	PASS
				2483.5~2496.5	2483.64	-3.84	≤-16	413.047 50	≤25	See table below
				2496.5~13000	2497.03	-45.65	≤-26	0.02723	≤2.5	PASS
			2422	30~500	193.33	-49.42	≤-26	0.01143	≤2.5	PASS
				500~1000	896.13	-56.82	≤-26	0.00208	≤2.5	PASS
				1000~2387	2283.32	-33.47	≤-26	0.44978	≤2.5	PASS
				2387~2400	2399.79	-10.68	≤-16	85.5066 7	≤25	See table below
				2483.5~2496.5	2487.07	-42.46	≤-16	0.05675	≤25	PASS
				2496.5~13000	4842.46	-49.41	≤-26	0.01146	≤2.5	PASS
NTLV	11B	Ant1	2462	30~500	30.00	-49.17	≤-26	0.01211	≤2.5	PASS
				500~1000	972.63	-56.90	≤-26	0.00204	≤2.5	PASS
				1000~2387	2384.57	-32.85	≤-26	0.51880	≤2.5	PASS
				2387~2400	2396.84	-33.14	≤-16	0.48529	≤25	PASS
				2483.5~2496.5	2483.74	-9.19	≤-16	120.503 59	≤25	See table below
				2496.5~13000	2504.38	-43.15	≤-26	0.04842	≤2.5	PASS
			2412	30~500	185.92	-48.54	≤-26	0.01400	≤2.5	PASS
				500~1000	964.75	-49.61	≤-26	0.01094	≤2.5	PASS
				1000~2387	1448.69	-36.98	≤-26	0.20045	≤2.5	PASS
				2387~2400	2399.78	-30.31	≤-16	0.93111	≤25	PASS
				2483.5~2496.5	2486.66	-41.96	≤-16	0.06368	≤25	PASS
				2496.5~13000	4824.08	-34.38	≤-26	0.36475	≤2.5	PASS
			2442	30~500	202.14	-48.72	≤-26	0.01343	≤2.5	PASS
				500~1000	976.63	-49.80	≤-26	0.01047	≤2.5	PASS
				1000~2387	1463.95	-37.10	≤-26	0.19498	≤2.5	PASS
				2387~2400	2393.58	-41.35	≤-16	0.07328	≤25	PASS
				2483.5~2496.5	2489.34	-40.67	≤-16	0.08570	≤25	PASS
				2496.5~13000	4883.95	-34.37	≤-26	0.36559	≤2.5	PASS
	11G	Ant1	2472	30~500	190.39	-48.75	≤-26	0.01334	≤2.5	PASS
				500~1000	988.75	-49.91	≤-26	0.01021	≤2.5	PASS
				1000~2387	1481.98	-37.52	≤-26	0.17701	≤2.5	PASS
				2387~2400	2389.07	-42.64	≤-16	0.05445	≤25	PASS
				2483.5~2496.5	2483.50	-26.38	≤-16	2.30144	≤25	PASS
				2496.5~13000	4943.82	-34.56	≤-26	0.34995	≤2.5	PASS
			2412	30~500	189.45	-48.62	≤-26	0.01374	≤2.5	PASS
				500~1000	970.13	-56.22	≤-26	0.00239	≤2.5	PASS
				1000~2387	2380.07	-34.51	≤-26	0.35400	≤2.5	PASS
				2387~2400	2399.96	-5.75	≤-16	266.072 51	≤25	See table below
				2483.5~2496.5	2496.08	-41.12	≤-16	0.07727	≤25	PASS

Appendix B

CN26ANFR 001

Page 52 of 221



TÜVRheinland®

Prüfbericht - Produkte
Test Report - Products

			2442	2496.5~13000	4825.65	-48.43	≤-26	0.01435	≤2.5	PASS
				30~500	194.15	-48.17	≤-26	0.01524	≤2.5	PASS
				500~1000	969.75	-53.85	≤-26	0.00412	≤2.5	PASS
				1000~2387	2368.97	-32.68	≤-26	0.53951	≤2.5	PASS
				2387~2400	2390.99	-29.36	≤-16	1.15878	≤25	PASS
				2483.5~2496.5	2496.45	-31.06	≤-16	0.78343	≤25	PASS
				2496.5~13000	3906.07	-49.00	≤-26	0.01259	≤2.5	PASS
			2472	30~500	173.59	-48.62	≤-26	0.01374	≤2.5	PASS
				500~1000	988.88	-53.92	≤-26	0.00406	≤2.5	PASS
				1000~2387	1484.06	-34.08	≤-26	0.39084	≤2.5	PASS
				2387~2400	2387.68	-30.77	≤-16	0.83753	≤25	PASS
				2483.5~2496.5	2483.83	-3.43	≤-16	453.941 62	≤25	See table below
				2496.5~13000	4941.71	-46.53	≤-26	0.02223	≤2.5	PASS
	11N20SISO	Ant1	2412	30~500	184.87	-48.37	≤-26	0.01455	≤2.5	PASS
				500~1000	903.50	-56.26	≤-26	0.00237	≤2.5	PASS
				1000~2387	1449.73	-35.91	≤-26	0.25645	≤2.5	PASS
				2387~2400	2399.67	-4.99	≤-16	316.956 75	≤25	See table below
				2483.5~2496.5	2486.04	-40.66	≤-16	0.08590	≤25	PASS
				2496.5~13000	4825.13	-47.98	≤-26	0.01592	≤2.5	PASS
			2442	30~500	188.39	-48.70	≤-26	0.01349	≤2.5	PASS
				500~1000	976.25	-54.89	≤-26	0.00324	≤2.5	PASS
				1000~2387	2198.37	-30.22	≤-26	0.95060	≤2.5	PASS
				2387~2400	2391.28	-29.63	≤-16	1.08893	≤25	PASS
				2483.5~2496.5	2495.65	-31.98	≤-16	0.63387	≤25	PASS
				2496.5~13000	4886.57	-37.05	≤-26	0.19724	≤2.5	PASS
			2472	30~500	182.52	-48.87	≤-26	0.01297	≤2.5	PASS
				500~1000	995.75	-55.58	≤-26	0.00277	≤2.5	PASS
				1000~2387	2125.55	-31.78	≤-26	0.66374	≤2.5	PASS
				2387~2400	2396.87	-32.14	≤-16	0.61094	≤25	PASS
				2483.5~2496.5	2483.62	-3.62	≤-16	434.510 22	≤25	See table below
				2496.5~13000	2496.50	-44.29	≤-26	0.03724	≤2.5	PASS
	11N40SISO	Ant1	2422	30~500	188.16	-48.77	≤-26	0.01327	≤2.5	PASS
				500~1000	501.50	-56.47	≤-26	0.00225	≤2.5	PASS
				1000~2387	2383.19	-26.81	≤-26	2.08449	≤2.5	See table below
				2387~2400	2400	-17.21	≤-16	19.0107 8	≤25	See table below
				2483.5~2496.5	2496.42	-39.81	≤-16	0.10447	≤25	PASS
				2496.5~13000	4834.58	-51.86	≤-26	0.00652	≤2.5	PASS
			2462	30~500	177.70	-48.39	≤-26	0.01449	≤2.5	PASS
				500~1000	974.75	-56.21	≤-26	0.00239	≤2.5	PASS
				1000~2387	2229.58	-35.69	≤-26	0.26977	≤2.5	PASS
				2387~2400	2392.86	-31.38	≤-16	0.72778	≤25	PASS
				2483.5~2496.5	2483.53	-9.37	≤-16	115.611 22	≤25	See table below
				2496.5~13000	4919.13	-49.13	≤-26	0.01222	≤2.5	PASS
	11AX20SISO	Ant1	2412	30~500	185.92	-48.99	≤-26	0.01262	≤2.5	PASS
				500~1000	508.38	-56.55	≤-26	0.00221	≤2.5	PASS
				1000~2387	2203.57	-31.53	≤-26	0.70307	≤2.5	PASS
				2387~2400	2399.97	-5.37	≤-16	290.402 27	≤25	See table below
				2483.5~2496.5	2488.96	-41.23	≤-16	0.07534	≤25	PASS
				2496.5~13000	4823.55	-47.53	≤-26	0.01766	≤2.5	PASS
			2472	30~500	172.65	-48.82	≤-26	0.01312	≤2.5	PASS
				500~1000	892.25	-56.08	≤-26	0.00247	≤2.5	PASS
				1000~2387	2255.24	-31.61	≤-26	0.69024	≤2.5	PASS
				2387~2400	2388.92	-32.08	≤-16	0.61944	≤25	PASS
				2483.5~2496.5	2483.73	-3.20	≤-16	478.630 09	≤25	See table below
				2496.5~13000	2496.50	-42.04	≤-26	0.06252	≤2.5	PASS

Appendix B

Prüfbericht - Produkte
Test Report - Products

CN26ANFR 001

Page 53 of 221


11AX40SISO	Ant1	2422	30~500	190.27	-49.25	≤-26	0.01189	≤2.5	PASS
			500~1000	897.75	-56.43	≤-26	0.00228	≤2.5	PASS
			1000~2387	2380.41	-30.82	≤-26	0.82794	≤2.5	PASS
			2387~2400	2399.79	-9.39	≤-16	115.080 04	≤25	See table below
			2483.5~2496.5	2489.38	-42.20	≤-16	0.06026	≤25	PASS
			2496.5~13000	4845.61	-49.72	≤-26	0.01067	≤2.5	PASS
		2462	30~500	185.57	-49.04	≤-26	0.01247	≤2.5	PASS
			500~1000	877.38	-56.69	≤-26	0.00214	≤2.5	PASS
			1000~2387	2122.43	-32.14	≤-26	0.61094	≤2.5	PASS
			2387~2400	2399.70	-32.15	≤-16	0.60954	≤25	PASS
NTHV	11B	2412	30~500	179.58	-48.79	≤-26	0.01321	≤2.5	PASS
			500~1000	964.50	-49.44	≤-26	0.01138	≤2.5	PASS
			1000~2387	1448.35	-36.82	≤-26	0.20797	≤2.5	PASS
			2387~2400	2399.84	-30.42	≤-16	0.90782	≤25	PASS
			2483.5~2496.5	2495.15	-41.42	≤-16	0.07211	≤25	PASS
			2496.5~13000	4824.08	-34.29	≤-26	0.37239	≤2.5	PASS
		2442	30~500	210.01	-47.97	≤-26	0.01596	≤2.5	PASS
			500~1000	976.75	-49.51	≤-26	0.01119	≤2.5	PASS
			1000~2387	1466.38	-37.39	≤-26	0.18239	≤2.5	PASS
			2387~2400	2391.98	-41.48	≤-16	0.07112	≤25	PASS
			2483.5~2496.5	2492.74	-40.80	≤-16	0.08318	≤25	PASS
			2496.5~13000	4883.95	-34.51	≤-26	0.35400	≤2.5	PASS
		2472	30~500	186.28	-49.08	≤-26	0.01236	≤2.5	PASS
			500~1000	989.00	-49.86	≤-26	0.01033	≤2.5	PASS
			1000~2387	1481.98	-37.39	≤-26	0.18239	≤2.5	PASS
			2387~2400	2399.29	-42.40	≤-16	0.05754	≤25	PASS
			2483.5~2496.5	2483.50	-26.39	≤-16	2.29615	≤25	PASS
			2496.5~13000	4943.82	-34.51	≤-26	0.35400	≤2.5	PASS
	11G	2412	30~500	186.28	-48.75	≤-26	0.01334	≤2.5	PASS
			500~1000	961.38	-55.72	≤-26	0.00268	≤2.5	PASS
			1000~2387	2385.61	-33.49	≤-26	0.44771	≤2.5	PASS
			2387~2400	2399.92	-5.88	≤-16	258.226 02	≤25	See table below
			2483.5~2496.5	2485.05	-40.34	≤-16	0.09247	≤25	PASS
			2496.5~13000	4823.03	-48.50	≤-26	0.01413	≤2.5	PASS
		2442	30~500	182.75	-48.37	≤-26	0.01455	≤2.5	PASS
			500~1000	973.25	-55.23	≤-26	0.00300	≤2.5	PASS
			1000~2387	1466.38	-33.59	≤-26	0.43752	≤2.5	PASS
			2387~2400	2393.73	-29.97	≤-16	1.00693	≤25	PASS
			2483.5~2496.5	2493.66	-30.66	≤-16	0.85901	≤25	PASS
			2496.5~13000	4881.32	-33.42	≤-26	0.45499	≤2.5	PASS
		2472	30~500	206.37	-48.77	≤-26	0.01327	≤2.5	PASS
			500~1000	991.13	-54.87	≤-26	0.00326	≤2.5	PASS
			1000~2387	2093.30	-31.69	≤-26	0.67764	≤2.5	PASS
			2387~2400	2396.10	-31.61	≤-16	0.69024	≤25	PASS
			2483.5~2496.5	2483.55	-4.77	≤-16	333.426 41	≤25	See table below
			2496.5~13000	2496.50	-43.56	≤-26	0.04406	≤2.5	PASS
11N20SISO	Ant1	2412	30~500	185.81	-48.37	≤-26	0.01455	≤2.5	PASS
			500~1000	964.50	-56.08	≤-26	0.00247	≤2.5	PASS
			1000~2387	2201.84	-31.66	≤-26	0.68234	≤2.5	PASS
			2387~2400	2399.88	-5.26	≤-16	297.851 64	≤25	See table below
			2483.5~2496.5	2488.93	-40.36	≤-16	0.09204	≤25	PASS
			2496.5~13000	4822.50	-44.07	≤-26	0.03917	≤2.5	PASS
		2442	30~500	194.62	-48.94	≤-26	0.01276	≤2.5	PASS
			500~1000	976.38	-54.81	≤-26	0.00330	≤2.5	PASS
			1000~2387	2136.30	-32.07	≤-26	0.62087	≤2.5	PASS
			2387~2400	2391.88	-30.30	≤-16	0.93325	≤25	PASS
			2483.5~2496.5	2494.61	-32.01	≤-16	0.62951	≤25	PASS
			2496.5~13000	4879.74	-33.49	≤-26	0.44771	≤2.5	PASS
		2472	30~500	184.40	-48.44	≤-26	0.01432	≤2.5	PASS

複製禁止				500~1000	987.75	-54.15	≤-26	0.00385	≤2.5	PASS		
				1000~2387	1481.29	-34.70	≤-26	0.33884	≤2.5	PASS		
				2387~2400	2395.31	-31.19	≤-16	0.76033	≤25	PASS		
				2483.5~2496.5	2483.69	-3.57	≤-16	439.541 62	≤25	See table below		
				2496.5~13000	2496.50	-41.92	≤-26	0.06427	≤2.5	PASS		
	11N40SISO	Ant1	2422	30~500	187.57	-48.52	≤-26	0.01406	≤2.5	PASS		
				500~1000	983.38	-55.95	≤-26	0.00254	≤2.5	PASS		
				1000~2387	2382.84	-28.98	≤-26	1.26474	≤2.5	See table below		
				2387~2400	2399.79	-9.44	≤-16	113.762 73	≤25	See table below		
				2483.5~2496.5	2496.50	-40.20	≤-16	0.09550	≤25	PASS		
				2496.5~13000	4841.41	-49.99	≤-26	0.01002	≤2.5	PASS		
			2462	30~500	183.81	-48.77	≤-26	0.01327	≤2.5	PASS		
				500~1000	914.00	-56.32	≤-26	0.00233	≤2.5	PASS		
				1000~2387	2154.68	-33.09	≤-26	0.49091	≤2.5	PASS		
				2387~2400	2393.27	-31.76	≤-16	0.66681	≤25	PASS		
				2483.5~2496.5	2483.58	-9.46	≤-16	113.240 04	≤25	See table below		
				2496.5~13000	2497.55	-39.59	≤-26	0.10990	≤2.5	PASS		
			11AX20SISO	Ant1	2412	30~500	177.46	-49.06	≤-26	0.01242	≤2.5	PASS
						500~1000	852.75	-56.55	≤-26	0.00221	≤2.5	PASS
						1000~2387	2386.31	-33.07	≤-26	0.49317	≤2.5	PASS
						2387~2400	2399.95	-4.65	≤-16	342.767 79	≤25	See table below
					2472	2483.5~2496.5	2487.69	-41.53	≤-16	0.07031	≤25	PASS
						2496.5~13000	4828.28	-47.27	≤-26	0.01875	≤2.5	PASS
	30~500	186.16				-48.79	≤-26	0.01321	≤2.5	PASS		
	500~1000	892.13				-55.32	≤-26	0.00294	≤2.5	PASS		
	1000~2387	2212.58				-32.73	≤-26	0.53333	≤2.5	PASS		
	2387~2400	2398.38				-32.11	≤-16	0.61518	≤25	PASS		
	11AX40SISO	Ant1	2422	2483.5~2496.5	2483.52	-2.79	≤-16	526.017 27	≤25	See table below		
				2496.5~13000	2496.50	-40.41	≤-26	0.09099	≤2.5	PASS		
				30~500	32.59	-47.43	≤-26	0.01807	≤2.5	PASS		
				500~1000	526.88	-56.69	≤-26	0.00214	≤2.5	PASS		
				1000~2387	2384.92	-28.27	≤-26	1.48936	≤2.5	See table below		
				2387~2400	2399.8	-16.84	≤-16	20.7014 1	≤25	See table below		
			2462	2483.5~2496.5	2484.00	-41.56	≤-16	0.06982	≤25	PASS		
				2496.5~13000	4857.16	-50.92	≤-26	0.00809	≤2.5	PASS		
				30~500	179.23	-49.37	≤-26	0.01156	≤2.5	PASS		
				500~1000	530.13	-57.11	≤-26	0.00195	≤2.5	PASS		
				1000~2387	2154.33	-31.38	≤-26	0.72778	≤2.5	PASS		
				2387~2400	2388.54	-32.75	≤-16	0.53088	≤25	PASS		
				2483.5~2496.5	2483.76	-9.53	≤-16	111.429 45	≤25	See table below		
				2496.5~13000	2498.60	-37.20	≤-26	0.19055	≤2.5	PASS		

Test Result_Step2


Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq. [MHz]	Result [dBm]	Gain [dBi]	EIRP Result [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11G	Ant1	2412	2387~2400	-17.83	0	-17.83	16.48162	≤25	PASS
NTLV	11G	Ant1	2412	2387~2400	-17.79	0	-17.79	16.63413	≤25	PASS
NTHV	11G	Ant1	2412	2387~2400	-17.84	0	-17.84	16.44372	≤25	PASS
NTNV	11G	Ant1	2472	2483.5~2496.5	-18.26	0	-18.26	14.92794	≤25	PASS
NTLV	11G	Ant1	2472	2483.5~2496.5	-18.31	0	-18.31	14.75707	≤25	PASS
NTHV	11G	Ant1	2472	2483.5~2496.5	-18.14	0	-18.14	15.34617	≤25	PASS
NTNV	11N20SISO	Ant1	2412	2387~2400	-18.51	0	-18.51	14.09289	≤25	PASS
NTLV	11N20SISO	Ant1	2412	2387~2400	-18.45	0	-18.45	14.28894	≤25	PASS
NTHV	11N20SISO	Ant1	2412	2387~2400	-18.25	0	-18.25	14.96236	≤25	PASS
NTNV	11N20SISO	Ant1	2472	2483.5~2496.5	-17.05	0	-17.05	19.72423	≤25	PASS
NTLV	11N20SISO	Ant1	2472	2483.5~2496.5	-17.18	0	-17.18	19.14256	≤25	PASS
NTHV	11N20SISO	Ant1	2472	2483.5~2496.5	-17.53	0	-17.53	17.66038	≤25	PASS
NTLV	11N40SISO	Ant1	2422	1000~2387	-40.36	0	-40.36	0.09204	≤2.5	PASS
NTNV	11N40SISO	Ant1	2422	2387~2400	-24.79	0	-24.79	3.31894	≤25	PASS
NTLV	11N40SISO	Ant1	2422	2387~2400	-24.91	0	-24.91	3.22849	≤25	PASS
NTHV	11N40SISO	Ant1	2422	2387~2400	-25.11	0	-25.11	3.08319	≤25	PASS
NTNV	11N40SISO	Ant1	2462	2483.5~2496.5	-23.34	0	-23.34	4.63447	≤25	PASS
NTLV	11N40SISO	Ant1	2462	2483.5~2496.5	-23.37	0	-23.37	4.60257	≤25	PASS
NTHV	11N40SISO	Ant1	2462	2483.5~2496.5	-23.45	0	-23.45	4.51856	≤25	PASS
NTNV	11AX20SISO	Ant1	2412	2387~2400	-20.05	0	-20.05	9.88553	≤25	PASS
NTLV	11AX20SISO	Ant1	2412	2387~2400	-20.06	0	-20.06	9.86279	≤25	PASS
NTHV	11AX20SISO	Ant1	2412	2387~2400	-20.27	0	-20.27	9.39723	≤25	PASS
NTNV	11AX20SISO	Ant1	2472	2483.5~2496.5	-18.84	0	-18.84	13.06171	≤25	PASS
NTLV	11AX20SISO	Ant1	2472	2483.5~2496.5	-18.67	0	-18.67	13.58313	≤25	PASS
NTHV	11AX20SISO	Ant1	2472	2483.5~2496.5	-18.50	0	-18.50	14.12538	≤25	PASS
NTHV	11AX40SISO	Ant1	2422	1000~2387	-41.32	0	-41.32	0.07379	≤2.5	PASS
NTNV	11AX40SISO	Ant1	2422	2387~2400	-25.38	0	-25.38	2.89734	≤25	PASS
NTLV	11AX40SISO	Ant1	2422	2387~2400	-25.26	0	-25.26	2.97852	≤25	PASS
NTHV	11AX40SISO	Ant1	2422	2387~2400	-24.61	0	-24.61	3.45939	≤25	PASS
NTNV	11AX40SISO	Ant1	2462	2483.5~2496.5	-24.42	0	-24.42	3.61410	≤25	PASS
NTLV	11AX40SISO	Ant1	2462	2483.5~2496.5	-24.01	0	-24.01	3.97192	≤25	PASS
NTHV	11AX40SISO	Ant1	2462	2483.5~2496.5	-25.48	0	-25.48	2.83139	≤25	PASS

Test Graphs




































NTNV 11N20SISO Ant1 2442 2387~2400



NTNV 11N20SISO Ant1 2442 2483.5~2496.5



NTNV 11N20SISO Ant1 2442 2496.5~13000


























NTNV 11AX40SISO Ant1 2422 30~500



NTNV 11AX40SISO Ant1 2422 500~1000



NTNV 11AX40SISO Ant1 2422 1000~2387


























NTLV 11G Ant1 2442 2496.5~13000

