

802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV




Burst No.	1	2	3	4
Length (ms)	0.955	0.953	0.955	**0.953**
Power(dBm)	-5.88	-5.86	-5.86	**-5.84**
Power(mW)	0.258	0.260	0.259	**0.261**
Remark	/	/	/	**Max**

802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




Burst No.	1	2	3	4
Length (ms)	0.955	0.955	0.953	**0.953**
Power(dBm)	-5.07	-5.11	-5.08	**-5.05**
Power(mW)	0.311	0.309	0.310	**0.313**
Remark	/	/	/	**Max**

802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.953	0.955	0.953	0.953	**0.953**
Power(dBm)	-5.67	-5.66	-5.66	-5.66	**-5.65**
Power(mW)	0.271	0.271	0.272	0.272	**0.272**
Remark	/	/	/	/	**Max**

802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.460	0.462	0.462	0.462	**0.460**
Power(dBm)	-7.44	-7.45	-7.46	-7.44	**-7.42**
Power(mW)	0.180	0.180	0.180	0.180	**0.181**
Remark	/	/	/	/	**Max**

802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV



802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




Burst No.	1	2	3	4	5
Length (ms)	0.461	0.461	0.461	0.461	0.461
Power(dBm)	-8.33	-8.33	-8.32	-8.34	-8.34
Power(mW)	0.147	0.147	0.147	0.146	0.146
Remark	/	/	Max	/	/

Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5260	Ant1	16.384	20	Pass
NVNT	a	5300	Ant1	16.384	20	Pass
NVNT	a	5320	Ant1	16.384	20	Pass
NVNT	a	5260	Ant2	16.384	20	Pass
NVNT	a	5300	Ant2	16.384	20	Pass
NVNT	a	5320	Ant2	16.384	20	Pass
NVNT	n20	5260	Ant1	17.582	20	Pass
NVNT	n20	5300	Ant1	17.542	20	Pass
NVNT	n20	5320	Ant1	17.542	20	Pass
NVNT	n20	5260	Ant2	17.542	20	Pass
NVNT	n20	5300	Ant2	17.502	20	Pass
NVNT	n20	5320	Ant2	17.542	20	Pass
NVNT	n40	5270	Ant1	35.964	40	Pass
NVNT	n40	5310	Ant1	36.044	40	Pass
NVNT	n40	5270	Ant2	35.964	40	Pass
NVNT	n40	5310	Ant2	35.964	40	Pass
NVNT	ac20	5260	Ant1	17.542	20	Pass
NVNT	ac20	5300	Ant1	17.582	20	Pass
NVNT	ac20	5320	Ant1	17.542	20	Pass
NVNT	ac20	5260	Ant2	17.502	20	Pass
NVNT	ac20	5300	Ant2	17.542	20	Pass
NVNT	ac20	5320	Ant2	17.502	20	Pass
NVNT	ac40	5270	Ant1	36.044	40	Pass
NVNT	ac40	5310	Ant1	35.964	40	Pass
NVNT	ac40	5270	Ant2	35.964	40	Pass
NVNT	ac40	5310	Ant2	35.964	40	Pass
NVNT	ac80	5290	Ant1	74.645	80	Pass
NVNT	ac80	5290	Ant2	74.805	80	Pass

Test Graphs


OBW NVNT a 5260MHz Ant1



OBW NVNT a 5300MHz Ant1




OBW NVNT a 5320MHz Ant1




Date: 6.FEB.2026 15:14:45

OBW NVNT a 5260MHz Ant2




Date: 6.FEB.2026 15:15:24

OBW NVNT a 5300MHz Ant2




Date: 6.FEB.2026 15:23:54

OBW NVNT a 5320MHz Ant2




Date: 6.FEB.2026 15:16:10

OBW NVNT n20 5260MHz Ant1




Date: 6.FEB.2026 15:20:53

OBW NVNT n20 5300MHz Ant1




Date: 6.FEB.2026 15:21:37

OBW NVNT n20 5320MHz Ant1




Date: 6.FEB.2026 15:22:01

OBW NVNT n20 5260MHz Ant2




Date: 6.FEB.2026 15:22:38

OBW NVNT n20 5300MHz Ant2




Date: 6.FEB.2026 15:23:01

OBW NVNT n20 5320MHz Ant2




Date: 6.FEB.2026 15:24:26

OBW NVNT n40 5270MHz Ant1




Date: 6.FEB.2026 15:06:51

OBW NVNT n40 5310MHz Ant1




Date: 6.FEB.2026 15:08:16

OBW NVNT n40 5270MHz Ant2




Date: 6.FEB.2026 15:09:04

OBW NVNT n40 5310MHz Ant2




Date: 6.FEB.2026 15:09:49

OBW NVNT ac20 5260MHz Ant1




Date: 6.FEB.2026 15:26:02

OBW NVNT ac20 5300MHz Ant1




Date: 6.FEB.2026 15:26:45

OBW NVNT ac20 5320MHz Ant1




Date: 6.FEB.2026 15:27:32

OBW NVNT ac20 5260MHz Ant2




Date: 6.FEB.2026 15:28:32

OBW NVNT ac20 5300MHz Ant2




Date: 6.FEB.2026 15:30:38

OBW NVNT ac20 5320MHz Ant2




Date: 6.FEB.2026 15:31:05

OBW NVNT ac40 5270MHz Ant1




Date: 6.FEB.2026 15:10:44

OBW NVNT ac40 5310MHz Ant1




Date: 6.FEB.2026 15:11:18

OBW NVNT ac40 5270MHz Ant2




Date: 6.FEB.2026 15:12:00

OBW NVNT ac40 5310MHz Ant2




Date: 6.FEB.2026 15:12:33

OBW NVNT ac80 5290MHz Ant1



Date: 6.FEB.2026 14:59:42

OBW NVNT ac80 5290MHz Ant2




Date: 6.FEB.2026 15:03:11

Spreading Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5260	Ant1	15.584	0.5	Pass
NVNT	a	5300	Ant1	14.545	0.5	Pass
NVNT	a	5320	Ant1	14.545	0.5	Pass
NVNT	a	5260	Ant2	14.585	0.5	Pass
NVNT	a	5300	Ant2	14.545	0.5	Pass
NVNT	a	5320	Ant2	14.585	0.5	Pass
NVNT	n20	5260	Ant1	15.624	0.5	Pass
NVNT	n20	5300	Ant1	15.544	0.5	Pass
NVNT	n20	5320	Ant1	15.544	0.5	Pass
NVNT	n20	5260	Ant2	15.504	0.5	Pass
NVNT	n20	5300	Ant2	15.504	0.5	Pass
NVNT	n20	5320	Ant2	15.504	0.5	Pass
NVNT	n40	5270	Ant1	31.409	0.5	Pass
NVNT	n40	5310	Ant1	31.329	0.5	Pass
NVNT	n40	5270	Ant2	31.089	0.5	Pass
NVNT	n40	5310	Ant2	31.329	0.5	Pass
NVNT	ac20	5260	Ant1	15.504	0.5	Pass
NVNT	ac20	5300	Ant1	15.465	0.5	Pass
NVNT	ac20	5320	Ant1	15.584	0.5	Pass
NVNT	ac20	5260	Ant2	15.584	0.5	Pass
NVNT	ac20	5300	Ant2	15.504	0.5	Pass
NVNT	ac20	5320	Ant2	15.584	0.5	Pass
NVNT	ac40	5270	Ant1	31.089	0.5	Pass
NVNT	ac40	5310	Ant1	31.409	0.5	Pass
NVNT	ac40	5270	Ant2	31.329	0.5	Pass
NVNT	ac40	5310	Ant2	31.409	0.5	Pass
NVNT	ac80	5290	Ant1	62.657	0.5	Pass
NVNT	ac80	5290	Ant2	62.817	0.5	Pass


Test Graphs

Spreading Bandwidth NVNT a 5260MHz Ant1




Date: 4.FEB.2026 16:41:35

Spreading Bandwidth NVNT a 5300MHz Ant1




Date: 4.FEB.2026 16:51:58

Spreading Bandwidth NVNT a 5320MHz Ant1




Date: 4.FEB.2026 16:56:13

Spreading Bandwidth NVNT a 5260MHz Ant2




Date: 4.FEB.2026 17:23:11

Spreading Bandwidth NVNT a 5300MHz Ant2




Date: 4.FEB.2026 17:26:04

Spreading Bandwidth NVNT a 5320MHz Ant2




Date: 4.FEB.2026 18:16:55

Spreading Bandwidth NVNT n20 5260MHz Ant1




Date: 4.FEB.2026 17:04:37

Spreading Bandwidth NVNT n20 5300MHz Ant1




Date: 4.FEB.2026 17:06:58

Spreading Bandwidth NVNT n20 5320MHz Ant1




Date: 4.FEB.2026 17:08:48

Spreading Bandwidth NVNT n20 5260MHz Ant2




Date: 4.FEB.2026 18:21:32

Spreading Bandwidth NVNT n20 5300MHz Ant2




Date: 4.FEB.2026 18:23:59

Spreading Bandwidth NVNT n20 5320MHz Ant2




Date: 4.FEB.2026 18:25:23

Spreading Bandwidth NVNT n40 5270MHz Ant1




Date: 6.FEB.2026 14:42:14

Spreading Bandwidth NVNT n40 5310MHz Ant1




Date: 6.FEB.2026 13:52:56

Spreading Bandwidth NVNT n40 5270MHz Ant2




Date: 6.FEB.2026 14:08:33

Spreading Bandwidth NVNT n40 5310MHz Ant2




Date: 6.FEB.2026 14:10:15

Spreading Bandwidth NVNT ac20 5260MHz Ant1




Date: 4.FEB.2026 17:12:06

Spreading Bandwidth NVNT ac20 5300MHz Ant1




Date: 4.FEB.2026 17:16:28

Spreading Bandwidth NVNT ac20 5320MHz Ant1




Date: 4.FEB.2026 17:19:07

Spreading Bandwidth NVNT ac20 5260MHz Ant2




Date: 4.FEB.2026 18:27:46

Spreading Bandwidth NVNT ac20 5300MHz Ant2




Date: 4.FEB.2026 18:29:27

Spreading Bandwidth NVNT ac20 5320MHz Ant2




Date: 4.FEB.2026 18:31:46

Spreading Bandwidth NVNT ac40 5270MHz Ant1




Date: 6.FEB.2026 14:44:33

Spreading Bandwidth NVNT ac40 5310MHz Ant1




Date: 6.FEB.2026 14:46:56

Spreading Bandwidth NVNT ac40 5270MHz Ant2




Date: 6.FEB.2026 14:48:49

Spreading Bandwidth NVNT ac40 5310MHz Ant2




Date: 6.FEB.2026 14:50:25

Spreading Bandwidth NVNT ac80 5290MHz Ant1



Date: 6.FEB.2026 14:58:14

Spreading Bandwidth NVNT ac80 5290MHz Ant2



Date: 6.FEB.2026 15:02:37

Unwanted Emission Strength

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (uW/MHz)	Limit Start(uW/MHz)	Limit Stop (uW/MHz)	Verdict
NVNT	a	5260	Ant1	30-5233.3	4388.6	-37.31	0.1858	2.5	2.5	Pass
NVNT	a	5260	Ant1	5233.3-5240	5239.48	-28.84	1.3062	2.49	15.85	Pass
NVNT	a	5260	Ant1	5240-5249	5247.89	-23.82	4.1495	15.85	100	Pass
NVNT	a	5260	Ant1	5249-5250	5249.98	-13.35	46.2381	100	1000	Pass
NVNT	a	5260	Ant1	5350-26000	6866	-34.81	0.3304	2.5	2.5	Pass
NVNT	a	5300	Ant1	30-5233.3	4165.1	-37.72	0.169	2.5	2.5	Pass
NVNT	a	5300	Ant1	5233.3-5240	5239.99	-38.04	0.157	2.49	15.85	Pass
NVNT	a	5300	Ant1	5240-5249	5247.91	-37.44	0.1803	15.85	100	Pass
NVNT	a	5300	Ant1	5249-5250	5249.77	-37.08	0.1959	100	1000	Pass
NVNT	a	5300	Ant1	5350-26000	6969	-34.12	0.3873	2.5	2.5	Pass
NVNT	a	5320	Ant1	30-5233.3	4206.7	-36.76	0.2109	2.5	2.5	Pass
NVNT	a	5320	Ant1	5233.3-5240	5239.63	-37.22	0.1897	2.49	15.85	Pass
NVNT	a	5320	Ant1	5240-5249	5243.21	-37.81	0.1656	15.85	100	Pass
NVNT	a	5320	Ant1	5249-5250	5249.84	-37.38	0.1828	100	1000	Pass
NVNT	a	5320	Ant1	5350-26000	6969	-34.24	0.3767	2.5	2.5	Pass
NVNT	a	5260	Ant2	30-5233.3	5230.7	-36.63	0.2173	2.5	2.5	Pass
NVNT	a	5260	Ant2	5233.3-5240	5239.82	-28.11	1.5453	2.49	15.85	Pass
NVNT	a	5260	Ant2	5240-5249	5248.3	-26.51	2.2336	15.85	100	Pass
NVNT	a	5260	Ant2	5249-5250	5250	-13.15	48.4172	100	1000	Pass
NVNT	a	5260	Ant2	5350-26000	6949	-35.04	0.3133	2.5	2.5	Pass
NVNT	a	5300	Ant2	30-5233.3	4222.3	-36.74	0.2118	2.5	2.5	Pass
NVNT	a	5300	Ant2	5233.3-5240	5233.42	-37.54	0.1762	2.49	15.85	Pass
NVNT	a	5300	Ant2	5240-5249	5248.01	-37.46	0.1795	15.85	100	Pass
NVNT	a	5300	Ant2	5249-5250	5249.19	-37.53	0.1766	100	1000	Pass
NVNT	a	5300	Ant2	5350-26000	6990	-34.3	0.3715	2.5	2.5	Pass
NVNT	a	5320	Ant2	30-5233.3	4237.9	-37.22	0.1897	2.5	2.5	Pass
NVNT	a	5320	Ant2	5233.3-5240	5239.84	-37.33	0.1849	2.49	15.85	Pass
NVNT	a	5320	Ant2	5240-5249	5248.08	-37.57	0.175	15.85	100	Pass
NVNT	a	5320	Ant2	5249-5250	5249.53	-37.53	0.1766	100	1000	Pass
NVNT	a	5320	Ant2	5350-26000	6784	-34.61	0.3459	2.5	2.5	Pass
NVNT	n20	5260	Ant1	30-5233.3	3993.6	-36.47	0.2254	2.5	2.5	Pass
NVNT	n20	5260	Ant1	5233.3-5240	5237.27	-28.5	1.4125	2.49	15.85	Pass
NVNT	n20	5260	Ant1	5240-5249	5248.96	-23.99	3.9902	15.85	100	Pass
NVNT	n20	5260	Ant1	5249-5250	5249.99	-7.06	196.7886	100	1000	Pass
NVNT	n20	5260	Ant1	5350-26000	6990	-34.7	0.3388	2.5	2.5	Pass
NVNT	n20	5300	Ant1	30-5233.3	4393.8	-36.64	0.2168	2.5	2.5	Pass

NVNT	n20	5300	Ant1	5233.3-5240	5235.95	-37.86	0.1637	2.49	15.85	Pass
NVNT	n20	5300	Ant1	5240-5249	5241.96	-36.98	0.2004	15.85	100	Pass
NVNT	n20	5300	Ant1	5249-5250	5249.86	-37.25	0.1884	100	1000	Pass
NVNT	n20	5300	Ant1	5350-26000	6990	-34.44	0.3597	2.5	2.5	Pass
NVNT	n20	5320	Ant1	30-5233.3	3962.4	-36.6	0.2188	2.5	2.5	Pass
NVNT	n20	5320	Ant1	5233.3-5240	5233.96	-36.4	0.2291	2.49	15.85	Pass
NVNT	n20	5320	Ant1	5240-5249	5246.08	-36.96	0.2014	15.85	100	Pass
NVNT	n20	5320	Ant1	5249-5250	5249.2	-37.36	0.1837	100	1000	Pass
NVNT	n20	5320	Ant1	5350-26000	6969	-35.19	0.3027	2.5	2.5	Pass
NVNT	n20	5260	Ant2	30-5233.3	5230.7	-36.42	0.228	2.5	2.5	Pass
NVNT	n20	5260	Ant2	5233.3-5240	5239.59	-26.91	2.037	2.49	15.85	Pass
NVNT	n20	5260	Ant2	5240-5249	5248.77	-20.8	8.3176	15.85	100	Pass
NVNT	n20	5260	Ant2	5249-5250	5249.99	-6.78	209.894	100	1000	Pass
NVNT	n20	5260	Ant2	5350-26000	6969	-34.48	0.3565	2.5	2.5	Pass
NVNT	n20	5300	Ant2	30-5233.3	4170.3	-37.14	0.1932	2.5	2.5	Pass
NVNT	n20	5300	Ant2	5233.3-5240	5234.56	-37.16	0.1923	2.49	15.85	Pass
NVNT	n20	5300	Ant2	5240-5249	5247.04	-37.27	0.1875	15.85	100	Pass
NVNT	n20	5300	Ant2	5249-5250	5249.94	-36.96	0.2014	100	1000	Pass
NVNT	n20	5300	Ant2	5350-26000	6742	-34.97	0.3184	2.5	2.5	Pass
NVNT	n20	5320	Ant2	30-5233.3	4232.7	-37.43	0.1807	2.5	2.5	Pass
NVNT	n20	5320	Ant2	5233.3-5240	5237.78	-37.72	0.169	2.49	15.85	Pass
NVNT	n20	5320	Ant2	5240-5249	5242.97	-37.33	0.1849	15.85	100	Pass
NVNT	n20	5320	Ant2	5249-5250	5249.3	-37.52	0.177	100	1000	Pass
NVNT	n20	5320	Ant2	5350-26000	6990	-33.74	0.4227	2.5	2.5	Pass
NVNT	n40	5270	Ant1	30-5221.6	4140.2	-36.91	0.2037	2.5	2.5	Pass
NVNT	n40	5270	Ant1	5221.6-5230	5229.07	-32.89	0.514	2.48	7.92	Pass
NVNT	n40	5270	Ant1	5230-5249	5248.82	-20.51	8.892	7.92	50	Pass
NVNT	n40	5270	Ant1	5249-5250	5249.99	-14.24	37.6704	50	500	Pass
NVNT	n40	5270	Ant1	5350-5358.4	5355.78	-37.56	0.1754	15	15	Pass
NVNT	n40	5270	Ant1	5358.4-26000	6977.4	-34.74	0.3357	2.5	2.5	Pass
NVNT	n40	5310	Ant1	30-5221.6	4088.4	-37.06	0.1968	2.5	2.5	Pass
NVNT	n40	5310	Ant1	5221.6-5230	5224.89	-36.44	0.227	2.48	7.92	Pass
NVNT	n40	5310	Ant1	5230-5249	5245.73	-36.5	0.2239	7.92	50	Pass
NVNT	n40	5310	Ant1	5249-5250	5249.8	-36.92	0.2032	50	500	Pass
NVNT	n40	5310	Ant1	5350-5358.4	5351.61	-32.78	0.5272	15	15	Pass
NVNT	n40	5310	Ant1	5358.4-26000	6296.4	-34.02	0.3963	2.5	2.5	Pass
NVNT	n40	5270	Ant2	30-5221.6	4129.9	-37.23	0.1892	2.5	2.5	Pass
NVNT	n40	5270	Ant2	5221.6-5230	5228.7	-31.93	0.6412	2.48	7.92	Pass
NVNT	n40	5270	Ant2	5230-5249	5248.8	-20.89	8.147	7.92	50	Pass
NVNT	n40	5270	Ant2	5249-5250	5249.99	-14.39	36.3915	50	500	Pass
NVNT	n40	5270	Ant2	5350-5358.4	5355.58	-37.15	0.1928	15	15	Pass
NVNT	n40	5270	Ant2	5358.4-26000	6853.4	-35.17	0.3041	2.5	2.5	Pass

NVNT	n40	5310	Ant2	30-5221.6	4970.1	-37.68	0.1706	2.5	2.5	Pass
NVNT	n40	5310	Ant2	5221.6-5230	5227.99	-37.03	0.1982	2.48	7.92	Pass
NVNT	n40	5310	Ant2	5230-5249	5246.12	-36.97	0.2009	7.92	50	Pass
NVNT	n40	5310	Ant2	5249-5250	5249.61	-37.27	0.1875	50	500	Pass
NVNT	n40	5310	Ant2	5350-5358.4	5351.67	-34.59	0.3475	15	15	Pass
NVNT	n40	5310	Ant2	5358.4-26000	6874.4	-34.9	0.3236	2.5	2.5	Pass
NVNT	ac20	5260	Ant1	30-5233.3	4310.6	-36.87	0.2056	2.5	2.5	Pass
NVNT	ac20	5260	Ant1	5233.3-5240	5239.03	-24.59	3.4754	2.49	15.85	Pass
NVNT	ac20	5260	Ant1	5240-5249	5248.37	-19.99	10.0231	15.85	100	Pass
NVNT	ac20	5260	Ant1	5249-5250	5249.98	-7.92	161.4359	100	1000	Pass
NVNT	ac20	5260	Ant1	5350-26000	6763	-34.39	0.3639	2.5	2.5	Pass
NVNT	ac20	5300	Ant1	30-5233.3	4705.7	-37.31	0.1858	2.5	2.5	Pass
NVNT	ac20	5300	Ant1	5233.3-5240	5239.91	-37.82	0.1652	2.49	15.85	Pass
NVNT	ac20	5300	Ant1	5240-5249	5240.09	-37.09	0.1954	15.85	100	Pass
NVNT	ac20	5300	Ant1	5249-5250	5249.89	-36.79	0.2094	100	1000	Pass
NVNT	ac20	5300	Ant1	5350-26000	6990	-35.1	0.309	2.5	2.5	Pass
NVNT	ac20	5320	Ant1	30-5233.3	3016.3	-36.73	0.2123	2.5	2.5	Pass
NVNT	ac20	5320	Ant1	5233.3-5240	5233.71	-36.52	0.2228	2.49	15.85	Pass
NVNT	ac20	5320	Ant1	5240-5249	5244.28	-36.74	0.2118	15.85	100	Pass
NVNT	ac20	5320	Ant1	5249-5250	5249.38	-36.28	0.2355	100	1000	Pass
NVNT	ac20	5320	Ant1	5350-26000	6990	-34.31	0.3707	2.5	2.5	Pass
NVNT	ac20	5260	Ant2	30-5233.3	5028	-37.25	0.1884	2.5	2.5	Pass
NVNT	ac20	5260	Ant2	5233.3-5240	5239.39	-30.33	0.9268	2.49	15.85	Pass
NVNT	ac20	5260	Ant2	5240-5249	5248.93	-24.04	3.9446	15.85	100	Pass
NVNT	ac20	5260	Ant2	5249-5250	5250	-8.03	157.3983	100	1000	Pass
NVNT	ac20	5260	Ant2	5350-26000	6351	-34.4	0.3631	2.5	2.5	Pass
NVNT	ac20	5300	Ant2	30-5233.3	4710.9	-37.46	0.1795	2.5	2.5	Pass
NVNT	ac20	5300	Ant2	5233.3-5240	5233.92	-38.07	0.156	2.49	15.85	Pass
NVNT	ac20	5300	Ant2	5240-5249	5242.72	-37	0.1995	15.85	100	Pass
NVNT	ac20	5300	Ant2	5249-5250	5249.52	-37.11	0.1945	100	1000	Pass
NVNT	ac20	5300	Ant2	5350-26000	6330	-35.07	0.3112	2.5	2.5	Pass
NVNT	ac20	5320	Ant2	30-5233.3	4996.8	-37.54	0.1762	2.5	2.5	Pass
NVNT	ac20	5320	Ant2	5233.3-5240	5239.17	-37.71	0.1694	2.49	15.85	Pass
NVNT	ac20	5320	Ant2	5240-5249	5247.06	-37.03	0.1982	15.85	100	Pass
NVNT	ac20	5320	Ant2	5249-5250	5249.86	-37.09	0.1954	100	1000	Pass
NVNT	ac20	5320	Ant2	5350-26000	6804	-34.25	0.3758	2.5	2.5	Pass
NVNT	ac40	5270	Ant1	30-5221.6	5219	-35.02	0.3148	2.5	2.5	Pass
NVNT	ac40	5270	Ant1	5221.6-5230	5226.88	-32.55	0.5559	2.48	7.92	Pass
NVNT	ac40	5270	Ant1	5230-5249	5248.97	-17.18	19.1426	7.92	50	Pass
NVNT	ac40	5270	Ant1	5249-5250	5249.98	-10.98	79.7995	50	500	Pass
NVNT	ac40	5270	Ant1	5350-5358.4	5357.34	-36.39	0.2296	15	15	Pass
NVNT	ac40	5270	Ant1	5358.4-26000	6977.4	-34.21	0.3793	2.5	2.5	Pass

NVNT	ac40	5310	Ant1	30-5221.6	3803.1	-37.09	0.1954	2.5	2.5	Pass
NVNT	ac40	5310	Ant1	5221.6-5230	5227.89	-37.4	0.182	2.48	7.92	Pass
NVNT	ac40	5310	Ant1	5230-5249	5247.32	-35.56	0.278	7.92	50	Pass
NVNT	ac40	5310	Ant1	5249-5250	5249.42	-37.34	0.1845	50	500	Pass
NVNT	ac40	5310	Ant1	5350-5358.4	5351.04	-32.08	0.6194	15	15	Pass
NVNT	ac40	5310	Ant1	5358.4-26000	6461.4	-34.89	0.3243	2.5	2.5	Pass
NVNT	ac40	5270	Ant2	30-5221.6	5219	-37.02	0.1986	2.5	2.5	Pass
NVNT	ac40	5270	Ant2	5221.6-5230	5228.56	-32.94	0.5082	2.48	7.92	Pass
NVNT	ac40	5270	Ant2	5230-5249	5248.88	-19.22	11.9674	7.92	50	Pass
NVNT	ac40	5270	Ant2	5249-5250	5249.99	-12.64	54.4503	50	500	Pass
NVNT	ac40	5270	Ant2	5350-5358.4	5357.13	-37.31	0.1858	15	15	Pass
NVNT	ac40	5270	Ant2	5358.4-26000	6956.4	-34.29	0.3724	2.5	2.5	Pass
NVNT	ac40	5310	Ant2	30-5221.6	4238.8	-36.35	0.2317	2.5	2.5	Pass
NVNT	ac40	5310	Ant2	5221.6-5230	5227.65	-38	0.1585	2.48	7.92	Pass
NVNT	ac40	5310	Ant2	5230-5249	5248.69	-37.87	0.1633	7.92	50	Pass
NVNT	ac40	5310	Ant2	5249-5250	5249.61	-37.8	0.166	50	500	Pass
NVNT	ac40	5310	Ant2	5350-5358.4	5351.48	-34.06	0.3926	15	15	Pass
NVNT	ac40	5310	Ant2	5358.4-26000	6977.4	-34.85	0.3273	2.5	2.5	Pass
NVNT	ac80	5290	Ant1	30-5203.3	4068.9	-37.34	0.1845	2.5	2.5	Pass
NVNT	ac80	5290	Ant1	5203.3-5210	5206.03	-36.93	0.2028	2.49	3.96	Pass
NVNT	ac80	5290	Ant1	5210-5249	5248.79	-26.36	2.3121	3.96	25	Pass
NVNT	ac80	5290	Ant1	5249-5250	5249.98	-18.73	13.3968	25	250	Pass
NVNT	ac80	5290	Ant1	5350-5376.8	5352.5	-35.31	0.2944	15	15	Pass
NVNT	ac80	5290	Ant1	5376.8-26000	6952.8	-33.94	0.4036	2.5	2.5	Pass
NVNT	ac80	5290	Ant2	30-5203.3	3815.7	-37.16	0.1923	2.5	2.5	Pass
NVNT	ac80	5290	Ant2	5203.3-5210	5208.99	-37.2	0.1905	2.49	3.96	Pass
NVNT	ac80	5290	Ant2	5210-5249	5248.86	-25.4	2.884	3.96	25	Pass
NVNT	ac80	5290	Ant2	5249-5250	5249.97	-17.99	15.8855	25	250	Pass
NVNT	ac80	5290	Ant2	5350-5376.8	5353.52	-36.87	0.2056	15	15	Pass
NVNT	ac80	5290	Ant2	5376.8-26000	6746.8	-35	0.3162	2.5	2.5	Pass
NVNT	ac20MIMO	5260	Ant1	30-5233.3	4097.5	-37.23	0.1892	2.5	2.5	Pass
NVNT	ac20MIMO	5260	Ant1	5233.3-5240	5239.84	-35.37	0.2904	2.49	15.85	Pass
NVNT	ac20MIMO	5260	Ant1	5240-5249	5248.55	-30.01	0.9977	15.85	100	Pass
NVNT	ac20MIMO	5260	Ant1	5249-5250	5249.99	-14.99	31.6957	100	1000	Pass
NVNT	ac20MIMO	5260	Ant1	5350-26000	6887	-33.95	0.4027	2.5	2.5	Pass
NVNT	ac20MIMO	5260	Ant2	30-5233.3	4274.3	-37.02	0.3878	2.5	2.5	Pass
NVNT	ac20MIMO	5260	Ant2	5233.3-5240	5238.22	-36.2	0.5303	2.49	15.85	Pass
NVNT	ac20MIMO	5260	Ant2	5240-5249	5247.9	-31.61	1.6879	15.85	100	Pass
NVNT	ac20MIMO	5260	Ant2	5249-5250	5250	-16.61	53.523	100	1000	Pass
NVNT	ac20MIMO	5260	Ant2	5350-26000	6990	-33.59	0.8402	2.5	2.5	Pass
NVNT	ac20MIMO	5260	Sum	30-5233.3	-	-	0.1892	2.5	2.5	Pass
NVNT	ac20MIMO	5260	Sum	5233.3-5240	-	-	0.2904	2.49	15.85	Pass

NVNT	ac20MIMO	5260	Sum	5240-5249	-	-	0.9977	15.85	100	Pass
NVNT	ac20MIMO	5260	Sum	5249-5250	-	-	31.6957	100	1000	Pass
NVNT	ac20MIMO	5260	Sum	5350-26000	-	-	0.4027	2.5	2.5	Pass
NVNT	ac20MIMO	5300	Ant1	30-5233.3	4347	-37.21	0.1901	2.5	2.5	Pass
NVNT	ac20MIMO	5300	Ant1	5233.3-5240	5236.05	-36.79	0.2094	2.49	15.85	Pass
NVNT	ac20MIMO	5300	Ant1	5240-5249	5243.72	-37.79	0.1663	15.85	100	Pass
NVNT	ac20MIMO	5300	Ant1	5249-5250	5249.93	-37.49	0.1782	100	1000	Pass
NVNT	ac20MIMO	5300	Ant1	5350-26000	6969	-34.39	0.3639	2.5	2.5	Pass
NVNT	ac20MIMO	5300	Ant2	30-5233.3	3900	-37.24	0.1888	2.5	2.5	Pass
NVNT	ac20MIMO	5300	Ant2	5233.3-5240	5237.41	-37.02	0.1986	2.49	15.85	Pass
NVNT	ac20MIMO	5300	Ant2	5240-5249	5244.86	-36.95	0.2018	15.85	100	Pass
NVNT	ac20MIMO	5300	Ant2	5249-5250	5249.47	-37.08	0.1959	100	1000	Pass
NVNT	ac20MIMO	5300	Ant2	5350-26000	6949	-33.49	0.4477	2.5	2.5	Pass
NVNT	ac20MIMO	5300	Sum	30-5233.3	-	-	0.3789	2.5	2.5	Pass
NVNT	ac20MIMO	5300	Sum	5233.3-5240	-	-	0.408	2.49	15.85	Pass
NVNT	ac20MIMO	5300	Sum	5240-5249	-	-	0.3681	15.85	100	Pass
NVNT	ac20MIMO	5300	Sum	5249-5250	-	-	0.3741	100	1000	Pass
NVNT	ac20MIMO	5300	Sum	5350-26000	-	-	0.8014	2.5	2.5	Pass
NVNT	ac20MIMO	5320	Ant1	30-5233.3	4159.9	-37.26	0.1879	2.5	2.5	Pass
NVNT	ac20MIMO	5320	Ant1	5233.3-5240	5239.33	-37.13	0.1936	2.49	15.85	Pass
NVNT	ac20MIMO	5320	Ant1	5240-5249	5241.57	-37.46	0.1795	15.85	100	Pass
NVNT	ac20MIMO	5320	Ant1	5249-5250	5249.68	-37.54	0.1762	100	1000	Pass
NVNT	ac20MIMO	5320	Ant1	5350-26000	6866	-34.45	0.3589	2.5	2.5	Pass
NVNT	ac20MIMO	5320	Ant2	30-5233.3	4263.9	-37.4	0.182	2.5	2.5	Pass
NVNT	ac20MIMO	5320	Ant2	5233.3-5240	5234.15	-35.56	0.278	2.49	15.85	Pass
NVNT	ac20MIMO	5320	Ant2	5240-5249	5242.53	-37.68	0.1706	15.85	100	Pass
NVNT	ac20MIMO	5320	Ant2	5249-5250	5249.52	-36.38	0.2301	100	1000	Pass
NVNT	ac20MIMO	5320	Ant2	5350-26000	6949	-34.49	0.3556	2.5	2.5	Pass
NVNT	ac20MIMO	5320	Sum	30-5233.3	-	-	0.3699	2.5	2.5	Pass
NVNT	ac20MIMO	5320	Sum	5233.3-5240	-	-	0.4716	2.49	15.85	Pass
NVNT	ac20MIMO	5320	Sum	5240-5249	-	-	0.3501	15.85	100	Pass
NVNT	ac20MIMO	5320	Sum	5249-5250	-	-	0.4063	100	1000	Pass
NVNT	ac20MIMO	5320	Sum	5350-26000	-	-	0.7145	2.5	2.5	Pass
NVNT	ac40MIMO	5270	Ant1	30-5221.6	4321.8	-37.81	0.1656	2.5	2.5	Pass
NVNT	ac40MIMO	5270	Ant1	5221.6-5230	5222.76	-35.02	0.3148	2.48	7.92	Pass
NVNT	ac40MIMO	5270	Ant1	5230-5249	5248.92	-22.74	5.3211	7.92	50	Pass
NVNT	ac40MIMO	5270	Ant1	5249-5250	5249.99	-15.65	27.227	50	500	Pass
NVNT	ac40MIMO	5270	Ant1	5350-5358.4	5355.17	-36.71	0.2133	15	15	Pass
NVNT	ac40MIMO	5270	Ant1	5358.4-26000	6956.4	-34.93	0.3214	2.5	2.5	Pass
NVNT	ac40MIMO	5270	Ant2	30-5221.6	4959.7	-37.13	0.1936	2.5	2.5	Pass
NVNT	ac40MIMO	5270	Ant2	5221.6-5230	5228.43	-34.61	0.3459	2.48	7.92	Pass
NVNT	ac40MIMO	5270	Ant2	5230-5249	5248.73	-23.76	4.2073	7.92	50	Pass

NVNT	ac40MIMO	5270	Ant2	5249-5250	5249.98	-16.71	21.3304	50	500	Pass
NVNT	ac40MIMO	5270	Ant2	5350-5358.4	5356.42	-36.64	0.2168	15	15	Pass
NVNT	ac40MIMO	5270	Ant2	5358.4-26000	6977.4	-34.78	0.3327	2.5	2.5	Pass
NVNT	ac40MIMO	5270	Sum	30-5221.6	-	-	0.3592	2.5	2.5	Pass
NVNT	ac40MIMO	5270	Sum	5221.6-5230	-	-	0.6607	2.48	7.92	Pass
NVNT	ac40MIMO	5270	Sum	5230-5249	-	-	9.5284	7.92	50	Pass
NVNT	ac40MIMO	5270	Sum	5249-5250	-	-	48.5574	50	500	Pass
NVNT	ac40MIMO	5270	Sum	5350-5358.4	-	-	0.4301	15	15	Pass
NVNT	ac40MIMO	5270	Sum	5358.4-26000	-	-	0.6541	2.5	2.5	Pass
NVNT	ac40MIMO	5310	Ant1	30-5221.6	4031.3	-37.53	0.1766	2.5	2.5	Pass
NVNT	ac40MIMO	5310	Ant1	5221.6-5230	5225.24	-37.76	0.1675	2.48	7.92	Pass
NVNT	ac40MIMO	5310	Ant1	5230-5249	5241.46	-37.94	0.1607	7.92	50	Pass
NVNT	ac40MIMO	5310	Ant1	5249-5250	5249.04	-36.92	0.2032	50	500	Pass
NVNT	ac40MIMO	5310	Ant1	5350-5358.4	5355.53	-35.11	0.3083	15	15	Pass
NVNT	ac40MIMO	5310	Ant1	5358.4-26000	6441.4	-34.31	0.3707	2.5	2.5	Pass
NVNT	ac40MIMO	5310	Ant2	30-5221.6	4078	-36.83	0.2075	2.5	2.5	Pass
NVNT	ac40MIMO	5310	Ant2	5221.6-5230	5226.77	-36.53	0.2223	2.48	7.92	Pass
NVNT	ac40MIMO	5310	Ant2	5230-5249	5245.8	-37.36	0.1837	7.92	50	Pass
NVNT	ac40MIMO	5310	Ant2	5249-5250	5249.61	-37.55	0.1758	50	500	Pass
NVNT	ac40MIMO	5310	Ant2	5350-5358.4	5354.37	-35.86	0.2594	15	15	Pass
NVNT	ac40MIMO	5310	Ant2	5358.4-26000	6853.4	-35.23	0.2999	2.5	2.5	Pass
NVNT	ac40MIMO	5310	Sum	30-5221.6	-	-	0.3841	2.5	2.5	Pass
NVNT	ac40MIMO	5310	Sum	5221.6-5230	-	-	0.3898	2.48	7.92	Pass
NVNT	ac40MIMO	5310	Sum	5230-5249	-	-	0.3444	7.92	50	Pass
NVNT	ac40MIMO	5310	Sum	5249-5250	-	-	0.379	50	500	Pass
NVNT	ac40MIMO	5310	Sum	5350-5358.4	-	-	0.5677	15	15	Pass
NVNT	ac40MIMO	5310	Sum	5358.4-26000	-	-	0.6706	2.5	2.5	Pass
NVNT	ac80MIMO	5290	Ant1	30-5203.3	4270.5	-36.63	0.2173	2.5	2.5	Pass
NVNT	ac80MIMO	5290	Ant1	5203.3-5210	5207.33	-37.86	0.1637	2.49	3.96	Pass
NVNT	ac80MIMO	5290	Ant1	5210-5249	5248.94	-28.87	1.2972	3.96	25	Pass
NVNT	ac80MIMO	5290	Ant1	5249-5250	5249.96	-23.77	4.1976	25	250	Pass
NVNT	ac80MIMO	5290	Ant1	5350-5376.8	5372.58	-37.72	0.169	15	15	Pass
NVNT	ac80MIMO	5290	Ant1	5376.8-26000	6911.8	-34.61	0.3459	2.5	2.5	Pass
NVNT	ac80MIMO	5290	Ant2	30-5203.3	4146.4	-37.28	0.1871	2.5	2.5	Pass
NVNT	ac80MIMO	5290	Ant2	5203.3-5210	5206.08	-37.55	0.1758	2.49	3.96	Pass
NVNT	ac80MIMO	5290	Ant2	5210-5249	5248.83	-30.66	0.859	3.96	25	Pass
NVNT	ac80MIMO	5290	Ant2	5249-5250	5249.89	-24.55	3.5075	25	250	Pass
NVNT	ac80MIMO	5290	Ant2	5350-5376.8	5372.74	-38.01	0.1581	15	15	Pass
NVNT	ac80MIMO	5290	Ant2	5376.8-26000	6952.8	-34.15	0.3846	2.5	2.5	Pass
NVNT	ac80MIMO	5290	Sum	30-5203.3	-	-	0.4044	2.5	2.5	Pass
NVNT	ac80MIMO	5290	Sum	5203.3-5210	-	-	0.3395	2.49	3.96	Pass
NVNT	ac80MIMO	5290	Sum	5210-5249	-	-	2.1562	3.96	25	Pass

NVNT	ac80MIMO	5290	Sum	5249-5250	-	-	7.7051	25	250	Pass
NVNT	ac80MIMO	5290	Sum	5350-5376.8	-	-	0.3271	15	15	Pass
NVNT	ac80MIMO	5290	Sum	5376.8-26000	-	-	0.7305	2.5	2.5	Pass
NVNT	n20MIMO	5260	Ant1	30-5233.3	4773.3	-37.56	0.1754	2.5	2.5	Pass
NVNT	n20MIMO	5260	Ant1	5233.3-5240	5239.58	-35.96	0.2535	2.49	15.85	Pass
NVNT	n20MIMO	5260	Ant1	5240-5249	5248.89	-31.23	0.7534	15.85	100	Pass
NVNT	n20MIMO	5260	Ant1	5249-5250	5249.97	-14.45	35.8922	100	1000	Pass
NVNT	n20MIMO	5260	Ant1	5350-26000	6969	-34.5	0.3548	2.5	2.5	Pass
NVNT	n20MIMO	5260	Ant2	30-5233.3	4175.5	-36.89	0.2046	2.5	2.5	Pass
NVNT	n20MIMO	5260	Ant2	5233.3-5240	5236.9	-36.48	0.2249	2.49	15.85	Pass
NVNT	n20MIMO	5260	Ant2	5240-5249	5247.07	-31.03	0.7889	15.85	100	Pass
NVNT	n20MIMO	5260	Ant2	5249-5250	5250	-17.22	18.9671	100	1000	Pass
NVNT	n20MIMO	5260	Ant2	5350-26000	6887	-34.21	0.3793	2.5	2.5	Pass
NVNT	n20MIMO	5260	Sum	30-5233.3	-	-	0.38	2.5	2.5	Pass
NVNT	n20MIMO	5260	Sum	5233.3-5240	-	-	0.4784	2.49	15.85	Pass
NVNT	n20MIMO	5260	Sum	5240-5249	-	-	1.5423	15.85	100	Pass
NVNT	n20MIMO	5260	Sum	5249-5250	-	-	54.8593	100	1000	Pass
NVNT	n20MIMO	5260	Sum	5350-26000	-	-	0.7341	2.5	2.5	Pass
NVNT	n20MIMO	5300	Ant1	30-5233.3	4326.2	-37.15	0.1928	2.5	2.5	Pass
NVNT	n20MIMO	5300	Ant1	5233.3-5240	5237.25	-38.6	0.138	2.49	15.85	Pass
NVNT	n20MIMO	5300	Ant1	5240-5249	5242.88	-37.01	0.1991	15.85	100	Pass
NVNT	n20MIMO	5300	Ant1	5249-5250	5249.76	-37.92	0.1614	100	1000	Pass
NVNT	n20MIMO	5300	Ant1	5350-26000	6969	-32.65	0.5433	2.5	2.5	Pass
NVNT	n20MIMO	5300	Ant2	30-5233.3	5085.2	-37.67	0.171	2.5	2.5	Pass
NVNT	n20MIMO	5300	Ant2	5233.3-5240	5237.79	-37.19	0.191	2.49	15.85	Pass
NVNT	n20MIMO	5300	Ant2	5240-5249	5243.85	-37.43	0.1807	15.85	100	Pass
NVNT	n20MIMO	5300	Ant2	5249-5250	5249.19	-37.88	0.1629	100	1000	Pass
NVNT	n20MIMO	5300	Ant2	5350-26000	6846	-33.18	0.4808	2.5	2.5	Pass
NVNT	n20MIMO	5300	Sum	30-5233.3	-	-	0.3638	2.5	2.5	Pass
NVNT	n20MIMO	5300	Sum	5233.3-5240	-	-	0.329	2.49	15.85	Pass
NVNT	n20MIMO	5300	Sum	5240-5249	-	-	0.3798	15.85	100	Pass
NVNT	n20MIMO	5300	Sum	5249-5250	-	-	0.3243	100	1000	Pass
NVNT	n20MIMO	5300	Sum	5350-26000	-	-	1.0241	2.5	2.5	Pass
NVNT	n20MIMO	5320	Ant1	30-5233.3	4232.7	-36.89	0.2046	2.5	2.5	Pass
NVNT	n20MIMO	5320	Ant1	5233.3-5240	5239.21	-37.08	0.1959	2.49	15.85	Pass
NVNT	n20MIMO	5320	Ant1	5240-5249	5243.84	-37.24	0.1888	15.85	100	Pass
NVNT	n20MIMO	5320	Ant1	5249-5250	5249.11	-37.03	0.1982	100	1000	Pass
NVNT	n20MIMO	5320	Ant1	5350-26000	6990	-34.85	0.3273	2.5	2.5	Pass
NVNT	n20MIMO	5320	Ant2	30-5233.3	3780.4	-37.65	0.1718	2.5	2.5	Pass
NVNT	n20MIMO	5320	Ant2	5233.3-5240	5234.78	-38	0.1585	2.49	15.85	Pass
NVNT	n20MIMO	5320	Ant2	5240-5249	5245.18	-38.22	0.1507	15.85	100	Pass
NVNT	n20MIMO	5320	Ant2	5249-5250	5249.35	-37.72	0.169	100	1000	Pass

NVNT	n20MIMO	5320	Ant2	5350-26000	6804	-33.87	0.4102	2.5	2.5	Pass
NVNT	n20MIMO	5320	Sum	30-5233.3	-	-	0.3764	2.5	2.5	Pass
NVNT	n20MIMO	5320	Sum	5233.3-5240	-	-	0.3544	2.49	15.85	Pass
NVNT	n20MIMO	5320	Sum	5240-5249	-	-	0.3395	15.85	100	Pass
NVNT	n20MIMO	5320	Sum	5249-5250	-	-	0.3672	100	1000	Pass
NVNT	n20MIMO	5320	Sum	5350-26000	-	-	0.7375	2.5	2.5	Pass
NVNT	n40MIMO	5270	Ant1	30-5221.6	4166.2	-37.51	0.1774	2.5	2.5	Pass
NVNT	n40MIMO	5270	Ant1	5221.6-5230	5229.06	-33.37	0.4603	2.48	7.92	Pass
NVNT	n40MIMO	5270	Ant1	5230-5249	5248.93	-22.72	5.3456	7.92	50	Pass
NVNT	n40MIMO	5270	Ant1	5249-5250	5249.98	-17.18	19.1426	50	500	Pass
NVNT	n40MIMO	5270	Ant1	5350-5358.4	5354.88	-36.97	0.2009	15	15	Pass
NVNT	n40MIMO	5270	Ant1	5358.4-26000	6936.4	-35	0.3162	2.5	2.5	Pass
NVNT	n40MIMO	5270	Ant2	30-5221.6	5203.4	-37.23	0.1892	2.5	2.5	Pass
NVNT	n40MIMO	5270	Ant2	5221.6-5230	5229.32	-34.29	0.3724	2.48	7.92	Pass
NVNT	n40MIMO	5270	Ant2	5230-5249	5248.97	-24.16	3.8371	7.92	50	Pass
NVNT	n40MIMO	5270	Ant2	5249-5250	5249.92	-17.94	16.0694	50	500	Pass
NVNT	n40MIMO	5270	Ant2	5350-5358.4	5351.33	-37.93	0.1611	15	15	Pass
NVNT	n40MIMO	5270	Ant2	5358.4-26000	6956.4	-33.99	0.399	2.5	2.5	Pass
NVNT	n40MIMO	5270	Sum	30-5221.6	-	-	0.3666	2.5	2.5	Pass
NVNT	n40MIMO	5270	Sum	5221.6-5230	-	-	0.8327	2.48	7.92	Pass
NVNT	n40MIMO	5270	Sum	5230-5249	-	-	9.1827	7.92	50	Pass
NVNT	n40MIMO	5270	Sum	5249-5250	-	-	35.212	50	500	Pass
NVNT	n40MIMO	5270	Sum	5350-5358.4	-	-	0.362	15	15	Pass
NVNT	n40MIMO	5270	Sum	5358.4-26000	-	-	0.7152	2.5	2.5	Pass
NVNT	n40MIMO	5310	Ant1	30-5221.6	4166.2	-37.45	0.1799	2.5	2.5	Pass
NVNT	n40MIMO	5310	Ant1	5221.6-5230	5224.01	-37.17	0.1919	2.48	7.92	Pass
NVNT	n40MIMO	5310	Ant1	5230-5249	5230.77	-38.39	0.1449	7.92	50	Pass
NVNT	n40MIMO	5310	Ant1	5249-5250	5249.99	-37.68	0.1706	50	500	Pass
NVNT	n40MIMO	5310	Ant1	5350-5358.4	5351.18	-36.31	0.2339	15	15	Pass
NVNT	n40MIMO	5310	Ant1	5358.4-26000	6997.4	-34.17	0.3828	2.5	2.5	Pass
NVNT	n40MIMO	5310	Ant2	30-5221.6	4171.4	-37.45	0.1799	2.5	2.5	Pass
NVNT	n40MIMO	5310	Ant2	5221.6-5230	5228.09	-36.02	0.25	2.48	7.92	Pass
NVNT	n40MIMO	5310	Ant2	5230-5249	5244.64	-37.59	0.1742	7.92	50	Pass
NVNT	n40MIMO	5310	Ant2	5249-5250	5249.62	-37.25	0.1884	50	500	Pass
NVNT	n40MIMO	5310	Ant2	5350-5358.4	5355.99	-36.69	0.2143	15	15	Pass
NVNT	n40MIMO	5310	Ant2	5358.4-26000	6977.4	-34.44	0.3597	2.5	2.5	Pass
NVNT	n40MIMO	5310	Sum	30-5221.6	-	-	0.3598	2.5	2.5	Pass
NVNT	n40MIMO	5310	Sum	5221.6-5230	-	-	0.4419	2.48	7.92	Pass
NVNT	n40MIMO	5310	Sum	5230-5249	-	-	0.3191	7.92	50	Pass
NVNT	n40MIMO	5310	Sum	5249-5250	-	-	0.359	50	500	Pass
NVNT	n40MIMO	5310	Sum	5350-5358.4	-	-	0.4482	15	15	Pass


NVNT	n40MIMO	5310	Sum	5358.4-26000	-	-	0.7425	2.5	2.5	Pass

Note: The testing system has added antenna gain.

複製禁止


Test Graphs

Tx. Spurious NVNT a 5260MHz Ant1 @ 30MHz-5233.3MHz




Date: 4.FEB.2026 16:50.09

Tx. Spurious NVNT a 5260MHz Ant1 @ 5233.3MHz-5240MHz




Date: 4.FEB.2026 16:50:10

Tx. Spurious NVNT a 5260MHz Ant1 @ 5240MHz-5249MHz




Date: 4.FEB.2026 16:50:11

Tx. Spurious NVNT a 5260MHz Ant1 @ 5249MHz-5250MHz




Date: 4.FEB.2026 16:50:12

Tx. Spurious NVNT a 5260MHz Ant1 @ 5350MHz-26000MHz




Date: 4.FEB.2026 16:50:22

Tx. Spurious NVNT a 5300MHz Ant1 @ 30MHz-5233.3MHz




Date: 4.FEB.2026 16:53:57

Tx. Spurious NVNT a 5300MHz Ant1 @ 5233.3MHz-5240MHz




Date: 4.FEB.2026 16:53:58

Tx. Spurious NVNT a 5300MHz Ant1 @ 5240MHz-5249MHz




Date: 4.FEB.2026 16:53:59

Tx. Spurious NVNT a 5300MHz Ant1 @ 5249MHz-5250MHz




Date: 4.FEB.2026 16:54:00

Tx. Spurious NVNT a 5300MHz Ant1 @ 5350MHz-26000MHz




Date: 4.FEB.2026 16:54:10

Tx. Spurious NVNT a 5320MHz Ant1 @ 30MHz-5233.3MHz




Date: 4.FEB.2026 16:57:02

Tx. Spurious NVNT a 5320MHz Ant1 @ 5233.3MHz-5240MHz




Date: 4.FEB.2026 16:57:03

Tx. Spurious NVNT a 5320MHz Ant1 @ 5240MHz-5249MHz




Date: 4.FEB.2026 16:57:04

Tx. Spurious NVNT a 5320MHz Ant1 @ 5249MHz-5250MHz




Date: 4.FEB.2026 16:57:06

Tx. Spurious NVNT a 5320MHz Ant1 @ 5350MHz-26000MHz



Date: 4.FEB.2026 16:57:15

Tx. Spurious NVNT a 5260MHz Ant2 @ 30MHz-5233.3MHz



Date: 4.FEB.2026 17:23:55