


測試頻道: IEEE 802.11ax (HEW20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5700.800	70.94	38.68	109.62	68.30	41.32	peak	主波訊號不予判定
2	X	5703.500	61.99	38.69	100.68	68.30	32.38	AVG	主波訊號不予判定
3		5725.000	23.52	38.73	62.25	68.30	-6.05	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11401.52	38.14	2.82	40.96	54.00	-13.04	AVG	
2		11402.36	49.86	2.83	52.69	74.00	-21.31	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5698.000	59.88	38.68	98.56	68.30	30.26	AVG	主波訊號不予判定
2	*	5701.200	69.36	38.68	108.04	68.30	39.74	peak	主波訊號不予判定
3		5725.000	22.35	38.73	61.08	68.30	-7.22	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5700 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11400.19	38.51	2.82	41.33	54.00	-12.67	AVG	
2		11401.88	49.71	2.83	52.54	74.00	-21.46	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	21.39	38.23	59.62	74.00	-14.38	peak	
2		5460.000	12.55	38.23	50.78	54.00	-3.22	AVG	
3		5470.000	24.90	38.23	63.13	68.30	-5.17	peak	
4	*	5506.500	72.74	38.28	111.02	68.30	42.72	peak	主波訊號不予判定
5	X	5506.900	60.27	38.28	98.55	68.30	30.25	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11021.83	49.39	2.50	51.89	74.00	-22.11	peak	
2	*	11021.86	37.89	2.50	40.39	54.00	-13.61	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5510 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	22.75	38.23	60.98	74.00	-13.02	peak	
2		5460.000	12.40	38.23	50.63	54.00	-3.37	AVG	
3		5470.000	22.36	38.23	60.59	68.30	-7.71	peak	
4	X	5503.100	58.17	38.27	96.44	68.30	28.14	AVG	主波訊號不予判定
5	*	5506.300	68.56	38.28	106.84	68.30	38.54	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5510 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz


視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11017.89	49.35	2.50	51.85	74.00	-22.15	peak	
2	*	11020.50	37.88	2.50	40.38	54.00	-13.62	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5539.200	72.14	38.35	110.49	68.30	42.19	peak	主波訊號不予判定
2	X	5558.400	62.81	38.39	101.20	68.30	32.90	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10998.84	37.76	2.49	40.25	54.00	-13.75	AVG	
2		10999.48	49.23	2.49	51.72	74.00	-22.28	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5539.900	68.42	38.35	106.77	68.30	38.47	peak	主波訊號不予判定
2	X	5555.000	58.70	38.38	97.08	68.30	28.78	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5550 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10998.90	37.74	2.49	40.23	54.00	-13.77	AVG	
2		11000.45	49.28	2.49	51.77	74.00	-22.23	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5663.900	71.35	38.60	109.95	68.30	41.65	peak	主波訊號不予判定
2	X	5665.000	60.85	38.60	99.45	68.30	31.15	AVG	主波訊號不予判定
3		5725.000	20.21	38.73	58.94	68.30	-9.36	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5670 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11341.02	50.35	2.77	53.12	74.00	-20.88	peak	
2	*	11341.71	37.99	2.77	40.76	54.00	-13.24	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5658.000	67.76	38.59	106.35	68.30	38.05	peak	主波訊號不予判定
2	X	5658.500	57.98	38.59	96.57	68.30	28.27	AVG	主波訊號不予判定
3		5725.000	19.66	38.73	58.39	68.30	-9.91	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5670 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11341.77	38.22	2.77	40.99	54.00	-13.01	AVG	
2		11342.01	50.01	2.77	52.78	74.00	-21.22	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	21.24	38.23	59.47	74.00	-14.53	peak	
2		5460.000	12.58	38.23	50.81	54.00	-3.19	AVG	
3		5470.000	22.11	38.23	60.34	68.30	-7.96	peak	
4	X	5504.800	55.10	38.28	93.38	68.30	25.08	AVG	主波訊號不予判定
5	*	5506.600	64.41	38.28	102.69	68.30	34.39	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11058.02	49.76	2.54	52.30	74.00	-21.70	peak	
2	*	11059.52	37.87	2.54	40.41	54.00	-13.59	AVG	

測試頻道: IEEE 802.11ax (HEW80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	19.87	38.23	58.10	74.00	-15.90	peak	
2		5460.000	11.93	38.23	50.16	54.00	-3.84	AVG	
3		5470.000	23.40	38.23	61.63	68.30	-6.67	peak	
4	X	5505.600	55.51	38.28	93.79	68.30	25.49	AVG	主波訊號不予判定
5	*	5553.200	65.20	38.38	103.58	68.30	35.28	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW80) /
5530 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11060.25	49.49	2.54	52.03	74.00	-21.97	peak	
2	*	11060.83	37.85	2.54	40.39	54.00	-13.61	AVG	

測試頻道: IEEE 802.11ax (HEW80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	20.43	38.23	58.66	74.00	-15.34	peak	
2		5460.000	12.51	38.23	50.74	54.00	-3.26	AVG	
3	X	5601.000	60.50	38.47	98.97	68.30	30.67	AVG	主波訊號不予判定
4	*	5633.800	65.60	38.54	104.14	68.30	35.84	peak	主波訊號不予判定
5		5725.000	21.55	38.73	60.28	68.30	-8.02	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5610 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11221.06	38.29	2.67	40.96	54.00	-13.04	AVG	
2		11221.39	49.76	2.67	52.43	74.00	-21.57	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	19.21	38.23	57.44	74.00	-16.56	peak	
2		5460.000	11.11	38.23	49.34	74.00	-24.66	peak	
3	*	5598.000	72.25	38.47	110.72	68.30	42.42	peak	主波訊號不予判定
4	X	5604.800	60.84	38.49	99.33	68.30	31.03	peak	主波訊號不予判定
5		5725.000	20.01	38.73	58.74	68.30	-9.56	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5610 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11219.99	50.33	2.67	53.00	74.00	-21.00	peak	
2	*	11221.47	38.49	2.67	41.16	54.00	-12.84	AVG	

測試頻道: IEEE 802.11ax (HEW160) /
5570 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	20.95	38.23	59.18	74.00	-14.82	peak	
2		5460.000	12.35	38.23	50.58	54.00	-3.42	AVG	
3		5470.000	19.07	38.23	57.30	68.30	-11.00	peak	
4	X	5525.200	51.33	38.32	89.65	68.30	21.35	AVG	主波訊號不予判定
5	*	5552.400	60.66	38.37	99.03	68.30	30.73	peak	主波訊號不予判定
6		5725.000	17.20	38.73	55.93	68.30	-12.37	peak	

測試頻道: IEEE 802.11ax (HEW160) /
5570 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz


視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11141.07	38.16	2.61	40.77	54.00	-13.23	AVG	
2		11142.39	50.43	2.61	53.04	74.00	-20.96	peak	

測試頻道: IEEE 802.11ax (HEW160) /
5570 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	17.53	38.23	55.76	74.00	-18.24	peak	
2		5460.000	10.47	38.23	48.70	54.00	-5.30	AVG	
3		5470.000	18.05	38.23	56.28	68.30	-12.02	peak	
4	X	5566.000	51.62	38.41	90.03	68.30	21.73	AVG	主波訊號不予判定
5	*	5608.000	60.79	38.49	99.28	68.30	30.98	peak	主波訊號不予判定
6		5725.000	17.05	38.73	55.78	68.30	-12.52	peak	

測試頻道: IEEE 802.11ax (HEW160) / 5570 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz


視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11140.91	49.44	2.61	52.05	74.00	-21.95	peak	
2	*	11142.04	38.00	2.61	40.61	54.00	-13.39	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	22.14	38.70	60.84	109.40	-48.56	peak	
2		5725.000	24.67	38.73	63.40	122.20	-58.80	peak	
3	*	5749.500	73.33	38.78	112.11	122.20	-10.09	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11488.09	49.44	2.89	52.33	74.00	-21.67	peak	
2	*	11492.03	38.27	2.90	41.17	54.00	-12.83	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5745 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	16.97	38.70	55.67	109.40	-53.73	peak	
2		5725.000	21.24	38.73	59.97	122.20	-62.23	peak	
3	*	5748.000	70.86	38.78	109.64	122.20	-12.56	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5745 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11487.86	49.60	2.89	52.49	74.00	-21.51	peak	
2	*	11490.82	38.20	2.89	41.09	54.00	-12.91	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5785 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5783.800	72.58	38.84	111.42	122.20	-10.78	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11568.54	38.41	2.73	41.14	54.00	-12.86	AVG	
2		11569.98	50.05	2.72	52.77	74.00	-21.23	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5788.900	70.70	38.86	109.56	122.20	-12.64	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW20) /
5785 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11570.51	49.58	2.71	52.29	74.00	-21.71	peak	
2	*	11570.95	38.45	2.71	41.16	54.00	-12.84	AVG	

測試頻道: IEEE 802.11ax (HEW20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5827.300	74.01	38.93	112.94	122.20	-9.26	peak	主波訊號不予判定
2		5850.000	22.11	38.98	61.09	122.20	-61.11	peak	
3		5860.000	17.17	39.01	56.18	109.40	-53.22	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11649.10	38.87	2.50	41.37	54.00	-12.63	AVG	
2		11651.00	50.70	2.50	53.20	74.00	-20.80	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5829.000	68.90	38.94	107.84	122.20	-14.36	peak	主波訊號不予判定
2		5850.000	20.52	38.98	59.50	122.20	-62.70	peak	
3		5860.000	14.66	39.01	53.67	109.40	-55.73	peak	

測試頻道: IEEE 802.11ax (HEW20) /
5825 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11648.83	50.77	2.50	53.27	74.00	-20.73	peak	
2	*	11649.86	38.58	2.50	41.08	54.00	-12.92	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	22.07	38.70	60.77	109.40	-48.63	peak	
2		5725.000	29.33	38.73	68.06	122.20	-54.14	peak	
3	*	5767.000	71.25	38.82	110.07	122.20	-12.13	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11510.88	50.71	2.88	53.59	74.00	-20.41	peak	
2	*	11511.42	38.27	2.87	41.14	54.00	-12.86	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5715.000	24.50	38.70	63.20	109.40	-46.20	peak	
2		5725.000	24.71	38.73	63.44	122.20	-58.76	peak	
3	*	5759.100	71.07	38.79	109.86	122.20	-12.34	peak	主波訊號不予判定

測試頻道: IEEE 802.11ax (HEW40) /
5755 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		11509.31	49.84	2.88	52.72	74.00	-21.28	peak	
2	*	11512.46	38.14	2.88	41.02	54.00	-12.98	AVG	

測試頻道: IEEE 802.11ax (HEW40) /
5795 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz


視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢測器: Peak/AV


測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5785.700	69.11	38.86	107.97	122.20	-14.23	peak	主波訊號不予判定
2		5850.000	19.26	38.98	58.24	122.20	-63.96	peak	
3		5860.000	16.47	39.01	55.48	109.40	-53.92	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11588.33	38.14	2.68	40.82	54.00	-13.18	AVG	
2		11589.82	49.89	2.67	52.56	74.00	-21.44	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5785.200	69.25	38.86	108.11	122.20	-14.09	peak	主波訊號不予判定
2		5850.000	16.32	38.98	55.30	122.20	-66.90	peak	
3		5860.000	15.90	39.01	54.91	109.40	-54.49	peak	

測試頻道: IEEE 802.11ax (HEW40) /
5795 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11590.70	38.34	2.66	41.00	54.00	-13.00	AVG	
2		11590.86	49.80	2.66	52.46	74.00	-21.54	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	23.62	38.70	62.32	109.40	-47.08	peak	
2		5725.000	28.31	38.73	67.04	122.20	-55.16	peak	
3	*	5791.200	67.20	38.87	106.07	122.20	-16.13	peak	主波訊號不予判定
4		5850.000	25.87	38.98	64.85	122.20	-57.35	peak	
5		5860.000	21.66	39.01	60.67	109.40	-48.73	peak	

測試頻道: IEEE 802.11ax (HEW80) /
5775 MHz

測試模式: 發射

解析頻寬: 1000 kHz/1000 kHz

視頻頻寬: 3000 kHz/10 Hz

量測天線: Horn Antenna


測試距離: 3 米

檢測器: Peak/AV

測試日期: 109/08/09

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11548.82	49.74	2.77	52.51	74.00	-21.49	peak	
2	*	11552.50	38.33	2.76	41.09	54.00	-12.91	AVG	

測試頻道: IEEE 802.11ax (HEW80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV


測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5715.000	23.33	38.70	62.03	109.40	-47.37	peak	
2		5725.000	30.57	38.73	69.30	122.20	-52.90	peak	
3	*	5800.400	67.02	38.88	105.90	122.20	-16.30	peak	主波訊號不予判定
4		5850.000	26.50	38.98	65.48	122.20	-56.72	peak	
5		5860.000	25.26	39.01	64.27	109.40	-45.13	peak	


測試頻道: IEEE 802.11ax (HEW80) /
5775 MHz
解析頻寬: 1000 kHz/1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 3000 kHz/10 Hz
測試距離: 3 米
測試日期: 109/08/09




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11548.16	49.69	2.77	52.46	74.00	-21.54	peak	
2	*	11551.80	38.19	2.77	40.96	54.00	-13.04	AVG	

測試頻道: IEEE 802.11n (HT20) / 5825 MHz 測試模式: 接收
 解析頻寬: 1000 kHz/1000 kHz 視頻頻寬: 3000 kHz/10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢測器: Peak/AV 測試日期: 109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7652.951	40.25	-3.74	36.51	54.00	-17.49	AVG	
2		7652.958	52.69	-3.74	48.95	74.00	-25.05	peak	

測試頻道:	IEEE 802.11n (HT20) / 5825 MHz	測試模式:	接收
解析頻寬:	1000 kHz/1000 kHz	視頻頻寬:	3000 kHz/10 Hz
量測天線:	Horn Antenna	測試距離:	3 米
檢測器:	Peak/AV	測試日期:	109/08/09



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	6071.680	61.44	-9.39	52.05	68.30	-16.25	peak	