






NTVN-11N20SISO-Ant2-5240-PASS




NTVN-11N20SISO-Ant3-5240-PASS




NTVN-11N40SISO-Ant1-5190-PASS




NTVN-11N40SISO-Ant2-5190-PASS



NTVN-11N40SISO-Ant3-5190-PASS




NTVN-11N40SISO-Ant1-5230-PASS




NTNV-11N40SISO-Ant2-5230-PASS




NTNV-11N40SISO-Ant3-5230-PASS




NTNV-11AC20SISO-Ant1-5180-PASS




NTNV-11AC20SISO-Ant2-5180-PASS




NTNV-11AC20SISO-Ant3-5180-PASS




NTNV-11AC20SISO-Ant1-5200-PASS




NTNV-11AC20SISO-Ant2-5200-PASS




NTNV-11AC20SISO-Ant3-5200-PASS



NTNV-11AC20SISO-Ant1-5220-PASS




NTNV-11AC20SISO-Ant2-5220-PASS




NTNV-11AC20SISO-Ant3-5220-PASS




NTNV-11AC20SISO-Ant1-5240-PASS



NTNV-11AC20SISO-Ant2-5240-PASS




NTNV-11AC20SISO-Ant3-5240-PASS




NTNV-11AC40SISO-Ant1-5190-PASS




NTNV-11AC40SISO-Ant2-5190-PASS




NTNV-11AC40SISO-Ant3-5190-PASS




NTNV-11AC40SISO-Ant1-5230-PASS



NTNV-11AC40SISO-Ant2-5230-PASS




NTNV-11AC40SISO-Ant3-5230-PASS




NTNV-11AC80SISO-Ant1-5210-PASS




NTNV-11AC80SISO-Ant2-5210-PASS



NTNV-11AC80SISO-Ant3-5210-PASS




NTNV-11AX20SISO-Ant1-5180-PASS




NTNV-11AX20SISO-Ant2-5180-PASS




NTNV-11AX20SISO-Ant3-5180-PASS




NTNV-11AX20SISO-Ant1-5200-PASS




NTNV-11AX20SISO-Ant2-5200-PASS



NTNV-11AX20SISO-Ant3-5200-PASS




NTNV-11AX20SISO-Ant1-5220-PASS



NTNV-11AX20SISO-Ant2-5220-PASS




NTNV-11AX20SISO-Ant3-5220-PASS




NTNV-11AX20SISO-Ant1-5240-PASS



NTNV-11AX20SISO-Ant2-5240-PASS



NTNV-11AX20SISO-Ant3-5240-PASS



NTNV-11AX40SISO-Ant1-5190-PASS




07:43:20 PM 03/16/2026

NTNV-11AX40SISO-Ant2-5190-PASS



08:58:07 PM 03/16/2026

NTNV-11AX40SISO-Ant3-5190-PASS




06:40:16 PM 03/16/2026

NTNV-11AX40SISO-Ant1-5230-PASS



07:43:47 PM 03/16/2026

NTNV-11AX40SISO-Ant2-5230-PASS




09:00:29 PM 03/16/2026

NTNV-11AX40SISO-Ant3-5230-PASS



06:41:23 PM 03/16/2026

NTNV-11AX80SISO-Ant1-5210-PASS



Appendix E: Unwanted Emission Strength

Test Result

Test Condition	Test Mode	Ant.	Freq. [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP [dBm/MHz]	Result [μ W/MHz]	Limit [μ W/MHz]	Verdict
NTNV	11A	Ant1	5180	30~5142	5137.40	-37.58	-33.58	0.43853	≤ 2.5	PASS
NTNV	11A	Ant2	5180	30~5142	5142.00	-34.01	-30.01	0.99770	≤ 2.5	PASS
NTNV	11A	Ant3	5180	30~5142	5140.98	-37.11	-33.11	0.48865	≤ 2.5	PASS
NTNV	11A	Ant1	5180	5142~5150	5149.66	-30.89	-26.89	2.04644	≤ 15	PASS
NTNV	11A	Ant2	5180	5142~5150	5147.05	-28.68	-24.68	3.40408	≤ 15	PASS
NTNV	11A	Ant3	5180	5142~5150	5149.56	-24.74	-20.74	8.43335	≤ 15	See table below
NTNV	11A	Ant1	5180	5250~5251	5251.00	-44.04	-40.04	0.09908	≤ 100.0	PASS
NTNV	11A	Ant2	5180	5250~5251	5250.97	-40.66	-36.66	0.21577	≤ 107.2	PASS
NTNV	11A	Ant3	5180	5250~5251	5251.00	-41.03	-37.03	0.19815	≤ 100.0	PASS
NTNV	11A	Ant1	5180	5251~5260	5259.85	-44.02	-40.02	0.09954	≤ 16.3	PASS
NTNV	11A	Ant2	5180	5251~5260	5259.54	-40.42	-36.42	0.22803	≤ 17.4	PASS
NTNV	11A	Ant3	5180	5251~5260	5259.91	-44.03	-40.03	0.09931	≤ 16.1	PASS
NTNV	11A	Ant1	5180	5260~5266.7	5266.02	-43.96	-39.96	0.10093	≤ 15.7	PASS
NTNV	11A	Ant2	5180	5260~5266.7	5260.13	-41.28	-37.28	0.18707	≤ 15.8	PASS
NTNV	11A	Ant3	5180	5260~5266.7	5264.51	-42.47	-38.47	0.14223	≤ 15.8	PASS
NTNV	11A	Ant1	5180	5266.7~26000	15542.12	-34.99	-30.99	0.79616	≤ 2.5	PASS
NTNV	11A	Ant2	5180	5266.7~26000	10361.56	-34.03	-30.03	0.99312	≤ 2.5	PASS
NTNV	11A	Ant3	5180	5266.7~26000	10357.42	-32.04	-28.04	1.57036	≤ 2.5	See table below
NTNV	11A	Ant1	5200	30~5142	5129.73	-41.03	-37.03	0.19815	≤ 2.5	PASS
NTNV	11A	Ant2	5200	30~5142	5137.91	-41.53	-37.53	0.17660	≤ 2.5	PASS
NTNV	11A	Ant3	5200	30~5142	5128.20	-42.46	-38.46	0.14256	≤ 2.5	PASS
NTNV	11A	Ant1	5200	5142~5150	5149.68	-34.43	-30.43	0.90573	≤ 15	PASS
NTNV	11A	Ant2	5200	5142~5150	5148.96	-35.67	-31.67	0.68077	≤ 15	PASS
NTNV	11A	Ant3	5200	5142~5150	5146.40	-35.88	-31.88	0.64863	≤ 15	PASS
NTNV	11A	Ant1	5200	5250~5251	5250.97	-36.17	-32.17	0.60674	≤ 107.2	PASS
NTNV	11A	Ant2	5200	5250~5251	5250.96	-35.90	-31.90	0.64565	≤ 109.6	PASS
NTNV	11A	Ant3	5200	5250~5251	5250.97	-37.22	-33.22	0.47643	≤ 107.2	PASS

NTNV	11A	Ant1	5200	5251~5260	5258.13	-36.19	-32.19	0.60395	≤23.2	PASS
NTNV	11A	Ant2	5200	5251~5260	5259.70	-36.89	-32.89	0.51404	≤16.9	PASS
NTNV	11A	Ant3	5200	5251~5260	5259.30	-38.46	-34.46	0.35810	≤18.3	PASS
NTNV	11A	Ant1	5200	5260~5266.7	5260.35	-37.51	-33.51	0.44566	≤15.8	PASS
NTNV	11A	Ant2	5200	5260~5266.7	5263.78	-37.81	-33.81	0.41591	≤15.8	PASS
NTNV	11A	Ant3	5200	5260~5266.7	5260.23	-37.61	-33.61	0.43551	≤15.8	PASS
NTNV	11A	Ant1	5200	5266.7~2600 0	15597.41	-31.01	-27.01	1.99067	≤2.5	See table below
NTNV	11A	Ant2	5200	5266.7~2600 0	10390.59	-40.13	-36.13	0.24378	≤2.5	PASS
NTNV	11A	Ant3	5200	5266.7~2600 0	10398.88	-40.05	-36.05	0.24831	≤2.5	PASS
NTNV	11A	Ant1	5220	30~5142	5140.47	-43.68	-39.68	0.10765	≤2.5	PASS
NTNV	11A	Ant2	5220	30~5142	5065.32	-44.52	-40.52	0.08872	≤2.5	PASS
NTNV	11A	Ant3	5220	30~5142	5140.47	-44.35	-40.35	0.09226	≤2.5	PASS
NTNV	11A	Ant1	5220	5142~5150	5149.32	-39.12	-35.12	0.30761	≤15	PASS
NTNV	11A	Ant2	5220	5142~5150	5146.55	-40.80	-36.80	0.20893	≤15	PASS
NTNV	11A	Ant3	5220	5142~5150	5149.25	-37.97	-33.97	0.40087	≤15	PASS
NTNV	11A	Ant1	5220	5250~5251	5250.97	-25.57	-21.57	6.96627	≤107.2	PASS
NTNV	11A	Ant2	5220	5250~5251	5250.84	-26.57	-22.57	5.53350	≤144.5	PASS
NTNV	11A	Ant3	5220	5250~5251	5250.85	-26.07	-22.07	6.20869	≤141.3	PASS
NTNV	11A	Ant1	5220	5251~5260	5256.69	-29.89	-25.89	2.57632	≤31.2	PASS
NTNV	11A	Ant2	5220	5251~5260	5256.92	-29.14	-25.14	3.06196	≤29.8	PASS
NTNV	11A	Ant3	5220	5251~5260	5259.37	-32.89	-28.89	1.29122	≤18.0	PASS
NTNV	11A	Ant1	5220	5260~5266.7	5260.99	-33.29	-29.29	1.17761	≤15.8	PASS
NTNV	11A	Ant2	5220	5260~5266.7	5261.69	-33.20	-29.20	1.20226	≤15.8	PASS
NTNV	11A	Ant3	5220	5260~5266.7	5263.43	-32.86	-28.86	1.30017	≤15.8	PASS
NTNV	11A	Ant1	5220	5266.7~2600 0	15660.99	-30.97	-26.97	2.00909	≤2.5	See table below
NTNV	11A	Ant2	5220	5266.7~2600 0	5270.16	-39.19	-35.19	0.30269	≤2.5	PASS
NTNV	11A	Ant3	5220	5266.7~2600 0	5269.46	-40.26	-36.26	0.23659	≤2.5	PASS
NTNV	11A	Ant1	5240	30~5142	5121.04	-46.18	-42.18	0.06053	≤2.5	PASS
NTNV	11A	Ant2	5240	30~5142	5085.26	-45.50	-41.50	0.07079	≤2.5	PASS
NTNV	11A	Ant3	5240	30~5142	5087.30	-45.97	-41.97	0.06353	≤2.5	PASS
NTNV	11A	Ant1	5240	5142~5150	5145.25	-44.46	-40.46	0.08995	≤15	PASS
NTNV	11A	Ant2	5240	5142~5150	5143.49	-46.42	-42.42	0.05728	≤15	PASS
NTNV	11A	Ant3	5240	5142~5150	5144.59	-44.34	-40.34	0.09247	≤15	PASS

NTNV	11A	Ant1	5240	5250~5251	5250.06	-5.67	-1.67	680.769 36	≤871.0	See table below
NTNV	11A	Ant2	5240	5250~5251	5250.05	-4.72	-0.72	847.227 41	≤891.3	See table below
NTNV	11A	Ant3	5240	5250~5251	5250.1	-5.14	-1.14	769.130 44	≤794.3	See table below
NTNV	11A	Ant1	5240	5251~5260	5251.00	-30.40	-26.40	2.29087	≤100.0	PASS
NTNV	11A	Ant2	5240	5251~5260	5251.00	-29.35	-25.35	2.91743	≤100.0	PASS
NTNV	11A	Ant3	5240	5251~5260	5258.44	-30.42	-26.42	2.28034	≤21.8	PASS
NTNV	11A	Ant1	5240	5260~5266.7	5263.87	-39.80	-35.80	0.26303	≤15.8	PASS
NTNV	11A	Ant2	5240	5260~5266.7	5264.72	-41.18	-37.18	0.19143	≤15.7	PASS
NTNV	11A	Ant3	5240	5260~5266.7	5260.19	-32.02	-28.02	1.57761	≤15.8	PASS
NTNV	11A	Ant1	5240	5266.7~2600 0	19199.48	-41.12	-37.12	0.19409	≤2.5	PASS
NTNV	11A	Ant2	5240	5266.7~2600 0	21939.04	-41.33	-37.33	0.18493	≤2.5	PASS
NTNV	11A	Ant3	5240	5266.7~2600 0	19244.40	-40.52	-36.52	0.22284	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5180	30~5142	5140.98	-34.95	-30.95	0.80353	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5180	30~5142	5139.96	-36.96	-32.96	0.50582	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5180	30~5142	5138.93	-36.36	-32.36	0.58076	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5180	5142~5150	5149.44	-26.71	-22.71	5.35797	≤15	PASS
NTNV	11N20SI SO	Ant2	5180	5142~5150	5148.26	-29.83	-25.83	2.61216	≤15	PASS
NTNV	11N20SI SO	Ant3	5180	5142~5150	5148.23	-24.60	-20.60	8.70964	≤15	See table below
NTNV	11N20SI SO	Ant1	5180	5250~5251	5250.97	-41.03	-37.03	0.19815	≤107.2	PASS
NTNV	11N20SI SO	Ant2	5180	5250~5251	5250.92	-41.28	-37.28	0.18707	≤120.2	PASS
NTNV	11N20SI SO	Ant3	5180	5250~5251	5250.96	-41.79	-37.79	0.16634	≤109.6	PASS
NTNV	11N20SI	Ant1	5180	5251~5260	5259.94	-43.66	-39.66	0.10814	≤16.0	PASS

	SO									
NTNV	11N20SI SO	Ant2	5180	5251~5260	5259.81	-42.45	-38.45	0.14289	≤16.5	PASS
NTNV	11N20SI SO	Ant3	5180	5251~5260	5259.78	-42.67	-38.67	0.13583	≤16.6	PASS
NTNV	11N20SI SO	Ant1	5180	5260~5266.7	5260.58	-41.02	-37.02	0.19861	≤15.8	PASS
NTNV	11N20SI SO	Ant2	5180	5260~5266.7	5260.00	-41.99	-37.99	0.15885	≤15.8	PASS
NTNV	11N20SI SO	Ant3	5180	5260~5266.7	5262.36	-42.12	-38.12	0.15417	≤15.8	PASS
NTNV	11N20SI SO	Ant1	5180	5266.7~2600 0	10355.34	-32.39	-28.39	1.44877	≤2.5	See table below
NTNV	11N20SI SO	Ant2	5180	5266.7~2600 0	10354.65	-33.14	-29.14	1.21899	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5180	5266.7~2600 0	10357.42	-33.40	-29.40	1.14815	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5200	30~5142	5139.96	-38.85	-34.85	0.32734	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5200	30~5142	5142.00	-41.93	-37.93	0.16106	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5200	30~5142	5140.47	-39.46	-35.46	0.28445	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5200	5142~5150	5145.67	-34.63	-30.63	0.86497	≤15	PASS
NTNV	11N20SI SO	Ant2	5200	5142~5150	5149.12	-36.50	-32.50	0.56234	≤15	PASS
NTNV	11N20SI SO	Ant3	5200	5142~5150	5147.36	-34.60	-30.60	0.87096	≤15	PASS
NTNV	11N20SI SO	Ant1	5200	5250~5251	5250.91	-35.71	-31.71	0.67453	≤123.0	PASS
NTNV	11N20SI SO	Ant2	5200	5250~5251	5250.99	-37.30	-33.30	0.46774	≤102.3	PASS
NTNV	11N20SI SO	Ant3	5200	5250~5251	5250.90	-34.43	-30.43	0.90573	≤125.9	PASS
NTNV	11N20SI SO	Ant1	5200	5251~5260	5259.60	-38.65	-34.65	0.34277	≤17.2	PASS
NTNV	11N20SI SO	Ant2	5200	5251~5260	5259.85	-37.62	-33.62	0.43451	≤16.3	PASS
NTNV	11N20SI	Ant3	5200	5251~5260	5259.78	-36.97	-32.97	0.50466	≤16.6	PASS

	SO									
NTNV	11N20SI SO	Ant1	5200	5260~5266.7	5261.21	-38.29	-34.29	0.37239	≤15.8	PASS
NTNV	11N20SI SO	Ant2	5200	5260~5266.7	5261.70	-37.56	-33.56	0.44055	≤15.8	PASS
NTNV	11N20SI SO	Ant3	5200	5260~5266.7	5260.10	-36.97	-32.97	0.50466	≤15.8	PASS
NTNV	11N20SI SO	Ant1	5200	5266.7~2600 0	15602.25	-33.84	-29.84	1.03753	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5200	5266.7~2600 0	19182.89	-40.92	-36.92	0.20324	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5200	5266.7~2600 0	10396.81	-38.76	-34.76	0.33420	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5220	30~5142	5140.47	-44.71	-40.71	0.08492	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5220	30~5142	5139.96	-45.23	-41.23	0.07534	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5220	30~5142	5140.47	-44.80	-40.80	0.08318	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5220	5142~5150	5149.65	-39.09	-35.09	0.30974	≤15	PASS
NTNV	11N20SI SO	Ant2	5220	5142~5150	5149.89	-41.95	-37.95	0.16032	≤15	PASS
NTNV	11N20SI SO	Ant3	5220	5142~5150	5145.62	-38.97	-34.97	0.31842	≤15	PASS
NTNV	11N20SI SO	Ant1	5220	5250~5251	5250.95	-26.60	-22.60	5.49541	≤112.2	PASS
NTNV	11N20SI SO	Ant2	5220	5250~5251	5250.72	-25.28	-21.28	7.44732	≤190.5	PASS
NTNV	11N20SI SO	Ant3	5220	5250~5251	5250.97	-24.61	-20.61	8.68960	≤107.2	PASS
NTNV	11N20SI SO	Ant1	5220	5251~5260	5256.32	-27.55	-23.55	4.41570	≤33.7	PASS
NTNV	11N20SI SO	Ant2	5220	5251~5260	5257.75	-31.09	-27.09	1.95434	≤25	PASS
NTNV	11N20SI SO	Ant3	5220	5251~5260	5257.38	-29.38	-25.38	2.89734	≤27.1	PASS
NTNV	11N20SI SO	Ant1	5220	5260~5266.7	5260.27	-30.68	-26.68	2.14783	≤15.8	PASS
NTNV	11N20SI SO	Ant2	5220	5260~5266.7	5262.14	-33.56	-29.56	1.10662	≤15.8	PASS

NTNV	11N20SI SO	Ant3	5220	5260~5266.7	5262.09	-31.26	-27.26	1.87932	≤15.8	PASS
NTNV	11N20SI SO	Ant1	5220	5266.7~2600 0	15659.61	-30.06	-26.06	2.47742	≤2.5	See table below
NTNV	11N20SI SO	Ant2	5220	5266.7~2600 0	5267.39	-39.02	-35.02	0.31477	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5220	5266.7~2600 0	5268.08	-40.27	-36.27	0.23605	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5240	30~5142	4862.37	-46.92	-42.92	0.05105	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5240	30~5142	1733.32	-39.47	-35.47	0.28379	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5240	30~5142	5120.02	-46.16	-42.16	0.06081	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5240	5142~5150	5147.85	-45.59	-41.59	0.06934	≤15	PASS
NTNV	11N20SI SO	Ant2	5240	5142~5150	5145.76	-46.42	-42.42	0.05728	≤15	PASS
NTNV	11N20SI SO	Ant3	5240	5142~5150	5143.38	-44.69	-40.69	0.08531	≤15	PASS
NTNV	11N20SI SO	Ant1	5240	5250~5251	5250.1	-5.42	-1.42	721.107 48	≤794.3	See table below
NTNV	11N20SI SO	Ant2	5240	5250~5251	5250.02	-2.97	1.03	1267.65 187	≤955.0	See table below
NTNV	11N20SI SO	Ant3	5240	5250~5251	5250.09	-1.95	2.05	1603.24 539	≤812.8	See table below
NTNV	11N20SI SO	Ant1	5240	5251~5260	5251.02	-29.36	-25.36	2.91072	≤99.6	PASS
NTNV	11N20SI SO	Ant2	5240	5251~5260	5251.00	-26.89	-22.89	5.14044	≤100.0	PASS
NTNV	11N20SI SO	Ant3	5240	5251~5260	5259.16	-30.06	-26.06	2.47742	≤18.8	PASS
NTNV	11N20SI SO	Ant1	5240	5260~5266.7	5260.30	-42.83	-38.83	0.13092	≤15.8	PASS
NTNV	11N20SI SO	Ant2	5240	5260~5266.7	5260.66	-41.16	-37.16	0.19231	≤15.8	PASS
NTNV	11N20SI	Ant3	5240	5260~5266.7	5260.15	-31.38	-27.38	1.82810	≤15.8	PASS

	SO									
NTNV	11N20SI SO	Ant1	5240	5266.7~2600 0	19260.99	-40.85	-36.85	0.20654	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5240	5266.7~2600 0	21930.05	-41.41	-37.41	0.18155	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5240	5266.7~2600 0	21977.74	-40.57	-36.57	0.22029	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5180	30~5142	5140.98	-44.10	-40.10	0.09772	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5180	30~5142	5139.96	-44.15	-40.15	0.09661	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5180	30~5142	5135.87	-44.32	-40.32	0.09290	≤2.5	PASS
NTNV	11N20MI MO	total	5180	30~5142	---	---	---	0.28723	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5180	5142~5150	5149.19	-36.90	-32.90	0.51286	≤15	PASS
NTNV	11N20MI MO	Ant2	5180	5142~5150	5149.41	-36.83	-32.83	0.52119	≤15	PASS
NTNV	11N20MI MO	total	5180	5142~5150	---	---	---	1.51048	≤15	PASS
NTNV	11N20MI MO	Ant3	5180	5142~5150	5149.61	-37.22	-33.22	0.47643	≤15	PASS
NTNV	11N20MI MO	Ant1	5180	5250~5251	5250.93	-46.78	-42.78	0.05272	≤117.5	PASS
NTNV	11N20MI MO	Ant2	5180	5250~5251	5250.96	-45.97	-41.97	0.06353	≤109.6	PASS
NTNV	11N20MI MO	total	5180	5250~5251	---	---	---	0.18464	≤109.6	PASS
NTNV	11N20MI MO	Ant3	5180	5250~5251	5250.96	-45.65	-41.65	0.06839	≤109.6	PASS
NTNV	11N20MI MO	Ant1	5180	5251~5260	5259.95	-47.13	-43.13	0.04864	≤16.0	PASS
NTNV	11N20MI MO	Ant2	5180	5251~5260	5259.79	-45.53	-41.53	0.07031	≤16.5	PASS
NTNV	11N20MI MO	total	5180	5251~5260	---	---	---	0.18671	≤15.8	PASS
NTNV	11N20MI MO	Ant3	5180	5251~5260	5260.00	-45.69	-41.69	0.06776	≤15.8	PASS
NTNV	11N20MI MO	Ant1	5180	5260~5266.7	5264.82	-45.88	-41.88	0.06486	≤15.7	PASS

NTNV	11N20MI MO	total	5180	5260~5266.7	---	---	---	0.22041	≤15.7	PASS
NTNV	11N20MI MO	Ant2	5180	5260~5266.7	5261.37	-45.27	-41.27	0.07464	≤15.8	PASS
NTNV	11N20MI MO	Ant3	5180	5260~5266.7	5260.64	-44.92	-40.92	0.08091	≤15.8	PASS
NTNV	11N20MI MO	Ant1	5180	5266.7~2600 0	22018.52	-41.26	-37.26	0.18793	≤2.5	PASS
NTNV	11N20MI MO	total	5180	5266.7~2600 0	---	---	---	0.63041	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5180	5266.7~2600 0	21679.87	-40.91	-36.91	0.20370	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5180	5266.7~2600 0	10352.58	-40.22	-36.22	0.23878	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5200	30~5142	5033.11	-46.78	-42.78	0.05272	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5200	30~5142	2333.98	-45.58	-41.58	0.06950	≤2.5	PASS
NTNV	11N20MI MO	total	5200	30~5142	---	---	---	0.17667	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5200	30~5142	5043.34	-46.64	-42.64	0.05445	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5200	5142~5150	5145.84	-39.34	-35.34	0.29242	≤15	PASS
NTNV	11N20MI MO	Ant2	5200	5142~5150	5145.63	-44.28	-40.28	0.09376	≤15	PASS
NTNV	11N20MI MO	total	5200	5142~5150	---	---	---	0.47738	≤15	PASS
NTNV	11N20MI MO	Ant3	5200	5142~5150	5149.75	-44.40	-40.40	0.09120	≤15	PASS
NTNV	11N20MI MO	Ant1	5200	5250~5251	5250.86	-41.74	-37.74	0.16827	≤138.0	PASS
NTNV	11N20MI MO	Ant2	5200	5250~5251	5250.94	-43.78	-39.78	0.10520	≤114.8	PASS
NTNV	11N20MI MO	total	5200	5250~5251	---	---	---	0.37940	≤114.8	PASS
NTNV	11N20MI MO	Ant3	5200	5250~5251	5250.88	-43.75	-39.75	0.10593	≤131.8	PASS
NTNV	11N20MI MO	Ant1	5200	5251~5260	5258.09	-44.66	-40.66	0.08590	≤23.4	PASS
NTNV	11N20MI	Ant2	5200	5251~5260	5259.77	-45.38	-41.38	0.07278	≤16.6	PASS

	MO									
NTNV	11N20MI MO	total	5200	5251~5260	---	---	---	0.21992	≤16.6	PASS
NTNV	11N20MI MO	Ant3	5200	5251~5260	5259.71	-46.13	-42.13	0.06124	≤16.8	PASS
NTNV	11N20MI MO	Ant1	5200	5260~5266.7	5261.47	-44.53	-40.53	0.08851	≤15.8	PASS
NTNV	11N20MI MO	Ant2	5200	5260~5266.7	5266.25	-44.50	-40.50	0.08913	≤15.7	PASS
NTNV	11N20MI MO	total	5200	5260~5266.7	---	---	---	0.25781	≤15.7	PASS
NTNV	11N20MI MO	Ant3	5200	5260~5266.7	5260.90	-44.96	-40.96	0.08017	≤15.8	PASS
NTNV	11N20MI MO	Ant1	5200	5266.7~2600 0	21851.27	-41.16	-37.16	0.19231	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5200	5266.7~2600 0	19136.59	-40.67	-36.67	0.21528	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5200	5266.7~2600 0	22034.41	-40.18	-36.18	0.24099	≤2.5	PASS
NTNV	11N20MI MO	total	5200	5266.7~2600 0	---	---	---	0.64858	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5220	30~5142	4600.64	-46.59	-42.59	0.05508	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5220	30~5142	5028.51	-46.62	-42.62	0.05470	≤2.5	PASS
NTNV	11N20MI MO	total	5220	30~5142	---	---	---	0.16348	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5220	30~5142	4895.60	-46.70	-42.70	0.05370	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5220	5142~5150	5146.65	-45.41	-41.41	0.07228	≤15	PASS
NTNV	11N20MI MO	Ant2	5220	5142~5150	5149.06	-45.45	-41.45	0.07161	≤15	PASS
NTNV	11N20MI MO	total	5220	5142~5150	---	---	---	0.21785	≤15	PASS
NTNV	11N20MI MO	Ant3	5220	5142~5150	5145.13	-45.31	-41.31	0.07396	≤15	PASS
NTNV	11N20MI MO	Ant1	5220	5250~5251	5251.00	-37.29	-33.29	0.46881	≤100.0	PASS
NTNV	11N20MI MO	Ant2	5220	5250~5251	5251.00	-38.74	-34.74	0.33574	≤100.0	PASS

NTNV	11N20MI MO	total	5220	5250~5251	---	---	---	1.10794	≤100.0	PASS
NTNV	11N20MI MO	Ant3	5220	5250~5251	5250.96	-39.18	-35.18	0.30339	≤109.6	PASS
NTNV	11N20MI MO	Ant1	5220	5251~5260	5259.20	-41.05	-37.05	0.19724	≤18.7	PASS
NTNV	11N20MI MO	Ant2	5220	5251~5260	5259.63	-40.93	-36.93	0.20277	≤17.1	PASS
NTNV	11N20MI MO	Ant3	5220	5251~5260	5259.00	-41.05	-37.05	0.19724	≤19.4	PASS
NTNV	11N20MI MO	total	5220	5251~5260	---	---	---	0.59725	≤17.1	PASS
NTNV	11N20MI MO	Ant1	5220	5260~5266.7	5261.55	-41.76	-37.76	0.16749	≤15.8	PASS
NTNV	11N20MI MO	Ant2	5220	5260~5266.7	5263.29	-41.29	-37.29	0.18664	≤15.8	PASS
NTNV	11N20MI MO	Ant3	5220	5260~5266.7	5262.26	-42.31	-38.31	0.14757	≤15.8	PASS
NTNV	11N20MI MO	total	5220	5260~5266.7	---	---	---	0.50170	≤15.8	PASS
NTNV	11N20MI MO	Ant1	5220	5266.7~2600 0	19100.65	-40.43	-36.43	0.22751	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5220	5266.7~2600 0	19115.85	-41.40	-37.40	0.18197	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5220	5266.7~2600 0	19132.44	-40.73	-36.73	0.21232	≤2.5	PASS
NTNV	11N20MI MO	total	5220	5266.7~2600 0	---	---	---	0.62180	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5240	30~5142	4930.36	-47.09	-43.09	0.04909	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5240	30~5142	5047.43	-46.38	-42.38	0.05781	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5240	30~5142	4911.45	-46.75	-42.75	0.05309	≤2.5	PASS
NTNV	11N20MI MO	total	5240	30~5142	---	---	---	0.15999	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5240	5142~5150	5149.30	-46.18	-42.18	0.06053	≤15	PASS
NTNV	11N20MI MO	Ant2	5240	5142~5150	5146.33	-46.10	-42.10	0.06166	≤15	PASS
NTNV	11N20MI	Ant3	5240	5142~5150	5146.05	-46.87	-42.87	0.05164	≤15	PASS

	MO									
NTNV	11N20MI MO	total	5240	5142~5150	---	---	---	0.17383	≤15	PASS
NTNV	11N20MI MO	Ant1	5240	5250~5251	5250.06	-5.85	-1.85	653.130 55	≤871.0	See table below
NTNV	11N20MI MO	Ant2	5240	5250~5251	5250.05	-6.69	-2.69	538.269 78	≤891.3	See table below
NTNV	11N20MI MO	Ant3	5240	5250~5251	5250.03	-3.95	0.05	1011.57 945	≤933.3	See table below
NTNV	11N20MI MO	total	5240	5250~5251	---	---	---	2202.97 978	≤871.0	See table below
NTNV	11N20MI MO	Ant1	5240	5251~5260	5251.02	-28.18	-24.18	3.81944	≤99.6	PASS
NTNV	11N20MI MO	Ant2	5240	5251~5260	5251.00	-27.79	-23.79	4.17830	≤100.0	PASS
NTNV	11N20MI MO	Ant3	5240	5251~5260	5251.01	-27.94	-23.94	4.03645	≤99.8	PASS
NTNV	11N20MI MO	total	5240	5251~5260	---	---	---	12.0341 9	≤99.6	PASS
NTNV	11N20MI MO	Ant1	5240	5260~5266.7	5260.10	-43.54	-39.54	0.11117	≤15.8	PASS
NTNV	11N20MI MO	Ant2	5240	5260~5266.7	5260.27	-43.45	-39.45	0.11350	≤15.8	PASS
NTNV	11N20MI MO	Ant3	5240	5260~5266.7	5262.90	-44.05	-40.05	0.09886	≤15.8	PASS
NTNV	11N20MI MO	total	5240	5260~5266.7	---	---	---	0.32353	≤15.8	PASS
NTNV	11N20MI MO	Ant1	5240	5266.7~2600 0	19196.02	-40.39	-36.39	0.22961	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5240	5266.7~2600 0	19149.03	-40.74	-36.74	0.21184	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5240	5266.7~2600 0	19192.57	-40.03	-36.03	0.24946	≤2.5	PASS
NTNV	11N20MI MO	total	5240	5266.7~2600 0	---	---	---	0.69091	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5190	30~5141.6	5140.58	-31.85	-27.85	1.64059	≤2.5	See table

										below
NTNV	11N40SI SO	Ant2	5190	30~5141.6	5140.07	-31.74	-27.74	1.68267	≤2.5	See table below
NTNV	11N40SI SO	Ant3	5190	30~5141.6	5141.09	-33.23	-29.23	1.19399	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5190	5141.6~5150	5149.82	-22.22	-18.22	15.0660 7	≤15	See table below
NTNV	11N40SI SO	Ant2	5190	5141.6~5150	5149.78	-30.03	-26.03	2.49459	≤15	PASS
NTNV	11N40SI SO	Ant3	5190	5141.6~5150	5149.82	-25.58	-21.58	6.95024	≤15	PASS
NTNV	11N40SI SO	Ant1	5190	5250~5251	5250.94	-42.35	-38.35	0.14622	≤57.4	PASS
NTNV	11N40SI SO	Ant2	5190	5250~5251	5250.99	-39.70	-35.70	0.26915	≤51.2	PASS
NTNV	11N40SI SO	Ant3	5190	5250~5251	5250.98	-34.21	-30.21	0.95280	≤52.4	PASS
NTNV	11N40SI SO	Ant1	5190	5251~5270	5265.99	-44.57	-40.57	0.08770	≤11.7	PASS
NTNV	11N40SI SO	Ant2	5190	5251~5270	5269.18	-44.19	-40.19	0.09572	≤8.6	PASS
NTNV	11N40SI SO	Ant3	5190	5251~5270	5264.40	-37.57	-33.57	0.43954	≤13.6	PASS
NTNV	11N40SI SO	Ant1	5190	5270~5278.4	5277.37	-46.60	-42.60	0.05495	≤2.9	PASS
NTNV	11N40SI SO	Ant2	5190	5270~5278.4	5276.90	-41.45	-37.45	0.17989	≤3.1	PASS
NTNV	11N40SI SO	Ant3	5190	5270~5278.4	5277.20	-41.42	-37.42	0.18113	≤2.9	PASS
NTNV	11N40SI SO	Ant1	5190	5278.4~2600 0	19141.15	-41.21	-37.21	0.19011	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5190	5278.4~2600 0	22122.99	-40.86	-36.86	0.20606	≤2.5	PASS
NTNV	11N40SI SO	Ant3	5190	5278.4~2600 0	10364.17	-38.31	-34.31	0.37068	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5230	30~5141.6	1753.63	-43.69	-39.69	0.10740	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5230	30~5141.6	4986.21	-44.91	-40.91	0.08110	≤2.5	PASS

NTNV	11N40SI SO	Ant3	5230	30~5141.6	5140.58	-45.53	-41.53	0.07031	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5230	5141.6~5150	5149.01	-35.64	-31.64	0.68549	≤15	PASS
NTNV	11N40SI SO	Ant2	5230	5141.6~5150	5145.86	-42.74	-38.74	0.13366	≤15	PASS
NTNV	11N40SI SO	Ant3	5230	5141.6~5150	5147.32	-41.43	-37.43	0.18072	≤15	PASS
NTNV	11N40SI SO	Ant1	5230	5250~5251	5251	-13.21	-9.21	119.949 93	≤50	See table below
NTNV	11N40SI SO	Ant2	5230	5250~5251	5250.96	-13.69	-9.69	107.398 94	≤54.8	See table below
NTNV	11N40SI SO	Ant3	5230	5250~5251	5250.94	-12.45	-8.45	142.889 40	≤57.4	See table below
NTNV	11N40SI SO	Ant1	5230	5251~5270	5268.31	-27.02	-23.02	4.98884	≤9.3	See table below
NTNV	11N40SI SO	Ant2	5230	5251~5270	5251.04	-22.97	-18.97	12.6765 2	≤49.8	PASS
NTNV	11N40SI SO	Ant3	5230	5251~5270	5251.15	-22.15	-18.15	15.3108 7	≤49.3	PASS
NTNV	11N40SI SO	Ant1	5230	5270~5278.4	5270.25	-27.78	-23.78	4.18794	≤7.7	See table below
NTNV	11N40SI SO	Ant2	5230	5270~5278.4	5274.28	-32.30	-28.30	1.47911	≤4.4	PASS
NTNV	11N40SI SO	Ant3	5230	5270~5278.4	5277.89	-35.72	-31.72	0.67298	≤2.7	PASS
NTNV	11N40SI SO	Ant1	5230	5278.4~2600 0	19239.23	-40.36	-36.36	0.23121	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5230	5278.4~2600 0	21723.06	-41.16	-37.16	0.19231	≤2.5	PASS
NTNV	11N40SI SO	Ant3	5230	5278.4~2600 0	21926.82	-40.78	-36.78	0.20989	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5190	30~5141.6	5039.88	-46.43	-42.43	0.05715	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5190	30~5141.6	2402.29	-46.81	-42.81	0.05236	≤2.5	PASS

NTNV	11N40MI MO	total	5190	30~5141.6	---	---	---	0.18179	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5190	30~5141.6	4971.89	-45.41	-41.41	0.07228	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5190	5141.6~5150	5144.89	-45.14	-41.14	0.07691	≤15	PASS
NTNV	11N40MI MO	Ant2	5190	5141.6~5150	5146.79	-42.99	-38.99	0.12618	≤15	PASS
NTNV	11N40MI MO	total	5190	5141.6~5150	---	---	---	0.33073	≤15	PASS
NTNV	11N40MI MO	Ant3	5190	5141.6~5150	5148.22	-42.94	-38.94	0.12764	≤15	PASS
NTNV	11N40MI MO	Ant1	5190	5250~5251	5250.97	-47.14	-43.14	0.04853	≤53.6	PASS
NTNV	11N40MI MO	Ant2	5190	5250~5251	5250.93	-47.08	-43.08	0.04920	≤58.7	PASS
NTNV	11N40MI MO	Ant3	5190	5250~5251	5250.99	-46.81	-42.81	0.05236	≤51.2	PASS
NTNV	11N40MI MO	total	5190	5250~5251	---	---	---	0.15009	≤51.2	PASS
NTNV	11N40MI MO	Ant1	5190	5251~5270	5269.75	-47.08	-43.08	0.04920	≤8.1	PASS
NTNV	11N40MI MO	Ant2	5190	5251~5270	5269.73	-46.63	-42.63	0.05458	≤8.1	PASS
NTNV	11N40MI MO	Ant3	5190	5251~5270	5269.77	-46.39	-42.39	0.05768	≤8.1	PASS
NTNV	11N40MI MO	total	5190	5251~5270	---	---	---	0.16146	≤8.1	PASS
NTNV	11N40MI MO	Ant1	5190	5270~5278.4	5277.59	-47.04	-43.04	0.04966	≤2.8	PASS
NTNV	11N40MI MO	Ant2	5190	5270~5278.4	5277.85	-46.98	-42.98	0.05035	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5190	5270~5278.4	5278.22	-47.42	-43.42	0.04550	≤2.5	PASS
NTNV	11N40MI MO	total	5190	5270~5278.4	---	---	---	0.14551	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5190	5278.4~2600 0	19140.46	-40.40	-36.40	0.22909	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5190	5278.4~2600 0	19241.30	-40.71	-36.71	0.21330	≤2.5	PASS
NTNV	11N40MI	Ant3	5190	5278.4~2600	22073.26	-40.71	-36.71	0.21330	≤2.5	PASS

	MO			0						
NTNV	11N40MI MO	total	5190	5278.4~2600 0	---	---	---	0.65569	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5230	30~5141.6	3936.80	-47.07	-43.07	0.04932	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5230	30~5141.6	4998.48	-47.12	-43.12	0.04875	≤2.5	PASS
NTNV	11N40MI MO	total	5230	30~5141.6	---	---	---	0.14947	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5230	30~5141.6	4957.58	-46.89	-42.89	0.05140	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5230	5141.6~5150	5143.97	-45.85	-41.85	0.06531	≤15	PASS
NTNV	11N40MI MO	Ant2	5230	5141.6~5150	5143.94	-47.14	-43.14	0.04853	≤15	PASS
NTNV	11N40MI MO	total	5230	5141.6~5150	---	---	---	0.16681	≤15	PASS
NTNV	11N40MI MO	Ant3	5230	5141.6~5150	5147.98	-46.76	-42.76	0.05297	≤15	PASS
NTNV	11N40MI MO	Ant1	5230	5250~5251	5250.99	-21.62	-17.62	17.2981 6	≤51.2	See table below
NTNV	11N40MI MO	Ant2	5230	5250~5251	5250.98	-21.77	-17.77	16.7109 1	≤52.4	See table below
NTNV	11N40MI MO	Ant3	5230	5250~5251	5250.98	-19.65	-15.65	27.2270 1	≤52.4	See table below
NTNV	11N40MI MO	total	5230	5250~5251	---	---	---	61.2360 8	≤51.2	See table below
NTNV	11N40MI MO	Ant1	5230	5251~5270	5251.02	-22.45	-18.45	14.2889 4	≤49.9	PASS
NTNV	11N40MI MO	Ant2	5230	5251~5270	5251.06	-22.62	-18.62	13.7404 2	≤49.7	PASS
NTNV	11N40MI MO	Ant3	5230	5251~5270	5251.00	-28.75	-24.75	3.34965	≤50	PASS
NTNV	11N40MI MO	total	5230	5251~5270	---	---	---	31.3790 1	≤49.7	PASS
NTNV	11N40MI MO	Ant1	5230	5270~5278.4	5277.00	-45.37	-41.37	0.07295	≤3.0	PASS

NTNV	11N40MI MO	Ant2	5230	5270~5278.4	5278.22	-43.37	-39.37	0.11561	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5230	5270~5278.4	5278.01	-47.23	-43.23	0.04753	≤2.6	PASS
NTNV	11N40MI MO	total	5230	5270~5278.4	---	---	---	0.23609	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5230	5278.4~2600 0	19197.10	-41.16	-37.16	0.19231	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5230	5278.4~2600 0	21715.46	-40.66	-36.66	0.21577	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5230	5278.4~2600 0	22074.64	-41.00	-37.00	0.19953	≤2.5	PASS
NTNV	11N40MI MO	total	5230	5278.4~2600 0	---	---	---	0.60761	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5180	30~5142	5141.49	-35.11	-31.11	0.77446	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5180	30~5142	5134.84	-35.53	-31.53	0.70307	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5180	30~5142	5140.98	-31.45	-27.45	1.79887	≤2.5	See table below
NTNV	11AC20S ISO	Ant1	5180	5142~5150	5148.06	-23.94	-19.94	10.1391 1	≤15	See table below
NTNV	11AC20S ISO	Ant2	5180	5142~5150	5149.65	-25.72	-21.72	6.72977	≤15	PASS
NTNV	11AC20S ISO	Ant3	5180	5142~5150	5149.56	-25.07	-21.07	7.81628	≤15	See table below
NTNV	11AC20S ISO	Ant1	5180	5250~5251	5250.99	-47.28	-43.28	0.04699	≤102.3	PASS
NTNV	11AC20S ISO	Ant2	5180	5250~5251	5250.96	-39.15	-35.15	0.30549	≤109.6	PASS
NTNV	11AC20S ISO	Ant3	5180	5250~5251	5250.99	-39.86	-35.86	0.25942	≤102.3	PASS
NTNV	11AC20S ISO	Ant1	5180	5251~5260	5259.94	-46.79	-42.79	0.05260	≤16.0	PASS
NTNV	11AC20S ISO	Ant2	5180	5251~5260	5259.89	-40.67	-36.67	0.21528	≤16.2	PASS
NTNV	11AC20S ISO	Ant3	5180	5251~5260	5259.17	-41.09	-37.09	0.19543	≤18.8	PASS

NTNV	11AC20S ISO	Ant1	5180	5260~5266.7	5260.20	-46.42	-42.42	0.05728	≤15.8	PASS
NTNV	11AC20S ISO	Ant2	5180	5260~5266.7	5262.13	-40.34	-36.34	0.23227	≤15.8	PASS
NTNV	11AC20S ISO	Ant3	5180	5260~5266.7	5262.11	-40.91	-36.91	0.20370	≤15.8	PASS
NTNV	11AC20S ISO	Ant1	5180	5266.7~2600 0	21969.45	-40.76	-36.76	0.21086	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5180	5266.7~2600 0	10352.58	-31.79	-27.79	1.66341	≤2.5	See table below
NTNV	11AC20S ISO	Ant3	5180	5266.7~2600 0	10353.96	-31.50	-27.50	1.77828	≤2.5	See table below
NTNV	11AC20S ISO	Ant1	5200	30~5142	5136.89	-38.88	-34.88	0.32509	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5200	30~5142	5133.31	-41.06	-37.06	0.19679	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5200	30~5142	5137.40	-40.56	-36.56	0.22080	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5200	5142~5150	5149.60	-34.44	-30.44	0.90365	≤15	PASS
NTNV	11AC20S ISO	Ant2	5200	5142~5150	5145.85	-34.84	-30.84	0.82414	≤15	PASS
NTNV	11AC20S ISO	Ant3	5200	5142~5150	5146.78	-36.56	-32.56	0.55463	≤15	PASS
NTNV	11AC20S ISO	Ant1	5200	5250~5251	5250.96	-35.81	-31.81	0.65917	≤109.6	PASS
NTNV	11AC20S ISO	Ant2	5200	5250~5251	5250.96	-34.62	-30.62	0.86696	≤109.6	PASS
NTNV	11AC20S ISO	Ant3	5200	5250~5251	5250.91	-36.24	-32.24	0.59704	≤123.0	PASS
NTNV	11AC20S ISO	Ant1	5200	5251~5260	5259.84	-38.86	-34.86	0.32659	≤16.4	PASS
NTNV	11AC20S ISO	Ant2	5200	5251~5260	5259.02	-36.39	-32.39	0.57677	≤19.4	PASS
NTNV	11AC20S ISO	Ant3	5200	5251~5260	5258.61	-37.03	-33.03	0.49774	≤21.1	PASS
NTNV	11AC20S ISO	Ant1	5200	5260~5266.7	5264.84	-39.30	-35.30	0.29512	≤15.7	PASS
NTNV	11AC20S	Ant2	5200	5260~5266.7	5260.12	-36.94	-32.94	0.50816	≤15.8	PASS

	ISO									
NTNV	11AC20S ISO	Ant3	5200	5260~5266.7	5260.15	-38.61	-34.61	0.34594	≤15.8	PASS
NTNV	11AC20S ISO	Ant1	5200	5266.7~2600 0	15599.49	-33.26	-29.26	1.18577	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5200	5266.7~2600 0	10403.72	-39.11	-35.11	0.30832	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5200	5266.7~2600 0	10393.35	-39.41	-35.41	0.28774	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5220	30~5142	5141.49	-43.15	-39.15	0.12162	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5220	30~5142	5140.47	-45.47	-41.47	0.07129	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5220	30~5142	5132.29	-43.28	-39.28	0.11803	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5220	5142~5150	5147.02	-38.93	-34.93	0.32137	≤15	PASS
NTNV	11AC20S ISO	Ant2	5220	5142~5150	5148.62	-40.46	-36.46	0.22594	≤15	PASS
NTNV	11AC20S ISO	Ant3	5220	5142~5150	5149.66	-39.39	-35.39	0.28907	≤15	PASS
NTNV	11AC20S ISO	Ant1	5220	5250~5251	5250.98	-26.60	-22.60	5.49541	≤104.7	PASS
NTNV	11AC20S ISO	Ant2	5220	5250~5251	5250.93	-23.81	-19.81	10.4472 0	≤117.5	PASS
NTNV	11AC20S ISO	Ant3	5220	5250~5251	5250.98	-26.25	-22.25	5.95662	≤104.7	PASS
NTNV	11AC20S ISO	Ant1	5220	5251~5260	5259.61	-30.17	-26.17	2.41546	≤17.2	PASS
NTNV	11AC20S ISO	Ant2	5220	5251~5260	5255.00	-24.33	-20.33	9.26830	≤44.1	PASS
NTNV	11AC20S ISO	Ant3	5220	5251~5260	5259.96	-28.80	-24.80	3.31131	≤16.0	PASS
NTNV	11AC20S ISO	Ant1	5220	5260~5266.7	5260.17	-29.91	-25.91	2.56448	≤15.8	PASS
NTNV	11AC20S ISO	Ant2	5220	5260~5266.7	5262.38	-28.70	-24.70	3.38844	≤15.8	PASS
NTNV	11AC20S ISO	Ant3	5220	5260~5266.7	5261.12	-28.85	-24.85	3.27341	≤15.8	PASS
NTNV	11AC20S ISO	Ant1	5220	5266.7~2600 0	15663.76	-33.31	-29.31	1.17220	≤2.5	PASS

NTNV	11AC20S ISO	Ant2	5220	5266.7~2600 0	5267.39	-37.86	-33.86	0.41115	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5220	5266.7~2600 0	5270.85	-36.39	-32.39	0.57677	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5240	30~5142	5120.53	-46.38	-42.38	0.05781	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5240	30~5142	5078.10	-46.22	-42.22	0.05998	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5240	30~5142	5040.78	-46.68	-42.68	0.05395	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5240	5142~5150	5145.29	-44.52	-40.52	0.08872	≤15	PASS
NTNV	11AC20S ISO	Ant2	5240	5142~5150	5149.12	-46.04	-42.04	0.06252	≤15	PASS
NTNV	11AC20S ISO	Ant3	5240	5142~5150	5144.54	-45.29	-41.29	0.07430	≤15	PASS
NTNV	11AC20S ISO	Ant1	5240	5250~5250.2	5250.2	-4.07	-0.07	984.011 11	≤631.0	See table below
NTNV	11AC20S ISO	Ant2	5240	5250~5250.2	5250.18	-4.63	-0.63	864.967 92	≤713.4	See table below
NTNV	11AC20S ISO	Ant3	5240	5250~5250.2	5250.18	-3.50	0.50	1122.01 845	≤713.4	See table below
NTNV	11AC20S ISO	Ant1	5240	5250.2~5251	5250.21	-11.70	-7.70	169.824 37	≤616.6	PASS
NTNV	11AC20S ISO	Ant2	5240	5250.2~5251	5250.30	-13.79	-9.79	104.954 24	≤501.2	PASS
NTNV	11AC20S ISO	Ant3	5240	5250.2~5251	5250.20	-11.47	-7.47	179.060 59	≤631.0	PASS
NTNV	11AC20S ISO	Ant1	5240	5251~5260	5251.01	-26.25	-22.25	5.95662	≤99.8	PASS
NTNV	11AC20S ISO	Ant2	5240	5251~5260	5251.01	-26.08	-22.08	6.19441	≤99.8	PASS
NTNV	11AC20S ISO	Ant3	5240	5251~5260	5259.62	-29.35	-25.35	2.91743	≤17.1	PASS
NTNV	11AC20S ISO	Ant1	5240	5260~5266.7	5260.30	-37.31	-33.31	0.46666	≤15.8	PASS
NTNV	11AC20S ISO	Ant2	5240	5260~5266.7	5264.76	-36.84	-32.84	0.52000	≤15.7	PASS

NTNV	11AC20S ISO	Ant3	5240	5260~5266.7	5260.00	-30.20	-26.20	2.39883	≤15.8	PASS
NTNV	11AC20S ISO	Ant1	5240	5266.7~2600 0	22156.05	-40.87	-36.87	0.20559	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5240	5266.7~2600 0	19227.12	-40.89	-36.89	0.20464	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5240	5266.7~2600 0	21690.24	-40.80	-36.80	0.20893	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5180	30~5142	4874.64	-46.68	-42.68	0.05395	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5180	30~5142	5022.38	-46.26	-42.26	0.05943	≤2.5	PASS
NTNV	11AC20 MIMO	total	5180	30~5142	---	---	---	0.18304	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5180	30~5142	5139.96	-45.57	-41.57	0.06966	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5180	5142~5150	5149.19	-40.57	-36.57	0.22029	≤15	PASS
NTNV	11AC20 MIMO	Ant2	5180	5142~5150	5149.38	-39.41	-35.41	0.28774	≤15	PASS
NTNV	11AC20 MIMO	total	5180	5142~5150	---	---	---	0.74681	≤15	PASS
NTNV	11AC20 MIMO	Ant3	5180	5142~5150	5149.07	-40.22	-36.22	0.23878	≤15	PASS
NTNV	11AC20 MIMO	Ant1	5180	5250~5251	5251.00	-46.93	-42.93	0.05093	≤100.0	PASS
NTNV	11AC20 MIMO	Ant2	5180	5250~5251	5250.94	-46.40	-42.40	0.05754	≤114.8	PASS
NTNV	11AC20 MIMO	Ant3	5180	5250~5251	5250.97	-47.19	-43.19	0.04797	≤107.2	PASS
NTNV	11AC20 MIMO	total	5180	5250~5251	---	---	---	0.15644	≤100.0	PASS
NTNV	11AC20 MIMO	Ant1	5180	5251~5260	5259.77	-47.74	-43.74	0.04227	≤16.6	PASS
NTNV	11AC20 MIMO	Ant2	5180	5251~5260	5259.97	-45.93	-41.93	0.06412	≤15.9	PASS
NTNV	11AC20 MIMO	Ant3	5180	5251~5260	5259.99	-47.08	-43.08	0.04920	≤15.9	PASS
NTNV	11AC20 MIMO	total	5180	5251~5260	---	---	---	0.15559	≤15.9	PASS
NTNV	11AC20	Ant1	5180	5260~5266.7	5262.62	-46.88	-42.88	0.05152	≤15.8	PASS

	MIMO									
NTNV	11AC20 MIMO	Ant2	5180	5260~5266.7	5260.32	-46.22	-42.22	0.05998	≤15.8	PASS
NTNV	11AC20 MIMO	Ant3	5180	5260~5266.7	5263.78	-46.06	-42.06	0.06223	≤15.8	PASS
NTNV	11AC20 MIMO	total	5180	5260~5266.7	---	---	---	0.17373	≤15.8	PASS
NTNV	11AC20 MIMO	Ant1	5180	5266.7~2600 0	19171.14	-41.11	-37.11	0.19454	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5180	5266.7~2600 0	22145.68	-41.66	-37.66	0.17140	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5180	5266.7~2600 0	21915.54	-40.78	-36.78	0.20989	≤2.5	PASS
NTNV	11AC20 MIMO	total	5180	5266.7~2600 0	---	---	---	0.57583	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5200	30~5142	5141.49	-46.80	-42.80	0.05248	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5200	30~5142	4954.39	-46.07	-42.07	0.06209	≤2.5	PASS
NTNV	11AC20 MIMO	total	5200	30~5142	---	---	---	0.17373	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5200	30~5142	4949.79	-46.28	-42.28	0.05916	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5200	5142~5150	5146.62	-43.45	-39.45	0.11350	≤15	PASS
NTNV	11AC20 MIMO	Ant2	5200	5142~5150	5149.79	-46.78	-42.78	0.05272	≤15	PASS
NTNV	11AC20 MIMO	total	5200	5142~5150	---	---	---	0.24657	≤15	PASS
NTNV	11AC20 MIMO	Ant3	5200	5142~5150	5146.39	-44.95	-40.95	0.08035	≤15	PASS
NTNV	11AC20 MIMO	Ant1	5200	5250~5251	5250.94	-45.23	-41.23	0.07534	≤114.8	PASS
NTNV	11AC20 MIMO	Ant2	5200	5250~5251	5251.00	-46.23	-42.23	0.05984	≤100.0	PASS
NTNV	11AC20 MIMO	total	5200	5250~5251	---	---	---	0.21352	≤100.0	PASS
NTNV	11AC20 MIMO	Ant3	5200	5250~5251	5250.97	-45.06	-41.06	0.07834	≤107.2	PASS
NTNV	11AC20 MIMO	Ant1	5200	5251~5260	5259.25	-46.09	-42.09	0.06180	≤18.5	PASS

NTNV	11AC20 MIMO	Ant2	5200	5251~5260	5259.39	-45.79	-41.79	0.06622	≤18.0	PASS
NTNV	11AC20 MIMO	total	5200	5251~5260	---	---	---	0.17644	≤16.4	PASS
NTNV	11AC20 MIMO	Ant3	5200	5251~5260	5259.82	-47.15	-43.15	0.04842	≤16.4	PASS
NTNV	11AC20 MIMO	Ant1	5200	5260~5266.7	5265.39	-45.45	-41.45	0.07161	≤15.7	PASS
NTNV	11AC20 MIMO	Ant2	5200	5260~5266.7	5261.78	-45.73	-41.73	0.06714	≤15.8	PASS
NTNV	11AC20 MIMO	total	5200	5260~5266.7	---	---	---	0.19887	≤15.7	PASS
NTNV	11AC20 MIMO	Ant3	5200	5260~5266.7	5260.70	-46.21	-42.21	0.06012	≤15.8	PASS
NTNV	11AC20 MIMO	Ant1	5200	5266.7~2600 0	21872.69	-40.84	-36.84	0.20701	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5200	5266.7~2600 0	19128.98	-41.21	-37.21	0.19011	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5200	5266.7~2600 0	22176.78	-41.56	-37.56	0.17539	≤2.5	PASS
NTNV	11AC20 MIMO	total	5200	5266.7~2600 0	---	---	---	0.57251	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5220	30~5142	4874.64	-47.07	-43.07	0.04932	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5220	30~5142	3997.42	-47.10	-43.10	0.04898	≤2.5	PASS
NTNV	11AC20 MIMO	total	5220	30~5142	---	---	---	0.14486	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5220	30~5142	4838.86	-47.32	-43.32	0.04656	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5220	5142~5150	5144.58	-46.34	-42.34	0.05834	≤15	PASS
NTNV	11AC20 MIMO	Ant2	5220	5142~5150	5145.54	-46.84	-42.84	0.05200	≤15	PASS
NTNV	11AC20 MIMO	total	5220	5142~5150	---	---	---	0.18049	≤15	PASS
NTNV	11AC20 MIMO	Ant3	5220	5142~5150	5148.23	-45.54	-41.54	0.07015	≤15	PASS
NTNV	11AC20 MIMO	Ant1	5220	5250~5251	5250.99	-42.89	-38.89	0.12912	≤102.3	PASS
NTNV	11AC20	Ant2	5220	5250~5251	5250.96	-41.58	-37.58	0.17458	≤109.6	PASS

	MIMO									
NTNV	11AC20 MIMO	Ant3	5220	5250~5251	5250.98	-38.33	-34.33	0.36898	≤104.7	PASS
NTNV	11AC20 MIMO	total	5220	5250~5251	---	---	---	0.67268	≤102.3	PASS
NTNV	11AC20 MIMO	Ant1	5220	5251~5260	5259.96	-46.12	-42.12	0.06138	≤16.0	PASS
NTNV	11AC20 MIMO	Ant2	5220	5251~5260	5259.71	-42.89	-38.89	0.12912	≤16.8	PASS
NTNV	11AC20 MIMO	Ant3	5220	5251~5260	5259.97	-39.97	-35.97	0.25293	≤15.9	PASS
NTNV	11AC20 MIMO	total	5220	5251~5260	---	---	---	0.44343	≤15.9	PASS
NTNV	11AC20 MIMO	Ant1	5220	5260~5266.7	5261.22	-43.67	-39.67	0.10789	≤15.8	PASS
NTNV	11AC20 MIMO	Ant2	5220	5260~5266.7	5260.59	-42.83	-38.83	0.13092	≤15.8	PASS
NTNV	11AC20 MIMO	Ant3	5220	5260~5266.7	5260.80	-39.75	-35.75	0.26607	≤15.8	PASS
NTNV	11AC20 MIMO	total	5220	5260~5266.7	---	---	---	0.50488	≤15.8	PASS
NTNV	11AC20 MIMO	Ant1	5220	5266.7~2600 0	19148.34	-41.14	-37.14	0.19320	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5220	5266.7~2600 0	19133.13	-40.60	-36.60	0.21878	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5220	5266.7~2600 0	19137.28	-40.47	-36.47	0.22542	≤2.5	PASS
NTNV	11AC20 MIMO	total	5220	5266.7~2600 0	---	---	---	0.63740	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5240	30~5142	4758.09	-46.45	-42.45	0.05689	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5240	30~5142	4894.58	-46.89	-42.89	0.05140	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5240	30~5142	4749.40	-46.96	-42.96	0.05058	≤2.5	PASS
NTNV	11AC20 MIMO	total	5240	30~5142	---	---	---	0.15887	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5240	5142~5150	5147.12	-46.47	-42.47	0.05662	≤15	PASS
NTNV	11AC20 MIMO	Ant2	5240	5142~5150	5149.97	-47.20	-43.20	0.04786	≤15	PASS

NTNV	11AC20 MIMO	Ant3	5240	5142~5150	5142.76	-46.81	-42.81	0.05236	≤15	PASS
NTNV	11AC20 MIMO	total	5240	5142~5150	---	---	---	0.15684	≤15	PASS
NTNV	11AC20 MIMO	Ant1	5240	5250~5251	5250.09	-7.61	-3.61	435.511 87	≤812.8	See table below
NTNV	11AC20 MIMO	Ant2	5240	5250~5251	5250.03	-7.70	-3.70	426.579 52	≤933.3	See table below
NTNV	11AC20 MIMO	Ant3	5240	5250~5251	5250.02	-7.27	-3.27	470.977 33	≤955.0	See table below
NTNV	11AC20 MIMO	total	5240	5250~5251	---	---	---	1333.06 872	≤812.8	See table below
NTNV	11AC20 MIMO	Ant1	5240	5251~5260	5251.03	-30.45	-26.45	2.26464	≤99.4	PASS
NTNV	11AC20 MIMO	Ant2	5240	5251~5260	5251.01	-30.46	-26.46	2.25944	≤99.8	PASS
NTNV	11AC20 MIMO	Ant3	5240	5251~5260	5251.06	-31.47	-27.47	1.79061	≤98.8	PASS
NTNV	11AC20 MIMO	total	5240	5251~5260	---	---	---	6.31469	≤98.8	PASS
NTNV	11AC20 MIMO	Ant1	5240	5260~5266.7	5261.78	-44.82	-40.82	0.08279	≤15.8	PASS
NTNV	11AC20 MIMO	Ant2	5240	5260~5266.7	5260.65	-44.27	-40.27	0.09397	≤15.8	PASS
NTNV	11AC20 MIMO	Ant3	5240	5260~5266.7	5261.88	-44.14	-40.14	0.09683	≤15.8	PASS
NTNV	11AC20 MIMO	total	5240	5260~5266.7	---	---	---	0.27359	≤15.8	PASS
NTNV	11AC20 MIMO	Ant1	5240	5266.7~2600 0	19224.36	-40.94	-36.94	0.20230	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5240	5266.7~2600 0	22121.49	-41.02	-37.02	0.19861	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5240	5266.7~2600 0	22068.97	-41.18	-37.18	0.19143	≤2.5	PASS
NTNV	11AC20 MIMO	total	5240	5266.7~2600 0	---	---	---	0.59234	≤2.5	PASS
NTNV	11AC40S	Ant1	5190	30~5141.6	5126.27	-34.05	-30.05	0.98855	≤2.5	PASS

	ISO									
NTNV	11AC40S ISO	Ant2	5190	30~5141.6	5141.09	-31.31	-27.31	1.85780	≤2.5	See table below
NTNV	11AC40S ISO	Ant3	5190	30~5141.6	5140.58	-36.50	-32.50	0.56234	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5190	5141.6~5150	5148.52	-24.17	-20.17	9.61612	≤15	See table below
NTNV	11AC40S ISO	Ant2	5190	5141.6~5150	5149.46	-28.23	-24.23	3.77572	≤15	PASS
NTNV	11AC40S ISO	Ant3	5190	5141.6~5150	5148.07	-25.28	-21.28	7.44732	≤15	PASS
NTNV	11AC40S ISO	Ant1	5190	5250~5251	5250.93	-39.61	-35.61	0.27479	≤58.7	PASS
NTNV	11AC40S ISO	Ant2	5190	5250~5251	5250.83	-35.12	-31.12	0.77268	≤74.0	PASS
NTNV	11AC40S ISO	Ant3	5190	5250~5251	5250.90	-33.60	-29.60	1.09648	≤62.9	PASS
NTNV	11AC40S ISO	Ant1	5190	5251~5270	5268.12	-45.81	-41.81	0.06592	≤9.5	PASS
NTNV	11AC40S ISO	Ant2	5190	5251~5270	5268.61	-40.62	-36.62	0.21777	≤9.1	PASS
NTNV	11AC40S ISO	Ant3	5190	5251~5270	5266.24	-37.94	-33.94	0.40365	≤11.4	PASS
NTNV	11AC40S ISO	Ant1	5190	5270~5278.4	5277.40	-46.82	-42.82	0.05224	≤2.9	PASS
NTNV	11AC40S ISO	Ant2	5190	5270~5278.4	5278.18	-43.43	-39.43	0.11402	≤2.6	PASS
NTNV	11AC40S ISO	Ant3	5190	5270~5278.4	5276.67	-42.33	-38.33	0.14689	≤3.2	PASS
NTNV	11AC40S ISO	Ant1	5190	5278.4~2600 0	19190.88	-41.22	-37.22	0.18967	≤2.5	PASS
NTNV	11AC40S ISO	Ant2	5190	5278.4~2600 0	19280.68	-40.51	-36.51	0.22336	≤2.5	PASS
NTNV	11AC40S ISO	Ant3	5190	5278.4~2600 0	10371.08	-37.58	-33.58	0.43853	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5230	30~5141.6	5138.53	-44.35	-40.35	0.09226	≤2.5	PASS
NTNV	11AC40S ISO	Ant2	5230	30~5141.6	5141.60	-45.77	-41.77	0.06653	≤2.5	PASS

NTNV	11AC40S ISO	Ant3	5230	30~5141.6	5126.27	-44.76	-40.76	0.08395	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5230	5141.6~5150	5149.89	-40.05	-36.05	0.24831	≤15	PASS
NTNV	11AC40S ISO	Ant2	5230	5141.6~5150	5149.54	-39.37	-35.37	0.29040	≤15	PASS
NTNV	11AC40S ISO	Ant3	5230	5141.6~5150	5149.89	-37.86	-33.86	0.41115	≤15	PASS
NTNV	11AC40S ISO	Ant1	5230	5250~5251	5251	-13.91	-9.91	102.093 95	≤50	See table below
NTNV	11AC40S ISO	Ant2	5230	5250~5251	5250.99	-14.01	-10.01	99.7700 1	≤51.2	See table below
NTNV	11AC40S ISO	Ant3	5230	5250~5251	5250.92	-13.42	-9.42	114.287 83	≤60.1	See table below
NTNV	11AC40S ISO	Ant1	5230	5251~5270	5251.02	-22.96	-18.96	12.7057 4	≤49.9	PASS
NTNV	11AC40S ISO	Ant2	5230	5251~5270	5254.80	-24.26	-20.26	9.41890	≤34.6	PASS
NTNV	11AC40S ISO	Ant3	5230	5251~5270	5251.04	-23.41	-19.41	11.4551 3	≤49.8	PASS
NTNV	11AC40S ISO	Ant1	5230	5270~5278.4	5270.03	-32.40	-28.40	1.44544	≤7.9	PASS
NTNV	11AC40S ISO	Ant2	5230	5270~5278.4	5277.06	-32.77	-28.77	1.32739	≤3.0	PASS
NTNV	11AC40S ISO	Ant3	5230	5270~5278.4	5275.04	-33.74	-29.74	1.06170	≤3.9	PASS
NTNV	11AC40S ISO	Ant1	5230	5278.4~2600 0	19198.48	-41.27	-37.27	0.18750	≤2.5	PASS
NTNV	11AC40S ISO	Ant2	5230	5278.4~2600 0	5281.16	-40.54	-36.54	0.22182	≤2.5	PASS
NTNV	11AC40S ISO	Ant3	5230	5278.4~2600 0	19157.04	-41.52	-37.52	0.17701	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5190	30~5141.6	5032.21	-46.65	-42.65	0.05433	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5190	30~5141.6	4908.51	-47.01	-43.01	0.05000	≤2.5	PASS
NTNV	11AC40 MIMO	total	5190	30~5141.6	---	---	---	0.15779	≤2.5	PASS

NTNV	11AC40 MIMO	Ant3	5190	30~5141.6	4838.99	-46.72	-42.72	0.05346	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5190	5141.6~5150	5149.66	-44.66	-40.66	0.08590	≤15	PASS
NTNV	11AC40 MIMO	Ant2	5190	5141.6~5150	5148.11	-44.07	-40.07	0.09840	≤15	PASS
NTNV	11AC40 MIMO	total	5190	5141.6~5150	---	---	---	0.27613	≤15	PASS
NTNV	11AC40 MIMO	Ant3	5190	5141.6~5150	5146.94	-44.37	-40.37	0.09183	≤15	PASS
NTNV	11AC40 MIMO	Ant1	5190	5250~5251	5250.92	-46.91	-42.91	0.05117	≤60.1	PASS
NTNV	11AC40 MIMO	Ant2	5190	5250~5251	5250.99	-47.98	-43.98	0.03999	≤51.2	PASS
NTNV	11AC40 MIMO	Ant3	5190	5250~5251	5250.93	-45.88	-41.88	0.06486	≤58.7	PASS
NTNV	11AC40 MIMO	total	5190	5250~5251	---	---	---	0.15602	≤51.2	PASS
NTNV	11AC40 MIMO	Ant1	5190	5251~5270	5269.68	-47.42	-43.42	0.04550	≤8.2	PASS
NTNV	11AC40 MIMO	Ant2	5190	5251~5270	5269.11	-46.52	-42.52	0.05598	≤8.6	PASS
NTNV	11AC40 MIMO	Ant3	5190	5251~5270	5269.62	-46.94	-42.94	0.05082	≤8.2	PASS
NTNV	11AC40 MIMO	total	5190	5251~5270	---	---	---	0.15230	≤8.2	PASS
NTNV	11AC40 MIMO	Ant1	5190	5270~5278.4	5277.92	-46.97	-42.97	0.05047	≤2.7	PASS
NTNV	11AC40 MIMO	Ant2	5190	5270~5278.4	5277.33	-46.57	-42.57	0.05534	≤2.9	PASS
NTNV	11AC40 MIMO	Ant3	5190	5270~5278.4	5277.18	-46.64	-42.64	0.05445	≤2.9	PASS
NTNV	11AC40 MIMO	total	5190	5270~5278.4	---	---	---	0.16026	≤2.7	PASS
NTNV	11AC40 MIMO	Ant1	5190	5278.4~2600 0	19195.03	-40.86	-36.86	0.20606	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5190	5278.4~2600 0	19183.28	-41.00	-37.00	0.19953	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5190	5278.4~2600 0	19164.63	-41.11	-37.11	0.19454	≤2.5	PASS
NTNV	11AC40	total	5190	5278.4~2600	---	---	---	0.60013	≤2.5	PASS

	MIMO			0						
NTNV	11AC40 MIMO	Ant1	5230	30~5141.6	4898.80	-46.85	-42.85	0.05188	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5230	30~5141.6	5017.39	-46.14	-42.14	0.06109	≤2.5	PASS
NTNV	11AC40 MIMO	total	5230	30~5141.6	---	---	---	0.16449	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5230	30~5141.6	4385.08	-46.88	-42.88	0.05152	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5230	5141.6~5150	5149.65	-45.86	-41.86	0.06516	≤15	PASS
NTNV	11AC40 MIMO	Ant2	5230	5141.6~5150	5142.38	-46.11	-42.11	0.06152	≤15	PASS
NTNV	11AC40 MIMO	total	5230	5141.6~5150	---	---	---	0.18694	≤15	PASS
NTNV	11AC40 MIMO	Ant3	5230	5141.6~5150	5148.24	-46.20	-42.20	0.06026	≤15	PASS
NTNV	11AC40 MIMO	Ant1	5230	5250~5251	5250.91	-21.94	-17.94	16.0694 1	≤61.5	See table below
NTNV	11AC40 MIMO	Ant2	5230	5250~5251	5250.93	-22.15	-18.15	15.3108 7	≤58.7	See table below
NTNV	11AC40 MIMO	Ant3	5230	5250~5251	5250.96	-19.93	-15.93	25.5270 1	≤54.8	See table below
NTNV	11AC40 MIMO	total	5230	5250~5251	---	---	---	56.9072 9	≤54.8	See table below
NTNV	11AC40 MIMO	Ant1	5230	5251~5270	5251.08	-23.53	-19.53	11.1429 5	≤49.6	PASS
NTNV	11AC40 MIMO	Ant2	5230	5251~5270	5251.13	-24.12	-20.12	9.72747	≤49.4	PASS
NTNV	11AC40 MIMO	Ant3	5230	5251~5270	5251.00	-29.40	-25.40	2.88403	≤50	PASS
NTNV	11AC40 MIMO	total	5230	5251~5270	---	---	---	23.7544 5	≤49.4	PASS
NTNV	11AC40 MIMO	Ant1	5230	5270~5278.4	5278.06	-47.01	-43.01	0.05000	≤2.6	PASS
NTNV	11AC40 MIMO	Ant2	5230	5270~5278.4	5277.53	-44.52	-40.52	0.08872	≤2.8	PASS

NTNV	11AC40 MIMO	Ant3	5230	5270~5278.4	5277.32	-46.95	-42.95	0.05070	≤2.9	PASS
NTNV	11AC40 MIMO	total	5230	5270~5278.4	---	---	---	0.18942	≤2.6	PASS
NTNV	11AC40 MIMO	Ant1	5230	5278.4~2600 0	19302.09	-40.93	-36.93	0.20277	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5230	5278.4~2600 0	19219.89	-40.91	-36.91	0.20370	≤2.5	PASS
NTNV	11AC40 MIMO	total	5230	5278.4~2600 0	---	---	---	0.60738	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5230	5278.4~2600 0	19198.48	-40.97	-36.97	0.20091	≤2.5	PASS
NTNV	11AC80S ISO	Ant1	5210	30~5123.2	5122.18	-34.75	-30.75	0.84140	≤2.5	PASS
NTNV	11AC80S ISO	Ant2	5210	30~5123.2	5117.6	-31.00	-27.00	1.99526	≤2.5	See table below
NTNV	11AC80S ISO	Ant3	5210	30~5123.2	5120.14	-34.51	-30.51	0.88920	≤2.5	PASS
NTNV	11AC80S ISO	Ant1	5210	5132.5~5150	5150	-23.30	-19.30	11.7489 8	≤15	See table below
NTNV	11AC80S ISO	Ant2	5210	5132.5~5150	5149.88	-28.34	-24.34	3.68129	≤15	PASS
NTNV	11AC80S ISO	Ant3	5210	5132.5~5150	5147.87	-25.23	-21.23	7.53356	≤15	See table below
NTNV	11AC80S ISO	Ant1	5210	5250~5251	5250.95	-30.32	-26.32	2.33346	≤28.1	PASS
NTNV	11AC80S ISO	Ant2	5210	5250~5251	5250.94	-23.28	-19.28	11.8032 1	≤28.7	PASS
NTNV	11AC80S ISO	Ant3	5210	5250~5251	5251.00	-24.16	-20.16	9.63829	≤25.0	PASS
NTNV	11AC80S ISO	Ant1	5210	5251~5290	5264.30	-31.10	-27.10	1.94984	≤13.3	PASS
NTNV	11AC80S ISO	Ant2	5210	5251~5290	5274.71	-28.52	-24.52	3.53183	≤8.2	PASS
NTNV	11AC80S ISO	Ant3	5210	5251~5290	5282.12	-27.79	-23.79	4.17830	≤5.7	See table below
NTNV	11AC80S	Ant1	5210	5290~5296.7	5292.00	-37.59	-33.59	0.43752	≤3.5	PASS

	ISO									
NTNV	11AC80S ISO	Ant2	5210	5290~5296.7	5292.71	-31.98	-27.98	1.59221	≤3.3	PASS
NTNV	11AC80S ISO	Ant3	5210	5290~5296.7	5292.19	-36.82	-32.82	0.52240	≤3.4	PASS
NTNV	11AC80S ISO	Ant1	5210	5296.7~2600 0	19157.56	-39.40	-35.40	0.28840	≤2.5	PASS
NTNV	11AC80S ISO	Ant2	5210	5296.7~2600 0	5304.98	-37.89	-33.89	0.40832	≤2.5	PASS
NTNV	11AC80S ISO	Ant3	5210	5296.7~2600 0	21935.94	-39.46	-35.46	0.28445	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	30~5123.2	4992.30	-46.80	-42.80	0.05248	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	30~5123.2	4998.42	-47.03	-43.03	0.04977	≤2.5	PASS
NTNV	11AC80 MIMO	Ant3	5210	30~5123.2	5119.13	-46.26	-42.26	0.05943	≤2.5	PASS
NTNV	11AC80 MIMO	total	5210	30~5123.2	---	---	---	0.16168	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5210	5132.5~5150	5137.58	-42.53	-38.53	0.14028	≤15	PASS
NTNV	11AC80 MIMO	Ant2	5210	5132.5~5150	5136.88	-42.47	-38.47	0.14223	≤15	PASS
NTNV	11AC80 MIMO	Ant3	5210	5132.5~5150	5149.69	-36.43	-32.43	0.57148	≤15	PASS
NTNV	11AC80 MIMO	total	5210	5132.5~5150	---	---	---	0.85399	≤15	PASS
NTNV	11AC80 MIMO	Ant1	5210	5250~5251	5250.01	-23.33	-19.33	11.6681 0	≤244.3	PASS
NTNV	11AC80 MIMO	Ant2	5210	5250~5251	5250.03	-26.88	-22.88	5.15229	≤233.3	PASS
NTNV	11AC80 MIMO	Ant3	5210	5250~5251	5250.01	-22.88	-18.88	12.9419 6	≤244.3	PASS
NTNV	11AC80 MIMO	total	5210	5250~5251	---	---	---	29.7623 5	≤233.3	PASS
NTNV	11AC80 MIMO	Ant1	5210	5251~5290	5287.47	-45.82	-41.82	0.06577	≤4.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	5251~5290	5288.56	-42.14	-38.14	0.15346	≤4.2	PASS
NTNV	11AC80 MIMO	Ant3	5210	5251~5290	5266.48	-38.91	-34.91	0.32285	≤12.0	PASS

NTNV	11AC80 MIMO	total	5210	5251~5290	---	---	---	0.54208	≤4.2	PASS
NTNV	11AC80 MIMO	Ant1	5210	5290~5296.7	5295.47	-45.80	-41.80	0.06607	≤2.7	PASS
NTNV	11AC80 MIMO	Ant2	5210	5290~5296.7	5293.04	-44.14	-40.14	0.09683	≤3.2	PASS
NTNV	11AC80 MIMO	Ant3	5210	5290~5296.7	5295.35	-45.59	-41.59	0.06934	≤2.7	PASS
NTNV	11AC80 MIMO	total	5210	5290~5296.7	---	---	---	0.23224	≤2.7	PASS
NTNV	11AC80 MIMO	Ant1	5210	5296.7~2600 0	21717.18	-40.49	-36.49	0.22439	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5210	5296.7~2600 0	19246.58	-39.46	-35.46	0.28445	≤2.5	PASS
NTNV	11AC80 MIMO	Ant3	5210	5296.7~2600 0	22018.76	-40.10	-36.10	0.24547	≤2.5	PASS
NTNV	11AC80 MIMO	total	5210	5296.7~2600 0	---	---	---	0.75431	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5180	30~5142	5136.89	-35.90	-31.90	0.64565	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5180	30~5142	5142	-32.84	-28.84	1.30617	≤2.5	See table below
NTNV	11AX20S ISO	Ant3	5180	30~5142	5142.00	-35.73	-31.73	0.67143	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5180	5142~5150	5148.48	-26.88	-22.88	5.15229	≤15	PASS
NTNV	11AX20S ISO	Ant2	5180	5142~5150	5148.88	-24.38	-20.38	9.16220	≤15	See table below
NTNV	11AX20S ISO	Ant3	5180	5142~5150	5149.90	-26.67	-22.67	5.40754	≤15	PASS
NTNV	11AX20S ISO	Ant1	5180	5250~5250.2	5250.15	-39.17	-35.17	0.30409	≤857.7	PASS
NTNV	11AX20S ISO	Ant2	5180	5250~5250.2	5250.16	-44.32	-40.32	0.09290	≤806.6	PASS
NTNV	11AX20S ISO	Ant3	5180	5250~5250.2	5250.19	-39.86	-35.86	0.25942	≤670.9	PASS
NTNV	11AX20S ISO	Ant1	5180	5250.2~5251	5250.98	-42.48	-38.48	0.14191	≤104.7	PASS
NTNV	11AX20S	Ant2	5180	5250.2~5251	5251.00	-46.04	-42.04	0.06252	≤100.0	PASS

	ISO									
NTNV	11AX20S ISO	Ant3	5180	5250.2~5251	5250.96	-40.41	-36.41	0.22856	≤109.6	PASS
NTNV	11AX20S ISO	Ant1	5180	5251~5260	5259.80	-42.84	-38.84	0.13062	≤16.5	PASS
NTNV	11AX20S ISO	Ant2	5180	5251~5260	5259.90	-45.75	-41.75	0.06683	≤16.2	PASS
NTNV	11AX20S ISO	Ant3	5180	5251~5260	5259.93	-42.60	-38.60	0.13804	≤16.1	PASS
NTNV	11AX20S ISO	Ant1	5180	5260~5266.7	5263.12	-41.92	-37.92	0.16144	≤15.8	PASS
NTNV	11AX20S ISO	Ant2	5180	5260~5266.7	5261.78	-45.39	-41.39	0.07261	≤15.8	PASS
NTNV	11AX20S ISO	Ant3	5180	5260~5266.7	5263.50	-40.89	-36.89	0.20464	≤15.8	PASS
NTNV	11AX20S ISO	Ant1	5180	5266.7~2600 0	10359.49	-32.66	-28.66	1.36144	≤2.5	See table below
NTNV	11AX20S ISO	Ant2	5180	5266.7~2600 0	22542.38	-41.18	-37.18	0.19143	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5180	5266.7~2600 0	10362.25	-32.01	-28.01	1.58125	≤2.5	See table below
NTNV	11AX20S ISO	Ant1	5200	30~5142	5140.47	-40.94	-36.94	0.20230	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5200	30~5142	5139.96	-40.54	-36.54	0.22182	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5200	30~5142	5142.00	-39.60	-35.60	0.27542	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5200	5142~5150	5147.50	-35.37	-31.37	0.72946	≤15	PASS
NTNV	11AX20S ISO	Ant2	5200	5142~5150	5149.98	-33.95	-29.95	1.01158	≤15	PASS
NTNV	11AX20S ISO	Ant3	5200	5142~5150	5148.59	-32.96	-28.96	1.27057	≤15	PASS
NTNV	11AX20S ISO	Ant1	5200	5250~5250.2	5250.20	-36.19	-32.19	0.60395	≤631.0	PASS
NTNV	11AX20S ISO	Ant2	5200	5250~5250.2	5250.18	-31.21	-27.21	1.90108	≤713.4	PASS
NTNV	11AX20S ISO	Ant3	5200	5250~5250.2	5250.18	-32.47	-28.47	1.42233	≤713.4	PASS

NTNV	11AX20S ISO	Ant1	5200	5250.2~5251	5250.88	-36.99	-32.99	0.50234	≤131.8	PASS
NTNV	11AX20S ISO	Ant2	5200	5250.2~5251	5250.82	-32.93	-28.93	1.27938	≤151.4	PASS
NTNV	11AX20S ISO	Ant3	5200	5250.2~5251	5250.98	-32.57	-28.57	1.38995	≤104.7	PASS
NTNV	11AX20S ISO	Ant1	5200	5251~5260	5259.78	-39.11	-35.11	0.30832	≤16.6	PASS
NTNV	11AX20S ISO	Ant2	5200	5251~5260	5258.68	-35.04	-31.04	0.78705	≤20.8	PASS
NTNV	11AX20S ISO	Ant3	5200	5251~5260	5259.00	-38.06	-34.06	0.39264	≤19.4	PASS
NTNV	11AX20S ISO	Ant1	5200	5260~5266.7	5260.58	-38.25	-34.25	0.37584	≤15.8	PASS
NTNV	11AX20S ISO	Ant2	5200	5260~5266.7	5260.36	-36.56	-32.56	0.55463	≤15.8	PASS
NTNV	11AX20S ISO	Ant3	5200	5260~5266.7	5263.33	-37.68	-33.68	0.42855	≤15.8	PASS
NTNV	11AX20S ISO	Ant1	5200	5266.7~2600 0	15606.40	-33.78	-29.78	1.05196	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5200	5266.7~2600 0	10395.43	-39.44	-35.44	0.28576	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5200	5266.7~2600 0	10395.43	-40.37	-36.37	0.23067	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5220	30~5142	5140.47	-43.69	-39.69	0.10740	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5220	30~5142	5133.82	-44.79	-40.79	0.08337	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5220	30~5142	5136.89	-44.83	-40.83	0.08260	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5220	5142~5150	5145.24	-37.69	-33.69	0.42756	≤15	PASS
NTNV	11AX20S ISO	Ant2	5220	5142~5150	5145.38	-39.52	-35.52	0.28054	≤15	PASS
NTNV	11AX20S ISO	Ant3	5220	5142~5150	5149.86	-40.37	-36.37	0.23067	≤15	PASS
NTNV	11AX20S ISO	Ant1	5220	5250~5250.2	5250.20	-24.83	-20.83	8.26038	≤631.0	PASS
NTNV	11AX20S ISO	Ant2	5220	5250~5250.2	5250.17	-22.08	-18.08	15.5596 6	≤758.6	PASS
NTNV	11AX20S	Ant3	5220	5250~5250.2	5250.20	-24.42	-20.42	9.07821	≤631.0	PASS

	ISO									
NTNV	11AX20S ISO	Ant1	5220	5250.2~5251	5250.99	-25.67	-21.67	6.80769	≤102.3	PASS
NTNV	11AX20S ISO	Ant2	5220	5250.2~5251	5250.99	-21.97	-17.97	15.9587 9	≤102.3	PASS
NTNV	11AX20S ISO	Ant3	5220	5250.2~5251	5250.97	-24.03	-20.03	9.93116	≤107.2	PASS
NTNV	11AX20S ISO	Ant1	5220	5251~5260	5257.27	-24.82	-20.82	8.27942	≤27.7	PASS
NTNV	11AX20S ISO	Ant2	5220	5251~5260	5258.71	-26.44	-22.44	5.70164	≤20.6	PASS
NTNV	11AX20S ISO	Ant3	5220	5251~5260	5257.69	-25.89	-21.89	6.47143	≤25.4	PASS
NTNV	11AX20S ISO	Ant1	5220	5260~5266.7	5261.42	-29.55	-25.55	2.78612	≤15.8	PASS
NTNV	11AX20S ISO	Ant2	5220	5260~5266.7	5260.83	-28.75	-24.75	3.34965	≤15.8	PASS
NTNV	11AX20S ISO	Ant3	5220	5260~5266.7	5261.97	-29.25	-25.25	2.98538	≤15.8	PASS
NTNV	11AX20S ISO	Ant1	5220	5266.7~2600 0	15656.85	-31.49	-27.49	1.78238	≤2.5	See table below
NTNV	11AX20S ISO	Ant2	5220	5266.7~2600 0	5267.39	-35.91	-31.91	0.64417	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5220	5266.7~2600 0	5266.70	-37.96	-33.96	0.40179	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5240	30~5142	5133.82	-44.67	-40.67	0.08570	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5240	30~5142	5060.72	-45.80	-41.80	0.06607	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5240	30~5142	4923.72	-46.33	-42.33	0.05848	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5240	5142~5150	5148.14	-43.15	-39.15	0.12162	≤15	PASS
NTNV	11AX20S ISO	Ant2	5240	5142~5150	5144.31	-44.89	-40.89	0.08147	≤15	PASS
NTNV	11AX20S ISO	Ant3	5240	5142~5150	5144.74	-45.78	-41.78	0.06637	≤15	PASS
NTNV	11AX20S ISO	Ant1	5240	5250~5250.2	5250.19	-2.53	1.47	1402.81 370	≤670.9	See table below

NTNV	11AX20S ISO	Ant2	5240	5250~5250.2	5250.2	-0.77	3.23	2103.77 844	≤631.0	See table below
NTNV	11AX20S ISO	Ant3	5240	5250~5250.2	5250.12	-0.73	3.27	2123.24 446	≤1031. 2	See table below
NTNV	11AX20S ISO	Ant1	5240	5250.2~5251	5250.22	-11.01	-7.01	199.067 33	≤602.6	PASS
NTNV	11AX20S ISO	Ant2	5240	5250.2~5251	5250.22	-8.94	-4.94	320.626 93	≤602.6	See table below
NTNV	11AX20S ISO	Ant3	5240	5250.2~5251	5250.20	-10.68	-6.68	214.783 05	≤631.0	PASS
NTNV	11AX20S ISO	Ant1	5240	5251~5260	5251.19	-29.48	-25.48	2.83139	≤96.2	PASS
NTNV	11AX20S ISO	Ant2	5240	5251~5260	5259.22	-30.84	-26.84	2.07014	≤18.6	PASS
NTNV	11AX20S ISO	Ant3	5240	5251~5260	5251.08	-28.55	-24.55	3.50752	≤98.4	PASS
NTNV	11AX20S ISO	Ant1	5240	5260~5266.7	5260.60	-36.88	-32.88	0.51523	≤15.8	PASS
NTNV	11AX20S ISO	Ant2	5240	5260~5266.7	5260.88	-31.81	-27.81	1.65577	≤15.8	PASS
NTNV	11AX20S ISO	Ant3	5240	5260~5266.7	5261.79	-42.58	-38.58	0.13868	≤15.8	PASS
NTNV	11AX20S ISO	Ant1	5240	5266.7~2600 0	19231.96	-40.14	-36.14	0.24322	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5240	5266.7~2600 0	19143.50	-41.12	-37.12	0.19409	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5240	5266.7~2600 0	19106.87	-41.16	-37.16	0.19231	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5180	30~5142	5022.89	-46.68	-42.68	0.05395	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5180	30~5142	4895.09	-46.87	-42.87	0.05164	≤2.5	PASS
NTNV	11AX20 MIMO	total	5180	30~5142	---	---	---	0.15942	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5180	30~5142	4897.65	-46.69	-42.69	0.05383	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5180	5142~5150	5149.61	-41.26	-37.26	0.18793	≤15	PASS

NTNV	11AX20 MIMO	Ant2	5180	5142~5150	5149.51	-42.89	-38.89	0.12912	≤15	PASS
NTNV	11AX20 MIMO	total	5180	5142~5150	---	---	---	0.51384	≤15	PASS
NTNV	11AX20 MIMO	Ant3	5180	5142~5150	5147.07	-41.06	-37.06	0.19679	≤15	PASS
NTNV	11AX20 MIMO	Ant1	5180	5250~5250.2	5250.20	-47.55	-43.55	0.04416	≤631.0	PASS
NTNV	11AX20 MIMO	Ant2	5180	5250~5250.2	5250.19	-46.77	-42.77	0.05284	≤670.9	PASS
NTNV	11AX20 MIMO	Ant3	5180	5250~5250.2	5250.18	-45.93	-41.93	0.06412	≤713.4	PASS
NTNV	11AX20 MIMO	total	5180	5250~5250.2	---	---	---	0.16112	≤631.0	PASS
NTNV	11AX20 MIMO	Ant1	5180	5250.2~5251	5250.98	-46.93	-42.93	0.05093	≤104.7	PASS
NTNV	11AX20 MIMO	Ant2	5180	5250.2~5251	5250.97	-46.24	-42.24	0.05970	≤107.2	PASS
NTNV	11AX20 MIMO	total	5180	5250.2~5251	---	---	---	0.16699	≤104.7	PASS
NTNV	11AX20 MIMO	Ant3	5180	5250.2~5251	5250.96	-46.49	-42.49	0.05636	≤109.6	PASS
NTNV	11AX20 MIMO	Ant1	5180	5251~5260	5259.76	-46.92	-42.92	0.05105	≤16.6	PASS
NTNV	11AX20 MIMO	Ant2	5180	5251~5260	5259.51	-45.53	-41.53	0.07031	≤17.5	PASS
NTNV	11AX20 MIMO	total	5180	5251~5260	---	---	---	0.18897	≤16.6	PASS
NTNV	11AX20 MIMO	Ant3	5180	5251~5260	5259.26	-45.70	-41.70	0.06761	≤18.4	PASS
NTNV	11AX20 MIMO	Ant1	5180	5260~5266.7	5264.51	-47.21	-43.21	0.04775	≤15.8	PASS
NTNV	11AX20 MIMO	Ant2	5180	5260~5266.7	5261.27	-45.54	-41.54	0.07015	≤15.8	PASS
NTNV	11AX20 MIMO	total	5180	5260~5266.7	---	---	---	0.17857	≤15.8	PASS
NTNV	11AX20 MIMO	Ant3	5180	5260~5266.7	5264.10	-46.17	-42.17	0.06067	≤15.8	PASS
NTNV	11AX20 MIMO	Ant1	5180	5266.7~2600 0	19185.66	-40.75	-36.75	0.21135	≤2.5	PASS
NTNV	11AX20	Ant2	5180	5266.7~2600	22077.95	-40.99	-36.99	0.19999	≤2.5	PASS

	MIMO			0						
NTNV	11AX20 MIMO	Ant3	5180	5266.7~2600 0	21966.68	-40.91	-36.91	0.20370	≤2.5	PASS
NTNV	11AX20 MIMO	total	5180	5266.7~2600 0	---	---	---	0.61504	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5200	30~5142	5010.62	-46.98	-42.98	0.05035	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5200	30~5142	5025.45	-47.06	-43.06	0.04943	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5200	30~5142	4973.82	-46.73	-42.73	0.05333	≤2.5	PASS
NTNV	11AX20 MIMO	total	5200	30~5142	---	---	---	0.15311	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5200	5142~5150	5148.57	-46.34	-42.34	0.05834	≤15	PASS
NTNV	11AX20 MIMO	Ant2	5200	5142~5150	5146.68	-44.75	-40.75	0.08414	≤15	PASS
NTNV	11AX20 MIMO	Ant3	5200	5142~5150	5148.37	-43.91	-39.91	0.10209	≤15	PASS
NTNV	11AX20 MIMO	total	5200	5142~5150	---	---	---	0.24457	≤15	PASS
NTNV	11AX20 MIMO	Ant1	5200	5250~5250.2	5250.17	-46.41	-42.41	0.05741	≤758.6	PASS
NTNV	11AX20 MIMO	Ant2	5200	5250~5250.2	5250.20	-46.32	-42.32	0.05861	≤631.0	PASS
NTNV	11AX20 MIMO	Ant3	5200	5250~5250.2	5250.19	-44.67	-40.67	0.08570	≤670.9	PASS
NTNV	11AX20 MIMO	total	5200	5250~5250.2	---	---	---	0.20172	≤631.0	PASS
NTNV	11AX20 MIMO	Ant1	5200	5250.2~5251	5250.94	-47.53	-43.53	0.04436	≤114.8	PASS
NTNV	11AX20 MIMO	Ant2	5200	5250.2~5251	5250.92	-45.24	-41.24	0.07516	≤120.2	PASS
NTNV	11AX20 MIMO	Ant3	5200	5250.2~5251	5250.99	-44.68	-40.68	0.08551	≤102.3	PASS
NTNV	11AX20 MIMO	total	5200	5250.2~5251	---	---	---	0.20503	≤102.3	PASS
NTNV	11AX20 MIMO	Ant1	5200	5251~5260	5259.58	-46.93	-42.93	0.05093	≤17.3	PASS
NTNV	11AX20 MIMO	Ant2	5200	5251~5260	5259.95	-47.53	-43.53	0.04436	≤16.0	PASS

NTNV	11AX20 MIMO	Ant3	5200	5251~5260	5259.85	-46.55	-42.55	0.05559	≤16.3	PASS
NTNV	11AX20 MIMO	total	5200	5251~5260	---	---	---	0.15088	≤16.0	PASS
NTNV	11AX20 MIMO	Ant1	5200	5260~5266.7	5262.18	-46.63	-42.63	0.05458	≤15.8	PASS
NTNV	11AX20 MIMO	Ant2	5200	5260~5266.7	5265.53	-45.47	-41.47	0.07129	≤15.7	PASS
NTNV	11AX20 MIMO	Ant3	5200	5260~5266.7	5264.34	-45.89	-41.89	0.06471	≤15.8	PASS
NTNV	11AX20 MIMO	total	5200	5260~5266.7	---	---	---	0.19058	≤15.7	PASS
NTNV	11AX20 MIMO	Ant1	5200	5266.7~2600 0	22247.96	-40.91	-36.91	0.20370	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5200	5266.7~2600 0	19043.98	-41.17	-37.17	0.19187	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5200	5266.7~2600 0	21655.68	-40.91	-36.91	0.20370	≤2.5	PASS
NTNV	11AX20 MIMO	total	5200	5266.7~2600 0	---	---	---	0.59927	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5220	30~5142	4874.13	-46.56	-42.56	0.05546	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5220	30~5142	4982.51	-46.82	-42.82	0.05224	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5220	30~5142	4967.17	-46.91	-42.91	0.05117	≤2.5	PASS
NTNV	11AX20 MIMO	total	5220	30~5142	---	---	---	0.15887	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5220	5142~5150	5144.80	-46.46	-42.46	0.05675	≤15	PASS
NTNV	11AX20 MIMO	Ant2	5220	5142~5150	5147.74	-46.38	-42.38	0.05781	≤15	PASS
NTNV	11AX20 MIMO	Ant3	5220	5142~5150	5149.40	-45.23	-41.23	0.07534	≤15	PASS
NTNV	11AX20 MIMO	total	5220	5142~5150	---	---	---	0.18990	≤15	PASS
NTNV	11AX20 MIMO	Ant1	5220	5250~5250.2	5250.19	-42.27	-38.27	0.14894	≤670.9	PASS
NTNV	11AX20 MIMO	Ant2	5220	5250~5250.2	5250.10	-38.27	-34.27	0.37411	≤1165. 9	PASS
NTNV	11AX20	Ant3	5220	5250~5250.2	5250.14	-37.03	-33.03	0.49774	≤912.0	PASS

	MIMO									
NTNV	11AX20 MIMO	total	5220	5250~5250.2	---	---	---	1.02079	≤670.9	PASS
NTNV	11AX20 MIMO	Ant1	5220	5250.2~5251	5250.97	-42.87	-38.87	0.12972	≤107.2	PASS
NTNV	11AX20 MIMO	Ant2	5220	5250.2~5251	5250.98	-41.46	-37.46	0.17947	≤104.7	PASS
NTNV	11AX20 MIMO	Ant3	5220	5250.2~5251	5250.98	-39.03	-35.03	0.31405	≤104.7	PASS
NTNV	11AX20 MIMO	total	5220	5250.2~5251	---	---	---	0.62324	≤104.7	PASS
NTNV	11AX20 MIMO	Ant1	5220	5251~5260	5259.78	-45.20	-41.20	0.07586	≤16.6	PASS
NTNV	11AX20 MIMO	Ant2	5220	5251~5260	5259.06	-42.97	-38.97	0.12677	≤19.2	PASS
NTNV	11AX20 MIMO	Ant3	5220	5251~5260	5259.16	-39.54	-35.54	0.27925	≤18.8	PASS
NTNV	11AX20 MIMO	total	5220	5251~5260	---	---	---	0.48188	≤16.6	PASS
NTNV	11AX20 MIMO	Ant1	5220	5260~5266.7	5262.26	-44.48	-40.48	0.08954	≤15.8	PASS
NTNV	11AX20 MIMO	Ant2	5220	5260~5266.7	5261.09	-43.09	-39.09	0.12331	≤15.8	PASS
NTNV	11AX20 MIMO	Ant3	5220	5260~5266.7	5262.51	-40.66	-36.66	0.21577	≤15.8	PASS
NTNV	11AX20 MIMO	total	5220	5260~5266.7	---	---	---	0.42862	≤15.8	PASS
NTNV	11AX20 MIMO	Ant1	5220	5266.7~2600 0	19168.38	-41.25	-37.25	0.18836	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5220	5266.7~2600 0	19218.83	-41.31	-37.31	0.18578	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5220	5266.7~2600 0	21701.30	-41.22	-37.22	0.18967	≤2.5	PASS
NTNV	11AX20 MIMO	total	5220	5266.7~2600 0	---	---	---	0.56381	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5240	30~5142	4874.64	-46.10	-42.10	0.06166	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5240	30~5142	4868.51	-47.01	-43.01	0.05000	≤2.5	PASS
NTNV	11AX20 MIMO	total	5240	30~5142	---	---	---	0.16974	≤2.5	PASS

NTNV	11AX20 MIMO	Ant3	5240	30~5142	2334.49	-46.36	-42.36	0.05808	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5240	5142~5150	5149.90	-46.51	-42.51	0.05610	≤15	PASS
NTNV	11AX20 MIMO	Ant2	5240	5142~5150	5142.25	-47.31	-43.31	0.04667	≤15	PASS
NTNV	11AX20 MIMO	total	5240	5142~5150	---	---	---	0.15836	≤15	PASS
NTNV	11AX20 MIMO	Ant3	5240	5142~5150	5147.81	-46.55	-42.55	0.05559	≤15	PASS
NTNV	11AX20 MIMO	Ant1	5240	5250~5250.2	5250.2	-6.00	-2.00	630.957 34	≤631.0	See table below
NTNV	11AX20 MIMO	Ant2	5240	5250~5250.2	5250.14	-3.96	0.04	1009.25 289	≤912.0	See table below
NTNV	11AX20 MIMO	Ant3	5240	5250~5250.2	5250.2	-5.06	-1.06	783.429 64	≤631.0	See table below
NTNV	11AX20 MIMO	total	5240	5250~5250.2	---	---	---	2423.63 987	≤631.0	See table below
NTNV	11AX20 MIMO	Ant1	5240	5250.2~5251	5250.20	-13.03	-9.03	125.025 90	≤631.0	PASS
NTNV	11AX20 MIMO	Ant2	5240	5250.2~5251	5250.20	-13.11	-9.11	122.743 92	≤631.0	PASS
NTNV	11AX20 MIMO	Ant3	5240	5250.2~5251	5250.20	-12.75	-8.75	133.352 14	≤631.0	PASS
NTNV	11AX20 MIMO	total	5240	5250.2~5251	---	---	---	381.121 96	≤631.0	PASS
NTNV	11AX20 MIMO	Ant1	5240	5251~5260	5251.16	-31.90	-27.90	1.62181	≤96.8	PASS
NTNV	11AX20 MIMO	Ant2	5240	5251~5260	5251.13	-31.89	-27.89	1.62555	≤97.4	PASS
NTNV	11AX20 MIMO	Ant3	5240	5251~5260	5251.00	-32.77	-28.77	1.32739	≤100.0	PASS
NTNV	11AX20 MIMO	total	5240	5251~5260	---	---	---	4.57475	≤96.8	PASS
NTNV	11AX20 MIMO	Ant1	5240	5260~5266.7	5261.42	-44.13	-40.13	0.09705	≤15.8	PASS
NTNV	11AX20 MIMO	Ant2	5240	5260~5266.7	5261.82	-44.94	-40.94	0.08054	≤15.8	PASS

	MIMO									
NTNV	11AX20 MIMO	Ant3	5240	5260~5266.7	5260.72	-44.12	-40.12	0.09727	≤15.8	PASS
NTNV	11AX20 MIMO	total	5240	5260~5266.7	---	---	---	0.27486	≤15.8	PASS
NTNV	11AX20 MIMO	Ant1	5240	5266.7~2600 0	21691.62	-41.30	-37.30	0.18621	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5240	5266.7~2600 0	19215.37	-41.13	-37.13	0.19364	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5240	5266.7~2600 0	22053.76	-41.46	-37.46	0.17947	≤2.5	PASS
NTNV	11AX20 MIMO	total	5240	5266.7~2600 0	---	---	---	0.55932	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5190	30~5141.6	5141.60	-34.94	-30.94	0.80538	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5190	30~5141.6	5141.09	-33.46	-29.46	1.13240	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5190	30~5141.6	5139.04	-31.95	-27.95	1.60325	≤2.5	See table below
NTNV	11AX40S ISO	Ant1	5190	5141.6~5150	5148.87	-25.88	-21.88	6.48634	≤15	PASS
NTNV	11AX40S ISO	Ant2	5190	5141.6~5150	5149.27	-23.33	-19.33	11.6681 0	≤15	See table below
NTNV	11AX40S ISO	Ant3	5190	5141.6~5150	5144.67	-23.73	-19.73	10.6414 3	≤15	See table below
NTNV	11AX40S ISO	Ant1	5190	5250~5251	5250.98	-37.83	-33.83	0.41400	≤52.4	PASS
NTNV	11AX40S ISO	Ant2	5190	5250~5251	5250.96	-40.65	-36.65	0.21627	≤54.8	PASS
NTNV	11AX40S ISO	Ant3	5190	5250~5251	5250.98	-42.69	-38.69	0.13521	≤52.4	PASS
NTNV	11AX40S ISO	Ant1	5190	5251~5270	5269.85	-42.15	-38.15	0.15311	≤8.0	PASS
NTNV	11AX40S ISO	Ant2	5190	5251~5270	5264.03	-41.54	-37.54	0.17620	≤14.1	PASS
NTNV	11AX40S ISO	Ant3	5190	5251~5270	5268.48	-44.84	-40.84	0.08241	≤9.2	PASS
NTNV	11AX40S	Ant1	5190	5270~5278.4	5277.06	-43.31	-39.31	0.11722	≤3.0	PASS

	ISO									
NTNV	11AX40S ISO	Ant2	5190	5270~5278.4	5276.71	-45.85	-41.85	0.06531	≤3.1	PASS
NTNV	11AX40S ISO	Ant3	5190	5270~5278.4	5277.74	-46.89	-42.89	0.05140	≤2.7	PASS
NTNV	11AX40S ISO	Ant1	5190	5278.4~2600 0	19138.39	-40.71	-36.71	0.21330	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5190	5278.4~2600 0	22193.44	-41.16	-37.16	0.19231	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5190	5278.4~2600 0	21561.43	-41.37	-37.37	0.18323	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5230	30~5141.6	5141.60	-36.92	-32.92	0.51050	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5230	30~5141.6	5140.07	-44.74	-40.74	0.08433	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5230	30~5141.6	5138.02	-45.13	-41.13	0.07709	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5230	5141.6~5150	5149.59	-32.30	-28.30	1.47911	≤15	PASS
NTNV	11AX40S ISO	Ant2	5230	5141.6~5150	5149.56	-39.64	-35.64	0.27290	≤15	PASS
NTNV	11AX40S ISO	Ant3	5230	5141.6~5150	5148.69	-39.55	-35.55	0.27861	≤15	PASS
NTNV	11AX40S ISO	Ant1	5230	5250~5251	5250.99	-14.65	-10.65	86.0993 8	≤51.2	See table below
NTNV	11AX40S ISO	Ant2	5230	5250~5251	5250.97	-12.73	-8.73	133.967 67	≤53.6	See table below
NTNV	11AX40S ISO	Ant3	5230	5250~5251	5250.96	-15.55	-11.55	69.9842 0	≤54.8	See table below
NTNV	11AX40S ISO	Ant1	5230	5251~5270	5265.38	-26.50	-22.50	5.62341	≤12.4	PASS
NTNV	11AX40S ISO	Ant2	5230	5251~5270	5256.95	-19.80	-15.80	26.3026 8	≤28.1	See table below
NTNV	11AX40S ISO	Ant3	5230	5251~5270	5268.04	-25.30	-21.30	7.41310	≤9.6	See table below
NTNV	11AX40S	Ant1	5230	5270~5278.4	5270.13	-28.98	-24.98	3.17687	≤7.8	PASS

	ISO									
NTNV	11AX40S ISO	Ant2	5230	5270~5278.4	5273.71	-29.36	-25.36	2.91072	≤4.7	See table below
NTNV	11AX40S ISO	Ant3	5230	5270~5278.4	5278.27	-35.76	-31.76	0.66681	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5230	5278.4~2600 0	21719.61	-40.80	-36.80	0.20893	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5230	5278.4~2600 0	5278.40	-37.10	-33.10	0.48978	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5230	5278.4~2600 0	5279.09	-40.51	-36.51	0.22336	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5190	30~5141.6	4964.23	-47.38	-43.38	0.04592	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5190	30~5141.6	5007.68	-47.00	-43.00	0.05012	≤2.5	PASS
NTNV	11AX40 MIMO	total	5190	30~5141.6	---	---	---	0.18174	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5190	30~5141.6	5141.09	-44.67	-40.67	0.08570	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5190	5141.6~5150	5148.87	-44.45	-40.45	0.09016	≤15	PASS
NTNV	11AX40 MIMO	Ant2	5190	5141.6~5150	5147.56	-43.46	-39.46	0.11324	≤15	PASS
NTNV	11AX40 MIMO	total	5190	5141.6~5150	---	---	---	0.33737	≤15	PASS
NTNV	11AX40 MIMO	Ant3	5190	5141.6~5150	5149.89	-42.73	-38.73	0.13397	≤15	PASS
NTNV	11AX40 MIMO	Ant1	5190	5250~5251	5250.98	-47.45	-43.45	0.04519	≤52.4	PASS
NTNV	11AX40 MIMO	Ant2	5190	5250~5251	5250.99	-47.46	-43.46	0.04508	≤51.2	PASS
NTNV	11AX40 MIMO	Ant3	5190	5250~5251	5250.96	-46.13	-42.13	0.06124	≤54.8	PASS
NTNV	11AX40 MIMO	total	5190	5250~5251	---	---	---	0.15151	≤51.2	PASS
NTNV	11AX40 MIMO	Ant1	5190	5251~5270	5269.37	-47.07	-43.07	0.04932	≤8.4	PASS
NTNV	11AX40 MIMO	Ant2	5190	5251~5270	5268.86	-46.18	-42.18	0.06053	≤8.9	PASS
NTNV	11AX40	Ant3	5190	5251~5270	5269.83	-46.24	-42.24	0.05970	≤8.1	PASS

	MIMO									
NTNV	11AX40 MIMO	total	5190	5251~5270	---	---	---	0.16955	≤8.1	PASS
NTNV	11AX40 MIMO	Ant1	5190	5270~5278.4	5278.14	-47.07	-43.07	0.04932	≤2.6	PASS
NTNV	11AX40 MIMO	Ant2	5190	5270~5278.4	5278.02	-47.24	-43.24	0.04742	≤2.6	PASS
NTNV	11AX40 MIMO	Ant3	5190	5270~5278.4	5277.46	-46.15	-42.15	0.06095	≤2.8	PASS
NTNV	11AX40 MIMO	total	5190	5270~5278.4	---	---	---	0.15769	≤2.6	PASS
NTNV	11AX40 MIMO	Ant1	5190	5278.4~2600 0	22059.44	-41.58	-37.58	0.17458	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5190	5278.4~2600 0	19216.44	-41.09	-37.09	0.19543	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5190	5278.4~2600 0	19241.30	-40.65	-36.65	0.21627	≤2.5	PASS
NTNV	11AX40 MIMO	total	5190	5278.4~2600 0	---	---	---	0.58628	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5230	30~5141.6	4965.25	-47.16	-43.16	0.04831	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5230	30~5141.6	4961.67	-47.01	-43.01	0.05000	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5230	30~5141.6	4433.13	-46.65	-42.65	0.05433	≤2.5	PASS
NTNV	11AX40 MIMO	total	5230	30~5141.6	---	---	---	0.15264	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5230	5141.6~5150	5141.85	-45.77	-41.77	0.06653	≤15	PASS
NTNV	11AX40 MIMO	Ant2	5230	5141.6~5150	5143.88	-46.99	-42.99	0.05023	≤15	PASS
NTNV	11AX40 MIMO	Ant3	5230	5141.6~5150	5149.25	-46.42	-42.42	0.05728	≤15	PASS
NTNV	11AX40 MIMO	total	5230	5141.6~5150	---	---	---	0.17404	≤15	PASS
NTNV	11AX40 MIMO	Ant1	5230	5250~5251	5250.01	-14.98	-10.98	79.7994 7	≤488.6	PASS
NTNV	11AX40 MIMO	Ant2	5230	5250~5251	5250.06	-16.50	-12.50	56.2341 3	≤435.5	PASS
NTNV	11AX40 MIMO	Ant3	5230	5250~5251	5250.00	-13.12	-9.12	122.461 62	≤500.0	PASS

NTNV	11AX40 MIMO	total	5230	5250~5251	---	---	---	258.495 22	≤435.5	PASS
NTNV	11AX40 MIMO	Ant1	5230	5251~5270	5251.32	-37.68	-33.68	0.42855	≤48.5	PASS
NTNV	11AX40 MIMO	Ant2	5230	5251~5270	5266.58	-42.44	-38.44	0.14322	≤11.0	PASS
NTNV	11AX40 MIMO	Ant3	5230	5251~5270	5253.15	-29.95	-25.95	2.54097	≤40.6	PASS
NTNV	11AX40 MIMO	total	5230	5251~5270	---	---	---	3.11274	≤11.0	PASS
NTNV	11AX40 MIMO	Ant1	5230	5270~5278.4	5277.78	-46.53	-42.53	0.05585	≤2.7	PASS
NTNV	11AX40 MIMO	Ant2	5230	5270~5278.4	5278.40	-45.73	-41.73	0.06714	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5230	5270~5278.4	5277.44	-42.94	-38.94	0.12764	≤2.8	PASS
NTNV	11AX40 MIMO	total	5230	5270~5278.4	---	---	---	0.25063	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5230	5278.4~2600 0	21863.97	-41.34	-37.34	0.18450	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5230	5278.4~2600 0	21986.92	-41.10	-37.10	0.19498	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5230	5278.4~2600 0	19250.97	-41.09	-37.09	0.19543	≤2.5	PASS
NTNV	11AX40 MIMO	total	5230	5278.4~2600 0	---	---	---	0.57491	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5210	30~5123.2	5119.63	-32.77	-28.77	1.32739	≤2.5	See table below
NTNV	11AX80S ISO	Ant2	5210	30~5123.2	5121.67	-30.90	-26.90	2.04174	≤2.5	See table below
NTNV	11AX80S ISO	Ant3	5210	30~5123.2	5120.14	-29.16	-25.16	3.04789	≤2.5	See table below
NTNV	11AX80S ISO	Ant1	5210	5132.5~5150	5149.93	-23.75	-19.75	10.5925 4	≤15	See table below
NTNV	11AX80S ISO	Ant2	5210	5132.5~5150	5144.89	-29.82	-25.82	2.61818	≤15	PASS
NTNV	11AX80S	Ant3	5210	5132.5~5150	5148.43	-29.01	-25.01	3.15500	≤15	PASS

	ISO									
NTNV	11AX80S ISO	Ant1	5210	5250~5251	5250.07	-16.75	-12.75	53.0884 4	≤212.8	PASS
NTNV	11AX80S ISO	Ant2	5210	5250~5251	5250.02	-16.35	-12.35	58.2103 2	≤238.7	PASS
NTNV	11AX80S ISO	Ant3	5210	5250~5251	5250.01	-16.55	-12.55	55.5904 3	≤244.3	PASS
NTNV	11AX80S ISO	Ant1	5210	5251~5290	5276.39	-32.10	-28.10	1.54882	≤7.5	PASS
NTNV	11AX80S ISO	Ant2	5210	5251~5290	5271.32	-28.94	-24.94	3.20627	≤9.6	PASS
NTNV	11AX80S ISO	Ant3	5210	5251~5290	5281.26	-32.77	-28.77	1.32739	≤6.0	PASS
NTNV	11AX80S ISO	Ant1	5210	5290~5296.7	5293.16	-35.99	-31.99	0.63241	≤3.2	PASS
NTNV	11AX80S ISO	Ant2	5210	5290~5296.7	5294.82	-31.99	-27.99	1.58855	≤2.8	See table below
NTNV	11AX80S ISO	Ant3	5210	5290~5296.7	5293.70	-34.65	-30.65	0.86099	≤3.1	PASS
NTNV	11AX80S ISO	Ant1	5210	5296.7~2600 0	22020.83	-40.84	-36.84	0.20701	≤2.5	PASS
NTNV	11AX80S ISO	Ant2	5210	5296.7~2600 0	5296.70	-36.70	-32.70	0.53703	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5210	5296.7~2600 0	19130.65	-40.22	-36.22	0.23878	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5210	30~5123.2	5047.82	-46.67	-42.67	0.05408	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5210	30~5123.2	5122.18	-46.36	-42.36	0.05808	≤2.5	PASS
NTNV	11AX80 MIMO	total	5210	30~5123.2	---	---	---	0.19105	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5210	30~5123.2	5117.60	-45.03	-41.03	0.07889	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5210	5132.5~5150	5146.15	-41.29	-37.29	0.18664	≤15	PASS
NTNV	11AX80 MIMO	Ant2	5210	5132.5~5150	5149.83	-39.68	-35.68	0.27040	≤15	PASS
NTNV	11AX80 MIMO	total	5210	5132.5~5150	---	---	---	0.96872	≤15	PASS
NTNV	11AX80	Ant3	5210	5132.5~5150	5149.55	-36.91	-32.91	0.51168	≤15	PASS

	MIMO									
NTNV	11AX80 MIMO	Ant1	5210	5250~5251	5250.04	-17.88	-13.88	40.9260 7	≤228.0	PASS
NTNV	11AX80 MIMO	Ant2	5210	5250~5251	5250.03	-19.86	-15.86	25.9417 9	≤233.3	PASS
NTNV	11AX80 MIMO	Ant3	5210	5250~5251	5250.01	-16.04	-12.04	62.5172 7	≤244.3	PASS
NTNV	11AX80 MIMO	total	5210	5250~5251	---	---	---	129.385 13	≤228.0	PASS
NTNV	11AX80 MIMO	Ant1	5210	5251~5290	5251.00	-35.55	-31.55	0.69984	≤25.0	PASS
NTNV	11AX80 MIMO	Ant2	5210	5251~5290	5287.19	-42.71	-38.71	0.13459	≤4.5	PASS
NTNV	11AX80 MIMO	Ant3	5210	5251~5290	5251.39	-33.43	-29.43	1.14025	≤24.5	PASS
NTNV	11AX80 MIMO	total	5210	5251~5290	---	---	---	1.97468	≤4.5	PASS
NTNV	11AX80 MIMO	Ant1	5210	5290~5296.7	5294.02	-45.96	-41.96	0.06368	≤3.0	PASS
NTNV	11AX80 MIMO	Ant2	5210	5290~5296.7	5291.35	-41.97	-37.97	0.15959	≤3.6	PASS
NTNV	11AX80 MIMO	Ant3	5210	5290~5296.7	5290.98	-43.99	-39.99	0.10023	≤3.7	PASS
NTNV	11AX80 MIMO	total	5210	5290~5296.7	---	---	---	0.32350	≤3.0	PASS
NTNV	11AX80 MIMO	Ant1	5210	5296.7~2600 0	19227.95	-40.40	-36.40	0.22909	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5210	5296.7~2600 0	19200.35	-39.17	-35.17	0.30409	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5210	5296.7~2600 0	22080.18	-39.96	-35.96	0.25351	≤2.5	PASS
NTNV	11AX80 MIMO	total	5210	5296.7~2600 0	---	---	---	0.78669	≤2.5	PASS

Test Result_Step2

Test Condition	Test Mode	Ant.	Freq. [MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP [dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant3	5180	5266.7~26000	10357.42	-46.17	-42.17	0.06067	≤2.5	PASS
NTNV	11A	Ant1	5200	5266.7~26000	15597.41	-53.70	-49.70	0.01072	≤2.5	PASS
NTNV	11A	Ant1	5220	5266.7~26000	15660.99	-53.66	-49.66	0.01081	≤2.5	PASS
NTNV	11A	Ant1	5240	5250~5251	5250.01	-34.39	-30.39	0.91411	≤631	PASS
NTNV	11A	Ant2	5240	5250~5251	5250.03	-32.37	-28.37	1.45546	≤813	PASS
NTNV	11A	Ant3	5240	5250~5251	5250.00	-32.79	-28.79	1.32130	≤776	PASS
NTNV	11N20SI SO	Ant1	5240	5250~5251	5250.02	-30.31	-26.31	2.33884	≤794	PASS
NTNV	11N20SI SO	Ant2	5240	5250~5251	5250.02	-27.86	-23.86	4.11150	≤813	PASS
NTNV	11N20SI SO	Ant3	5240	5250~5251	5250.05	-25.25	-21.25	7.49894	≤1000	PASS
NTNV	11N20MI MO	Ant1	5240	5250~5251	5250.00	-30.58	-26.58	2.19786	≤891	PASS
NTNV	11N20MI MO	Ant2	5240	5250~5251	5250.05	-31.59	-27.59	1.74181	≤794	PASS
NTNV	11N20MI MO	Ant3	5240	5250~5251	5250.03	-33.38	-29.38	1.15345	≤617	PASS
NTNV	11N20MI MO	Ant1	5240	5250~5251	5250.00	-30.47	-26.47	2.25424	≤891	PASS
NTNV	11N20MI MO	Ant2	5240	5250~5251	5250.05	-31.37	-27.37	1.83231	≤794	PASS
NTNV	11N20MI MO	Ant3	5240	5250~5251	5250.03	-33.44	-29.44	1.13763	≤617	PASS
NTNV	11N20MI MO	Ant1	5240	5250~5251	5250.00	-29.41	-25.41	2.87740	≤891	PASS
NTNV	11N20MI MO	Ant2	5240	5250~5251	5250.05	-30.33	-26.33	2.32809	≤794	PASS
NTNV	11N20MI MO	Ant3	5240	5250~5251	5250.03	-32.23	-28.23	1.50314	≤617	PASS
NTNV	11N20MI MO	Ant1	5240	5250~5251	5250	---	---	7.32950	≤891	PASS
NTNV	11N20MI MO	Ant2	5240	5250~5251	5250.05	---	---	5.90221	≤794	PASS
NTNV	11N20MI MO	Ant3	5240	5250~5251	5250.03	---	---	3.79422	≤617	PASS
NTNV	11N40SI	Ant2	5190	30~5141.6	5140.07	-49.08	-45.08	0.03105	≤2.5	PASS

	SO									
NTNV	11N40SI SO	Ant1	5190	5141.6~5150	5149.82	-48.63	-44.63	0.03443	≤15	PASS
NTNV	11N40SI SO	Ant1	5230	5250~5251	5250.01	-38.71	-34.71	0.33806	≤57	PASS
NTNV	11N40SI SO	Ant2	5230	5250~5251	5250.02	-39.18	-35.18	0.30339	≤57	PASS
NTNV	11N40SI SO	Ant3	5230	5250~5251	5250.02	-38.80	-34.80	0.33113	≤64	PASS
NTNV	11N40SI SO	Ant1	5230	5251~5270	5268.31	-48.28	-44.28	0.03733	≤9	PASS
NTNV	11N40SI SO	Ant1	5230	5270~5278.4	5270.25	-48.34	-44.34	0.03681	≤8	PASS
NTNV	11N40MI MO	Ant1	5230	5250~5251	5250.99	-45.84	-41.84	0.06546	≤50	PASS
NTNV	11N40MI MO	Ant2	5230	5250~5251	5250.98	-45.32	-41.32	0.07379	≤66	PASS
NTNV	11N40MI MO	Ant3	5230	5250~5251	5250.98	-45.57	-41.57	0.06966	≤57	PASS
NTNV	11N40MI MO	Ant1	5230	5250~5251	5250.99	-45.68	-41.68	0.06792	≤50	PASS
NTNV	11N40MI MO	Ant2	5230	5250~5251	5250.98	-45.12	-41.12	0.07727	≤66	PASS
NTNV	11N40MI MO	Ant3	5230	5250~5251	5250.98	-45.39	-41.39	0.07261	≤57	PASS
NTNV	11N40MI MO	Ant1	5230	5250~5251	5250.99	-44.93	-40.93	0.08072	≤50	PASS
NTNV	11N40MI MO	Ant2	5230	5250~5251	5250.98	-44.35	-40.35	0.09226	≤66	PASS
NTNV	11N40MI MO	Ant3	5230	5250~5251	5250.98	-44.63	-40.63	0.08650	≤57	PASS
NTNV	11N40MI MO	Ant1	5230	5250~5251	5250.99	---	---	0.21410	≤50	PASS
NTNV	11N40MI MO	Ant2	5230	5250~5251	5250.98	---	---	0.24332	≤66	PASS
NTNV	11N40MI MO	Ant3	5230	5250~5251	5250.98	---	---	0.22877	≤57	PASS
NTNV	11AC20S ISO	Ant1	5180	5142~5150	5148.06	-48.62	-44.62	0.03451	≤15	PASS
NTNV	11AC20S ISO	Ant2	5180	5266.7~26000	10352.58	-46.21	-42.21	0.06012	≤2.5	PASS


NTNV	11AC20S ISO	Ant3	5180	5266.7~26000	10353.96	-46.18	-42.18	0.06053	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5240	5250~5250.2	5250.00	-29.14	-25.14	3.06196	≤631	PASS
NTNV	11AC20S ISO	Ant2	5240	5250~5250.2	5250.01	-29.40	-25.40	2.88403	≤671	PASS
NTNV	11AC20S ISO	Ant3	5240	5250~5250.2	5250.00	-28.11	-24.11	3.88150	≤671	PASS
NTNV	11AC20 MIMO	Ant1	5240	5250~5251	5250.04	-32.30	-28.30	1.47911	≤851	PASS
NTNV	11AC20 MIMO	Ant2	5240	5250~5251	5250.03	-31.14	-27.14	1.93197	≤977	PASS
NTNV	11AC20 MIMO	Ant3	5240	5250~5251	5250.02	-32.93	-28.93	1.27938	≤813	PASS
NTNV	11AC20 MIMO	Ant1	5240	5250~5251	5250.04	-31.78	-27.78	1.66725	≤851	PASS
NTNV	11AC20 MIMO	Ant2	5240	5250~5251	5250.03	-30.81	-26.81	2.08449	≤977	PASS
NTNV	11AC20 MIMO	Ant3	5240	5250~5251	5250.02	-32.31	-28.31	1.47571	≤813	PASS
NTNV	11AC20 MIMO	Ant1	5240	5250~5251	5250.04	-31.07	-27.07	1.96336	≤851	PASS
NTNV	11AC20 MIMO	Ant2	5240	5250~5251	5250.03	-29.88	-25.88	2.58226	≤977	PASS
NTNV	11AC20 MIMO	Ant3	5240	5250~5251	5250.02	-31.76	-27.76	1.67494	≤813	PASS
NTNV	11AC20 MIMO	Ant1	5240	5250~5251	5250.04	---	---	5.10972	≤851	PASS
NTNV	11AC20 MIMO	Ant2	5240	5250~5251	5250.03	---	---	6.59872	≤977	PASS
NTNV	11AC20 MIMO	Ant3	5240	5250~5251	5250.02	---	---	4.43003	≤813	PASS
NTNV	11AC40S ISO	Ant2	5190	30~5141.6	5141.09	-49.12	-45.12	0.03076	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5190	5141.6~5150	5148.52	-48.64	-44.64	0.03436	≤15	PASS
NTNV	11AC40S ISO	Ant1	5230	5250~5251	5250.01	-39.31	-35.31	0.29444	≤52	PASS
NTNV	11AC40S ISO	Ant2	5230	5250~5251	5250.01	-39.19	-35.19	0.30269	≤54	PASS
NTNV	11AC40S	Ant3	5230	5250~5251	5250.03	-39.04	-35.04	0.31333	≤62	PASS






	ISO									
NTNV	11AC40 MIMO	Ant1	5230	5250~5251	5250.91	-46.46	-42.46	0.05675	≤52	PASS
NTNV	11AC40 MIMO	Ant2	5230	5250~5251	5250.93	-46.50	-42.50	0.05623	≤50	PASS
NTNV	11AC40 MIMO	Ant3	5230	5250~5251	5250.96	-46.43	-42.43	0.05715	≤52	PASS
NTNV	11AC40 MIMO	Ant1	5230	5250~5251	5250.91	-46.47	-42.47	0.05662	≤52	PASS
NTNV	11AC40 MIMO	Ant2	5230	5250~5251	5250.93	-46.53	-42.53	0.05585	≤50	PASS
NTNV	11AC40 MIMO	Ant3	5230	5250~5251	5250.96	-46.46	-42.46	0.05675	≤52	PASS
NTNV	11AC40 MIMO	Ant1	5230	5250~5251	5250.91	-44.55	-40.55	0.08810	≤52	PASS
NTNV	11AC40 MIMO	Ant2	5230	5250~5251	5250.93	-44.65	-40.65	0.08610	≤50	PASS
NTNV	11AC40 MIMO	Ant3	5230	5250~5251	5250.96	-44.57	-40.57	0.08770	≤52	PASS
NTNV	11AC40 MIMO	Ant1	5230	5250~5251	5250.91	---	---	0.20147	≤52	PASS
NTNV	11AC40 MIMO	Ant2	5230	5250~5251	5250.93	---	---	0.19818	≤50	PASS
NTNV	11AC40 MIMO	Ant3	5230	5250~5251	5250.96	---	---	0.20160	≤52	PASS
NTNV	11AC80S ISO	Ant2	5210	30~5123.2	5117.60	-47.92	-43.92	0.04055	≤2.5	PASS
NTNV	11AC80S ISO	Ant1	5210	5132.5~5150	5150.00	-47.54	-43.54	0.04426	≤15	PASS
NTNV	11AC80S ISO	Ant3	5210	5251~5290	5259.03	-47.53	-43.53	0.04436	≤17	PASS
NTNV	11AX20S ISO	Ant2	5180	5142~5150	5148.88	-48.50	-44.50	0.03548	≤15	PASS
NTNV	11AX20S ISO	Ant1	5180	5266.7~26000	10359.49	-46.27	-42.27	0.05929	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5180	5266.7~26000	10351.20	-46.18	-42.18	0.06053	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5180	5266.7~26000	10362.25	-46.20	-42.20	0.06026	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5240	5250~5250.2	5250.01	-19.97	-15.97	25.2929 8	≤631	PASS


NTNV	11AX20S ISO	Ant2	5240	5250~5250.2	5250.00	-18.17	-14.17	38.2824 7	≤671	PASS
NTNV	11AX20S ISO	Ant3	5240	5250~5250.2	5250.01	-20.26	-16.26	23.6592 0	≤671	PASS
NTNV	11AX20S ISO	Ant2	5240	5250.2~5251	5250.20	-19.02	-15.02	31.4774 8	≤589	PASS
NTNV	11AX20 MIMO	Ant1	5240	5250~5250.2	5250.00	-23.06	-19.06	12.4165 2	≤759	PASS
NTNV	11AX20 MIMO	Ant2	5240	5250~5250.2	5250.14	-22.32	-18.32	14.7231 3	≤912	PASS
NTNV	11AX20 MIMO	Ant3	5240	5250~5250.2	5250.20	-23.51	-19.51	11.1943 8	≤671	PASS
NTNV	11AX20 MIMO	Ant1	5240	5250~5250.2	5250.00	-22.81	-18.81	13.1522 5	≤759	PASS
NTNV	11AX20 MIMO	Ant2	5240	5250~5250.2	5250.14	-22.31	-18.31	14.7570 7	≤912	PASS
NTNV	11AX20 MIMO	Ant3	5240	5250~5250.2	5250.20	-23.16	-19.16	12.1338 9	≤671	PASS
NTNV	11AX20 MIMO	Ant1	5240	5250~5250.2	5250.00	-21.96	-17.96	15.9955 8	≤759	PASS
NTNV	11AX20 MIMO	Ant2	5240	5250~5250.2	5250.14	-21.50	-17.50	17.7827 9	≤912	PASS
NTNV	11AX20 MIMO	Ant3	5240	5250~5250.2	5250.20	-22.33	-18.33	14.6892 6	≤671	PASS
NTNV	11AX20 MIMO	Ant1	5240	5250~5250.2	5250	---	---	41.5643 5	≤759	PASS
NTNV	11AX20 MIMO	Ant2	5240	5250~5250.2	5250.14	---	---	47.2629 9	≤912	PASS
NTNV	11AX20 MIMO	Ant3	5240	5250~5250.2	5250.2	---	---	38.0175 3	≤671	PASS
NTNV	11AX40S ISO	Ant2	5190	5141.6~5150	5149.27	-48.04	-44.04	0.03945	≤15	PASS
NTNV	11AX40S ISO	Ant3	5190	5141.6~5150	5144.67	-48.33	-44.33	0.03690	≤15	PASS
NTNV	11AX40S ISO	Ant1	5230	5250~5251	5250.04	-44.73	-40.73	0.08453	≤51.2	PASS
NTNV	11AX40S ISO	Ant2	5230	5250~5251	5250.01	-43.66	-39.66	0.10814	≤57	PASS
NTNV	11AX40S ISO	Ant3	5230	5250~5251	5250.00	-26.15	-22.15	6.09537	≤478	PASS
NTNV	11AX40S	Ant2	5230	5251~5270	5256.95	-45.87	-41.87	0.06501	≤27	PASS





	ISO									
NTNV	11AX40S ISO	Ant3	5230	5251~5270	5267.82	-48.14	-44.14	0.03855	≤9	PASS
NTNV	11AX40S ISO	Ant2	5230	5270~5278.4	5272.39	-47.54	-43.54	0.04426	≤5	PASS
NTNV	11AX80S ISO	Ant2	5210	30~5123.2	5121.67	-47.42	-43.42	0.04550	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5210	30~5123.2	5120.14	-48.85	-44.85	0.03273	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5210	5132.5~5150	5149.93	-46.81	-42.81	0.05236	≤15	PASS
NTNV	11AX80S ISO	Ant2	5210	5290~5296.7	5294.60	-47.02	-43.02	0.04989	≤3	PASS

Test Graphs



 <p>01:13:50 AM 02/03/2026</p>	 <p>10:33:07 PM 02/03/2026</p>
NTVN-11A-Ant2-5180-5142~5150-PASS	NTVN-11A-Ant3-5180-5142~5150-See table below
 <p>10:12:34 PM 02/03/2026</p>	 <p>01:14:01 AM 02/03/2026</p>
NTVN-11A-Ant1-5180-5250~5251-PASS	NTVN-11A-Ant2-5180-5250~5251-PASS
 <p>10:33:17 PM 02/03/2026</p>	 <p>10:12:45 PM 02/03/2026</p>



<p>NTNV-11A-Ant3-5180-5260~5266.7-PASS</p>  <p>01:14:34 AM 02/03/2026</p>	<p>NTNV-11A-Ant1-5180-5266.7~26000-PASS</p>  <p>10:33:50 PM 02/03/2026</p>
<p>NTNV-11A-Ant2-5180-5266.7~26000-PASS</p>  <p>10:20:08 PM 02/03/2026</p>	<p>NTNV-11A-Ant3-5180-5266.7~26000-See table below</p>  <p>01:18:35 AM 02/03/2026</p>
<p>NTNV-11A-Ant1-5200-30~5142-PASS</p>	<p>NTNV-11A-Ant2-5200-30~5142-PASS</p>

