Appendix A: Test Results of Bluetooth BR & EDR

APPENDIX A: TEST RESULTS OF BLUETOOTH BR & EDR 1

APPENDIX A.1: TEST RESULTS OF FREQUENCY TOLERANCE 2
Test Result 2
Test Graphs 3
APPENDIX A.2: TEST RESULTS OF ANTENNA POWER 10
Test Result 10
APPENDIX A.3: TEST RESULTS OF OCCUPIED CHANNEL BANDWIDTH (99%) 12
Test Result 12
Test Graphs 13
APPENDIX A.4: TEST RESULTS OF SPREAD BANDWIDTH (90%) 25
Test Result 25
Test Graphs 26
APPENDIX A.5: TEST RESULTS OF SPURIOUS EMISSIONS FOR TRANSMITTER 31
Test Result 31
Test Result_Step2 33
Test Graphs 34
Test Graphs_Step2 71
APPENDIX A.6: TEST RESULTS OF SPURIOUS EMISSIONS FOR RECEIVER 74
Test Result 74
Test Graphs 75
APPENDIX A.7: TEST RESULTS OF MAX. BURST LENGTH / DWELL TIME 94
Test Result 94

Appendix A.1: Test Results of Frequency Tolerance

Test Result

Test Condition	Test Mode	Antenna	Freq(MHz)	Result[ppm]	Limit[ppm]	Verdict
NTNV	DH5	Ant1	2402	6.86928	±50	PASS
			2441	4.91602	±50	PASS
			2480	6.65323	±50	PASS
	3DH5	Ant1	2402	9.99167	±50	PASS
			2441	7.37403	±50	PASS
			2480	12.09677	±50	PASS
NTLV	DH5	Ant1	2402	9.36719	±50	PASS
			2441	8.60303	±50	PASS
			2480	7.25807	±50	PASS
	3DH5	Ant1	2402	3.12240	±50	PASS
			2441	3.68701	±50	PASS
			2480	12.70161	±50	PASS
NTHV	DH5	Ant1	2402	7.49376	±50	PASS
			2441	3.07251	±50	PASS
			2480	4.23387	±50	PASS
	3DH5	Ant1	2402	11.86511	±50	PASS
			2441	4.91602	±50	PASS
			2480	1.81452	±50	PASS

Test Graphs

NTNV_DH5_Ant1_2402



NTNV_DH5_Ant1_2441



NTNV_DH5_Ant1_2480



NTNV_3DH5_Ant1_2402



NTNV_3DH5_Ant1_2441



NTNV_3DH5_Ant1_2480



NTLV_DH5_Ant1_2402



NTLV_DH5_Ant1_2441



NTLV_DH5_Ant1_2480



NTLV_3DH5_Ant1_2402



NTLV_3DH5_Ant1_2441



NTLV_3DH5_Ant1_2480



NTHV_DH5_Ant1_2402



NTHV_DH5_Ant1_2441



NTHV_DH5_Ant1_2480



NTHV_3DH5_Ant1_2402



NTHV_3DH5_Ant1_2441



NTHV_3DH5_Ant1_2480


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 20 dB
PNO: Best Wide
Gate: Off
IF Gain: Low
Sig Track: Off
#Avg Type: Power (RMS)
Avg|Hold: 100/100
Trig: Free Run
1 Spectrum
Ref Lvl Offset 18.16 dB
Ref Level 15.00 dBm
Mkr3 2.480 555 GHz
2.32 dBm
Scale/Div 10 dB
Log
5.00
-5.00
-15.0
-25.0
-35.0
-45.0
-55.0
-65.0
-75.0
Center 2.480000 GHz
#Res BW 100 kHz
#Video BW 300 kHz
Span 3.000 MHz
Sweep 1.00 ms (1001 pts)
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 N 1 f 2.480 078 GHz 11.87 dBm
2 N 1 f 2.479 454 GHz 2.032 dBm
3 N 1 f 2.480 555 GHz 2.318 dBm
Jan 15, 2026
11:14:19 AM
Frequency
Center Frequency
2.480000000 GHz
Span
3.00000000 MHz
Swept Span
Zero Span
Full Span
Start Freq
2.478500000 GHz
Stop Freq
2.481500000 GHz
AUTO TUNE
CF Step
300.000 kHz
Auto
Man
Freq Offset
0 Hz
X Axis Scale
Log
Lin
Signal Track
(Span Zoom)
Settings
Local

Appendix A.2: Test Results of Antenna Power

Test Result

Antenna Power									
Test Condition	TestMode	Antenna	Freq (MHz)	Result (dBm)	Result (mW)	90% BW (MHz)	Result (mW /MHz)	Limit (mW /MHz)	Verdict
NTNV	DH5	Ant1	Hop	15.08	32.2107	71.506	0.4505	≤3	PASS
	3DH5	Ant1	Hop	11.75	14.9624	71.638	0.2089	≤3	PASS
	AFH_DH5	Ant1	Hop	15.07	32.1366	18.078	1.7777	≤3	PASS
	AFH_3DH5	Ant1	Hop	11.70	14.7911	18.458	0.8013	≤3	PASS
NTLV	DH5	Ant1	Hop	15.08	32.2107	71.506	0.4505	≤3	PASS
	3DH5	Ant1	Hop	11.76	14.9968	71.638	0.2093	≤3	PASS
	AFH_DH5	Ant1	Hop	15.09	32.2849	18.078	1.7859	≤3	PASS
	AFH_3DH5	Ant1	Hop	11.75	14.9624	18.458	0.8106	≤3	PASS
NTHV	DH5	Ant1	Hop	15.08	32.2107	71.506	0.4505	≤3	PASS
	3DH5	Ant1	Hop	11.76	14.9968	71.638	0.2093	≤3	PASS
	AFH_DH5	Ant1	Hop	15.08	32.2107	18.078	1.7818	≤3	PASS
	AFH_3DH5	Ant1	Hop	11.75	14.9624	18.458	0.8106	≤3	PASS

Tolerance								
Test Condition	Test Mode	Antenna	Freq (MHz)	Power (mW /MHz)	RatedPower (mW /MHz)	Result (%)	Limit (%)	Verdict
NTNV	DH5	Ant1	Hop	0.4505	1.8	-74.97	-80 to +20	PASS
	3DH5	Ant1	Hop	0.2089	0.9	-76.79	-80 to +20	PASS
	AFH_DH5	Ant1	Hop	1.7777	3	-40.74	-80 to +20	PASS
	AFH_3DH5	Ant1	Hop	0.8013	3	-73.29	-80 to +20	PASS
NTLV	DH5	Ant1	Hop	0.4505	1.8	-74.97	-80 to +20	PASS
	3DH5	Ant1	Hop	0.2093	0.9	-76.74	-80 to +20	PASS
	AFH_DH5	Ant1	Hop	1.7859	3	-40.47	-80 to +20	PASS
	AFH_3DH5	Ant1	Hop	0.8106	3	-72.98	-80 to +20	PASS
NTHV	DH5	Ant1	Hop	0.4505	1.8	-74.97	-80 to +20	PASS
	3DH5	Ant1	Hop	0.2093	0.9	-76.74	-80 to +20	PASS
	AFH_DH5	Ant1	Hop	1.7818	3	-40.61	-80 to +20	PASS
	AFH_3DH5	Ant1	Hop	0.8106	3	-72.98	-80 to +20	PASS

EIRP							
Test Condition	TestMode	Antenna	Freq (MHz)	Power (dBm)	EIRP(dBm)	Limit(dBm)	Verdict
NTNV	DH5	Ant1	Hop	-3.46	-6.16	≤6.91	PASS
	3DH5	Ant1	Hop	-6.80	-9.50	≤6.91	PASS
	AFH_DH5	Ant1	Hop	2.50	-0.20	≤6.91	PASS
	AFH_3DH5	Ant1	Hop	-0.96	-3.66	≤6.91	PASS
NTLV	DH5	Ant1	Hop	-3.46	-6.16	≤6.91	PASS
	3DH5	Ant1	Hop	-6.79	-9.49	≤6.91	PASS
	AFH_DH5	Ant1	Hop	2.52	-0.18	≤6.91	PASS
	AFH_3DH5	Ant1	Hop	-0.91	-3.61	≤6.91	PASS
NTHV	DH5	Ant1	Hop	-3.46	-6.16	≤6.91	PASS
	3DH5	Ant1	Hop	-6.79	-9.49	≤6.91	PASS
	AFH_DH5	Ant1	Hop	2.51	-0.19	≤6.91	PASS
	AFH_3DH5	Ant1	Hop	-0.91	-3.61	≤6.91	PASS

Appendix A.3: Test Results of Occupied Channel Bandwidth (99%)

Test Result

Test Condition	Test Mode	Antenna	Freq(MHz)	Result [MHz]	Limit [MHz]	Verdict
NTNV	DH5	Ant1	2402	1.089	≤83.5	PASS
			2441	1.092	≤83.5	PASS
			2480	1.088	≤83.5	PASS
	3DH5	Ant1	2402	1.448	≤83.5	PASS
			2441	1.447	≤83.5	PASS
			2480	1.447	≤83.5	PASS
NTLV	DH5	Ant1	2402	1.093	≤83.5	PASS
			2441	1.094	≤83.5	PASS
			2480	1.089	≤83.5	PASS
	3DH5	Ant1	2402	1.450	≤83.5	PASS
			2441	1.446	≤83.5	PASS
			2480	1.444	≤83.5	PASS
NTHV	DH5	Ant1	2402	1.092	≤83.5	PASS
			2441	1.093	≤83.5	PASS
			2480	1.087	≤83.5	PASS
	3DH5	Ant1	2402	1.446	≤83.5	PASS
			2441	1.446	≤83.5	PASS
			2480	1.446	≤83.5	PASS

Test Condition	Test Mode	Antenna	Freq(MHz)	Result [MHz]	Limit [MHz]	Verdict
NTNV	DH5	Ant1	Hop	78.062	≤83.5	PASS
	3DH5	Ant1	Hop	78.453	≤83.5	PASS
	AFH_DH5	Ant1	Hop	19.598	≤83.5	PASS
	AFH_3DH5	Ant1	Hop	19.907	≤83.5	PASS
NTLV	DH5	Ant1	Hop	78.080	≤83.5	PASS
	3DH5	Ant1	Hop	78.459	≤83.5	PASS
	AFH_DH5	Ant1	Hop	19.606	≤83.5	PASS
	AFH_3DH5	Ant1	Hop	19.867	≤83.5	PASS
NTHV	DH5	Ant1	Hop	78.085	≤83.5	PASS
	3DH5	Ant1	Hop	78.027	≤83.5	PASS
	AFH_DH5	Ant1	Hop	19.601	≤83.5	PASS
	AFH_3DH5	Ant1	Hop	19.915	≤83.5	PASS

Test Graphs

NTNV_DH5_Ant1_2402



NTNV_DH5_Ant1_2441



NTNV_DH5_Ant1_2480



NTNV_3DH5_Ant1_2402



NTNV_3DH5_Ant1_2441



NTNV_3DH5_Ant1_2480



NTLV_DH5_Ant1_2402



NTLV_DH5_Ant1_2441



NTLV_DH5_Ant1_2480



NTLV_3DH5_Ant1_2402



NTLV_3DH5_Ant1_2441




NTLV_3DH5_Ant1_2480



NTHV_DH5_Ant1_2402



NTHV_DH5_Ant1_2441



NTHV_DH5_Ant1_2480



NTHV_3DH5_Ant1_2402




NTHV_3DH5_Ant1_2441




NTHV_3DH5_Ant1_2480


Spectrum Analyzer 1
Occupied BW
Frequency
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
Atten: 20 dB
Trig: Free Run
Gate: Off
#IF Gain: Low
Center Freq: 2.480000000 GHz
Avg|Hold: 1000/1000
Radio Std: None
1 Graph
Ref Lvl Offset 18.16 dB
Ref Value 15.00 dBm
Mkr1 2.479850000 GHz
13.24 dBm
Scale/Div 10.0 dB
Log
5.00
-5.00
-15.0
-25.0
-35.0
-45.0
-55.0
-65.0
-75.0
Center 2.480000 GHz
#Res BW 300.00 kHz
#Video BW 300.00 kHz
Span 5 MHz
Sweep 1.00 ms (1001 pts)
2 Metrics
Occupied Bandwidth
1.4456 MHz
Total Power 17.3 dBm
Transmit Freq Error 16.638 kHz
% of OBW Power 99.00 %
x dB Bandwidth 1.111 MHz
x dB -6.00 dB
Jan 15, 2026
11:14:52 AM
Center Frequency
2.480000000 GHz
Span
5.0000 MHz
CF Step
500.000 kHz
Auto
Man
Freq Offset
0 Hz
Settings
Local

NTNV_DH5_Ant1_Hop




NTNV_3DH5_Ant1_Hop




NTNV_AFH_DH5_Ant1_Hop



NTNV_AFH_3DH5_Ant1_Hop




NTLV_DH5_Ant1_Hop




NTLV_3DH5_Ant1_Hop



NTLV_AFH_DH5_Ant1_Hop




NTLV_AFH_3DH5_Ant1_Hop




NTHV_DH5_Ant1_Hop



NTHV_3DH5_Ant1_Hop



NTHV_AFH_DH5_Ant1_Hop



NTHV_AFH_3DH5_Ant1_Hop


Spectrum Analyzer 1
Occupied BW
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
Atten: 20 dB
Trig: Free Run
Gate: Off
#IF Gain: Low
Center Freq: 2.441000000 GHz
Avg|Hold: 1000/1000
Radio Std: None
1 Graph
Scale/Div 10.0 dB
Ref Lvl Offset 18.22 dB
Ref Value 15.00 dBm
Mkr1 2.449200000 GHz
8.04 dBm
Center 2.44100 GHz
#Res BW 300.00 kHz
#Video BW 300.00 kHz
Span 50 MHz
Sweep 1.00 ms (1001 pts)
2 Metrics
Occupied Bandwidth
19.915 MHz
Total Power 23.8 dBm
Transmit Freq Error 598.57 kHz
% of OBW Power 99.00 %
x dB Bandwidth 20.09 MHz
x dB -6.00 dB
Jan 15, 2026
9:09:23 AM
Frequency
Center Frequency
2.441000000 GHz
Span
50.000 MHz
CF Step
5.000000 MHz
Auto
Man
Freq Offset
0 Hz
Settings
Local

Appendix A.4: Test Results of Spread Bandwidth (90%)

Test Result


Test Condition	Test Mode	Antenna	Freq (MHz)	Result [MHz]	Limit [MHz]	SpreadFactor	Limit	Verdict
NTNV	DH5	Ant1	Hop	71.506	≥0.5	71.506	>5	PASS
	3DH5	Ant1	Hop	71.638	≥0.5	71.638	>5	PASS
	AFH_DH5	Ant1	Hop	18.078	≥0.5	18.078	>5	PASS
	AFH_3DH5	Ant1	Hop	18.458	≥0.5	18.458	>5	PASS
NTLV	DH5	Ant1	Hop	71.204	≥0.5	71.204	>5	PASS
	3DH5	Ant1	Hop	72.778	≥0.5	72.778	>5	PASS
	AFH_DH5	Ant1	Hop	18.178	≥0.5	18.178	>5	PASS
	AFH_3DH5	Ant1	Hop	17.862	≥0.5	17.862	>5	PASS
NTHV	DH5	Ant1	Hop	71.805	≥0.5	71.805	>5	PASS
	3DH5	Ant1	Hop	71.369	≥0.5	71.369	>5	PASS
	AFH_DH5	Ant1	Hop	18.039	≥0.5	18.039	>5	PASS
	AFH_3DH5	Ant1	Hop	18.266	≥0.5	18.266	>5	PASS

Test Graphs

NTNV_DH5_Ant1_Hop




NTNV_3DH5_Ant1_Hop




NTNV_AFH_DH5_Ant1_Hop



NTNV_AFH_3DH5_Ant1_Hop




NTLV_DH5_Ant1_Hop




NTLV_3DH5_Ant1_Hop



NTLV_AFH_DH5_Ant1_Hop




NTLV_AFH_3DH5_Ant1_Hop




NTHV_DH5_Ant1_Hop



NTHV_3DH5_Ant1_Hop



NTHV_AFH_DH5_Ant1_Hop



NTHV_AFH_3DH5_Ant1_Hop


Spectrum Analyzer 1
Occupied BW
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
Atten: 20 dB
Trig: Free Run
Gate: Off
#IF Gain: Low
Center Freq: 2.441000000 GHz
Avg|Hold: 1000/1000
Radio Std: None
Frequency
1 Graph
Ref Lvl Offset 18.22 dB
Ref Value 15.00 dBm
Mkr1 2.445000000 GHz
8.10 dBm
Scale/Div 10.0 dB
Log
5.00
-5.00
-15.0
-25.0
-35.0
-45.0
-55.0
-65.0
-75.0
Center 2.44100 GHz
#Res BW 300.00 kHz
#Video BW 300.00 kHz
Span 100 MHz
Sweep 1.40 ms (1001 pts)
2 Metrics
Occupied Bandwidth
18.266 MHz
Total Power 24.3 dBm
Transmit Freq Error 701.86 kHz
% of OBW Power 90.00 %
x dB Bandwidth 20.19 MHz
x dB -6.00 dB
Center Frequency
2.441000000 GHz
Span
100.00 MHz
CF Step
10.000000 MHz
Auto
Man
Freq Offset
0 Hz
Settings
Local
Jan 15, 2026
9:08:48 AM

Appendix A.5: Test Results of Spurious Emissions for Transmitter

Test Result

Test Condition	Test Mode	Antenna	Freq (MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	DH5	Ant1	2402	30~500	184.75	-48.41	≤-26	0.01442	≤2.5	PASS
				500~1000	501.50	-52.50	≤-26	0.00562	≤2.5	PASS
				1000~2387	2373.82	-46.75	≤-26	0.02113	≤2.5	PASS
				2387~2400	2400.00	-24.09	≤-16	3.89942	≤25	PASS
				2483.5~2496.5	2484.96	-43.87	≤-16	0.04102	≤25	PASS
				2496.5~13000	4804.64	-39.43	≤-26	0.11402	≤2.5	PASS
			2441	30~500	199.08	-47.64	≤-26	0.01722	≤2.5	PASS
				500~1000	607.88	-52.42	≤-26	0.00573	≤2.5	PASS
				1000~2387	2377.98	-50.93	≤-26	0.00807	≤2.5	PASS
				2387~2400	2393.36	-43.74	≤-16	0.04227	≤25	PASS
				2483.5~2496.5	2494.80	-42.85	≤-16	0.05188	≤25	PASS
				2496.5~13000	4881.84	-39.13	≤-26	0.12218	≤2.5	PASS
			2480	30~500	185.57	-48.65	≤-26	0.01365	≤2.5	PASS
				500~1000	699.50	-52.89	≤-26	0.00514	≤2.5	PASS
				1000~2387	2200.80	-52.85	≤-26	0.00519	≤2.5	PASS
				2387~2400	2397.09	-44.66	≤-16	0.03420	≤25	PASS
				2483.5~2496.5	2483.84	-31.32	≤-16	0.73790	≤25	PASS
				2496.5~13000	4960.10	-39.68	≤-26	0.10765	≤2.5	PASS
	3DH5	Ant1	2402	30~500	192.27	-47.11	≤-26	0.01945	≤2.5	PASS
				500~1000	524.50	-53.32	≤-26	0.00466	≤2.5	PASS
				1000~2387	2385.61	-48.21	≤-26	0.01510	≤2.5	PASS
				2387~2400	2399.99	-15.41	≤-16	28.77398	≤25	See table below
				2483.5~2496.5	2484.61	-44.14	≤-16	0.03855	≤25	PASS
				2496.5~13000	3817.84	-53.60	≤-26	0.00437	≤2.5	PASS
			2441	30~500	192.39	-47.80	≤-26	0.01660	≤2.5	PASS
				500~1000	587.88	-52.48	≤-26	0.00565	≤2.5	PASS
				1000~2387	2381.80	-53.16	≤-26	0.00483	≤2.5	PASS
				2387~2400	2398.47	-44.27	≤-16	0.03741	≤25	PASS
				2483.5~2496.5	2493.91	-44.44	≤-16	0.03597	≤25	PASS
				2496.5~13000	4881.84	-43.25	≤-26	0.04732	≤2.5	PASS
			2480	30~500	176.17	-45.51	≤-26	0.02812	≤2.5	PASS
				500~1000	607.63	-53.21	≤-26	0.00478	≤2.5	PASS
				1000~2387	2373.48	-52.72	≤-26	0.00535	≤2.5	PASS
				2387~2400	2399.49	-44.42	≤-16	0.03614	≤25	PASS
				2483.5~2496.5	2484.38	-36.38	≤-16	0.23014	≤25	PASS
				2496.5~13000	4960.10	-43.81	≤-26	0.04159	≤2.5	PASS
NTLV	DH5	Ant1	2402	30~500	193.44	-48.27	≤-26	0.01489	≤2.5	PASS
				500~1000	708.88	-53.35	≤-26	0.00462	≤2.5	PASS
				1000~2387	2385.61	-44.50	≤-26	0.03548	≤2.5	PASS
				2387~2400	2400.00	-23.90	≤-16	4.07380	≤25	PASS
				2483.5~2496.5	2488.99	-44.07	≤-16	0.03917	≤25	PASS
				2496.5~13000	4804.12	-39.50	≤-26	0.11220	≤2.5	PASS
			2441	30~500	35.29	-48.82	≤-26	0.01312	≤2.5	PASS
				500~1000	649.25	-52.04	≤-26	0.00625	≤2.5	PASS
				1000~2387	2377.64	-50.47	≤-26	0.00897	≤2.5	PASS
				2387~2400	2392.96	-43.62	≤-16	0.04345	≤25	PASS
				2483.5~2496.5	2486.96	-43.68	≤-16	0.04285	≤25	PASS
				2496.5~13000	4881.84	-39.13	≤-26	0.12218	≤2.5	PASS
			2480	30~500	194.85	-48.09	≤-26	0.01552	≤2.5	PASS
				500~1000	787.50	-52.52	≤-26	0.00560	≤2.5	PASS
				1000~2387	2377.29	-52.29	≤-26	0.00590	≤2.5	PASS
				2387~2400	2396.04	-44.07	≤-16	0.03917	≤25	PASS
				2483.5~2496.5	2483.53	-30.99	≤-16	0.79616	≤25	PASS
				2496.5~13000	4960.10	-39.56	≤-26	0.11066	≤2.5	PASS
	3DH5	Ant1	2402	30~500	192.50	-45.96	≤-26	0.02535	≤2.5	PASS


				500~1000	531.13	-52.97	≤-26	0.00505	≤2.5	PASS
				1000~2387	2385.27	-49.16	≤-26	0.01213	≤2.5	PASS
				2387~2400	2399.99	-15.44	≤-16	28.57591	≤25	See table below
				2483.5~2496.5	2486.78	-44.01	≤-16	0.03972	≤25	PASS
				2496.5~13000	4803.59	-53.62	≤-26	0.00435	≤2.5	PASS
			2441	30~500	208.60	-47.44	≤-26	0.01803	≤2.5	PASS
				500~1000	524.00	-53.45	≤-26	0.00452	≤2.5	PASS
				1000~2387	2032.62	-53.27	≤-26	0.00471	≤2.5	PASS
				2387~2400	2392.77	-44.37	≤-16	0.03656	≤25	PASS
				2483.5~2496.5	2489.76	-43.82	≤-16	0.04150	≤25	PASS
				2496.5~13000	4881.84	-43.31	≤-26	0.04667	≤2.5	PASS
			2480	30~500	240.09	-47.56	≤-26	0.01754	≤2.5	PASS
				500~1000	629.13	-53.17	≤-26	0.00482	≤2.5	PASS
				1000~2387	2338.46	-53.49	≤-26	0.00448	≤2.5	PASS
				2387~2400	2388.29	-43.41	≤-16	0.04560	≤25	PASS
				2483.5~2496.5	2483.56	-36.30	≤-16	0.23442	≤25	PASS
				2496.5~13000	4960.10	-44.00	≤-26	0.03981	≤2.5	PASS
NTHV	DH5	Ant1	2402	30~500	194.85	-48.45	≤-26	0.01429	≤2.5	PASS
				500~1000	731.63	-52.37	≤-26	0.00579	≤2.5	PASS
				1000~2387	2385.96	-47.59	≤-26	0.01742	≤2.5	PASS
				2387~2400	2400.00	-24.56	≤-16	3.49945	≤25	PASS
				2483.5~2496.5	2495.03	-43.78	≤-16	0.04188	≤25	PASS
				2496.5~13000	4804.12	-39.34	≤-26	0.11641	≤2.5	PASS
			2441	30~500	37.87	-48.30	≤-26	0.01479	≤2.5	PASS
				500~1000	692.25	-52.80	≤-26	0.00525	≤2.5	PASS
				1000~2387	2386.65	-50.95	≤-26	0.00804	≤2.5	PASS
				2387~2400	2398.79	-43.84	≤-16	0.04130	≤25	PASS
				2483.5~2496.5	2489.88	-43.83	≤-16	0.04140	≤25	PASS
				2496.5~13000	4881.84	-39.20	≤-26	0.12023	≤2.5	PASS
			2480	30~500	196.73	-48.42	≤-26	0.01439	≤2.5	PASS
				500~1000	558.00	-52.24	≤-26	0.00597	≤2.5	PASS
				1000~2387	2371.40	-52.15	≤-26	0.00610	≤2.5	PASS
				2387~2400	2396.01	-43.97	≤-16	0.04009	≤25	PASS
				2483.5~2496.5	2483.71	-31.45	≤-16	0.71614	≤25	PASS
				2496.5~13000	4960.10	-39.75	≤-26	0.10593	≤2.5	PASS
	3DH5	Ant1	2402	30~500	192.03	-46.97	≤-26	0.02009	≤2.5	PASS
				500~1000	751.25	-53.29	≤-26	0.00469	≤2.5	PASS
				1000~2387	2385.61	-49.10	≤-26	0.01230	≤2.5	PASS
				2387~2400	2400	-15.50	≤-16	28.18383	≤25	See table below
				2483.5~2496.5	2488.75	-44.67	≤-16	0.03412	≤25	PASS
				2496.5~13000	4804.12	-52.54	≤-26	0.00557	≤2.5	PASS
			2441	30~500	223.99	-46.59	≤-26	0.02193	≤2.5	PASS
				500~1000	583.38	-52.41	≤-26	0.00574	≤2.5	PASS
				1000~2387	2369.32	-52.97	≤-26	0.00505	≤2.5	PASS
				2387~2400	2399.27	-44.57	≤-16	0.03491	≤25	PASS
				2483.5~2496.5	2490.00	-44.07	≤-16	0.03917	≤25	PASS
				2496.5~13000	4882.37	-43.53	≤-26	0.04436	≤2.5	PASS
			2480	30~500	182.87	-47.18	≤-26	0.01914	≤2.5	PASS
				500~1000	611.63	-52.92	≤-26	0.00511	≤2.5	PASS
				1000~2387	2367.93	-53.58	≤-26	0.00439	≤2.5	PASS
				2387~2400	2399.97	-44.20	≤-16	0.03802	≤25	PASS
				2483.5~2496.5	2483.53	-36.68	≤-16	0.21478	≤25	PASS
				2496.5~13000	4960.10	-42.30	≤-26	0.05888	≤2.5	PASS

Test Result_Step2

Test Condition	Test Mode	Antenna	Freq (MHz)	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [µW]	Limit [µW]	Verdict
NTNV	3DH5	Ant1	2402	2399.99	-25.63	≤-16	2.73527	≤25	PASS
NTLV	3DH5	Ant1	2402	2399.99	-25.85	≤-16	2.60016	≤25	PASS
NTHV	3DH5	Ant1	2402	2400.00	-25.57	≤-16	2.77332	≤25	PASS

Test Graphs


NTNV_DH5_Ant1_2402_30~500




NTNV_DH5_Ant1_2402_500~1000



NTNV_DH5_Ant1_2402_1000~2387



NTNV_DH5_Ant1_2402_2387~2400




NTNV_DH5_Ant1_2402_2483.5~2496.5



NTNV_DH5_Ant1_2402_2496.5~13000




NTNV_DH5_Ant1_2441_30~500



NTNV_DH5_Ant1_2441_500~1000



NTNV_DH5_Ant1_2441_1000~2387



NTNV_DH5_Ant1_2441_2387~2400




NTNV_DH5_Ant1_2441_2483.5~2496.5



NTNV_DH5_Ant1_2441_2496.5~13000




NTNV_DH5_Ant1_2480_30~500



NTNV_DH5_Ant1_2480_500~1000



NTNV_DH5_Ant1_2480_1000~2387



NTNV_DH5_Ant1_2480_2387~2400




NTNV_DH5_Ant1_2480_2483.5~2496.5



NTNV_DH5_Ant1_2480_2496.5~13000



NTNV_3DH5_Ant1_2402_30~500




NTNV_3DH5_Ant1_2402_500~1000



NTNV_3DH5_Ant1_2402_1000~2387



NTNV_3DH5_Ant1_2402_2387~2400




NTNV_3DH5_Ant1_2402_2483.5~2496.5



NTNV_3DH5_Ant1_2402_2496.5~13000



NTNV_3DH5_Ant1_2441_30~500



NTNV_3DH5_Ant1_2441_500~1000



NTNV_3DH5_Ant1_2441_1000~2387



NTNV_3DH5_Ant1_2441_2387~2400




NTNV_3DH5_Ant1_2441_2483.5~2496.5



NTNV_3DH5_Ant1_2441_2496.5~13000




NTNV_3DH5_Ant1_2480_30~500



NTNV_3DH5_Ant1_2480_500~1000



NTNV_3DH5_Ant1_2480_1000~2387



NTNV_3DH5_Ant1_2480_2387~2400




NTNV_3DH5_Ant1_2480_2483.5~2496.5



NTNV_3DH5_Ant1_2480_2496.5~13000




NTLV_DH5_Ant1_2402_30~500




NTLV_DH5_Ant1_2402_500~1000



NTLV_DH5_Ant1_2402_1000~2387




NTLV_DH5_Ant1_2402_2387~2400




NTLV_DH5_Ant1_2402_2483.5~2496.5



NTLV_DH5_Ant1_2402_2496.5~13000




NTLV_DH5_Ant1_2441_30~500



NTLV_DH5_Ant1_2441_500~1000



NTLV_DH5_Ant1_2441_1000~2387



NTLV_DH5_Ant1_2441_2387~2400




NTLV_DH5_Ant1_2441_2483.5~2496.5



NTLV_DH5_Ant1_2441_2496.5~13000




NTLV_DH5_Ant1_2480_30~500



NTLV_DH5_Ant1_2480_500~1000




NTLV_DH5_Ant1_2480_1000~2387



NTLV_DH5_Ant1_2480_2387~2400




NTLV_DH5_Ant1_2480_2483.5~2496.5



NTLV_DH5_Ant1_2480_2496.5~13000




NTLV_3DH5_Ant1_2402_30~500




NTLV_3DH5_Ant1_2402_500~1000



NTLV_3DH5_Ant1_2402_1000~2387




NTLV_3DH5_Ant1_2402_2387~2400




NTLV_3DH5_Ant1_2402_2483.5~2496.5



NTLV_3DH5_Ant1_2402_2496.5~13000




NTLV_3DH5_Ant1_2441_30~500



NTLV_3DH5_Ant1_2441_500~1000



NTLV_3DH5_Ant1_2441_1000~2387




NTLV_3DH5_Ant1_2441_2387~2400




NTLV_3DH5_Ant1_2441_2483.5~2496.5



NTLV_3DH5_Ant1_2441_2496.5~13000



NTLV_3DH5_Ant1_2480_30~500



NTLV_3DH5_Ant1_2480_500~1000



NTLV_3DH5_Ant1_2480_1000~2387



NTLV_3DH5_Ant1_2480_2387~2400




NTLV_3DH5_Ant1_2480_2483.5~2496.5



NTLV_3DH5_Ant1_2480_2496.5~13000




NTHV_DH5_Ant1_2402_30~500




NTHV_DH5_Ant1_2402_500~1000



NTHV_DH5_Ant1_2402_1000~2387




NTHV_DH5_Ant1_2402_2387~2400




NTHV_DH5_Ant1_2402_2483.5~2496.5



NTHV_DH5_Ant1_2402_2496.5~13000




NTHV_DH5_Ant1_2441_30~500



NTHV_DH5_Ant1_2441_500~1000



NTHV_DH5_Ant1_2441_1000~2387



NTHV_DH5_Ant1_2441_2387~2400




NTHV_DH5_Ant1_2441_2483.5~2496.5



NTHV_DH5_Ant1_2441_2496.5~13000




NTHV_DH5_Ant1_2480_30~500



NTHV_DH5_Ant1_2480_500~1000



NTHV_DH5_Ant1_2480_1000~2387



NTHV_DH5_Ant1_2480_2387~2400




NTHV_DH5_Ant1_2480_2483.5~2496.5



NTHV_DH5_Ant1_2480_2496.5~13000



NTHV_3DH5_Ant1_2402_30~500




NTHV_3DH5_Ant1_2402_500~1000



NTHV_3DH5_Ant1_2402_1000~2387




NTHV_3DH5_Ant1_2402_2387~2400




NTHV_3DH5_Ant1_2402_2483.5~2496.5



NTHV_3DH5_Ant1_2402_2496.5~13000




NTHV_3DH5_Ant1_2441_30~500



NTHV_3DH5_Ant1_2441_500~1000



NTHV_3DH5_Ant1_2441_1000~2387



NTHV_3DH5_Ant1_2441_2387~2400




NTHV_3DH5_Ant1_2441_2483.5~2496.5



NTHV_3DH5_Ant1_2441_2496.5~13000



NTHV_3DH5_Ant1_2480_30~500



NTHV_3DH5_Ant1_2480_500~1000




NTHV_3DH5_Ant1_2480_1000~2387



NTHV_3DH5_Ant1_2480_2387~2400



NTHV_3DH5_Ant1_2480_2483.5~2496.5




NTHV_3DH5_Ant1_2480_2496.5~13000


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 10 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
#Avg Type: Power (RMS)
Avg|Hold: 20/20
Trig: Free Run
Frequency
1 Spectrum
Ref Lvl Offset 11.21 dB
Ref Level 0.00 dBm
Mkr1 4.960 1 GHz
-42.30 dBm
Scale/Div 10 dB
Log
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
-80.0
-90.0
Start 2.497 GHz
#Res BW 1.0 MHz
#Video BW 3.0 MHz
Stop 13.000 GHz
#Sweep ~101 ms (20001 pts)
Jan 15, 2026
11:18:47 AM
Center Frequency
7.748250000 GHz
Span
10.5035000 GHz
Swept Span
Zero Span
Full Span
Start Freq
2.496500000 GHz
Stop Freq
13.000000000 GHz
AUTO TUNE
CF Step
1.050350000 GHz
Auto
Man
Freq Offset
0 Hz
X Axis Scale
Log
Lin
Signal Track
(Span Zoom)
Settings
Local


Test Graphs_Step2

NTNV_3DH5_Ant1_2402_2399.99






NTLV_3DH5_Ant1_2402_2399.99



NTHV_3DH5_Ant1_2402_2400.00




Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 20 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
#Avg Type: Power (RMS)
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 11.23 dB
Ref Level 10.00 dBm
Mkr1 50.33 ms
Band Power -25.56 dBm
Log
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
-80.0
Center 2.400000000 GHz
#Res BW 1.0 MHz
Span 0 Hz
Sweep 101 ms (10000 pts)
Jan 15, 2026
11:01:36 AM
Frequency
Center Frequency
2.400000000 GHz
Span
0.00000000 Hz
Swept Span
Zero Span
Full Span
Start Freq
2.400000000 GHz
Stop Freq
2.400000000 GHz
AUTO TUNE
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz
X Axis Scale
Log
Lin
Settings
Local


Appendix A.6: Test Results of Spurious Emissions for Receiver

Test Result

Test Condition	Test Mode	Antenna	Freq (MHz)	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	DH5	Ant1	2402	30~500	216.12	-69.28	≤-54	0.11803	≤4	PASS
				500~1000	731.75	-75.93	≤-54	0.02553	≤4	PASS
				1000~12500	3673.75	-64.73	≤-47	0.33651	≤20	PASS
			2441	30~500	196.62	-69.37	≤-54	0.11561	≤4	PASS
				500~1000	731.75	-75.44	≤-54	0.02858	≤4	PASS
				1000~12500	3901.45	-64.51	≤-47	0.35400	≤20	PASS
			2480	30~500	194.50	-68.41	≤-54	0.14421	≤4	PASS
				500~1000	731.75	-76.83	≤-54	0.02075	≤4	PASS
				1000~12500	3760.00	-64.20	≤-47	0.38019	≤20	PASS
	3DH5	Ant1	2402	30~500	209.07	-68.51	≤-54	0.14093	≤4	PASS
				500~1000	731.75	-75.93	≤-54	0.02553	≤4	PASS
				1000~12500	3843.95	-64.33	≤-47	0.36898	≤20	PASS
			2441	30~500	186.04	-68.77	≤-54	0.13274	≤4	PASS
				500~1000	731.75	-76.59	≤-54	0.02193	≤4	PASS
				1000~12500	3794.50	-62.84	≤-47	0.52000	≤20	PASS
			2480	30~500	187.92	-69.17	≤-54	0.12106	≤4	PASS
				500~1000	731.75	-75.44	≤-54	0.02858	≤4	PASS
				1000~12500	3812.90	-64.13	≤-47	0.38637	≤20	PASS
NTLV	DH5	Ant1	2402	30~500	186.28	-67.97	≤-54	0.15959	≤4	PASS
				500~1000	731.75	-75.80	≤-54	0.02630	≤4	PASS
				1000~12500	3798.53	-64.16	≤-47	0.38371	≤20	PASS
			2441	30~500	188.16	-68.76	≤-54	0.13305	≤4	PASS
				500~1000	731.75	-76.02	≤-54	0.02500	≤4	PASS
				1000~12500	3750.80	-64.75	≤-47	0.33497	≤20	PASS
			2480	30~500	192.86	-68.42	≤-54	0.14388	≤4	PASS
				500~1000	731.75	-77.09	≤-54	0.01954	≤4	PASS
				1000~12500	3801.40	-64.03	≤-47	0.39537	≤20	PASS
	3DH5	Ant1	2402	30~500	194.97	-68.41	≤-54	0.14421	≤4	PASS
				500~1000	731.75	-76.24	≤-54	0.02377	≤4	PASS
				1000~12500	3840.50	-64.21	≤-47	0.37931	≤20	PASS
			2441	30~500	177.11	-69.29	≤-54	0.11776	≤4	PASS
				500~1000	731.75	-75.32	≤-54	0.02938	≤4	PASS
				1000~12500	3762.88	-64.67	≤-47	0.34119	≤20	PASS
			2480	30~500	142.57	-68.74	≤-54	0.13366	≤4	PASS
				500~1000	731.75	-76.02	≤-54	0.02500	≤4	PASS
				1000~12500	3822.68	-64.79	≤-47	0.33189	≤20	PASS
NTHV	DH5	Ant1	2402	30~500	175.70	-68.40	≤-54	0.14454	≤4	PASS
				500~1000	731.75	-75.91	≤-54	0.02564	≤4	PASS
				1000~12500	3826.70	-64.23	≤-47	0.37757	≤20	PASS
			2441	30~500	188.16	-69.27	≤-54	0.11830	≤4	PASS
				500~1000	731.75	-76.00	≤-54	0.02512	≤4	PASS
				1000~12500	3796.80	-64.34	≤-47	0.36813	≤20	PASS
			2480	30~500	190.51	-68.94	≤-54	0.12764	≤4	PASS
				500~1000	582.25	-76.23	≤-54	0.02382	≤4	PASS
				1000~12500	3809.45	-64.27	≤-47	0.37411	≤20	PASS
	3DH5	Ant1	2402	30~500	142.57	-69.19	≤-54	0.12050	≤4	PASS
				500~1000	731.75	-75.87	≤-54	0.02588	≤4	PASS
				1000~12500	3712.28	-65.04	≤-47	0.31333	≤20	PASS
			2441	30~500	221.29	-68.98	≤-54	0.12647	≤4	PASS
				500~1000	731.75	-75.42	≤-54	0.02871	≤4	PASS
				1000~12500	3780.13	-63.94	≤-47	0.40365	≤20	PASS
			2480	30~500	195.44	-69.02	≤-54	0.12531	≤4	PASS
				500~1000	731.75	-76.87	≤-54	0.02056	≤4	PASS
				1000~12500	3806.58	-63.72	≤-47	0.42462	≤20	PASS

Test Graphs

NTNV_DH5_Ant1_2402_30~500



NTNV_DH5_Ant1_2402_500~1000



NTNV_DH5_Ant1_2402_1000~12500



NTNV_DH5_Ant1_2441_30~500




NTNV_DH5_Ant1_2441_500~1000



NTNV_DH5_Ant1_2441_1000~12500



NTNV_DH5_Ant1_2480_30~500



NTNV_DH5_Ant1_2480_500~1000



NTNV_DH5_Ant1_2480_1000~12500



NTNV_3DH5_Ant1_2402_30~500




NTNV_3DH5_Ant1_2402_500~1000



NTNV_3DH5_Ant1_2402_1000~12500



NTNV_3DH5_Ant1_2441_30~500



NTNV_3DH5_Ant1_2441_500~1000



NTNV_3DH5_Ant1_2441_1000~12500



NTNV_3DH5_Ant1_2480_30~500



NTNV_3DH5_Ant1_2480_500~1000



NTNV_3DH5_Ant1_2480_1000~12500



NTLV_DH5_Ant1_2402_30~500



NTLV_DH5_Ant1_2402_500~1000



NTLV_DH5_Ant1_2402_1000~12500



NTLV_DH5_Ant1_2441_30~500



NTLV_DH5_Ant1_2441_500~1000



NTLV_DH5_Ant1_2441_1000~12500



NTLV_DH5_Ant1_2480_30~500




NTLV_DH5_Ant1_2480_500~1000



NTLV_DH5_Ant1_2480_1000~12500



NTLV_3DH5_Ant1_2402_30~500



NTLV_3DH5_Ant1_2402_500~1000



NTLV_3DH5_Ant1_2402_1000~12500




NTLV_3DH5_Ant1_2441_30~500



NTLV_3DH5_Ant1_2441_500~1000




NTLV_3DH5_Ant1_2441_1000~12500




NTLV_3DH5_Ant1_2480_30~500




NTLV_3DH5_Ant1_2480_500~1000



NTLV_3DH5_Ant1_2480_1000~12500



NTHV_DH5_Ant1_2402_30~500



NTHV_DH5_Ant1_2402_500~1000



NTHV_DH5_Ant1_2402_1000~12500



NTHV_DH5_Ant1_2441_30~500




NTHV_DH5_Ant1_2441_500~1000



NTHV_DH5_Ant1_2441_1000~12500



NTHV_DH5_Ant1_2480_30~500




NTHV_DH5_Ant1_2480_500~1000



NTHV_DH5_Ant1_2480_1000~12500




NTHV_3DH5_Ant1_2402_30~500




NTHV_3DH5_Ant1_2402_500~1000



NTHV_3DH5_Ant1_2402_1000~12500



NTHV_3DH5_Ant1_2441_30~500




NTHV_3DH5_Ant1_2441_500~1000



NTHV_3DH5_Ant1_2441_1000~12500



NTHV_3DH5_Ant1_2480_30~500



NTHV_3DH5_Ant1_2480_500~1000



NTHV_3DH5_Ant1_2480_1000~12500


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Off
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 0 dB
PNO: Fast
Gate: Off
IF Gain: High
Sig Track: Off
#Avg Type: Power (RMS)
Avg|Hold: 10/10
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 11.21 dB
Ref Level -10.00 dBm
Mkr1 3.806 575 GHz
-63.72 dBm
Start 1.000 GHz
#Res BW 1.0 MHz
#Video BW 3.0 MHz
Stop 12.500 GHz
#Sweep ~101 ms (20001 pts)
Jan 15, 2026
1:43:32 PM
Frequency
Center Frequency
6.750000000 GHz
Span
11.5000000 GHz
Swept Span
Zero Span
Full Span
Start Freq
1.000000000 GHz
Stop Freq
12.500000000 GHz
AUTO TUNE
CF Step
1.150000000 GHz
Auto
Man
Freq Offset
0 Hz
X Axis Scale
Log
Lin
Signal Track
(Span Zoom)
Settings
Local

Appendix A.7: Test Results of Max. Burst Length / Dwell Time

Test Result

Test mode	Duty cycle	Spreading Bandwidth (MHz)	Channel numbers	Dwell Time (msec)	Limit (msec)	Verdict
DH5	40.06%	71.506	79	0.145	0.4	PASS
3DH5	40.06%	71.638	79	0.145	0.4	PASS