


TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3

10 Appendix E: Spurious Emission of TX

10.1.1 Test Result

TestCondition	TestMode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11B	Ant1	2412	30~1000	-53.60	≤-26	0.00437	≤2.5	PASS
				1000~2387	-52.12	≤-26	0.00614	≤2.5	PASS
				2387~2400	-33.55	≤-16	0.44157	≤25	PASS
				2483.5~2496.5	-41.63	≤-16	0.06871	≤25	PASS
				2496.5~13000	-46.15	≤-26	0.02427	≤2.5	PASS
		Ant2	2412	30~1000	-46.07	≤-26	0.02472	≤2.5	PASS
				1000~2387	-47.24	≤-26	0.01888	≤2.5	PASS
				2387~2400	-30.38	≤-16	0.91622	≤25	PASS
				2483.5~2496.5	-37.54	≤-16	0.17620	≤25	PASS
				2496.5~13000	-43.22	≤-26	0.04764	≤2.5	PASS
		Ant1	2442	30~1000	-53.83	≤-26	0.00414	≤2.5	PASS
				1000~2387	-52.74	≤-26	0.00532	≤2.5	PASS
				2387~2400	-42.34	≤-16	0.05834	≤25	PASS
				2483.5~2496.5	-41.43	≤-16	0.07194	≤25	PASS
				2496.5~13000	-46.73	≤-26	0.02123	≤2.5	PASS
		Ant2	2442	30~1000	-49.86	≤-26	0.01033	≤2.5	PASS
				1000~2387	-47.98	≤-26	0.01592	≤2.5	PASS
				2387~2400	-38.46	≤-16	0.14256	≤25	PASS
				2483.5~2496.5	-38.31	≤-16	0.14757	≤25	PASS
				2496.5~13000	-36.89	≤-26	0.20464	≤2.5	PASS
		Ant1	2472	30~1000	-52.89	≤-26	0.00514	≤2.5	PASS
				1000~2387	-50.60	≤-26	0.00871	≤2.5	PASS
				2387~2400	-42.29	≤-16	0.05902	≤25	PASS
				2483.5~2496.5	-31.54	≤-16	0.70146	≤25	PASS
				2496.5~13000	-45.53	≤-26	0.02799	≤2.5	PASS
		Ant2	2472	30~1000	-49.51	≤-26	0.01119	≤2.5	PASS
				1000~2387	-46.50	≤-26	0.02239	≤2.5	PASS
				2387~2400	-38.86	≤-16	0.13002	≤25	PASS
				2483.5~2496.5	-27.59	≤-16	1.7418	≤25	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

11G	11N20SI	Ant1	2412	2496.5~13000	-43.13	≤-26	0.0486 4	≤2.5	PASS
				30~1000	-53.73	≤-26	0.0042 4	≤2.5	PASS
				1000~2387	-51.92	≤-26	0.0064 3	≤2.5	PASS
				2387~2400	-32.57	≤-16	0.5533 5	≤25	PASS
				2483.5~2496.5	-41.93	≤-16	0.0641 2	≤25	PASS
				2496.5~13000	-47.15	≤-26	0.0192 8	≤2.5	PASS
		Ant2	2412	30~1000	-49.82	≤-26	0.0104 2	≤2.5	PASS
				1000~2387	-46.88	≤-26	0.0205 1	≤2.5	PASS
				2387~2400	-25.29	≤-16	2.9580 1	≤25	PASS
				2483.5~2496.5	-38.05	≤-16	0.1566 8	≤25	PASS
				2496.5~13000	-43.20	≤-26	0.0478 6	≤2.5	PASS
		Ant1	2442	30~1000	-48.95	≤-26	0.0127 4	≤2.5	PASS
				1000~2387	-50.53	≤-26	0.0088 5	≤2.5	PASS
				2387~2400	-42.11	≤-16	0.0615 2	≤25	PASS
				2483.5~2496.5	-41.90	≤-16	0.0645 7	≤25	PASS
				2496.5~13000	-46.55	≤-26	0.0221 3	≤2.5	PASS
		Ant2	2442	30~1000	-50.22	≤-26	0.0095 1	≤2.5	PASS
				1000~2387	-46.77	≤-26	0.0210 4	≤2.5	PASS
				2387~2400	-38.57	≤-16	0.1390 0	≤25	PASS
				2483.5~2496.5	-38.19	≤-16	0.1517 1	≤25	PASS
				2496.5~13000	-42.98	≤-26	0.0503 5	≤2.5	PASS
		Ant1	2472	30~1000	-47.84	≤-26	0.0164 4	≤2.5	PASS
				1000~2387	-51.34	≤-26	0.0073 5	≤2.5	PASS
				2387~2400	-42.53	≤-16	0.0558 5	≤25	PASS
				2483.5~2496.5	-26.39	≤-16	2.2961 5	≤25	PASS
				2496.5~13000	-46.63	≤-26	0.0217 3	≤2.5	PASS
		Ant2	2472	30~1000	-47.36	≤-26	0.0183 7	≤2.5	PASS
				1000~2387	-46.95	≤-26	0.0201 8	≤2.5	PASS
				2387~2400	-37.58	≤-16	0.1745 8	≤25	PASS
				2483.5~2496.5	-22.20	≤-16	6.0256 0	≤25	PASS
				2496.5~13000	-43.46	≤-26	0.0450 8	≤2.5	PASS
		Ant1	2412	30~1000	-53.10	≤-26	0.0049	≤2.5	PASS

Tel: 0755-88850135-1439

Mobile: 131-4343-1439 (Wechat same number)

Web: <http://www.mtitest.cn>

E-mail: mti@51mti.com

Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinhe Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Q/MTI-QP-12-FE040

Ver./Rev.: A1

Page 141 of 361

TEST REPORT

Report No.: MTi260703023-0408E3

	SO						0		
				1000~2387	-51.28	≤-26	0.0074 5	≤2.5	PASS
				2387~2400	-26.58	≤-16	2.1978 6	≤25	PASS
				2483.5~2496.5	-41.14	≤-16	0.0769 1	≤25	PASS
				2496.5~13000	-47.68	≤-26	0.0170 6	≤2.5	PASS
		Ant2	2412	30~1000	-49.90	≤-26	0.0102 3	≤2.5	PASS
				1000~2387	-45.91	≤-26	0.0256 4	≤2.5	PASS
				2387~2400	-22.00	≤-16	6.3095 7	≤25	PASS
				2483.5~2496.5	-37.35	≤-16	0.1840 8	≤25	PASS
				2496.5~13000	-42.97	≤-26	0.0504 7	≤2.5	PASS
		Ant1	2442	30~1000	-52.07	≤-26	0.0062 1	≤2.5	PASS
				1000~2387	-50.29	≤-26	0.0093 5	≤2.5	PASS
				2387~2400	-42.39	≤-16	0.0576 8	≤25	PASS
				2483.5~2496.5	-41.95	≤-16	0.0638 3	≤25	PASS
				2496.5~13000	-46.71	≤-26	0.0213 3	≤2.5	PASS
		Ant2	2442	30~1000	-50.01	≤-26	0.0099 8	≤2.5	PASS
				1000~2387	-47.04	≤-26	0.0197 7	≤2.5	PASS
				2387~2400	-38.33	≤-16	0.1468 9	≤25	PASS
				2483.5~2496.5	-37.93	≤-16	0.1610 6	≤25	PASS
				2496.5~13000	-42.82	≤-26	0.0522 4	≤2.5	PASS
		Ant1	2472	30~1000	-51.18	≤-26	0.0076 2	≤2.5	PASS
				1000~2387	-51.37	≤-26	0.0072 9	≤2.5	PASS
				2387~2400	-42.44	≤-16	0.0570 2	≤25	PASS
				2483.5~2496.5	-21.22	≤-16	7.5509 2	≤25	PASS
				2496.5~13000	-47.29	≤-26	0.0186 6	≤2.5	PASS
		Ant2	2472	30~1000	-49.95	≤-26	0.0101 2	≤2.5	PASS
				1000~2387	-47.25	≤-26	0.0188 4	≤2.5	PASS
				2387~2400	-38.69	≤-16	0.1352 1	≤25	PASS
				2483.5~2496.5	-18.31	≤-16	14.757 07	≤25	See table below
				2496.5~13000	-42.73	≤-26	0.0533 3	≤2.5	PASS
	11N40SI SO	Ant1	2422	30~1000	-49.40	≤-26	0.01148	≤2.5	PASS
				1000~2387	-44.50	≤-26	0.0354 8	≤2.5	PASS
				2387~2400	-32.58	≤-16	0.5520	≤25	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

11AX20S ISO	Ant2	2422				8		
			2483.5~2496.5	-41.33	≤-16	0.0736 2	≤25	PASS
			2496.5~13000	-46.73	≤-26	0.0212 3	≤2.5	PASS
			30~1000	-49.98	≤-26	0.0100 5	≤2.5	PASS
			1000~2387	-44.43	≤-26	0.0360 6	≤2.5	PASS
			2387~2400	-28.83	≤-16	1.3091 8	≤25	PASS
	Ant1	2442	2483.5~2496.5	-37.88	≤-16	0.1629 3	≤25	PASS
			2496.5~13000	-43.22	≤-26	0.0476 4	≤2.5	PASS
			30~1000	-48.82	≤-26	0.0131 2	≤2.5	PASS
			1000~2387	-51.20	≤-26	0.0075 9	≤2.5	PASS
			2387~2400	-40.95	≤-16	0.0803 5	≤25	PASS
			2483.5~2496.5	-40.76	≤-16	0.0839 5	≤25	PASS
	Ant2	2442	2496.5~13000	-46.95	≤-26	0.0201 8	≤2.5	PASS
			30~1000	-49.32	≤-26	0.01169	≤2.5	PASS
			1000~2387	-47.39	≤-26	0.0182 4	≤2.5	PASS
			2387~2400	-38.53	≤-16	0.1402 8	≤25	PASS
			2483.5~2496.5	-37.83	≤-16	0.1648 2	≤25	PASS
			2496.5~13000	-43.23	≤-26	0.0475 3	≤2.5	PASS
	Ant1	2462	30~1000	-52.99	≤-26	0.0050 2	≤2.5	PASS
			1000~2387	-50.99	≤-26	0.0079 6	≤2.5	PASS
			2387~2400	-41.88	≤-16	0.0648 6	≤25	PASS
			2483.5~2496.5	-28.58	≤-16	1.3867 6	≤25	PASS
			2496.5~13000	-43.12	≤-26	0.0487 5	≤2.5	PASS
			30~1000	-49.60	≤-26	0.0109 6	≤2.5	PASS
	Ant2	2462	1000~2387	-47.47	≤-26	0.0179 1	≤2.5	PASS
			2387~2400	-38.58	≤-16	0.1386 8	≤25	PASS
			2483.5~2496.5	-27.09	≤-16	1.9543 4	≤25	PASS
			2496.5~13000	-42.90	≤-26	0.0512 9	≤2.5	PASS
			30~1000	-54.22	≤-26	0.0037 8	≤2.5	PASS
			1000~2387	-51.86	≤-26	0.0065 2	≤2.5	PASS
	Ant1	2412	2387~2400	-27.38	≤-16	1.8281 0	≤25	PASS
			2483.5~2496.5	-40.84	≤-16	0.0824 1	≤25	PASS
			2496.5~13000	-46.60	≤-26	0.0218 8	≤2.5	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

		Ant2	2412	30~1000	-50.07	≤-26	0.0098 4	≤2.5	PASS
				1000~2387	-45.68	≤-26	0.0270 4	≤2.5	PASS
				2387~2400	-18.92	≤-16	12.823 31	≤25	See table below
				2483.5~2496.5	-38.03	≤-16	0.1574 0	≤25	PASS
				2496.5~13000	-43.32	≤-26	0.0465 6	≤2.5	PASS
		Ant1	2442	30~1000	-53.44	≤-26	0.0045 3	≤2.5	PASS
				1000~2387	-51.78	≤-26	0.0066 4	≤2.5	PASS
				2387~2400	-42.36	≤-16	0.0580 8	≤25	PASS
				2483.5~2496.5	-41.90	≤-16	0.0645 7	≤25	PASS
				2496.5~13000	-46.72	≤-26	0.0212 8	≤2.5	PASS
		Ant2	2442	30~1000	-46.83	≤-26	0.0207 5	≤2.5	PASS
				1000~2387	-46.24	≤-26	0.0237 7	≤2.5	PASS
				2387~2400	-38.00	≤-16	0.1584 9	≤25	PASS
				2483.5~2496.5	-37.51	≤-16	0.1774 2	≤25	PASS
				2496.5~13000	-43.03	≤-26	0.0497 7	≤2.5	PASS
		Ant1	2472	30~1000	-54.02	≤-26	0.0039 6	≤2.5	PASS
				1000~2387	-52.14	≤-26	0.00611	≤2.5	PASS
				2387~2400	-42.43	≤-16	0.0571 5	≤25	PASS
				2483.5~2496.5	-21.74	≤-16	6.6988 5	≤25	PASS
				2496.5~13000	-47.74	≤-26	0.0168 3	≤2.5	PASS
		Ant2	2472	30~1000	-49.88	≤-26	0.0102 8	≤2.5	PASS
				1000~2387	-47.69	≤-26	0.0170 2	≤2.5	PASS
				2387~2400	-38.63	≤-16	0.1370 9	≤25	PASS
				2483.5~2496.5	-17.65	≤-16	17.179 08	≤25	See table below
				2496.5~13000	-42.65	≤-26	0.0543 3	≤2.5	PASS
11AX40S ISO	Ant1	2422		30~1000	-54.01	≤-26	0.0039 7	≤2.5	PASS
				1000~2387	-50.48	≤-26	0.0089 5	≤2.5	PASS
				2387~2400	-32.35	≤-16	0.5821 0	≤25	PASS
				2483.5~2496.5	-42.01	≤-16	0.0629 5	≤25	PASS
				2496.5~13000	-47.24	≤-26	0.0188 8	≤2.5	PASS
	Ant2	2422		30~1000	-49.15	≤-26	0.0121 6	≤2.5	PASS
				1000~2387	-40.36	≤-26	0.0920	≤2.5	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

11N20MI MO	Ant1	2442	30~1000	-54.13	≤-26	0.0038 6	≤2.5	PASS
			1000~2387	-52.05	≤-26	0.0062 4	≤2.5	PASS
			2387~2400	-42.42	≤-16	0.0572 8	≤25	PASS
			2483.5~2496.5	-41.42	≤-16	0.07211	≤25	PASS
			2496.5~13000	-46.74	≤-26	0.02118	≤2.5	PASS
		2462	30~1000	-49.94	≤-26	0.0101 4	≤2.5	PASS
			1000~2387	-45.93	≤-26	0.0255 3	≤2.5	PASS
			2387~2400	-38.13	≤-16	0.1538 2	≤25	PASS
			2483.5~2496.5	-37.38	≤-16	0.1828 1	≤25	PASS
			2496.5~13000	-42.85	≤-26	0.0518 8	≤2.5	PASS
		2462	30~1000	-48.00	≤-26	0.0158 5	≤2.5	PASS
			1000~2387	-47.49	≤-26	0.0178 2	≤2.5	PASS
			2387~2400	-42.54	≤-16	0.0557 2	≤25	PASS
			2483.5~2496.5	-24.54	≤-16	3.5156 0	≤25	PASS
			2496.5~13000	-41.46	≤-26	0.0714 5	≤2.5	PASS
	Ant2	2462	30~1000	-49.97	≤-26	0.0100 7	≤2.5	PASS
			1000~2387	-46.91	≤-26	0.0203 7	≤2.5	PASS
			2387~2400	-38.59	≤-16	0.1383 6	≤25	PASS
			2483.5~2496.5	-23.63	≤-16	4.33511	≤25	PASS
			2496.5~13000	-42.97	≤-26	0.0504 7	≤2.5	PASS
		2412	30~1000	-54.09	≤-26	0.0039 0	≤2.5	PASS
			1000~2387	-52.12	≤-26	0.0061 4	≤2.5	PASS
			2387~2400	-29.39	≤-16	1.1508 0	≤25	PASS
			2483.5~2496.5	-41.70	≤-16	0.0676 1	≤25	PASS
			2496.5~13000	-46.85	≤-26	0.0206 5	≤2.5	PASS
	Ant2	2412	30~1000	-49.58	≤-26	0.01102	≤2.5	PASS
			1000~2387	-47.28	≤-26	0.0187 1	≤2.5	PASS
			2387~2400	-24.94	≤-16	3.2062 7	≤25	PASS
			2483.5~2496.5	-37.83	≤-16	0.1648 2	≤25	PASS
			2496.5~13000	-43.38	≤-26	0.0459 2	≤2.5	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

	total	2412	30~1000	---	---	0.0149 2	≤2.5	PASS
			1000~2387	---	---	0.0248 5	≤2.5	PASS
			2387~2400	---	---	4.3570 7	≤25	PASS
			2483.5~2496.5	---	---	0.2324 3	≤25	PASS
			2496.5~13000	---	---	0.0665 7	≤2.5	PASS
	Ant1	2442	30~1000	-54.02	≤-26	0.0039 6	≤2.5	PASS
			1000~2387	-51.16	≤-26	0.0076 6	≤2.5	PASS
			2387~2400	-42.10	≤-16	0.0616 6	≤25	PASS
			2483.5~2496.5	-41.14	≤-16	0.0769 1	≤25	PASS
			2496.5~13000	-46.76	≤-26	0.0210 9	≤2.5	PASS
	Ant2	2442	30~1000	-49.62	≤-26	0.0109 1	≤2.5	PASS
			1000~2387	-48.28	≤-26	0.0148 6	≤2.5	PASS
			2387~2400	-38.62	≤-16	0.1374 0	≤25	PASS
			2483.5~2496.5	-38.24	≤-16	0.1499 7	≤25	PASS
			2496.5~13000	-42.33	≤-26	0.0584 8	≤2.5	PASS
	total	2442	30~1000	---	---	0.0148 7	≤2.5	PASS
			1000~2387	---	---	0.0225 2	≤2.5	PASS
			2387~2400	---	---	0.1990 6	≤25	PASS
			2483.5~2496.5	---	---	0.2268 8	≤25	PASS
			2496.5~13000	---	---	0.0795 7	≤2.5	PASS
	Ant1	2472	30~1000	-54.11	≤-26	0.0038 8	≤2.5	PASS
			1000~2387	-52.32	≤-26	0.0058 6	≤2.5	PASS
			2387~2400	-42.52	≤-16	0.0559 8	≤25	PASS
			2483.5~2496.5	-25.77	≤-16	2.6485 0	≤25	PASS
			2496.5~13000	-46.16	≤-26	0.0242 1	≤2.5	PASS
	Ant2	2472	30~1000	-50.16	≤-26	0.0096 4	≤2.5	PASS
			1000~2387	-48.09	≤-26	0.0155 2	≤2.5	PASS
			2387~2400	-37.95	≤-16	0.1603 2	≤25	PASS
			2483.5~2496.5	-37.89	≤-16	0.1625 5	≤25	PASS
			2496.5~13000	-43.30	≤-26	0.0467 7	≤2.5	PASS
	total	2472	30~1000	---	---	0.0135 2	≤2.5	PASS
			1000~2387	---	---	0.0213 8	≤2.5	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

11N40MI MO			2387~2400	---	---	0.2163 0	≤25	PASS
			2483.5~2496.5	---	---	2.81105	≤25	PASS
			2496.5~13000	---	---	0.0709 8	≤2.5	PASS
	Ant1	2422	30~1000	-53.95	≤-26	0.0040 3	≤2.5	PASS
			1000~2387	-51.31	≤-26	0.0074 0	≤2.5	PASS
			2387~2400	-34.49	≤-16	0.3556 3	≤25	PASS
			2483.5~2496.5	-42.19	≤-16	0.0603 9	≤25	PASS
			2496.5~13000	-46.31	≤-26	0.0233 9	≤2.5	PASS
	Ant2	2422	30~1000	-49.93	≤-26	0.0101 6	≤2.5	PASS
			1000~2387	-46.79	≤-26	0.0209 4	≤2.5	PASS
			2387~2400	-29.91	≤-16	1.0209 4	≤25	PASS
			2483.5~2496.5	-38.12	≤-16	0.1541 7	≤25	PASS
			2496.5~13000	-43.23	≤-26	0.0475 3	≤2.5	PASS
	total	2422	30~1000	---	---	0.0141 9	≤2.5	PASS
			1000~2387	---	---	0.0283 4	≤2.5	PASS
			2387~2400	---	---	1.3765 7	≤25	PASS
			2483.5~2496.5	---	---	0.2145 6	≤25	PASS
			2496.5~13000	---	---	0.0709 2	≤2.5	PASS
	Ant1	2442	30~1000	-53.72	≤-26	0.0042 5	≤2.5	PASS
			1000~2387	-51.58	≤-26	0.0069 5	≤2.5	PASS
			2387~2400	-42.73	≤-16	0.0533 3	≤25	See table below
			2483.5~2496.5	-40.89	≤-16	0.0814 7	≤25	PASS
			2496.5~13000	-46.85	≤-26	0.0206 5	≤2.5	PASS
	Ant2	2442	30~1000	-50.15	≤-26	0.0096 6	≤2.5	PASS
			1000~2387	-48.37	≤-26	0.0145 5	≤2.5	PASS
			2387~2400	-38.68	≤-16	0.1355 2	≤25	See table below
			2483.5~2496.5	-37.68	≤-16	0.1706 1	≤25	PASS
			2496.5~13000	-43.31	≤-26	0.0466 7	≤2.5	PASS
	total	2442	30~1000	---	---	0.0139 1	≤2.5	PASS
			1000~2387	---	---	0.0215 0	≤2.5	PASS
			2387~2400	---	---	0.1888 5	≤25	See table below

TEST REPORT

Report No.: MTi260703023-0408E3

11AX20 MIMO	Ant1	2462	2483.5~2496.5	---	---	0.2520 ₈	≤25	PASS
			2496.5~13000	---	---	0.0673 ₂	≤2.5	PASS
		2462	30~1000	-53.71	≤-26	0.0042 ₆	≤2.5	PASS
			1000~2387	-51.35	≤-26	0.0073 ₃	≤2.5	PASS
			2387~2400	-41.93	≤-16	0.0641 ₂	≤25	PASS
			2483.5~2496.5	-31.69	≤-16	0.6776 ₄	≤25	PASS
			2496.5~13000	-47.47	≤-26	0.0179 ₁	≤2.5	PASS
			30~1000	-50.10	≤-26	0.0097 ₇	≤2.5	PASS
			1000~2387	-47.83	≤-26	0.0164 ₈	≤2.5	PASS
			2387~2400	-37.93	≤-16	0.1610 ₆	≤25	PASS
			2483.5~2496.5	-27.48	≤-16	1.7864 ₉	≤25	PASS
			2496.5~13000	-42.62	≤-26	0.0547 ₀	≤2.5	PASS
	total	2462	30~1000	---	---	0.0140 ₃	≤2.5	PASS
			1000~2387	---	---	0.0238 ₁	≤2.5	PASS
			2387~2400	---	---	0.2251 ₈	≤25	PASS
			2483.5~2496.5	---	---	2.4641 ₃	≤25	PASS
			2496.5~13000	---	---	0.0726 ₁	≤2.5	PASS
	Ant1	2412	30~1000	-54.07	≤-26	0.0039 ₂	≤2.5	PASS
			1000~2387	-51.90	≤-26	0.0064 ₆	≤2.5	PASS
			2387~2400	-26.52	≤-16	2.2284 ₄	≤25	PASS
			2483.5~2496.5	-41.78	≤-16	0.0663 ₇	≤25	PASS
			2496.5~13000	-45.98	≤-26	0.0252 ₃	≤2.5	PASS
			30~1000	-49.61	≤-26	0.0109 ₄	≤2.5	PASS
	Ant2	2412	1000~2387	-46.63	≤-26	0.0217 ₃	≤2.5	PASS
			2387~2400	-22.13	≤-16	6.1235 ₀	≤25	PASS
			2483.5~2496.5	-38.39	≤-16	0.1448 ₈	≤25	PASS
			2496.5~13000	-42.91	≤-26	0.05117	≤2.5	PASS
			30~1000	---	---	0.0148 ₆	≤2.5	PASS
	total	2412	1000~2387	---	---	0.0281 ₉	≤2.5	PASS
			2387~2400	---	---	8.3519 ₄	≤25	PASS
			2483.5~2496.5	---	---	0.21125	≤25	PASS
			2496.5~13000	---	---	0.0764 ₀	≤2.5	PASS
			30~1000	-53.82	≤-26	0.0041 ₅	≤2.5	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

				1000~2387	-51.68	≤-26	0.0067 ₉	≤2.5	PASS
				2387~2400	-42.34	≤-16	0.0583 ₄	≤25	PASS
				2483.5~2496.5	-41.63	≤-16	0.0687 ₁	≤25	PASS
				2496.5~13000	-47.12	≤-26	0.0194 ₁	≤2.5	PASS
		Ant2	2442	30~1000	-50.06	≤-26	0.0098 ₆	≤2.5	PASS
				1000~2387	-47.99	≤-26	0.0158 ₉	≤2.5	PASS
				2387~2400	-38.56	≤-16	0.1393 ₂	≤25	PASS
				2483.5~2496.5	-38.13	≤-16	0.1538 ₂	≤25	PASS
				2496.5~13000	-43.40	≤-26	0.0457 ₁	≤2.5	PASS
		total	2442	30~1000	---	---	0.0140 ₁	≤2.5	PASS
				1000~2387	---	---	0.0226 ₈	≤2.5	PASS
				2387~2400	---	---	0.1976 ₆	≤25	PASS
				2483.5~2496.5	---	---	0.2225 ₃	≤25	PASS
				2496.5~13000	---	---	0.0651 ₂	≤2.5	PASS
		Ant1	2472	30~1000	-49.68	≤-26	0.0107 ₆	≤2.5	PASS
				1000~2387	-49.98	≤-26	0.0100 ₅	≤2.5	PASS
				2387~2400	-42.22	≤-16	0.0599 ₈	≤25	PASS
				2483.5~2496.5	-19.33	≤-16	11.6681 ₀	≤25	See table below
				2496.5~13000	-46.49	≤-26	0.0224 ₄	≤2.5	PASS
		Ant2	2472	30~1000	-48.95	≤-26	0.0127 ₄	≤2.5	PASS
				1000~2387	-44.50	≤-26	0.0354 ₈	≤2.5	PASS
				2387~2400	-38.34	≤-16	0.1465 ₅	≤25	PASS
				2483.5~2496.5	-14.77	≤-16	33.342 ₆₄	≤25	See table below
				2496.5~13000	-42.89	≤-26	0.0514 ₀	≤2.5	PASS
		total	2472	30~1000	---	---	0.0235 ₀	≤2.5	PASS
				1000~2387	---	---	0.0455 ₃	≤2.5	PASS
				2387~2400	---	---	0.2065 ₃	≤25	PASS
				2483.5~2496.5	---	---	45.010 ₇₄	≤25	See table below
				2496.5~13000	---	---	0.0738 ₄	≤2.5	PASS
	11AX40 MIMO	Ant1	2422	30~1000	-50.05	≤-26	0.0098 ₉	≤2.5	PASS
				1000~2387	-45.32	≤-26	0.0293	≤2.5	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

							8		
				2387~2400	-30.38	≤-16	0.9162 2	≤25	PASS
				2483.5~2496.5	-41.47	≤-16	0.0712 9	≤25	PASS
		Ant2	2422	2496.5~13000	-47.19	≤-26	0.0191 0	≤2.5	PASS
				30~1000	-47.68	≤-26	0.0170 6	≤2.5	PASS
				1000~2387	-42.05	≤-26	0.0623 7	≤2.5	PASS
				2387~2400	-26.54	≤-16	2.2182 0	≤25	PASS
				2483.5~2496.5	-35.89	≤-16	0.2576 3	≤25	PASS
				2496.5~13000	-42.87	≤-26	0.0516 4	≤2.5	PASS
		total	2422	30~1000	---	---	0.0269 5	≤2.5	PASS
				1000~2387	---	---	0.0917 5	≤2.5	PASS
				2387~2400	---	---	3.1344 2	≤25	PASS
				2483.5~2496.5	---	---	0.3289 2	≤25	PASS
				2496.5~13000	---	---	0.0707 4	≤2.5	PASS
		Ant1	2442	30~1000	-51.01	≤-26	0.0079 3	≤2.5	PASS
				1000~2387	-50.31	≤-26	0.0093 1	≤2.5	PASS
				2387~2400	-41.69	≤-16	0.0677 6	≤25	PASS
				2483.5~2496.5	-40.46	≤-16	0.0899 5	≤25	PASS
				2496.5~13000	-47.21	≤-26	0.0190 1	≤2.5	PASS
		Ant2	2442	30~1000	-49.11	≤-26	0.0122 7	≤2.5	PASS
				1000~2387	-44.99	≤-26	0.0317 0	≤2.5	PASS
				2387~2400	-37.89	≤-16	0.1625 5	≤25	PASS
				2483.5~2496.5	-37.21	≤-16	0.19011	≤25	PASS
				2496.5~13000	-42.31	≤-26	0.0587 5	≤2.5	PASS
		total	2442	30~1000	---	---	0.0202 0	≤2.5	PASS
				1000~2387	---	---	0.0410 1	≤2.5	PASS
				2387~2400	---	---	0.2303 1	≤25	PASS
				2483.5~2496.5	---	---	0.2800 6	≤25	PASS
				2496.5~13000	---	---	0.0777 6	≤2.5	PASS
		Ant1	2462	30~1000	-50.26	≤-26	0.0094 2	≤2.5	PASS
				1000~2387	-50.99	≤-26	0.0079 6	≤2.5	PASS
				2387~2400	-41.92	≤-16	0.0642 7	≤25	PASS
				2483.5~2496.5	-25.68	≤-16	2.7039 6	≤25	PASS

TEST REPORT

Report No.: MTi260703023-0408E3

		Ant2	2462	2496.5~13000	-42.29	≤-26	0.0590 2	≤2.5	PASS
				30~1000	-48.84	≤-26	0.0130 6	≤2.5	PASS
				1000~2387	-40.17	≤-26	0.0961 6	≤2.5	PASS
				2387~2400	-38.06	≤-16	0.1563 1	≤25	PASS
				2483.5~2496.5	-22.45	≤-16	5.6885 3	≤25	PASS
				2496.5~13000	-40.05	≤-26	0.0988 6	≤2.5	PASS
		total	2462	30~1000	---	---	0.0224 8	≤2.5	PASS
				1000~2387	---	---	0.1041 2	≤2.5	PASS
				2387~2400	---	---	0.2205 8	≤25	PASS
				2483.5~2496.5	---	---	8.3924 9	≤25	PASS
				2496.5~13000	---	---	0.1578 8	≤2.5	PASS

10.1.2 Test Result_Step2

TestCondition	TestMode	PreScan In Ant	Channel	Ant	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11N20SI SO	Ant2	2472	Ant2	2483.56	-32.96	≤-16	0.50582	≤25	PASS
	11AX20S ISO	Ant2	2472	Ant2	2483.55	-31.89	≤-16	0.64714	≤25	PASS
	11N40MI MO	Ant1	2442	Ant1	2397.22	-67.49	≤-16	0.00018	≤25	PASS
				Ant2	2397.22	-63.86	≤-16	0.00041	≤25	PASS
				total	2397.22	---	---	0.00059	≤25	PASS
		Ant2	2442	Ant1	2399.92	-62.86	≤-16	0.00052	≤25	PASS
				Ant2	2399.92	-57.40	≤-16	0.00182	≤25	PASS
				total	2399.92	---	---	0.00234	≤25	PASS
	11AX20M IMO	Ant1	2472	Ant1	2483.54	-39.91	≤-16	0.10209	≤25	PASS
				Ant2	2483.54	-38.03	≤-16	0.15740	≤25	PASS
				total	2483.54	---	---	0.25949	≤25	PASS
		Ant2	2472	Ant1	2483.52	-38.49	≤-16	0.14158	≤25	PASS
				Ant2	2483.52	-33.82	≤-16	0.41495	≤25	PASS
				total	2483.52	---	---	0.55653	≤25	PASS

TEST REPORT


Report No.: MTi260703023-0408E3

10.1.3 Test Graphs



TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTI260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3




TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTI260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3



TEST REPORT

Report No.: MTi260703023-0408E3

