
























7. Spurious Emission Intensity

7.1 Test Result

7.1.1 TxSe_NTNV_SISO

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)		
802.11a	SISO	5500	1	30	5460	5267.5	-39.98	0.100	/	/	2.5	Pass
				5765	26000	20988.465	-27.82	1.652	-55.76	0.003	2.5	Pass
						24900.565	-27.20	1.905	-54.58	0.003	2.5	Pass
						24961.945	-27.47	1.791	-53.90	0.004	2.5	Pass
						25427.35	-27.52	1.770	-54.93	0.003	2.5	Pass
						25551.458	-27.90	1.622	-55.01	0.003	2.5	Pass
			2	30	5460	5389	-39.48	0.113	/	/	2.5	Pass
				5765	26000	24905.961	-26.24	2.377	-54.41	0.004	2.5	Pass
						25032.093	-27.74	1.683	-54.73	0.003	2.5	Pass
						25475.914	-26.87	2.056	-54.26	0.004	2.5	Pass
						25537.968	-28.77	1.327	-54.80	0.003	2.5	Pass
						25946.04	-28.35	1.462	-54.82	0.003	2.5	Pass
		5600	1	30	5460	5275.5	-35.92	0.256	/	/	2.5	Pass
				5765	26000	24933.616	-23.86	4.111	-33.80	0.417	2.5	Pass
						25033.442	-24.41	3.622	-34.45	0.359	2.5	Pass
						25428.024	-24.46	3.581	-34.47	0.357	2.5	Pass
						25510.988	-24.74	3.357	-34.13	0.386	2.5	Pass
						25973.02	-24.45	3.589	-34.20	0.380	2.5	Pass
			2	30	5460	5380.5	-35.83	0.261	/	/	2.5	Pass
				5765	26000	24926.196	-23.80	4.169	-33.82	0.415	2.5	Pass
						24990.948	-22.69	5.383	-33.70	0.427	2.5	Pass
						25408.464	-24.11	3.882	-34.76	0.334	2.5	Pass
						25539.317	-24.05	3.936	-34.37	0.366	2.5	Pass
						25979.091	-24.08	3.908	-34.16	0.384	2.5	Pass
		5700	1	30	5460	5436	-35.56	0.278	/	/	2.5	Pass
				5765	26000	20997.234	-24.50	3.548	-35.34	0.292	2.5	Pass
						24882.354	-24.77	3.334	-34.53	0.352	2.5	Pass
						24978.807	-23.80	4.169	-33.65	0.432	2.5	Pass
						25487.38	-24.06	3.926	-33.82	0.415	2.5	Pass
						25956.832	-24.59	3.475	-34.23	0.378	2.5	Pass
			2	30	5460	5439.5	-35.80	0.263	/	/	2.5	Pass
				5765	26000	24914.73	-23.67	4.295	-33.91	0.406	2.5	Pass
						25007.136	-23.11	4.887	-33.89	0.408	2.5	Pass
						25426.001	-23.95	4.027	-34.40	0.363	2.5	Pass
						25505.592	-24.04	3.945	-33.89	0.408	2.5	Pass
						25975.718	-24.13	3.864	-34.10	0.389	2.5	Pass
		5720	1	30	5460	5422.5	-35.80	0.263	/	/	2.5	Pass
				5765	26000	24872.911	-24.84	3.281	-34.78	0.333	2.5	Pass
						24957.223	-23.37	4.603	-33.43	0.454	2.5	Pass
						25469.169	-23.67	4.295	-33.97	0.401	2.5	Pass
						25543.364	-23.91	4.064	-34.39	0.364	2.5	Pass
						25952.111	-24.29	3.724	-34.27	0.374	2.5	Pass
			2	30	5460	3177	-35.47	0.284	/	/	2.5	Pass
				5765	26000	24920.126	-23.44	4.529	-33.85	0.412	2.5	Pass

					24982.18	-23.68	4.285	-33.56	0.441	2.5	Pass
					25438.142	-24.19	3.811	-34.29	0.372	2.5	Pass
					25503.568	-24.45	3.589	-33.92	0.406	2.5	Pass
					25977.067	-23.65	4.315	-34.11	0.388	2.5	Pass


7.1.2 TxSe_NTNV_MIMO



NTNV													
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (uW /MHz)	Verdict	
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK EIRP (dBm /MHz)	PK EIRP (uW /MHz)	AV EIRP (dBm /MHz)	AV EIRP (uW /MHz)			
802.11n (HT20)	MIMO	5500	1	/	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	/	Pass	
			MIMO	30	5460	5442.5	-34.18	0.382	/	/	2.5	Pass	
				5765	26000	24905.287	-21.69	6.779	-31.63	0.686	2.5	Pass	
						24973.411	-22.01	6.301	-31.08	0.780	2.5	Pass	
						25472.541	-21.04	7.864	-31.46	0.715	2.5	Pass	
			5600	1	/	/	/	/	/	/	/	/	Pass
				2	/	/	/	/	/	/	/	/	Pass
		MIMO		30	5460	5306.5	-34.00	0.398	/	/	2.5	Pass	
				5765	26000	24943.733	-21.31	7.398	-31.17	0.763	2.5	Pass	
						25456.353	-22.13	6.124	-31.62	0.689	2.5	Pass	
						25543.364	-22.30	5.883	-31.95	0.638	2.5	Pass	
		5700		1	/	/	/	/	/	/	/	/	Pass
				2	/	/	/	/	/	/	/	/	Pass
			MIMO	30	5460	5299	-33.69	0.428	/	/	2.5	Pass	
				5765	26000	24966.666	-21.28	7.443	-30.50	0.890	2.5	Pass	
						25504.243	-21.44	7.171	-31.07	0.781	2.5	Pass	
						25983.812	-21.67	6.806	-31.21	0.757	2.5	Pass	
			5720	1	/	/	/	/	/	/	/	/	Pass
				2	/	/	/	/	/	/	/	/	Pass
		MIMO		30	5460	5443	-33.28	0.469	/	/	2.5	Pass	
				5765	26000	24986.227	-21.21	7.561	-30.70	0.851	2.5	Pass	
						25487.38	-21.64	6.856	-30.77	0.838	2.5	Pass	
						25960.205	-21.36	7.304	-31.21	0.757	2.5	Pass	
802.11n (HT40)	MIMO	5510		1	/	/	/	/	/	/	/	Pass	
				2	/	/	/	/	/	/	/	Pass	
			MIMO	30	5460	5453.5	-34.53	0.352	/	/	12.5	Pass	
				5770	26000	25501.668	-24.84	3.285	/	/	12.5	Pass	
		5590	1	/	/	/	/	/	/	/	Pass		
			2	/	/	/	/	/	/	/	Pass		
			MIMO	30	5460	5432.5	-37.12	0.194	/	/	12.5	Pass	
				5770	26000	24928.484	-24.54	3.516	/	/	12.5	Pass	
		5670	1	/	/	/	/	/	/	/	Pass		
			2	/	/	/	/	/	/	/	Pass		
			MIMO	30	5460	5395.5	-37.25	0.188	/	/	12.5	Pass	
				5770	26000	25006.707	-24.99	3.169	/	/	12.5	Pass	
		5710	1	/	/	/	/	/	/	/	Pass		
			2	/	/	/	/	/	/	/	Pass		
			MIMO	30	5460	5392.5	-36.85	0.206	/	/	12.5	Pass	
				5770	26000	24980.408	-24.66	3.420	/	/	12.5	Pass	
802.11ac (VHT20)	MIMO	5500	1	/	/	/	/	/	/	/	Pass		
			2	/	/	/	/	/	/	/	Pass		
			MIMO	30	5460	5198.5	-36.88	0.205	/	/	2.5	Pass	



						25003.764	-25.05	3.128	-34.69	0.340	2.5	Pass				
						25476.588	-25.35	2.915	-34.59	0.347	2.5	Pass				
						5600	1	/	/	/	/	/	/	/	/	Pass
							2	/	/	/	/	/	/	/	/	Pass
							MIMO	30	5460	5423.5	-33.18	0.481	/	/	2.5	Pass
								5765	26000	24893.82	-21.80	6.611	-31.18	0.762	2.5	Pass
										24966.666	-21.26	7.477	-30.40	0.912	2.5	Pass
										25450.957	-21.53	7.035	-31.15	0.767	2.5	Pass
						5700	1	/	/	/	/	/	/	/	/	Pass
							2	/	/	/	/	/	/	/	/	Pass
							MIMO	30	5460	5393	-33.69	0.428	/	/	2.5	Pass
								5765	26000	24893.82	-21.64	6.851	-31.13	0.771	2.5	Pass
										24973.411	-21.18	7.623	-30.45	0.902	2.5	Pass
										25439.491	-21.39	7.267	-31.21	0.756	2.5	Pass
						5720	1	/	/	/	/	/	/	/	/	Pass
							2	/	/	/	/	/	/	/	/	Pass
							MIMO	30	5460	5207.5	-33.58	0.438	/	/	2.5	Pass
								5765	26000	24939.012	-21.37	7.303	-30.59	0.872	2.5	Pass
										25473.89	-21.35	7.323	-30.82	0.828	2.5	Pass
										25942.668	-21.74	6.693	-31.36	0.730	2.5	Pass
802.11ac (VHT40)	MIMO	5510	1	/	/	/	/	/	/	/	Pass					
			2	/	/	/	/	/	/	/	Pass					
			MIMO	30	5460	5456.5	-41.54	0.070	/	/	12.5	Pass				
				5770	26000	24949.389	-31.05	0.785	/	/	12.5	Pass				
		5590	1	/	/	/	/	/	/	/	Pass					
			2	/	/	/	/	/	/	/	Pass					
			MIMO	30	5460	5299	-36.89	0.205	/	/	12.5	Pass				
				5770	26000	24950.737	-24.79	3.317	/	/	12.5	Pass				
		5670	1	/	/	/	/	/	/	/	Pass					
			2	/	/	/	/	/	/	/	Pass					
			MIMO	30	5460	5283	-37.33	0.185	/	/	12.5	Pass				
				5770	26000	24923.764	-24.28	3.729	/	/	12.5	Pass				
		5710	1	/	/	/	/	/	/	/	Pass					
			2	/	/	/	/	/	/	/	Pass					
			MIMO	30	5460	5337.5	-37.17	0.192	/	/	12.5	Pass				
				5770	26000	25506.388	-24.94	3.209	/	/	12.5	Pass				
		802.11ac (VHT80)	MIMO	5530	1	/	/	/	/	/	/	/	Pass			
					2	/	/	/	/	/	/	/	Pass			
					MIMO	30	5460	5452.5	-38.50	0.141	/	/	12.5	Pass		
						5770	26000	25008.056	-30.92	0.810	/	/	12.5	Pass		
5610	1			/	/	/	/	/	/	/	Pass					
	2			/	/	/	/	/	/	/	Pass					
	MIMO			30	5460	5405.5	-41.86	0.065	/	/	12.5	Pass				
				5770	26000	24985.128	-30.38	0.917	/	/	12.5	Pass				
5690	1			/	/	/	/	/	/	/	Pass					
	2			/	/	/	/	/	/	/	Pass					
	MIMO			30	5460	5457.5	-37.25	0.188	/	/	12.5	Pass				
				5770	26000	5770.674	-20.86	8.206	-65.89	0.000	12.5	Pass				



7.2 Test Graph

7.2.1 TxSe_NTNV_SISO













802.11a_LCH_5500MHz_Ant2_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/ Power (dBm)	Gain (dB)	PK EIRP (dBm)	A/ EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5389.000	-42.99	/	3.51	-39.48	/	-26.02	Pass
5765	26000	1	1	24905.961	-29.75	-57.92	3.51	-26.24	-54.41	-26.02	Pass
5765	26000	1	1	25032.093	-31.25	-58.24	3.51	-27.74	-54.73	-26.02	Pass
5765	26000	1	1	25475.914	-30.38	-57.77	3.51	-26.87	-54.26	-26.02	Pass
5765	26000	1	1	25537.968	-32.28	-58.31	3.51	-28.77	-54.80	-26.02	Pass
5765	26000	1	1	25946.040	-31.86	-58.33	3.51	-28.35	-54.82	-26.02	Pass


802.11a_LCH_5500MHz_Ant2_NTNV










802.11a_MCH_5600MHz_Ant1_NTNV







802.11a_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5275.500	-39.43	/	3.51	-35.92	/	-26.02	Pass
5765	26000	1	1	24933.616	-27.37	-37.31	3.51	-23.86	-33.80	-26.02	Pass
5765	26000	1	1	25033.442	-27.92	-37.96	3.51	-24.41	-34.45	-26.02	Pass
5765	26000	1	1	25428.024	-27.97	-37.98	3.51	-24.46	-34.47	-26.02	Pass
5765	26000	1	1	25510.988	-28.25	-37.64	3.51	-24.74	-34.13	-26.02	Pass
5765	26000	1	1	25973.020	-27.96	-37.71	3.51	-24.45	-34.20	-26.02	Pass










802.11a_MCH_5600MHz_Ant2_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dB)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5380.500	-39.34	/	3.51	-35.83	/	-26.02	Pass
5765	26000	1	1	24926.196	-27.31	-37.33	3.51	-23.80	-33.82	-26.02	Pass
5765	26000	1	1	24990.948	-26.20	-37.21	3.51	-22.69	-33.70	-26.02	Pass
5765	26000	1	1	25408.464	-27.62	-38.27	3.51	-24.11	-34.76	-26.02	Pass
5765	26000	1	1	25539.317	-27.56	-37.88	3.51	-24.05	-34.37	-26.02	Pass
5765	26000	1	1	25979.091	-27.59	-37.67	3.51	-24.08	-34.16	-26.02	Pass


802.11a_MCH_5600MHz_Ant2_NTNV










802.11a_HCH_5700MHz_Ant1_NTNV







802.11a_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5436.000	-39.07	/	3.51	-35.56	/	-26.02	Pass
5765	26000	1	1	20997.234	-28.01	-38.85	3.51	-24.50	-35.34	-26.02	Pass
5765	26000	1	1	24882.354	-28.28	-38.04	3.51	-24.77	-34.53	-26.02	Pass
5765	26000	1	1	24978.807	-27.31	-37.16	3.51	-23.80	-33.65	-26.02	Pass
5765	26000	1	1	25487.380	-27.57	-37.33	3.51	-24.06	-33.82	-26.02	Pass
5765	26000	1	1	25956.832	-28.10	-37.74	3.51	-24.59	-34.23	-26.02	Pass










802.11a_HCH_5700MHz_Ant2_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dB)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5439.500	-39.31	/	3.51	-35.80	/	-26.02	Pass
5765	26000	1	1	24914.730	-27.18	-37.42	3.51	-23.67	-33.91	-26.02	Pass
5765	26000	1	1	25007.136	-26.62	-37.40	3.51	-23.11	-33.89	-26.02	Pass
5765	26000	1	1	25426.001	-27.46	-37.91	3.51	-23.95	-34.40	-26.02	Pass
5765	26000	1	1	25505.592	-27.55	-37.40	3.51	-24.04	-33.89	-26.02	Pass
5765	26000	1	1	25975.718	-27.64	-37.61	3.51	-24.13	-34.10	-26.02	Pass



802.11a_HCH_5700MHz_Ant2_NTNV























802.11a_HHCH_5720MHz_Ant2_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dB)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	3177.000	-38.98	/	3.51	-35.47	/	-26.02	Pass
5765	26000	1	1	24920.126	-26.95	-37.36	3.51	-23.44	-33.85	-26.02	Pass
5765	26000	1	1	24982.180	-27.19	-37.07	3.51	-23.68	-33.56	-26.02	Pass
5765	26000	1	1	25438.142	-27.70	-37.80	3.51	-24.19	-34.29	-26.02	Pass
5765	26000	1	1	25503.568	-27.96	-37.43	3.51	-24.45	-33.92	-26.02	Pass
5765	26000	1	1	25977.067	-27.16	-37.62	3.51	-23.65	-34.11	-26.02	Pass


802.11a_HHCH_5720MHz_Ant2_NTNV















7.2.2 TxSe_NTNV_MIMO







































































802.11n(HT20)_HHCH_5720MHz_MIMO_NTNV







802.11n(HT20)_HHCH_5720MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5443.000	-36.80	/	MIMO	-33.28	/	-26.02	Pass
30	5460	1	1	5443.000	-36.80	/	MIMO	-33.28	/	-26.02	Pass
5765	26000	1	1	24986.227	-24.73	-34.21	MIMO	-21.21	-30.70	-26.02	Pass
5765	26000	1	1	24986.227	-24.73	-34.21	MIMO	-21.21	-30.70	-26.02	Pass
5765	26000	1	1	25487.380	-25.15	-34.28	MIMO	-21.64	-30.77	-26.02	Pass
5765	26000	1	1	25960.205	-24.88	-34.72	MIMO	-21.36	-31.21	-26.02	Pass























802.11n(HT40)_MCH_5590MHz_MIMO_NTNV







802.11n(HT40)_MCH_5590MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5432.500	-40.63	/	MIMO	-37.12	/	-19.03	Pass
30	5460	1	1	5432.500	-40.63	/	MIMO	-37.12	/	-19.03	Pass
5770	26000	1	1	24928.484	-28.05	/	MIMO	-24.54	/	-19.03	Pass
5770	26000	1	1	24928.484	-28.05	/	MIMO	-24.54	/	-19.03	Pass










802.11n(HT40)_HHCH_5710MHz_MIMO_NTNV




802.11n(HT40)_HHCH_5710MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5392.500	-40.36	/	MIMO	-36.85	/	-19.03	Pass
30	5460	1	1	5392.500	-40.36	/	MIMO	-36.85	/	-19.03	Pass
5770	26000	1	1	24980.408	-28.17	/	MIMO	-24.66	/	-19.03	Pass
5770	26000	1	1	24980.408	-28.17	/	MIMO	-24.66	/	-19.03	Pass





802.11ac(VHT20)_LCH_5500MHz_MIMO_NTNV







802.11ac(VHT20)_LCH_5500MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5198.500	-40.39	/	MIMO	-36.88	/	-26.02	Pass
30	5460	1	1	5198.500	-40.39	/	MIMO	-36.88	/	-26.02	Pass
5765	26000	1	1	24932.267	-28.07	-38.06	MIMO	-24.55	-34.55	-26.02	Pass
5765	26000	1	1	24932.267	-28.07	-38.06	MIMO	-24.55	-34.55	-26.02	Pass
5765	26000	1	1	25003.764	-28.56	-38.20	MIMO	-25.05	-34.69	-26.02	Pass
5765	26000	1	1	25476.588	-28.86	-38.10	MIMO	-25.35	-34.59	-26.02	Pass















802.11ac(VHT20)_MCH_5600MHz_MIMO_NTNV







802.11ac(VHT20)_MCH_5600MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5423.500	-36.69	/	MIMO	-33.18	/	-26.02	Pass
30	5460	1	1	5423.500	-36.69	/	MIMO	-33.18	/	-26.02	Pass
5765	26000	1	1	24893.820	-25.31	-34.69	MIMO	-21.80	-31.18	-26.02	Pass
5765	26000	1	1	24966.666	-24.77	-33.91	MIMO	-21.26	-30.40	-26.02	Pass
5765	26000	1	1	24966.666	-24.77	-33.91	MIMO	-21.26	-30.40	-26.02	Pass
5765	26000	1	1	25450.957	-25.04	-34.66	MIMO	-21.53	-31.15	-26.02	Pass















802.11ac(VHT20)_HCH_5700MHz_MIMO_NTNV







802.11ac(VHT20)_HCH_5700MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5393.000	-37.20	/	MIMO	-33.69	/	-26.02	Pass
30	5460	1	1	5393.000	-37.20	/	MIMO	-33.69	/	-26.02	Pass
5765	26000	1	1	24893.820	-25.15	-34.64	MIMO	-21.64	-31.13	-26.02	Pass
5765	26000	1	1	24973.411	-24.69	-33.96	MIMO	-21.18	-30.45	-26.02	Pass
5765	26000	1	1	24973.411	-24.69	-33.96	MIMO	-21.18	-30.45	-26.02	Pass
5765	26000	1	1	25439.491	-24.90	-34.72	MIMO	-21.39	-31.21	-26.02	Pass















802.11ac(VHT20)_HHCH_5720MHz_MIMO_NTNV







802.11ac(VHT20)_HHCH_5720MHz_MIMO_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5207.500	-37.09	/	MIMO	-33.58	/	-26.02	Pass
30	5460	1	1	5207.500	-37.09	/	MIMO	-33.58	/	-26.02	Pass
5765	26000	1	1	24939.012	-24.87	-34.10	MIMO	-21.37	-30.59	-26.02	Pass
5765	26000	1	1	25473.890	-24.86	-34.33	MIMO	-21.35	-30.82	-26.02	Pass
5765	26000	1	1	25473.890	-24.86	-34.33	MIMO	-21.35	-30.82	-26.02	Pass
5765	26000	1	1	25942.668	-25.25	-34.87	MIMO	-21.74	-31.36	-26.02	Pass























802.11ac(VHT40)_MCH_5590MHz_MIMO_NTNV




802.11ac(VHT40)_MCH_5590MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5299.000	-40.40	/	MIMO	-36.89	/	-19.03	Pass
30	5460	1	1	5299.000	-40.40	/	MIMO	-36.89	/	-19.03	Pass
5770	26000	1	1	24950.737	-28.30	/	MIMO	-24.79	/	-19.03	Pass
5770	26000	1	1	24950.737	-28.30	/	MIMO	-24.79	/	-19.03	Pass





802.11ac(VHT40)_HCH_5670MHz_MIMO_NTNV




802.11ac(VHT40)_HCH_5670MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5283.000	-40.84	/	MIMO	-37.33	/	-19.03	Pass
30	5460	1	1	5283.000	-40.84	/	MIMO	-37.33	/	-19.03	Pass
5770	26000	1	1	24923.764	-27.80	/	MIMO	-24.28	/	-19.03	Pass
5770	26000	1	1	24923.764	-27.80	/	MIMO	-24.28	/	-19.03	Pass





802.11ac(VHT40)_HHCH_5710MHz_MIMO_NTNV







802.11ac(VHT40)_HHCH_5710MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5337.500	-40.68	/	MIMO	-37.17	/	-19.03	Pass
30	5460	1	1	5337.500	-40.68	/	MIMO	-37.17	/	-19.03	Pass
5770	26000	1	1	25506.388	-28.45	/	MIMO	-24.94	/	-19.03	Pass
5770	26000	1	1	25506.388	-28.45	/	MIMO	-24.94	/	-19.03	Pass










802.11ac(VHT80)_HCH_5610MHz_MIMO_NTNV




802.11ac(VHT80)_HCH_5610MHz_MIMO_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Gain (dBi)	PK EIRP (dBm)	AV EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5405.500	-45.37	/	MIMO	-41.86	/	-19.03	Pass
30	5460	1	1	5405.500	-45.37	/	MIMO	-41.86	/	-19.03	Pass
5770	26000	1	1	24985.128	-33.88	/	MIMO	-30.38	/	-19.03	Pass
5770	26000	1	1	24985.128	-33.88	/	MIMO	-30.38	/	-19.03	Pass





802.11ac(VHT80)_HHCH_5690MHz_MIMO_NTNV





802.11ac(VHT80)_HHCH_5690MHz_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	A/V Power (dBm)	Gain (dBi)	PK EIRP (dBm)	A/V EIRP (dBm)	Limit (dBm)	Result
30	5460	1	1	5457.500	-40.76	/	MIMO	-37.25	/	-19.03	Pass
30	5460	1	1	5457.500	-40.76	/	MIMO	-37.25	/	-19.03	Pass
5770	26000	1	1	5770.674	-24.37	-69.40	MIMO	-20.86	-65.89	-19.03	Pass
5770	26000	1	1	5770.674	-24.37	-69.40	MIMO	-20.86	-65.89	-19.03	Pass





8. Secondary Radiated Emission

8.1 Test Result

8.1.1 RxSe_NTNV_SISO

NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
802.11a	SISO	5500	1	30	1000	110.05	-72.00	0.063	/	/	4	Pass
				1000	26500	21082.95	-47.79	16.634	-56.59	2.193	20	Pass
						24947.9	-47.78	16.672	-51.30	7.413	20	Pass
						25933.05	-47.80	16.596	-52.06	6.223	20	Pass
						26041.85	-47.27	18.750	-54.93	3.214	20	Pass
						26338.5	-47.36	18.365	-56.01	2.506	20	Pass
			2	30	1000	110	-72.45	0.057	/	/	4	Pass
				1000	26500	2432.25	-47.55	17.579	-73.76	0.042	20	Pass
						24935.15	-47.22	18.967	-55.50	2.818	20	Pass
						26039.3	-46.72	21.281	-55.44	2.858	20	Pass
						26340.2	-47.89	16.255	-53.02	4.989	20	Pass
						26453.25	-47.85	16.406	-54.60	3.467	20	Pass
		5600	1	30	1000	110	-71.79	0.066	/	/	4	Pass
				1000	26500	24894.35	-47.73	16.866	-54.07	3.917	20	Pass
						25041.4	-47.18	19.143	-55.16	3.048	20	Pass
						25408.6	-47.54	17.620	-53.31	4.667	20	Pass
						25980.65	-47.55	17.579	-51.93	6.412	20	Pass
						26449.85	-47.43	18.072	-51.16	7.656	20	Pass
			2	30	1000	110	-71.78	0.066	/	/	4	Pass
				1000	26500	24942.8	-47.30	18.621	-55.65	2.723	20	Pass
						26012.1	-47.64	17.219	-55.91	2.564	20	Pass
						26126	-47.61	17.338	-56.14	2.432	20	Pass
						26261.15	-48.00	15.849	-56.82	2.080	20	Pass
						26443.05	-47.78	16.672	-53.76	4.207	20	Pass
		5700	1	30	1000	110	-71.55	0.070	/	/	4	Pass
				1000	26500	24939.4	-47.83	16.482	-55.10	3.090	20	Pass
						25000.6	-47.84	16.444	-54.02	3.963	20	Pass
						25463	-47.21	19.011	-56.19	2.404	20	Pass
						25907.55	-47.39	18.239	-55.60	2.754	20	Pass
						26378.45	-47.59	17.418	-55.66	2.716	20	Pass
			2	30	1000	110	-72.07	0.062	/	/	4	Pass
				1000	26500	24928.35	-47.37	18.323	-50.35	9.226	20	Pass
						25528.45	-47.09	19.543	-55.10	3.090	20	Pass
						26028.25	-46.89	20.464	-54.00	3.981	20	Pass
						26323.2	-47.87	16.331	-53.32	4.656	20	Pass
						26452.4	-47.62	17.298	-55.00	3.162	20	Pass
		5720	1	30	1000	110	-72.21	0.060	/	/	4	Pass
				1000	26500	24885.85	-47.89	16.255	-55.13	3.069	20	Pass
						25475.75	-47.28	18.707	-55.50	2.818	20	Pass
						25938.15	-47.92	16.144	-53.61	4.355	20	Pass
						26020.6	-47.28	18.707	-52.29	5.902	20	Pass
						26449.85	-47.65	17.179	-52.43	5.715	20	Pass
			2	30	1000	110	-71.57	0.070	/	/	4	Pass
				1000	26500	24929.2	-46.95	20.184	-51.23	7.534	20	Pass
						25015.05	-47.48	17.865	-55.10	3.090	20	Pass

					25963.65	-47.49	17.824	-52.79	5.260	20	Pass
					26057.15	-46.73	21.232	-53.61	4.355	20	Pass
					26131.1	-47.45	17.989	-54.49	3.556	20	Pass


8.1.2 RxSe_NTNV_MIMO



NTNV												
Mode	TX Type	Freq. (MHz)	ANT	Freq. Range		Marker					Limit (nW)	Verdict
				Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
802.11n (HT20)	MIMO	5500	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	30	1000	110	-68.54	0.140	/	/	4	Pass
				1000	26500	24933.45	-44.96	31.915	-51.69	6.770	20	Pass
						25489.35	-45.05	31.261	-52.45	5.689	20	Pass
						26490.65	-45.44	28.576	-49.75	10.588	20	Pass
		5600	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	30	1000	110	-68.99	0.126	/	/	4	Pass
				1000	26500	24949.6	-44.60	34.674	-49.24	11.904	20	Pass
						25502.1	-44.99	31.696	-49.67	10.792	20	Pass
						26026.55	-45.30	29.512	-51.36	7.306	20	Pass
		5700	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	30	1000	110	-68.79	0.132	/	/	4	Pass
				1000	26500	24961.5	-45.12	30.761	-49.19	12.054	20	Pass
						25522.5	-44.91	32.285	-51.11	7.748	20	Pass
						25982.35	-45.14	30.620	-52.36	5.814	20	Pass
		5720	1	/	/	/	/	/	/	/	/	Pass
			2	/	/	/	/	/	/	/	/	Pass
			MIMO	30	1000	110	-68.87	0.130	/	/	4	Pass
				1000	26500	24955.55	-44.98	31.769	-49.91	10.203	20	Pass
						26092	-44.80	33.113	-51.79	6.620	20	Pass
						26484.7	-45.03	31.405	-49.64	10.860	20	Pass
802.11n (HT40)	MIMO	5510	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	30	1000	110	-68.10	0.155	/	/	4	Pass
				1000	26500	24876.5	-45.64	27.290	-50.72	8.475	20	Pass
						26016.35	-45.39	28.907	-52.17	6.063	20	Pass
						26330.85	-45.52	28.054	-52.52	5.593	20	Pass
		5590	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	30	1000	110	-68.24	0.150	/	/	4	Pass
				1000	26500	24949.6	-45.23	29.992	-51.33	7.358	20	Pass
						25474.9	-45.55	27.861	-51.20	7.579	20	Pass
						26017.2	-44.86	32.659	-52.80	5.250	20	Pass
		5670	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
			MIMO	30	1000	110	-68.21	0.151	/	/	4	Pass
				1000	26500	24941.95	-45.10	30.903	-48.55	13.956	20	Pass
						26325.75	-45.36	29.107	-49.02	12.533	20	Pass
						26476.2	-45.40	28.840	-49.80	10.471	20	Pass
		5710	1	/	/	/	/	/	/	/	Pass	
			2	/	/	/	/	/	/	/	Pass	
		MIMO	30	1000	110	-68.23	0.150	/	/	4	Pass	



						26114.95	-45.22	30.061	-50.78	8.364	20	Pass
						26453.25	-44.84	32.810	-50.53	8.857	20	Pass
						1	/	/	/	/	/	Pass
						2	/	/	/	/	/	Pass
		5610	MIMO	30	1000	110	-67.65	0.172	/	/	4	Pass
				1000	26500	25480.85	-45.02	31.477	-49.96	10.092	20	Pass
						26059.7	-45.51	28.119	-51.81	6.586	20	Pass
						26370.8	-44.89	32.434	-49.34	11.637	20	Pass
		5690	MIMO	1	/	/	/	/	/	/	/	Pass
				2	/	/	/	/	/	/	/	Pass
				30	1000	110	-74.43	0.036	/	/	4	Pass
						930.5	-70.63	0.086	/	/	4	Pass
				1000	26500	24981.05	-45.25	29.854	-50.81	8.303	20	Pass
						26047.8	-45.28	29.648	-50.03	9.927	20	Pass
						26441.35	-45.36	29.107	-50.95	8.038	20	Pass



8.2 Test Graph

8.2.1 RxSe_NTNV_SISO













802.11a_LCH_5500MHz_Ant2_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	110.000	-72.45	-	-54	Pass
1000	26500	1	1	2432.250	-47.55	-73.76	-47	Pass
1000	26500	1	1	24935.150	-47.22	-55.50	-47	Pass
1000	26500	1	1	26039.300	-46.72	-55.44	-47	Pass
1000	26500	1	1	26340.200	-47.89	-53.02	-47	Pass
1000	26500	1	1	26453.250	-47.85	-54.60	-47	Pass


802.11a_LCH_5500MHz_Ant2_NTNV










802.11a_MCH_5600MHz_Ant1_NTNV







802.11a_MCH_5600MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	110.000	-71.79	/	-54	Pass
1000	26500	1	1	24894.350	-47.73	-54.07	-47	Pass
1000	26500	1	1	25041.400	-47.18	-55.16	-47	Pass
1000	26500	1	1	25408.600	-47.54	-53.31	-47	Pass
1000	26500	1	1	25980.650	-47.55	-51.93	-47	Pass
1000	26500	1	1	26449.850	-47.43	-51.16	-47	Pass










802.11a_MCH_5600MHz_Ant2_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	110.000	-71.78	/	-54	Pass
1000	26500	1	1	24942.800	-47.30	-55.65	-47	Pass
1000	26500	1	1	26012.100	-47.64	-55.91	-47	Pass
1000	26500	1	1	26126.000	-47.61	-56.14	-47	Pass
1000	26500	1	1	26261.150	-48.00	-56.82	-47	Pass
1000	26500	1	1	26443.050	-47.78	-53.76	-47	Pass


802.11a_MCH_5600MHz_Ant2_NTNV










802.11a_HCH_5700MHz_Ant1_NTNV







802.11a_HCH_5700MHz_Ant1_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	110.000	-71.55	/	-54	Pass
1000	26500	1	1	24939.400	-47.83	-55.10	-47	Pass
1000	26500	1	1	25000.600	-47.84	-54.02	-47	Pass
1000	26500	1	1	25463.000	-47.21	-56.19	-47	Pass
1000	26500	1	1	25907.550	-47.39	-55.60	-47	Pass
1000	26500	1	1	26378.450	-47.59	-55.66	-47	Pass










802.11a_HCH_5700MHz_Ant2_NTNV







Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	110.000	-72.07	/	-54	Pass
1000	26500	1	1	24928.350	-47.37	-50.35	-47	Pass
1000	26500	1	1	25528.450	-47.09	-55.10	-47	Pass
1000	26500	1	1	26028.250	-46.89	-54.00	-47	Pass
1000	26500	1	1	26323.200	-47.87	-53.32	-47	Pass
1000	26500	1	1	26452.400	-47.62	-55.00	-47	Pass



802.11a_HCH_5700MHz_Ant2_NTNV


































8.2.2 RxSe_NTNV_MIMO



802.11n(HT20)_LCH_5500MHz_MIMO_NTNV



802.11n(HT20)_LCH_5500MHz_MIMO_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	110.000	-68.54	/	-54	Pass
30	1000	0.1	0.1	110.000	-68.54	/	-54	Pass
1000	26500	1	1	24933.450	-44.96	-51.69	-47	Pass
1000	26500	1	1	24933.450	-44.96	-51.69	-47	Pass
1000	26500	1	1	25489.350	-45.05	-52.45	-47	Pass
1000	26500	1	1	26490.650	-45.44	-49.75	-47	Pass