




















































































































**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com


<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1







NTNV-11AX40MIMO-Ant1-5190-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant2-5190-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant1-5230-242Tone-RU62-PASS




NTNV-11AX40MIMO-Ant2-5230-242Tone-RU62-PASS




NTNV-11AX40MIMO-Ant1-5270-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant2-5270-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant1-5310-242Tone-RU62-PASS




NTNV-11AX40MIMO-Ant2-5310-242Tone-RU62-PASS




NTNV-11AX40MIMO-Ant1-5510-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant2-5510-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant1-5550-242Tone-RU62-PASS




NTNV-11AX40MIMO-Ant2-5550-242Tone-RU62-PASS





NTNV-11AX40MIMO-Ant1-5670-242Tone-RU61-PASS




NTNV-11AX40MIMO-Ant2-5670-242Tone-RU61-PASS









NTNV-11AX80MIMO-Ant1-5210-484Tone-RU65-PASS




NTNV-11AX80MIMO-Ant2-5210-484Tone-RU65-PASS




NTNV-11AX80MIMO-Ant1-5290-242Tone-RU64-PASS




NTNV-11AX80MIMO-Ant2-5290-242Tone-RU64-PASS




NTNV-11AX80MIMO-Ant1-5290-484Tone-RU66-PASS




NTNV-11AX80MIMO-Ant2-5290-484Tone-RU66-PASS







NTNV-11AX80MIMO-Ant1-5530-484Tone-RU65-PASS




NTNV-11AX80MIMO-Ant2-5530-484Tone-RU65-PASS




NTNV-11AX80MIMO-Ant1-5610-242Tone-RU64-PASS




NTNV-11AX80MIMO-Ant2-5610-242Tone-RU64-PASS




NTNV-11AX80MIMO-Ant1-5610-484Tone-RU66-PASS



NTNV-11AX80MIMO-Ant2-5610-484Tone-RU66-PASS





5.10 SPURIOUS EMISSIONS OF RECEIVER

5.10.1 Limit

Frequency (MHz)	Limit	
	nW	dBm
Below 1GHz	≤4	-54
Above 1GHz	≤20	-47

5.10.2 Test Setup

Refer to section 4.5 for details.

5.10.3 Instruments Used

Refer to section 3 for details

5.10.4 Test Procedures

Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.

Use the following spectrum analyzer settings:

Below 1GHz

1. Set RBW = 100 kHz. VBW = 300 kHz.
2. Detector = Avg.
3. Sweep = auto couple.
4. Trace Mode = max hold.
5. Allow trace to fully stabilize.
6. Use the peak marker function to determine the maximum amplitude level.

Above 1GHz

7. Set RBW = 1 MHz. VBW = 3 MHz.
8. Detector = Avg.
9. Sweep = auto couple.
10. Trace Mode = max hold.
11. Allow trace to fully stabilize.

Use the peak marker function to determine the maximum amplitude level.

5.10.5 Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11A	Ant1	5180	30~1000	771.57	-87.27	≤-54	0.00187	≤4	PASS
NTNV	11A	Ant2	5180	30~1000	788.54	-87.63	≤-54	0.00173	≤4	PASS
NTNV	11A	Ant1	5180	1000~26000	25122.50	-65.47	≤-47	0.28379	≤20	PASS
NTNV	11A	Ant2	5180	1000~26000	25995.00	-65.37	≤-47	0.29040	≤20	PASS
NTNV	11A	Ant1	5220	30~1000	422.85	-86.95	≤-54	0.00202	≤4	PASS
NTNV	11A	Ant2	5220	30~1000	778.84	-87.50	≤-54	0.00178	≤4	PASS
NTNV	11A	Ant1	5220	1000~26000	24956.25	-65.57	≤-47	0.27733	≤20	PASS
NTNV	11A	Ant2	5220	1000~26000	25991.25	-65.29	≤-47	0.29580	≤20	PASS
NTNV	11A	Ant1	5240	30~1000	929.19	-87.06	≤-54	0.00197	≤4	PASS
NTNV	11A	Ant2	5240	30~1000	916.58	-86.94	≤-54	0.00202	≤4	PASS
NTNV	11A	Ant1	5240	1000~26000	25990.00	-64.85	≤-47	0.32734	≤20	PASS
NTNV	11A	Ant2	5240	1000~26000	25993.75	-65.24	≤-47	0.29923	≤20	PASS
NTNV	11A	Ant1	5260	30~1000	887.48	-87.08	≤-54	0.00196	≤4	PASS
NTNV	11A	Ant2	5260	30~1000	773.02	-87.44	≤-54	0.00180	≤4	PASS
NTNV	11A	Ant1	5260	1000~26000	25117.50	-65.64	≤-47	0.27290	≤20	PASS
NTNV	11A	Ant2	5260	1000~26000	25991.25	-65.28	≤-47	0.29648	≤20	PASS
NTNV	11A	Ant1	5300	30~1000	906.40	-86.98	≤-54	0.00200	≤4	PASS
NTNV	11A	Ant2	5300	30~1000	782.72	-87.61	≤-54	0.00173	≤4	PASS
NTNV	11A	Ant1	5300	1000~26000	25948.75	-65.43	≤-47	0.28642	≤20	PASS
NTNV	11A	Ant2	5300	1000~26000	25557.50	-65.09	≤-47	0.30974	≤20	PASS
NTNV	11A	Ant1	5320	30~1000	901.55	-86.86	≤-54	0.00206	≤4	PASS
NTNV	11A	Ant2	5320	30~1000	945.68	-87.06	≤-54	0.00197	≤4	PASS
NTNV	11A	Ant1	5320	1000~26000	25971.25	-65.43	≤-47	0.28642	≤20	PASS
NTNV	11A	Ant2	5320	1000~26000	25972.50	-65.63	≤-47	0.27353	≤20	PASS
NTNV	11A	Ant1	5500	30~1000	897.18	-86.96	≤-54	0.00201	≤4	PASS
NTNV	11A	Ant2	5500	30~1000	985.45	-87.39	≤-54	0.00182	≤4	PASS
NTNV	11A	Ant1	5500	1000~26000	25991.25	-65.27	≤-47	0.29717	≤20	PASS
NTNV	11A	Ant2	5500	1000~26000	25980.00	-65.37	≤-47	0.29040	≤20	PASS
NTNV	11A	Ant1	5600	30~1000	984.48	-87.55	≤-54	0.00176	≤4	PASS
NTNV	11A	Ant2	5600	30~1000	867.11	-87.57	≤-54	0.00175	≤4	PASS
NTNV	11A	Ant1	5600	1000~26000	24272.50	-65.08	≤-47	0.31046	≤20	PASS
NTNV	11A	Ant2	5600	1000~26000	24957.50	-65.37	≤-47	0.29040	≤20	PASS
NTNV	11A	Ant1	5720	30~1000	766.23	-87.37	≤-54	0.00183	≤4	PASS
NTNV	11A	Ant2	5720	30~1000	934.04	-86.92	≤-54	0.00203	≤4	PASS
NTNV	11A	Ant1	5720	1000~26000	25951.25	-65.53	≤-47	0.27990	≤20	PASS
NTNV	11A	Ant2	5720	1000~26000	25168.75	-65.40	≤-47	0.28840	≤20	PASS
NTNV	11N20MIMO	Ant1	5180	30~1000	922.40	-87.87	≤-54	0.00163	≤4	PASS
NTNV	11N20MIMO	Ant2	5180	30~1000	818.61	-87.90	≤-54	0.00162	≤4	PASS
NTNV	11N20MIMO	total	5180	30~1000	---	---	---	0.00325	≤4	PASS
NTNV	11N20MIMO	Ant1	5180	1000~26000	25987.50	-66.01	≤-47	0.25061	≤20	PASS
NTNV	11N20MIMO	Ant2	5180	1000~26000	24963.75	-65.26	≤-47	0.29785	≤20	PASS
NTNV	11N20MIMO	total	5180	1000~26000	---	---	---	0.54846	≤20	PASS
NTNV	11N20MIMO	Ant1	5220	30~1000	782.72	-87.95	≤-54	0.00160	≤4	PASS
NTNV	11N20MIMO	Ant2	5220	30~1000	774.48	-88.13	≤-54	0.00154	≤4	PASS
NTNV	11N20MIMO	total	5220	30~1000	---	---	---	0.00314	≤4	PASS
NTNV	11N20MIMO	Ant1	5220	1000~26000	25995.00	-65.88	≤-47	0.25823	≤20	PASS
NTNV	11N20MIMO	Ant2	5220	1000~26000	25167.50	-66.20	≤-47	0.23988	≤20	PASS
NTNV	11N20MIMO	total	5220	1000~26000	---	---	---	0.49811	≤20	PASS
NTNV	11N20MIMO	Ant1	5240	30~1000	954.41	-88.09	≤-54	0.00155	≤4	PASS
NTNV	11N20MIMO	Ant2	5240	30~1000	886.51	-87.64	≤-54	0.00172	≤4	PASS
NTNV	11N20MIMO	total	5240	30~1000	---	---	---	0.00327	≤4	PASS
NTNV	11N20MIMO	Ant1	5240	1000~26000	25985.00	-66.07	≤-47	0.24717	≤20	PASS
NTNV	11N20MIMO	Ant2	5240	1000~26000	25458.75	-66.30	≤-47	0.23442	≤20	PASS
NTNV	11N20MIMO	total	5240	1000~26000	---	---	---	0.48159	≤20	PASS
NTNV	11N20MIMO	Ant1	5260	30~1000	912.22	-87.57	≤-54	0.00175	≤4	PASS
NTNV	11N20MIMO	Ant2	5260	30~1000	874.39	-87.79	≤-54	0.00166	≤4	PASS
NTNV	11N20MIMO	total	5260	30~1000	---	---	---	0.00341	≤4	PASS
NTNV	11N20MIMO	Ant2	5260	1000~26000	25986.25	-65.89	≤-47	0.25763	≤20	PASS
NTNV	11N20MIMO	Ant1	5260	1000~26000	25415.00	-66.36	≤-47	0.23121	≤20	PASS
NTNV	11N20MIMO	total	5260	1000~26000	---	---	---	0.48884	≤20	PASS
NTNV	11N20MIMO	Ant1	5300	30~1000	878.75	-87.98	≤-54	0.00159	≤4	PASS
NTNV	11N20MIMO	Ant2	5300	30~1000	812.79	-87.81	≤-54	0.00166	≤4	PASS
NTNV	11N20MIMO	total	5300	30~1000	---	---	---	0.00325	≤4	PASS
NTNV	11N20MIMO	Ant1	5300	1000~26000	25971.25	-65.74	≤-47	0.26669	≤20	PASS
NTNV	11N20MIMO	Ant2	5300	1000~26000	25081.25	-66.11	≤-47	0.24491	≤20	PASS
NTNV	11N20MIMO	total	5300	1000~26000	---	---	---	0.51160	≤20	PASS
NTNV	11N20MIMO	Ant1	5320	30~1000	790.97	-87.48	≤-54	0.00179	≤4	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11N20MIMO	Ant2	5320	30~1000	749.74	-88.01	≤-54	0.00158	≤4	PASS
NTNV	11N20MIMO	total	5320	30~1000	---	---	---	0.00337	≤4	PASS
NTNV	11N20MIMO	Ant1	5320	1000~26000	25567.50	-66.10	≤-47	0.24547	≤20	PASS
NTNV	11N20MIMO	Ant2	5320	1000~26000	25573.75	-65.97	≤-47	0.25293	≤20	PASS
NTNV	11N20MIMO	total	5320	1000~26000	---	---	---	0.49840	≤20	PASS
NTNV	11N20MIMO	Ant1	5500	30~1000	787.09	-87.84	≤-54	0.00164	≤4	PASS
NTNV	11N20MIMO	Ant2	5500	30~1000	768.17	-87.91	≤-54	0.00162	≤4	PASS
NTNV	11N20MIMO	total	5500	30~1000	---	---	---	0.00326	≤4	PASS
NTNV	11N20MIMO	Ant1	5500	1000~26000	25966.25	-65.76	≤-47	0.26546	≤20	PASS
NTNV	11N20MIMO	Ant2	5500	1000~26000	25136.25	-66.10	≤-47	0.24547	≤20	PASS
NTNV	11N20MIMO	total	5500	1000~26000	---	---	---	0.51093	≤20	PASS
NTNV	11N20MIMO	Ant1	5600	30~1000	950.05	-88.31	≤-54	0.00148	≤4	PASS
NTNV	11N20MIMO	Ant2	5600	30~1000	907.85	-87.95	≤-54	0.00160	≤4	PASS
NTNV	11N20MIMO	total	5600	30~1000	---	---	---	0.00308	≤4	PASS
NTNV	11N20MIMO	Ant1	5600	1000~26000	25131.25	-66.18	≤-47	0.24099	≤20	PASS
NTNV	11N20MIMO	Ant2	5600	1000~26000	25541.25	-66.06	≤-47	0.24774	≤20	PASS
NTNV	11N20MIMO	total	5600	1000~26000	---	---	---	0.48873	≤20	PASS
NTNV	11N20MIMO	Ant1	5720	30~1000	904.46	-87.85	≤-54	0.00164	≤4	PASS
NTNV	11N20MIMO	Ant2	5720	30~1000	872.93	-87.48	≤-54	0.00179	≤4	PASS
NTNV	11N20MIMO	total	5720	30~1000	---	---	---	0.00343	≤4	PASS
NTNV	11N20MIMO	Ant1	5720	1000~26000	25160.00	-66.22	≤-47	0.23878	≤20	PASS
NTNV	11N20MIMO	Ant2	5720	1000~26000	25985.00	-65.97	≤-47	0.25293	≤20	PASS
NTNV	11N20MIMO	total	5720	1000~26000	---	---	---	0.49171	≤20	PASS
NTNV	11N40MIMO	Ant1	5190	30~1000	838.50	-87.76	≤-54	0.00167	≤4	PASS
NTNV	11N40MIMO	Ant2	5190	30~1000	516.94	-88.00	≤-54	0.00158	≤4	PASS
NTNV	11N40MIMO	total	5190	30~1000	---	---	---	0.00325	≤4	PASS
NTNV	11N40MIMO	Ant1	5190	1000~26000	25538.75	-66.15	≤-47	0.24266	≤20	PASS
NTNV	11N40MIMO	Ant2	5190	1000~26000	25983.75	-66.40	≤-47	0.22909	≤20	PASS
NTNV	11N40MIMO	total	5190	1000~26000	---	---	---	0.47175	≤20	PASS
NTNV	11N40MIMO	Ant1	5230	30~1000	928.22	-87.82	≤-54	0.00165	≤4	PASS
NTNV	11N40MIMO	Ant2	5230	30~1000	805.52	-88.29	≤-54	0.00148	≤4	PASS
NTNV	11N40MIMO	total	5230	30~1000	---	---	---	0.00313	≤4	PASS
NTNV	11N40MIMO	Ant1	5230	1000~26000	25196.25	-66.14	≤-47	0.24322	≤20	PASS
NTNV	11N40MIMO	Ant2	5230	1000~26000	25631.25	-65.86	≤-47	0.25942	≤20	PASS
NTNV	11N40MIMO	total	5230	1000~26000	---	---	---	0.50264	≤20	PASS
NTNV	11N40MIMO	Ant1	5270	30~1000	774.96	-88.12	≤-54	0.00154	≤4	PASS
NTNV	11N40MIMO	Ant2	5270	30~1000	741.01	-88.06	≤-54	0.00156	≤4	PASS
NTNV	11N40MIMO	total	5270	30~1000	---	---	---	0.00310	≤4	PASS
NTNV	11N40MIMO	Ant1	5270	1000~26000	25143.75	-65.58	≤-47	0.27669	≤20	PASS
NTNV	11N40MIMO	Ant2	5270	1000~26000	25431.25	-66.28	≤-47	0.23550	≤20	PASS
NTNV	11N40MIMO	total	5270	1000~26000	---	---	---	0.51219	≤20	PASS
NTNV	11N40MIMO	Ant1	5310	30~1000	925.80	-87.75	≤-54	0.00168	≤4	PASS
NTNV	11N40MIMO	Ant2	5310	30~1000	752.17	-87.59	≤-54	0.00174	≤4	PASS
NTNV	11N40MIMO	total	5310	30~1000	---	---	---	0.00342	≤4	PASS
NTNV	11N40MIMO	Ant2	5310	1000~26000	25963.75	-66.31	≤-47	0.23388	≤20	PASS
NTNV	11N40MIMO	Ant1	5310	1000~26000	25945.00	-65.75	≤-47	0.26607	≤20	PASS
NTNV	11N40MIMO	total	5310	1000~26000	---	---	---	0.49995	≤20	PASS
NTNV	11N40MIMO	Ant1	5510	30~1000	857.90	-88.27	≤-54	0.00149	≤4	PASS
NTNV	11N40MIMO	Ant2	5510	30~1000	817.64	-88.07	≤-54	0.00156	≤4	PASS
NTNV	11N40MIMO	total	5510	30~1000	---	---	---	0.00305	≤4	PASS
NTNV	11N40MIMO	Ant1	5510	1000~26000	25418.75	-66.16	≤-47	0.24210	≤20	PASS
NTNV	11N40MIMO	Ant2	5510	1000~26000	24300.00	-65.84	≤-47	0.26062	≤20	PASS
NTNV	11N40MIMO	total	5510	1000~26000	---	---	---	0.50272	≤20	PASS
NTNV	11N40MIMO	Ant1	5550	30~1000	890.88	-87.90	≤-54	0.00162	≤4	PASS
NTNV	11N40MIMO	Ant2	5550	30~1000	902.03	-87.85	≤-54	0.00164	≤4	PASS
NTNV	11N40MIMO	total	5550	30~1000	---	---	---	0.00326	≤4	PASS
NTNV	11N40MIMO	Ant1	5550	1000~26000	25971.25	-65.75	≤-47	0.26607	≤20	PASS
NTNV	11N40MIMO	Ant2	5550	1000~26000	25993.75	-65.79	≤-47	0.26363	≤20	PASS
NTNV	11N40MIMO	total	5550	1000~26000	---	---	---	0.52970	≤20	PASS
NTNV	11N40MIMO	Ant1	5710	30~1000	915.13	-88.06	≤-54	0.00156	≤4	PASS
NTNV	11N40MIMO	Ant2	5710	30~1000	797.76	-87.59	≤-54	0.00174	≤4	PASS
NTNV	11N40MIMO	total	5710	30~1000	---	---	---	0.00330	≤4	PASS
NTNV	11N40MIMO	Ant1	5710	1000~26000	25935.00	-65.56	≤-47	0.27797	≤20	PASS
NTNV	11N40MIMO	Ant2	5710	1000~26000	25996.25	-65.77	≤-47	0.26485	≤20	PASS
NTNV	11N40MIMO	total	5710	1000~26000	---	---	---	0.54282	≤20	PASS
NTNV	11AC20MIMO	Ant2	5180	30~1000	827.34	-87.89	≤-54	0.00163	≤4	PASS
NTNV	11AC20MIMO	total	5180	30~1000	---	---	---	0.00340	≤4	PASS
NTNV	11AC20MIMO	Ant1	5180	30~1000	912.70	-87.53	≤-54	0.00177	≤4	PASS
NTNV	11AC20MIMO	Ant1	5180	1000~26000	25983.75	-66.04	≤-47	0.24889	≤20	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11AC20MIMO	Ant2	5180	1000~26000	25983.75	-66.17	≤-47	0.24155	≤20	PASS
NTNV	11AC20MIMO	total	5180	1000~26000	---	---	---	0.49044	≤20	PASS
NTNV	11AC20MIMO	Ant1	5220	30~1000	826.37	-88.20	≤-54	0.00151	≤4	PASS
NTNV	11AC20MIMO	Ant2	5220	30~1000	773.51	-87.98	≤-54	0.00159	≤4	PASS
NTNV	11AC20MIMO	total	5220	30~1000	---	---	---	0.00310	≤4	PASS
NTNV	11AC20MIMO	Ant1	5220	1000~26000	25960.00	-65.86	≤-47	0.25942	≤20	PASS
NTNV	11AC20MIMO	Ant2	5220	1000~26000	25593.75	-65.82	≤-47	0.26182	≤20	PASS
NTNV	11AC20MIMO	total	5220	1000~26000	---	---	---	0.52124	≤20	PASS
NTNV	11AC20MIMO	Ant1	5240	30~1000	930.16	-87.82	≤-54	0.00165	≤4	PASS
NTNV	11AC20MIMO	Ant2	5240	30~1000	929.68	-88.31	≤-54	0.00148	≤4	PASS
NTNV	11AC20MIMO	total	5240	30~1000	---	---	---	0.00313	≤4	PASS
NTNV	11AC20MIMO	Ant1	5240	1000~26000	25161.25	-65.97	≤-47	0.25293	≤20	PASS
NTNV	11AC20MIMO	Ant2	5240	1000~26000	25997.50	-66.04	≤-47	0.24889	≤20	PASS
NTNV	11AC20MIMO	total	5240	1000~26000	---	---	---	0.50182	≤20	PASS
NTNV	11AC20MIMO	Ant1	5260	30~1000	820.07	-87.90	≤-54	0.00162	≤4	PASS
NTNV	11AC20MIMO	Ant2	5260	30~1000	993.70	-88.01	≤-54	0.00158	≤4	PASS
NTNV	11AC20MIMO	total	5260	30~1000	---	---	---	0.00320	≤4	PASS
NTNV	11AC20MIMO	Ant1	5260	1000~26000	25448.75	-66.06	≤-47	0.24774	≤20	PASS
NTNV	11AC20MIMO	Ant2	5260	1000~26000	26000.00	-66.02	≤-47	0.25003	≤20	PASS
NTNV	11AC20MIMO	total	5260	1000~26000	---	---	---	0.49777	≤20	PASS
NTNV	11AC20MIMO	Ant1	5300	30~1000	835.59	-87.86	≤-54	0.00164	≤4	PASS
NTNV	11AC20MIMO	Ant2	5300	30~1000	885.54	-87.65	≤-54	0.00172	≤4	PASS
NTNV	11AC20MIMO	total	5300	30~1000	---	---	---	0.00336	≤4	PASS
NTNV	11AC20MIMO	Ant1	5300	1000~26000	25558.75	-66.04	≤-47	0.24889	≤20	PASS
NTNV	11AC20MIMO	Ant2	5300	1000~26000	25973.75	-65.69	≤-47	0.26977	≤20	PASS
NTNV	11AC20MIMO	total	5300	1000~26000	---	---	---	0.51866	≤20	PASS
NTNV	11AC20MIMO	Ant1	5320	30~1000	815.70	-87.51	≤-54	0.00177	≤4	PASS
NTNV	11AC20MIMO	Ant2	5320	30~1000	905.91	-87.93	≤-54	0.00161	≤4	PASS
NTNV	11AC20MIMO	total	5320	30~1000	---	---	---	0.00338	≤4	PASS
NTNV	11AC20MIMO	Ant2	5320	1000~26000	25556.25	-65.54	≤-47	0.27925	≤20	PASS
NTNV	11AC20MIMO	Ant1	5320	1000~26000	25210.00	-66.24	≤-47	0.23768	≤20	PASS
NTNV	11AC20MIMO	total	5320	1000~26000	---	---	---	0.51693	≤20	PASS
NTNV	11AC20MIMO	Ant1	5500	30~1000	845.29	-87.85	≤-54	0.00164	≤4	PASS
NTNV	11AC20MIMO	Ant2	5500	30~1000	435.95	-87.83	≤-54	0.00165	≤4	PASS
NTNV	11AC20MIMO	total	5500	30~1000	---	---	---	0.00329	≤4	PASS
NTNV	11AC20MIMO	Ant1	5500	1000~26000	25442.50	-66.07	≤-47	0.24717	≤20	PASS
NTNV	11AC20MIMO	Ant2	5500	1000~26000	25985.00	-65.90	≤-47	0.25704	≤20	PASS
NTNV	11AC20MIMO	total	5500	1000~26000	---	---	---	0.50421	≤20	PASS
NTNV	11AC20MIMO	Ant1	5600	30~1000	870.99	-87.94	≤-54	0.00161	≤4	PASS
NTNV	11AC20MIMO	Ant2	5600	30~1000	763.81	-87.94	≤-54	0.00161	≤4	PASS
NTNV	11AC20MIMO	total	5600	30~1000	---	---	---	0.00322	≤4	PASS
NTNV	11AC20MIMO	Ant1	5600	1000~26000	25965.00	-66.24	≤-47	0.23768	≤20	PASS
NTNV	11AC20MIMO	Ant2	5600	1000~26000	25185.00	-66.08	≤-47	0.24660	≤20	PASS
NTNV	11AC20MIMO	total	5600	1000~26000	---	---	---	0.48428	≤20	PASS
NTNV	11AC20MIMO	Ant1	5720	30~1000	919.49	-88.26	≤-54	0.00149	≤4	PASS
NTNV	11AC20MIMO	Ant2	5720	30~1000	934.53	-87.73	≤-54	0.00169	≤4	PASS
NTNV	11AC20MIMO	total	5720	30~1000	---	---	---	0.00318	≤4	PASS
NTNV	11AC20MIMO	Ant1	5720	1000~26000	25990.00	-65.71	≤-47	0.26853	≤20	PASS
NTNV	11AC20MIMO	Ant2	5720	1000~26000	25970.00	-65.74	≤-47	0.26669	≤20	PASS
NTNV	11AC20MIMO	total	5720	1000~26000	---	---	---	0.53522	≤20	PASS
NTNV	11AC40MIMO	Ant1	5190	30~1000	853.53	-88.03	≤-54	0.00157	≤4	PASS
NTNV	11AC40MIMO	Ant2	5190	30~1000	977.69	-87.79	≤-54	0.00166	≤4	PASS
NTNV	11AC40MIMO	total	5190	30~1000	---	---	---	0.00323	≤4	PASS
NTNV	11AC40MIMO	Ant2	5190	1000~26000	25455.00	-66.28	≤-47	0.23550	≤20	PASS
NTNV	11AC40MIMO	Ant1	5190	1000~26000	25991.25	-65.93	≤-47	0.25527	≤20	PASS
NTNV	11AC40MIMO	total	5190	1000~26000	---	---	---	0.49077	≤20	PASS
NTNV	11AC40MIMO	Ant1	5230	30~1000	822.98	-88.07	≤-54	0.00156	≤4	PASS
NTNV	11AC40MIMO	Ant2	5230	30~1000	932.10	-87.78	≤-54	0.00167	≤4	PASS
NTNV	11AC40MIMO	total	5230	30~1000	---	---	---	0.00323	≤4	PASS
NTNV	11AC40MIMO	Ant1	5230	1000~26000	25961.25	-65.88	≤-47	0.25823	≤20	PASS
NTNV	11AC40MIMO	Ant2	5230	1000~26000	25992.50	-66.14	≤-47	0.24322	≤20	PASS
NTNV	11AC40MIMO	total	5230	1000~26000	---	---	---	0.50145	≤20	PASS
NTNV	11AC40MIMO	Ant2	5270	30~1000	787.57	-87.76	≤-54	0.00167	≤4	PASS
NTNV	11AC40MIMO	total	5270	30~1000	---	---	---	0.00325	≤4	PASS
NTNV	11AC40MIMO	Ant1	5270	30~1000	500.45	-88.01	≤-54	0.00158	≤4	PASS
NTNV	11AC40MIMO	Ant1	5270	1000~26000	25716.25	-66.05	≤-47	0.24831	≤20	PASS
NTNV	11AC40MIMO	Ant2	5270	1000~26000	25935.00	-66.12	≤-47	0.24434	≤20	PASS
NTNV	11AC40MIMO	total	5270	1000~26000	---	---	---	0.49265	≤20	PASS
NTNV	11AC40MIMO	Ant1	5310	30~1000	908.34	-88.16	≤-54	0.00153	≤4	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11AC40MIMO	Ant2	5310	30~1000	951.99	-88.31	≤-54	0.00148	≤4	PASS
NTNV	11AC40MIMO	total	5310	30~1000	---	---	---	0.00301	≤4	PASS
NTNV	11AC40MIMO	Ant1	5310	1000~26000	25931.25	-66.14	≤-47	0.24322	≤20	PASS
NTNV	11AC40MIMO	Ant2	5310	1000~26000	25968.75	-66.16	≤-47	0.24210	≤20	PASS
NTNV	11AC40MIMO	total	5310	1000~26000	---	---	---	0.48532	≤20	PASS
NTNV	11AC40MIMO	Ant1	5510	30~1000	499.97	-87.73	≤-54	0.00169	≤4	PASS
NTNV	11AC40MIMO	Ant2	5510	30~1000	861.29	-88.28	≤-54	0.00149	≤4	PASS
NTNV	11AC40MIMO	total	5510	30~1000	---	---	---	0.00318	≤4	PASS
NTNV	11AC40MIMO	Ant1	5510	1000~26000	25163.75	-65.78	≤-47	0.26424	≤20	PASS
NTNV	11AC40MIMO	Ant2	5510	1000~26000	25933.75	-66.00	≤-47	0.25119	≤20	PASS
NTNV	11AC40MIMO	total	5510	1000~26000	---	---	---	0.51543	≤20	PASS
NTNV	11AC40MIMO	Ant1	5550	30~1000	775.45	-88.05	≤-54	0.00157	≤4	PASS
NTNV	11AC40MIMO	Ant2	5550	30~1000	791.94	-87.82	≤-54	0.00165	≤4	PASS
NTNV	11AC40MIMO	total	5550	30~1000	---	---	---	0.00322	≤4	PASS
NTNV	11AC40MIMO	Ant2	5550	1000~26000	25970.00	-66.20	≤-47	0.23988	≤20	PASS
NTNV	11AC40MIMO	Ant1	5550	1000~26000	25985.00	-65.77	≤-47	0.26485	≤20	PASS
NTNV	11AC40MIMO	total	5550	1000~26000	---	---	---	0.50473	≤20	PASS
NTNV	11AC40MIMO	Ant1	5710	30~1000	834.62	-87.62	≤-54	0.00173	≤4	PASS
NTNV	11AC40MIMO	Ant2	5710	30~1000	933.56	-87.65	≤-54	0.00172	≤4	PASS
NTNV	11AC40MIMO	total	5710	30~1000	---	---	---	0.00345	≤4	PASS
NTNV	11AC40MIMO	Ant1	5710	1000~26000	25080.00	-65.82	≤-47	0.26182	≤20	PASS
NTNV	11AC40MIMO	Ant2	5710	1000~26000	24938.75	-66.18	≤-47	0.24099	≤20	PASS
NTNV	11AC40MIMO	total	5710	1000~26000	---	---	---	0.50281	≤20	PASS
NTNV	11AC80MIMO	Ant1	5210	30~1000	821.52	-87.29	≤-54	0.00187	≤4	PASS
NTNV	11AC80MIMO	Ant2	5210	30~1000	901.06	-87.79	≤-54	0.00166	≤4	PASS
NTNV	11AC80MIMO	total	5210	30~1000	---	---	---	0.00353	≤4	PASS
NTNV	11AC80MIMO	Ant1	5210	1000~26000	25620.00	-66.06	≤-47	0.24774	≤20	PASS
NTNV	11AC80MIMO	Ant2	5210	1000~26000	25136.25	-66.20	≤-47	0.23988	≤20	PASS
NTNV	11AC80MIMO	total	5210	1000~26000	---	---	---	0.48762	≤20	PASS
NTNV	11AC80MIMO	Ant1	5290	30~1000	958.29	-88.04	≤-54	0.00157	≤4	PASS
NTNV	11AC80MIMO	Ant2	5290	30~1000	828.80	-88.11	≤-54	0.00155	≤4	PASS
NTNV	11AC80MIMO	total	5290	30~1000	---	---	---	0.00312	≤4	PASS
NTNV	11AC80MIMO	Ant1	5290	1000~26000	25991.25	-66.11	≤-47	0.24491	≤20	PASS
NTNV	11AC80MIMO	Ant2	5290	1000~26000	24318.75	-65.95	≤-47	0.25410	≤20	PASS
NTNV	11AC80MIMO	total	5290	1000~26000	---	---	---	0.49901	≤20	PASS
NTNV	11AC80MIMO	Ant1	5530	30~1000	953.44	-87.72	≤-54	0.00169	≤4	PASS
NTNV	11AC80MIMO	Ant2	5530	30~1000	937.44	-87.84	≤-54	0.00164	≤4	PASS
NTNV	11AC80MIMO	total	5530	30~1000	---	---	---	0.00333	≤4	PASS
NTNV	11AC80MIMO	Ant2	5530	1000~26000	25963.75	-66.33	≤-47	0.23281	≤20	PASS
NTNV	11AC80MIMO	Ant1	5530	1000~26000	25118.75	-66.31	≤-47	0.23388	≤20	PASS
NTNV	11AC80MIMO	total	5530	1000~26000	---	---	---	0.46669	≤20	PASS
NTNV	11AC80MIMO	Ant1	5610	30~1000	916.58	-88.20	≤-54	0.00151	≤4	PASS
NTNV	11AC80MIMO	Ant2	5610	30~1000	963.14	-87.57	≤-54	0.00175	≤4	PASS
NTNV	11AC80MIMO	total	5610	30~1000	---	---	---	0.00326	≤4	PASS
NTNV	11AC80MIMO	Ant1	5610	1000~26000	25516.25	-65.88	≤-47	0.25823	≤20	PASS
NTNV	11AC80MIMO	Ant2	5610	1000~26000	25965.00	-66.14	≤-47	0.24322	≤20	PASS
NTNV	11AC80MIMO	total	5610	1000~26000	---	---	---	0.50145	≤20	PASS
NTNV	11AC80MIMO	Ant1	5690	30~1000	910.28	-88.08	≤-54	0.00156	≤4	PASS
NTNV	11AC80MIMO	Ant2	5690	30~1000	962.66	-87.92	≤-54	0.00161	≤4	PASS
NTNV	11AC80MIMO	total	5690	30~1000	---	---	---	0.00317	≤4	PASS
NTNV	11AC80MIMO	Ant1	5690	1000~26000	25993.75	-66.25	≤-47	0.23714	≤20	PASS
NTNV	11AC80MIMO	Ant2	5690	1000~26000	25970.00	-66.23	≤-47	0.23823	≤20	PASS
NTNV	11AC80MIMO	total	5690	1000~26000	---	---	---	0.47537	≤20	PASS
NTNV	11AX20MIMO	Ant1	5180	30~1000	896.21	-87.89	≤-54	0.00163	≤4	PASS
NTNV	11AX20MIMO	Ant2	5180	30~1000	918.04	-87.95	≤-54	0.00160	≤4	PASS
NTNV	11AX20MIMO	total	5180	30~1000	---	---	---	0.00323	≤4	PASS
NTNV	11AX20MIMO	Ant1	5180	1000~26000	25711.25	-66.22	≤-47	0.23878	≤20	PASS
NTNV	11AX20MIMO	Ant2	5180	1000~26000	25962.50	-65.98	≤-47	0.25235	≤20	PASS
NTNV	11AX20MIMO	total	5180	1000~26000	---	---	---	0.49113	≤20	PASS
NTNV	11AX20MIMO	Ant1	5220	30~1000	951.50	-87.55	≤-54	0.00176	≤4	PASS
NTNV	11AX20MIMO	Ant2	5220	30~1000	951.99	-87.53	≤-54	0.00177	≤4	PASS
NTNV	11AX20MIMO	total	5220	30~1000	---	---	---	0.00353	≤4	PASS
NTNV	11AX20MIMO	Ant1	5220	1000~26000	25998.75	-66.05	≤-47	0.24831	≤20	PASS
NTNV	11AX20MIMO	Ant2	5220	1000~26000	25977.50	-66.20	≤-47	0.23988	≤20	PASS
NTNV	11AX20MIMO	total	5220	1000~26000	---	---	---	0.48819	≤20	PASS
NTNV	11AX20MIMO	Ant1	5240	30~1000	975.75	-88.17	≤-54	0.00152	≤4	PASS
NTNV	11AX20MIMO	Ant2	5240	30~1000	888.45	-88.24	≤-54	0.00150	≤4	PASS
NTNV	11AX20MIMO	total	5240	30~1000	---	---	---	0.00302	≤4	PASS
NTNV	11AX20MIMO	Ant2	5240	1000~26000	25998.75	-66.15	≤-47	0.24266	≤20	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11AX20MIMO	Ant1	5240	1000~26000	25470.00	-66.18	≤-47	0.24099	≤20	PASS
NTNV	11AX20MIMO	total	5240	1000~26000	---	---	---	0.48365	≤20	PASS
NTNV	11AX20MIMO	Ant1	5260	30~1000	945.20	-87.81	≤-54	0.00166	≤4	PASS
NTNV	11AX20MIMO	Ant2	5260	30~1000	838.01	-88.00	≤-54	0.00158	≤4	PASS
NTNV	11AX20MIMO	total	5260	30~1000	---	---	---	0.00324	≤4	PASS
NTNV	11AX20MIMO	Ant1	5260	1000~26000	25463.75	-65.81	≤-47	0.26242	≤20	PASS
NTNV	11AX20MIMO	Ant2	5260	1000~26000	25542.50	-66.07	≤-47	0.24717	≤20	PASS
NTNV	11AX20MIMO	total	5260	1000~26000	---	---	---	0.50959	≤20	PASS
NTNV	11AX20MIMO	Ant1	5300	30~1000	817.64	-88.00	≤-54	0.00158	≤4	PASS
NTNV	11AX20MIMO	Ant2	5300	30~1000	405.88	-87.72	≤-54	0.00169	≤4	PASS
NTNV	11AX20MIMO	total	5300	30~1000	---	---	---	0.00327	≤4	PASS
NTNV	11AX20MIMO	Ant1	5300	1000~26000	25735.00	-66.37	≤-47	0.23067	≤20	PASS
NTNV	11AX20MIMO	Ant2	5300	1000~26000	25998.75	-65.23	≤-47	0.29992	≤20	PASS
NTNV	11AX20MIMO	total	5300	1000~26000	---	---	---	0.53059	≤20	PASS
NTNV	11AX20MIMO	Ant1	5320	30~1000	905.43	-87.83	≤-54	0.00165	≤4	PASS
NTNV	11AX20MIMO	Ant2	5320	30~1000	882.63	-88.27	≤-54	0.00149	≤4	PASS
NTNV	11AX20MIMO	total	5320	30~1000	---	---	---	0.00314	≤4	PASS
NTNV	11AX20MIMO	Ant1	5320	1000~26000	25156.25	-66.16	≤-47	0.24210	≤20	PASS
NTNV	11AX20MIMO	Ant2	5320	1000~26000	25007.50	-66.05	≤-47	0.24831	≤20	PASS
NTNV	11AX20MIMO	total	5320	1000~26000	---	---	---	0.49041	≤20	PASS
NTNV	11AX20MIMO	Ant1	5500	30~1000	919.01	-88.09	≤-54	0.00155	≤4	PASS
NTNV	11AX20MIMO	Ant2	5500	30~1000	799.21	-87.84	≤-54	0.00164	≤4	PASS
NTNV	11AX20MIMO	total	5500	30~1000	---	---	---	0.00319	≤4	PASS
NTNV	11AX20MIMO	Ant1	5500	1000~26000	24992.50	-66.00	≤-47	0.25119	≤20	PASS
NTNV	11AX20MIMO	Ant2	5500	1000~26000	25993.75	-66.09	≤-47	0.24604	≤20	PASS
NTNV	11AX20MIMO	total	5500	1000~26000	---	---	---	0.49723	≤20	PASS
NTNV	11AX20MIMO	Ant2	5600	30~1000	898.15	-88.21	≤-54	0.00151	≤4	PASS
NTNV	11AX20MIMO	total	5600	30~1000	---	---	---	0.00327	≤4	PASS
NTNV	11AX20MIMO	Ant1	5600	30~1000	974.30	-87.54	≤-54	0.00176	≤4	PASS
NTNV	11AX20MIMO	Ant2	5600	1000~26000	25515.00	-66.21	≤-47	0.23933	≤20	PASS
NTNV	11AX20MIMO	total	5600	1000~26000	---	---	---	0.50175	≤20	PASS
NTNV	11AX20MIMO	Ant1	5600	1000~26000	25991.25	-65.81	≤-47	0.26242	≤20	PASS
NTNV	11AX20MIMO	Ant2	5720	30~1000	949.08	-88.28	≤-54	0.00149	≤4	PASS
NTNV	11AX20MIMO	total	5720	30~1000	---	---	---	0.00309	≤4	PASS
NTNV	11AX20MIMO	Ant1	5720	30~1000	772.05	-87.96	≤-54	0.00160	≤4	PASS
NTNV	11AX20MIMO	Ant1	5720	1000~26000	25985.00	-65.76	≤-47	0.26546	≤20	PASS
NTNV	11AX20MIMO	Ant2	5720	1000~26000	25985.00	-65.79	≤-47	0.26363	≤20	PASS
NTNV	11AX20MIMO	total	5720	1000~26000	---	---	---	0.52909	≤20	PASS
NTNV	11AX40MIMO	Ant1	5190	30~1000	900.58	-87.97	≤-54	0.00160	≤4	PASS
NTNV	11AX40MIMO	Ant2	5190	30~1000	943.74	-88.15	≤-54	0.00153	≤4	PASS
NTNV	11AX40MIMO	total	5190	30~1000	---	---	---	0.00313	≤4	PASS
NTNV	11AX40MIMO	Ant1	5190	1000~26000	25992.50	-65.87	≤-47	0.25882	≤20	PASS
NTNV	11AX40MIMO	Ant2	5190	1000~26000	25113.75	-66.29	≤-47	0.23496	≤20	PASS
NTNV	11AX40MIMO	total	5190	1000~26000	---	---	---	0.49378	≤20	PASS
NTNV	11AX40MIMO	Ant1	5230	30~1000	946.17	-87.60	≤-54	0.00174	≤4	PASS
NTNV	11AX40MIMO	Ant2	5230	30~1000	997.09	-87.85	≤-54	0.00164	≤4	PASS
NTNV	11AX40MIMO	total	5230	30~1000	---	---	---	0.00338	≤4	PASS
NTNV	11AX40MIMO	Ant1	5230	1000~26000	25991.25	-65.65	≤-47	0.27227	≤20	PASS
NTNV	11AX40MIMO	Ant2	5230	1000~26000	25660.00	-66.23	≤-47	0.23823	≤20	PASS
NTNV	11AX40MIMO	total	5230	1000~26000	---	---	---	0.51050	≤20	PASS
NTNV	11AX40MIMO	Ant1	5270	30~1000	803.09	-88.17	≤-54	0.00152	≤4	PASS
NTNV	11AX40MIMO	Ant2	5270	30~1000	427.70	-87.77	≤-54	0.00167	≤4	PASS
NTNV	11AX40MIMO	total	5270	30~1000	---	---	---	0.00319	≤4	PASS
NTNV	11AX40MIMO	Ant2	5270	1000~26000	25991.25	-66.24	≤-47	0.23768	≤20	PASS
NTNV	11AX40MIMO	Ant1	5270	1000~26000	25997.50	-66.12	≤-47	0.24434	≤20	PASS
NTNV	11AX40MIMO	total	5270	1000~26000	---	---	---	0.48202	≤20	PASS
NTNV	11AX40MIMO	Ant1	5310	30~1000	888.45	-88.15	≤-54	0.00153	≤4	PASS
NTNV	11AX40MIMO	Ant2	5310	30~1000	777.87	-88.36	≤-54	0.00146	≤4	PASS
NTNV	11AX40MIMO	total	5310	30~1000	---	---	---	0.00299	≤4	PASS
NTNV	11AX40MIMO	Ant1	5310	1000~26000	25012.50	-66.32	≤-47	0.23335	≤20	PASS
NTNV	11AX40MIMO	Ant2	5310	1000~26000	25992.50	-65.89	≤-47	0.25763	≤20	PASS
NTNV	11AX40MIMO	total	5310	1000~26000	---	---	---	0.49098	≤20	PASS
NTNV	11AX40MIMO	Ant1	5510	30~1000	793.88	-88.41	≤-54	0.00144	≤4	PASS
NTNV	11AX40MIMO	total	5510	30~1000	---	---	---	0.00301	≤4	PASS
NTNV	11AX40MIMO	Ant2	5510	30~1000	889.42	-88.04	≤-54	0.00157	≤4	PASS
NTNV	11AX40MIMO	Ant1	5510	1000~26000	26000.00	-66.02	≤-47	0.25003	≤20	PASS
NTNV	11AX40MIMO	Ant2	5510	1000~26000	25601.25	-66.23	≤-47	0.23823	≤20	PASS
NTNV	11AX40MIMO	total	5510	1000~26000	---	---	---	0.48826	≤20	PASS
NTNV	11AX40MIMO	Ant1	5550	30~1000	913.67	-88.12	≤-54	0.00154	≤4	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

Test Condition	Test Mode	Antenna	Frequency [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11AX40MIMO	Ant2	5550	30~1000	814.25	-87.82	≤-54	0.00165	≤4	PASS
NTNV	11AX40MIMO	total	5550	30~1000	---	---	---	0.00319	≤4	PASS
NTNV	11AX40MIMO	Ant1	5550	1000~26000	25995.00	-66.29	≤-47	0.23496	≤20	PASS
NTNV	11AX40MIMO	Ant2	5550	1000~26000	25966.25	-66.11	≤-47	0.24491	≤20	PASS
NTNV	11AX40MIMO	total	5550	1000~26000	---	---	---	0.47987	≤20	PASS
NTNV	11AX40MIMO	Ant1	5710	30~1000	504.33	-88.26	≤-54	0.00149	≤4	PASS
NTNV	11AX40MIMO	Ant2	5710	30~1000	782.24	-88.28	≤-54	0.00149	≤4	PASS
NTNV	11AX40MIMO	total	5710	30~1000	---	---	---	0.00298	≤4	PASS
NTNV	11AX40MIMO	Ant2	5710	1000~26000	25160.00	-66.09	≤-47	0.24604	≤20	PASS
NTNV	11AX40MIMO	Ant1	5710	1000~26000	25970.00	-64.16	≤-47	0.38371	≤20	PASS
NTNV	11AX40MIMO	total	5710	1000~26000	---	---	---	0.62975	≤20	PASS
NTNV	11AX80MIMO	Ant1	5210	30~1000	743.92	-88.21	≤-54	0.00151	≤4	PASS
NTNV	11AX80MIMO	Ant2	5210	30~1000	876.81	-87.85	≤-54	0.00164	≤4	PASS
NTNV	11AX80MIMO	total	5210	30~1000	---	---	---	0.00315	≤4	PASS
NTNV	11AX80MIMO	Ant1	5210	1000~26000	25105.00	-66.15	≤-47	0.24266	≤20	PASS
NTNV	11AX80MIMO	Ant2	5210	1000~26000	25995.00	-65.96	≤-47	0.25351	≤20	PASS
NTNV	11AX80MIMO	total	5210	1000~26000	---	---	---	0.49617	≤20	PASS
NTNV	11AX80MIMO	Ant2	5290	30~1000	895.73	-87.71	≤-54	0.00169	≤4	PASS
NTNV	11AX80MIMO	total	5290	30~1000	---	---	---	0.00329	≤4	PASS
NTNV	11AX80MIMO	Ant1	5290	30~1000	935.50	-87.97	≤-54	0.00160	≤4	PASS
NTNV	11AX80MIMO	Ant1	5290	1000~26000	25982.50	-66.08	≤-47	0.24660	≤20	PASS
NTNV	11AX80MIMO	Ant2	5290	1000~26000	25988.75	-65.71	≤-47	0.26853	≤20	PASS
NTNV	11AX80MIMO	total	5290	1000~26000	---	---	---	0.51513	≤20	PASS
NTNV	11AX80MIMO	Ant1	5530	30~1000	833.65	-87.91	≤-54	0.00162	≤4	PASS
NTNV	11AX80MIMO	Ant2	5530	30~1000	904.46	-87.74	≤-54	0.00168	≤4	PASS
NTNV	11AX80MIMO	total	5530	30~1000	---	---	---	0.00330	≤4	PASS
NTNV	11AX80MIMO	Ant1	5530	1000~26000	25601.25	-66.01	≤-47	0.25061	≤20	PASS
NTNV	11AX80MIMO	Ant2	5530	1000~26000	25451.25	-66.32	≤-47	0.23335	≤20	PASS
NTNV	11AX80MIMO	total	5530	1000~26000	---	---	---	0.48396	≤20	PASS
NTNV	11AX80MIMO	Ant1	5610	30~1000	936.47	-88.06	≤-54	0.00156	≤4	PASS
NTNV	11AX80MIMO	total	5610	30~1000	---	---	---	0.00312	≤4	PASS
NTNV	11AX80MIMO	Ant2	5610	30~1000	886.03	-88.07	≤-54	0.00156	≤4	PASS
NTNV	11AX80MIMO	Ant1	5610	1000~26000	25032.50	-66.14	≤-47	0.24322	≤20	PASS
NTNV	11AX80MIMO	Ant2	5610	1000~26000	25035.00	-65.74	≤-47	0.26669	≤20	PASS
NTNV	11AX80MIMO	total	5610	1000~26000	---	---	---	0.50991	≤20	PASS
NTNV	11AX80MIMO	Ant1	5690	30~1000	917.55	-87.47	≤-54	0.00179	≤4	PASS
NTNV	11AX80MIMO	Ant2	5690	30~1000	838.50	-88.32	≤-54	0.00147	≤4	PASS
NTNV	11AX80MIMO	total	5690	30~1000	---	---	---	0.00326	≤4	PASS
NTNV	11AX80MIMO	Ant2	5690	1000~26000	25986.25	-65.91	≤-47	0.25645	≤20	PASS
NTNV	11AX80MIMO	Ant1	5690	1000~26000	25948.75	-66.01	≤-47	0.25061	≤20	PASS
NTNV	11AX80MIMO	total	5690	1000~26000	---	---	---	0.50706	≤20	PASS

Test Condition	Test Mode	Antenna	Frequency [MHz]	RuSize	RuIndex	Freq.Range [MHz]	Max Freq [MHz]	Result [dBm]	Limit [dBm]	Result [μW]	Limit [μW]	Verdict
NTNV	11AX40MIMO	Ant1	5190	242Tone	RU61	30~1000	950.53	-86.64	≤-54	0.00217	≤4	PASS
NTNV	11AX40MIMO	Ant2	5190	242Tone	RU61	30~1000	921.92	-86.63	≤-54	0.00217	≤4	PASS
NTNV	11AX40MIMO	total	5190	242Tone	RU61	30~1000	---	---	---	0.00434	≤4	PASS
NTNV	11AX40MIMO	Ant1	5190	242Tone	RU61	1000~26000	25798.75	-65.73	≤-47	0.26730	≤20	PASS
NTNV	11AX40MIMO	Ant2	5190	242Tone	RU61	1000~26000	25940.00	-65.47	≤-47	0.28379	≤20	PASS
NTNV	11AX40MIMO	total	5190	242Tone	RU61	1000~26000	---	---	---	0.55109	≤20	PASS
NTNV	11AX40MIMO	Ant1	5230	242Tone	RU62	30~1000	871.48	-86.61	≤-54	0.00218	≤4	PASS
NTNV	11AX40MIMO	Ant2	5230	242Tone	RU62	30~1000	997.58	-86.71	≤-54	0.00213	≤4	PASS
NTNV	11AX40MIMO	total	5230	242Tone	RU62	30~1000	---	---	---	0.00431	≤4	PASS
NTNV	11AX40MIMO	Ant1	5230	242Tone	RU62	1000~26000	25938.75	-65.91	≤-47	0.25645	≤20	PASS
NTNV	11AX40MIMO	Ant2	5230	242Tone	RU62	1000~26000	25783.75	-65.99	≤-47	0.25177	≤20	PASS
NTNV	11AX40MIMO	total	5230	242Tone	RU62	1000~26000	---	---	---	0.5082	≤20	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

	O			e		0			2		
NTNV	11AX40MIM O	Ant1	5270	242Ton e	RU61	30~1000	847.23	-86.8 5	≤-54	0.0020 7	≤4 PASS
NTNV	11AX40MIM O	Ant2	5270	242Ton e	RU61	30~1000	803.09	-86.7 4	≤-54	0.0021 2	≤4 PASS
NTNV	11AX40MIM O	total	5270	242Ton e	RU61	30~1000	---	---	---	0.0041 9	≤4 PASS
NTNV	11AX40MIM O	Ant1	5270	242Ton e	RU61	1000~2600 0	25945.0 0	-65.5 9	≤-47	0.2760 6	≤20 PASS
NTNV	11AX40MIM O	Ant2	5270	242Ton e	RU61	1000~2600 0	25940.0 0	-65.7 9	≤-47	0.2636 3	≤20 PASS
NTNV	11AX40MIM O	total	5270	242Ton e	RU61	1000~2600 0	---	---	---	0.5396 9	≤20 PASS
NTNV	11AX40MIM O	Ant1	5310	242Ton e	RU62	30~1000	748.29	-86.5 5	≤-54	0.0022 1	≤4 PASS
NTNV	11AX40MIM O	Ant2	5310	242Ton e	RU62	30~1000	886.51	-86.5 5	≤-54	0.0022 1	≤4 PASS
NTNV	11AX40MIM O	total	5310	242Ton e	RU62	30~1000	---	---	---	0.0044 2	≤4 PASS
NTNV	11AX40MIM O	Ant1	5310	242Ton e	RU62	1000~2600 0	25770.0 0	-65.1 3	≤-47	0.3069 0	≤20 PASS
NTNV	11AX40MIM O	Ant2	5310	242Ton e	RU62	1000~2600 0	25978.7 5	-65.0 1	≤-47	0.3155 0	≤20 PASS
NTNV	11AX40MIM O	total	5310	242Ton e	RU62	1000~2600 0	---	---	---	0.6224 0	≤20 PASS
NTNV	11AX40MIM O	Ant1	5510	242Ton e	RU61	30~1000	764.29	-85.7 6	≤-54	0.0026 5	≤4 PASS
NTNV	11AX40MIM O	Ant2	5510	242Ton e	RU61	30~1000	709.49	-85.7 9	≤-54	0.0026 4	≤4 PASS
NTNV	11AX40MIM O	total	5510	242Ton e	RU61	30~1000	---	---	---	0.0052 9	≤4 PASS
NTNV	11AX40MIM O	Ant1	5510	242Ton e	RU61	1000~2600 0	25993.7 5	-65.1 7	≤-47	0.3040 9	≤20 PASS
NTNV	11AX40MIM O	Ant2	5510	242Ton e	RU61	1000~2600 0	25602.5 0	-65.6 1	≤-47	0.2747 9	≤20 PASS
NTNV	11AX40MIM O	total	5510	242Ton e	RU61	1000~2600 0	---	---	---	0.5788 8	≤20 PASS
NTNV	11AX40MIM O	Ant1	5550	242Ton e	RU62	30~1000	912.70	-85.2 6	≤-54	0.0029 8	≤4 PASS
NTNV	11AX40MIM O	Ant2	5550	242Ton e	RU62	30~1000	855.96	-86.1 2	≤-54	0.0024 4	≤4 PASS
NTNV	11AX40MIM O	total	5550	242Ton e	RU62	30~1000	---	---	---	0.0054 2	≤4 PASS
NTNV	11AX40MIM O	Ant1	5550	242Ton e	RU62	1000~2600 0	25942.5 0	-65.5 9	≤-47	0.2760 6	≤20 PASS
NTNV	11AX40MIM O	Ant2	5550	242Ton e	RU62	1000~2600 0	25730.0 0	-65.6 8	≤-47	0.2704 0	≤20 PASS
NTNV	11AX40MIM O	total	5550	242Ton e	RU62	1000~2600 0	---	---	---	0.5464 6	≤20 PASS
NTNV	11AX40MIM O	Ant1	5670	242Ton e	RU61	30~1000	916.10	-86.6 8	≤-54	0.0021 5	≤4 PASS
NTNV	11AX40MIM O	Ant2	5670	242Ton e	RU61	30~1000	880.69	-86.6 6	≤-54	0.0021 6	≤4 PASS
NTNV	11AX40MIM O	total	5670	242Ton e	RU61	30~1000	---	---	---	0.0043 1	≤4 PASS
NTNV	11AX40MIM O	Ant1	5670	242Ton e	RU61	1000~2600 0	25936.2 5	-65.5 3	≤-47	0.2799 0	≤20 PASS
NTNV	11AX40MIM O	Ant2	5670	242Ton e	RU61	1000~2600 0	25976.2 5	-65.6 9	≤-47	0.2697 7	≤20 PASS
NTNV	11AX40MIM O	total	5670	242Ton e	RU61	1000~2600 0	---	---	---	0.5496 7	≤20 PASS
NTNV	11AX40MIM O	Ant1	5710	242Ton e	RU62	30~1000	799.21	-86.5 6	≤-54	0.0022 1	≤4 PASS
NTNV	11AX40MIM O	Ant2	5710	242Ton e	RU62	30~1000	735.68	-86.3 7	≤-54	0.0023 1	≤4 PASS
NTNV	11AX40MIM O	total	5710	242Ton e	RU62	30~1000	---	---	---	0.0045 2	≤4 PASS
NTNV	11AX40MIM O	Ant1	5710	242Ton e	RU62	1000~2600 0	25762.5 0	-65.1 3	≤-47	0.3069 0	≤20 PASS
NTNV	11AX40MIM O	Ant2	5710	242Ton e	RU62	1000~2600 0	25951.2 5	-65.4 8	≤-47	0.2831 4	≤20 PASS
NTNV	11AX40MIM O	total	5710	242Ton e	RU62	1000~2600 0	---	---	---	0.5900 4	≤20 PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

NTNV	11AX80MIM O	Ant1	5210	242Ton e	RU61	30~1000	873.90	-86.8 8	≤-54	0.0020 5	≤4	PASS
NTNV	11AX80MIM O	Ant2	5210	242Ton e	RU61	30~1000	880.21	-86.5 9	≤-54	0.0021 9	≤4	PASS
NTNV	11AX80MIM O	total	5210	242Ton e	RU61	30~1000	---	---	---	0.0042 4	≤4	PASS
NTNV	11AX80MIM O	Ant1	5210	484Ton e	RU65	30~1000	895.73	-86.7 5	≤-54	0.0021 1	≤4	PASS
NTNV	11AX80MIM O	Ant2	5210	484Ton e	RU65	30~1000	889.91	-86.7 1	≤-54	0.0021 3	≤4	PASS
NTNV	11AX80MIM O	total	5210	484Ton e	RU65	30~1000	---	---	---	0.0042 4	≤4	PASS
NTNV	11AX80MIM O	Ant1	5210	242Ton e	RU61	1000~2600 0	25998.7 5	-66.3 7	≤-47	0.2306 7	≤20	PASS
NTNV	11AX80MIM O	Ant2	5210	242Ton e	RU61	1000~2600 0	25991.2 5	-66.1 8	≤-47	0.2409 9	≤20	PASS
NTNV	11AX80MIM O	total	5210	242Ton e	RU61	1000~2600 0	---	---	---	0.4716 6	≤20	PASS
NTNV	11AX80MIM O	Ant1	5210	484Ton e	RU65	1000~2600 0	25990.0 0	-65.9 2	≤-47	0.2558 6	≤20	PASS
NTNV	11AX80MIM O	Ant2	5210	484Ton e	RU65	1000~2600 0	25948.7 5	-65.9 3	≤-47	0.2552 7	≤20	PASS
NTNV	11AX80MIM O	total	5210	484Ton e	RU65	1000~2600 0	---	---	---	0.5111 3	≤20	PASS
NTNV	11AX80MIM O	Ant1	5290	242Ton e	RU64	30~1000	853.53	-86.5 8	≤-54	0.0022 0	≤4	PASS
NTNV	11AX80MIM O	Ant2	5290	242Ton e	RU64	30~1000	708.52	-86.3 5	≤-54	0.0023 2	≤4	PASS
NTNV	11AX80MIM O	total	5290	242Ton e	RU64	30~1000	---	---	---	0.0045 2	≤4	PASS
NTNV	11AX80MIM O	Ant1	5290	484Ton e	RU66	30~1000	863.23	-86.6 1	≤-54	0.0021 8	≤4	PASS
NTNV	11AX80MIM O	Ant2	5290	484Ton e	RU66	30~1000	848.68	-86.3 2	≤-54	0.0023 3	≤4	PASS
NTNV	11AX80MIM O	total	5290	484Ton e	RU66	30~1000	---	---	---	0.0045 1	≤4	PASS
NTNV	11AX80MIM O	Ant1	5290	242Ton e	RU64	1000~2600 0	25947.5 0	-65.9 3	≤-47	0.2552 7	≤20	PASS
NTNV	11AX80MIM O	Ant2	5290	242Ton e	RU64	1000~2600 0	25991.2 5	-65.9 5	≤-47	0.2541 0	≤20	PASS
NTNV	11AX80MIM O	total	5290	242Ton e	RU64	1000~2600 0	---	---	---	0.5093 7	≤20	PASS
NTNV	11AX80MIM O	Ant1	5290	484Ton e	RU66	1000~2600 0	25847.5 0	-65.8 4	≤-47	0.2606 2	≤20	PASS
NTNV	11AX80MIM O	Ant2	5290	484Ton e	RU66	1000~2600 0	25986.2 5	-65.8 0	≤-47	0.2630 3	≤20	PASS
NTNV	11AX80MIM O	total	5290	484Ton e	RU66	1000~2600 0	---	---	---	0.5236 5	≤20	PASS
NTNV	11AX80MIM O	Ant1	5530	242Ton e	RU61	30~1000	838.98	-86.1 4	≤-54	0.0024 3	≤4	PASS
NTNV	11AX80MIM O	Ant2	5530	242Ton e	RU61	30~1000	846.74	-86.2 8	≤-54	0.0023 6	≤4	PASS
NTNV	11AX80MIM O	total	5530	242Ton e	RU61	30~1000	---	---	---	0.0047 9	≤4	PASS
NTNV	11AX80MIM O	Ant1	5530	484Ton e	RU65	30~1000	958.78	-86.1 5	≤-54	0.0024 3	≤4	PASS
NTNV	11AX80MIM O	Ant2	5530	484Ton e	RU65	30~1000	799.70	-85.9 2	≤-54	0.0025 6	≤4	PASS
NTNV	11AX80MIM O	total	5530	484Ton e	RU65	30~1000	---	---	---	0.0049 9	≤4	PASS
NTNV	11AX80MIM O	Ant1	5530	242Ton e	RU61	1000~2600 0	25868.7 5	-65.2 1	≤-47	0.3013 0	≤20	PASS
NTNV	11AX80MIM O	Ant2	5530	242Ton e	RU61	1000~2600 0	25932.5 0	-65.1 4	≤-47	0.3062 0	≤20	PASS
NTNV	11AX80MIM O	total	5530	242Ton e	RU61	1000~2600 0	---	---	---	0.6075 0	≤20	PASS
NTNV	11AX80MIM O	Ant1	5530	484Ton e	RU65	1000~2600 0	25902.5 0	-65.3 9	≤-47	0.2890 7	≤20	PASS
NTNV	11AX80MIM O	Ant2	5530	484Ton e	RU65	1000~2600 0	25702.5 0	-65.5 7	≤-47	0.2773 3	≤20	PASS
NTNV	11AX80MIM O	total	5530	484Ton e	RU65	1000~2600 0	---	---	---	0.5664 0	≤20	PASS
NTNV	11AX80MIM	Ant1	5610	242Ton	RU64	30~1000	762.35	-86.4	≤-54	0.0022	≤4	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STD71-V1.1

	O			e				3		8		
NTNV	11AX80MIM O	Ant2	5610	242Ton e	RU64	30~1000	882.63	-86.2 3	≤-54	0.0023 8	≤4	PASS
NTNV	11AX80MIM O	total	5610	242Ton e	RU64	30~1000	---	---	---	0.0046 6	≤4	PASS
NTNV	11AX80MIM O	Ant1	5610	484Ton e	RU66	30~1000	743.92	-86.2 4	≤-54	0.0023 8	≤4	PASS
NTNV	11AX80MIM O	Ant2	5610	484Ton e	RU66	30~1000	844.80	-85.9 5	≤-54	0.0025 4	≤4	PASS
NTNV	11AX80MIM O	total	5610	484Ton e	RU66	30~1000	---	---	---	0.0049 2	≤4	PASS
NTNV	11AX80MIM O	Ant1	5610	242Ton e	RU64	1000~2600 0	25712.5 0	-65.6 8	≤-47	0.2704 0	≤20	PASS
NTNV	11AX80MIM O	Ant2	5610	242Ton e	RU64	1000~2600 0	25977.5 0	-65.3 7	≤-47	0.2904 0	≤20	PASS
NTNV	11AX80MIM O	total	5610	242Ton e	RU64	1000~2600 0	---	---	---	0.5608 0	≤20	PASS
NTNV	11AX80MIM O	Ant1	5610	484Ton e	RU66	1000~2600 0	25627.5 0	-65.7 2	≤-47	0.2679 2	≤20	PASS
NTNV	11AX80MIM O	Ant2	5610	484Ton e	RU66	1000~2600 0	25727.5 0	-65.6 3	≤-47	0.2735 3	≤20	PASS
NTNV	11AX80MIM O	total	5610	484Ton e	RU66	1000~2600 0	---	---	---	0.5414 5	≤20	PASS
NTNV	11AX80MIM O	Ant1	5690	242Ton e	RU61	30~1000	993.70	-86.3 2	≤-54	0.0023 3	≤4	PASS
NTNV	11AX80MIM O	Ant2	5690	242Ton e	RU61	30~1000	843.83	-85.8 0	≤-54	0.0026 3	≤4	PASS
NTNV	11AX80MIM O	total	5690	242Ton e	RU61	30~1000	---	---	---	0.0049 6	≤4	PASS
NTNV	11AX80MIM O	Ant1	5690	484Ton e	RU65	30~1000	871.48	-86.1 6	≤-54	0.0024 2	≤4	PASS
NTNV	11AX80MIM O	Ant2	5690	484Ton e	RU65	30~1000	836.56	-86.2 0	≤-54	0.0024 0	≤4	PASS
NTNV	11AX80MIM O	total	5690	484Ton e	RU65	30~1000	---	---	---	0.0048 2	≤4	PASS
NTNV	11AX80MIM O	Ant1	5690	242Ton e	RU61	1000~2600 0	25937.5 0	-65.5 5	≤-47	0.2786 1	≤20	PASS
NTNV	11AX80MIM O	Ant2	5690	242Ton e	RU61	1000~2600 0	25953.7 5	-65.4 4	≤-47	0.2857 6	≤20	PASS
NTNV	11AX80MIM O	total	5690	242Ton e	RU61	1000~2600 0	---	---	---	0.5643 7	≤20	PASS
NTNV	11AX80MIM O	Ant1	5690	484Ton e	RU65	1000~2600 0	25598.7 5	-65.8 6	≤-47	0.2594 2	≤20	PASS
NTNV	11AX80MIM O	Ant2	5690	484Ton e	RU65	1000~2600 0	25957.5 0	-65.6 2	≤-47	0.2741 6	≤20	PASS
NTNV	11AX80MIM O	total	5690	484Ton e	RU65	1000~2600 0	---	---	---	0.5335 8	≤20	PASS

Test Graphs



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

UTTR-RF-STDT71-V1.1

<http://www.uttlab.com>

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**


Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**


Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**


Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**


Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**


Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1

**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**


Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China


Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1



**Shenzhen UnionTrust Quality and Technology Co., Ltd.**

Address: 16/F, Block A, Building 6th, Baoneng Science and Technology Park, Longhua Street, Longhua District, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-STDT71-V1.1

