






NTNV-11AC20SISO-Ant1-5320-PASS



NTNV-11AC20SISO-Ant2-5320-PASS




NTNV-11AC20SISO-Ant3-5320-PASS



NTNV-11AC40SISO-Ant1-5270-PASS




NTNV-11AC40SISO-Ant2-5270-PASS




NTNV-11AC40SISO-Ant3-5270-PASS




NTNV-11AC40SISO-Ant1-5310-PASS




NTNV-11AC40SISO-Ant2-5310-PASS




NTNV-11AC40SISO-Ant3-5310-PASS



NTNV-11AC80SISO-Ant1-5290-PASS



NTNV-11AC80SISO-Ant2-5290-PASS



NTNV-11AC80SISO-Ant3-5290-PASS




NTNV-11AC160SISO-Ant1-5250-PASS



NTNV-11AC160SISO-Ant2-5250-PASS




NTNV-11AC160SISO-Ant3-5250-PASS




NTNV-11AX20SISO-Ant1-5260-PASS




NTNV-11AX20SISO-Ant2-5260-PASS




NTNV-11AX20SISO-Ant3-5260-PASS




NTNV-11AX20SISO-Ant1-5300-PASS



NTNV-11AX20SISO-Ant2-5300-PASS



NTNV-11AX20SISO-Ant3-5300-PASS




03:30:41 PM 03/21/2026

NTNV-11AX20ISO-Ant1-5320-PASS



04:24:38 PM 03/21/2026

NTNV-11AX20ISO-Ant2-5320-PASS



05:18:32 PM 03/21/2026

NTNV-11AX20ISO-Ant3-5320-PASS



03:32:38 PM 03/21/2026

NTNV-11AX40ISO-Ant1-5270-PASS



04:30:38 PM 03/21/2026

NTNV-11AX40ISO-Ant2-5270-PASS



NTNV-11AX40SISO-Ant3-5270-PASS




NTNV-11AX40SISO-Ant1-5310-PASS



NTNV-11AX40SISO-Ant2-5310-PASS



NTNV-11AX40SISO-Ant3-5310-PASS



NTNV-11AX80SISO-Ant1-5290-PASS




NTNV-11AX80SISO-Ant2-5290-PASS



NTNV-11AX80SISO-Ant3-5290-PASS



NTNV-11AX160SISO-Ant1-5250-PASS



NTNV-11AX160SISO-Ant3-5250-PASS



NTNV-11AX160SISO-Ant2-5250-PASS


Appendix D: Spread Bandwidth


Test Result

Test Condition	TestMode	Antenna	Frequency[MHz]	Result [MHz]	Limit [MHz]	Verdict
NTNV	11A	Ant1	5260	14.437	≥0.5	PASS
NTNV	11A	Ant2	5260	14.428	≥0.5	PASS
NTNV	11A	Ant3	5260	14.477	≥0.5	PASS
NTNV	11A	Ant1	5300	14.456	≥0.5	PASS
NTNV	11A	Ant2	5300	14.433	≥0.5	PASS
NTNV	11A	Ant3	5300	14.469	≥0.5	PASS
NTNV	11A	Ant1	5320	14.495	≥0.5	PASS
NTNV	11A	Ant2	5320	14.483	≥0.5	PASS
NTNV	11A	Ant3	5320	14.471	≥0.5	PASS
NTNV	11N20SISO	Ant1	5260	15.551	≥0.5	PASS
NTNV	11N20SISO	Ant2	5260	15.518	≥0.5	PASS
NTNV	11N20SISO	Ant3	5260	15.544	≥0.5	PASS
NTNV	11N20SISO	Ant1	5300	15.555	≥0.5	PASS
NTNV	11N20SISO	Ant2	5300	15.547	≥0.5	PASS
NTNV	11N20SISO	Ant3	5300	15.563	≥0.5	PASS
NTNV	11N20SISO	Ant1	5320	15.596	≥0.5	PASS
NTNV	11N20SISO	Ant2	5320	15.566	≥0.5	PASS
NTNV	11N20SISO	Ant3	5320	15.573	≥0.5	PASS
NTNV	11N40SISO	Ant1	5270	30.955	≥0.5	PASS
NTNV	11N40SISO	Ant2	5270	30.955	≥0.5	PASS
NTNV	11N40SISO	Ant3	5270	30.975	≥0.5	PASS
NTNV	11N40SISO	Ant1	5310	31.080	≥0.5	PASS
NTNV	11N40SISO	Ant2	5310	31.214	≥0.5	PASS
NTNV	11N40SISO	Ant3	5310	31.090	≥0.5	PASS
NTNV	11AC20SISO	Ant1	5260	15.595	≥0.5	PASS
NTNV	11AC20SISO	Ant2	5260	15.566	≥0.5	PASS
NTNV	11AC20SISO	Ant3	5260	15.531	≥0.5	PASS
NTNV	11AC20SISO	Ant1	5300	15.511	≥0.5	PASS
NTNV	11AC20SISO	Ant2	5300	15.533	≥0.5	PASS
NTNV	11AC20SISO	Ant3	5300	15.579	≥0.5	PASS
NTNV	11AC20SISO	Ant1	5320	15.584	≥0.5	PASS
NTNV	11AC20SISO	Ant2	5320	15.596	≥0.5	PASS
NTNV	11AC20SISO	Ant3	5320	15.631	≥0.5	PASS
NTNV	11AC40SISO	Ant1	5270	31.079	≥0.5	PASS
NTNV	11AC40SISO	Ant2	5270	31.172	≥0.5	PASS


NTNV	11AC40SISO	Ant3	5270	30.847	≥0.5	PASS
NTNV	11AC40SISO	Ant1	5310	31.027	≥0.5	PASS
NTNV	11AC40SISO	Ant2	5310	31.048	≥0.5	PASS
NTNV	11AC40SISO	Ant3	5310	31.039	≥0.5	PASS
NTNV	11AC80SISO	Ant1	5290	64.947	≥0.5	PASS
NTNV	11AC80SISO	Ant2	5290	65.329	≥0.5	PASS
NTNV	11AC80SISO	Ant3	5290	64.825	≥0.5	PASS
NTNV	11AC160SISO	Ant1	5250	129.150	≥0.5	PASS
NTNV	11AC160SISO	Ant2	5250	135.110	≥0.5	PASS
NTNV	11AC160SISO	Ant3	5250	129.670	≥0.5	PASS
NTNV	11AX20SISO	Ant1	5260	16.790	≥0.5	PASS
NTNV	11AX20SISO	Ant2	5260	16.750	≥0.5	PASS
NTNV	11AX20SISO	Ant3	5260	16.739	≥0.5	PASS
NTNV	11AX20SISO	Ant1	5300	16.723	≥0.5	PASS
NTNV	11AX20SISO	Ant2	5300	16.669	≥0.5	PASS
NTNV	11AX20SISO	Ant3	5300	16.734	≥0.5	PASS
NTNV	11AX20SISO	Ant1	5320	16.875	≥0.5	PASS
NTNV	11AX20SISO	Ant2	5320	16.703	≥0.5	PASS
NTNV	11AX20SISO	Ant3	5320	16.740	≥0.5	PASS
NTNV	11AX40SISO	Ant1	5270	32.225	≥0.5	PASS
NTNV	11AX40SISO	Ant2	5270	32.393	≥0.5	PASS
NTNV	11AX40SISO	Ant3	5270	32.277	≥0.5	PASS
NTNV	11AX40SISO	Ant1	5310	32.271	≥0.5	PASS
NTNV	11AX40SISO	Ant2	5310	32.363	≥0.5	PASS
NTNV	11AX40SISO	Ant3	5310	32.279	≥0.5	PASS
NTNV	11AX80SISO	Ant1	5290	65.905	≥0.5	PASS
NTNV	11AX80SISO	Ant2	5290	59.830	≥0.5	PASS
NTNV	11AX80SISO	Ant3	5290	66.350	≥0.5	PASS
NTNV	11AX160SISO	Ant1	5250	130.380	≥0.5	PASS
NTNV	11AX160SISO	Ant3	5250	131.470	≥0.5	PASS
NTNV	11AX160SISO	Ant2	5250	136.180	≥0.5	PASS

Test Graphs






NTNV-11A-Ant1-5320-PASS




NTNV-11A-Ant2-5320-PASS




NTNV-11A-Ant3-5320-PASS




NTNV-11N20SISO-Ant1-5260-PASS



NTNV-11N20SISO-Ant2-5260-PASS




NTNV-11N20SISO-Ant3-5260-PASS




NTNV-11N20SISO-Ant1-5300-PASS




NTNV-11N20SISO-Ant2-5300-PASS




NTNV-11N20SISO-Ant3-5300-PASS




NTNV-11N20SISO-Ant1-5320-PASS



NTNV-11N20SISO-Ant2-5320-PASS




NTNV-11N20SISO-Ant3-5320-PASS



NTNV-11N40SISO-Ant1-5270-PASS




NTNV-11N40SISO-Ant2-5270-PASS




NTNV-11N40SISO-Ant3-5270-PASS




NTNV-11N40SISO-Ant1-5310-PASS




NTNV-11N40SISO-Ant2-5310-PASS




NTNV-11N40SISO-Ant3-5310-PASS




NTNV-11AC20SISO-Ant1-5260-PASS




NTNV-11AC20SISO-Ant2-5260-PASS




NTNV-11AC20SISO-Ant3-5260-PASS




NTNV-11AC20SISO-Ant1-5300-PASS




NTNV-11AC20SISO-Ant2-5300-PASS




NTNV-11AC20SISO-Ant3-5300-PASS



NTNV-11AC20SISO-Ant1-5320-PASS




NTNV-11AC20SISO-Ant2-5320-PASS



NTNV-11AC20SISO-Ant3-5320-PASS



NTNV-11AC40SISO-Ant1-5270-PASS



NTNV-11AC40SISO-Ant2-5270-PASS



NTNV-11AC40SISO-Ant3-5270-PASS



NTNV-11AC40SISO-Ant1-5310-PASS




NTNV-11AC40SISO-Ant2-5310-PASS



NTNV-11AC40SISO-Ant3-5310-PASS




NTNV-11AC80SISO-Ant1-5290-PASS



NTNV-11AC80SISO-Ant2-5290-PASS



NTNV-11AC80SISO-Ant3-5290-PASS




NTNV-11AC160SISO-Ant1-5250-PASS




NTNV-11AC160SISO-Ant2-5250-PASS




NTNV-11AC160SISO-Ant3-5250-PASS




NTNV-11AX20SISO-Ant1-5260-PASS



NTNV-11AX20SISO-Ant2-5260-PASS




NTNV-11AX20SISO-Ant3-5260-PASS




NTNV-11AX20SISO-Ant1-5300-PASS




NTNV-11AX20SISO-Ant2-5300-PASS




NTNV-11AX20SISO-Ant3-5300-PASS



NTNV-11AX20SISO-Ant1-5320-PASS



NTNV-11AX20SISO-Ant2-5320-PASS



NTNV-11AX20SISO-Ant3-5320-PASS



NTNV-11AX40SISO-Ant1-5270-PASS




NTNV-11AX40SISO-Ant2-5270-PASS



NTNV-11AX40SISO-Ant3-5270-PASS



NTNV-11AX40SISO-Ant1-5310-PASS



NTNV-11AX40SISO-Ant2-5310-PASS



NTNV-11AX40SISO-Ant3-5310-PASS



NTNV-11AX80SISO-Ant1-5290-PASS




NTNV-11AX80SISO-Ant2-5290-PASS



NTNV-11AX80SISO-Ant3-5290-PASS



NTNV-11AX160SISO-Ant1-5250-PASS



NTNV-11AX160SISO-Ant3-5250-PASS



NTNV-11AX160SISO-Ant2-5250-PASS

Appendix E: Unwanted Emission Strength

Test Result

TestCondition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP[dBm/MHz]	Result [μW/MHz]	Limit [μW/MHz]	Verdict
NTNV	11A	Ant1	5260	30~5233.3	5232.26	-33.15	-28.15	1.53109	≤2.5	See table below
NTNV	11A	Ant2	5260	30~5233.3	5232.26	-36.30	-32.30	0.58884	≤2.5	PASS
NTNV	11A	Ant3	5260	30~5233.3	5231.22	-35.45	-30.45	0.90157	≤2.5	PASS
NTNV	11A	Ant1	5260	5233.3~5240	5235.97	-23.91	-18.91	12.85287	≤5.2	See table below
NTNV	11A	Ant2	5260	5233.3~5240	5234.08	-29.14	-25.14	3.06196	≤3.1	See table below
NTNV	11A	Ant3	5260	5233.3~5240	5233.81	-25.52	-20.52	8.87156	≤2.9	See table below
NTNV	11A	Ant1	5260	5240~5249	5248.91	-15.39	-10.39	91.41132	≤98.2	See table below
NTNV	11A	Ant2	5260	5240~5249	5249	-14.39	-10.39	91.41132	≤100.0	See table below
NTNV	11A	Ant3	5260	5240~5249	5248.97	-15.08	-10.08	98.17479	≤99.4	See table below
NTNV	11A	Ant1	5260	5249~5250	5249.08	-13.93	-8.93	127.93813	≤120.2	See table below
NTNV	11A	Ant2	5260	5249~5250	5249	-13.68	-9.68	107.64652	≤100.0	See table below
NTNV	11A	Ant3	5260	5249~5250	5249.05	-14.62	-9.62	109.14403	≤112.2	See table below
NTNV	11A	Ant1	5260	5350~26000	21547.17	-44.64	-39.64	0.10864	≤2.5	PASS

NTNV	11A	Ant2	5260	5350~26000	21529.9 6	-44.42	-40.42	0.090 78	≤2.5	PASS
NTNV	11A	Ant3	5260	5350~26000	21954.6 7	-44.64	-39.64	0.108 64	≤2.5	PASS
NTNV	11A	Ant1	5300	30~5233.3	5224.97	-42.22	-37.22	0.189 67	≤2.5	PASS
NTNV	11A	Ant2	5300	30~5233.3	5220.29	-45.03	-41.03	0.078 89	≤2.5	PASS
NTNV	11A	Ant3	5300	30~5233.3	5220.81	-44.08	-39.08	0.123 59	≤2.5	PASS
NTNV	11A	Ant1	5300	5233.3~5240	5233.69	-30.47	-25.47	2.837 92	≤2.8	See table below
NTNV	11A	Ant2	5300	5233.3~5240	5233.3	-31.31	-27.31	1.857 80	≤2.5	See table below
NTNV	11A	Ant3	5300	5233.3~5240	5233.49	-29.99	-24.99	3.169 57	≤2.6	See table below
NTNV	11A	Ant1	5300	5240~5249	5240.68	-31.07	-26.07	2.471 72	≤18.2	PASS
NTNV	11A	Ant2	5300	5240~5249	5240.48	-31.07	-27.07	1.963 36	≤17.5	PASS
NTNV	11A	Ant3	5300	5240~5249	5240.09	-31.00	-26.00	2.511 89	≤16.1	PASS
NTNV	11A	Ant1	5300	5249~5250	5249.01	-31.62	-26.62	2.177 71	≤102. 3	PASS
NTNV	11A	Ant2	5300	5249~5250	5249.00	-31.35	-27.35	1.840 77	≤100. 0	PASS
NTNV	11A	Ant3	5300	5249~5250	5249.02	-30.15	-25.15	3.054 92	≤104. 7	PASS
NTNV	11A	Ant1	5300	5350~26000	21963.6 1	-44.83	-39.83	0.103 99	≤2.5	PASS
NTNV	11A	Ant2	5300	5350~26000	18771.1 2	-44.11	-40.11	0.097 50	≤2.5	PASS
NTNV	11A	Ant3	5300	5350~26000	22070.3 1	-44.69	-39.69	0.107 40	≤2.5	PASS
NTNV	11A	Ant1	5320	30~5233.3	5168.78	-44.26	-39.26	0.118 58	≤2.5	PASS
NTNV	11A	Ant2	5320	30~5233.3	5209.36	-47.77	-43.77	0.041 98	≤2.5	PASS
NTNV	11A	Ant3	5320	30~5233.3	5200.00	-44.68	-39.68	0.107 65	≤2.5	PASS

NTNV	11A	Ant1	5320	5233.3~5240	5233.86	-30.70	-25.70	2.691 53	≤2.9	See table below
NTNV	11A	Ant2	5320	5233.3~5240	5233.31	-30.84	-26.84	2.070 14	≤2.5	See table below
NTNV	11A	Ant3	5320	5233.3~5240	5233.46	-30.70	-25.70	2.691 53	≤2.6	See table below
NTNV	11A	Ant1	5320	5240~5249	5240.28	-31.04	-26.04	2.488 86	≤16.8	PASS
NTNV	11A	Ant2	5320	5240~5249	5240.50	-30.75	-26.75	2.113 49	≤17.6	PASS
NTNV	11A	Ant3	5320	5240~5249	5240.15	-31.26	-26.26	2.365 92	≤16.3	PASS
NTNV	11A	Ant1	5320	5249~5250	5249.02	-30.89	-25.89	2.576 32	≤104. 7	PASS
NTNV	11A	Ant2	5320	5249~5250	5249.00	-31.86	-27.86	1.636 82	≤100. 0	PASS
NTNV	11A	Ant3	5320	5249~5250	5249.03	-30.34	-25.34	2.924 15	≤107. 2	PASS
NTNV	11A	Ant1	5320	5350~26000	5353.44	-44.48	-39.48	0.112 72	≤2.5	PASS
NTNV	11A	Ant2	5320	5350~26000	21946.4 1	-45.03	-41.03	0.078 89	≤2.5	PASS
NTNV	11A	Ant3	5320	5350~26000	5352.07	-44.09	-39.09	0.123 31	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5260	30~5233.3	5233.3	-33.57	-28.57	1.389 95	≤2.5	See table below
NTNV	11N20SI SO	Ant2	5260	30~5233.3	5230.70	-34.88	-30.88	0.816 58	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5260	30~5233.3	5232.26	-31.48	-26.48	2.249 05	≤2.5	See table below
NTNV	11N20SI SO	Ant1	5260	5233.3~5240	5233.72	-25.91	-20.91	8.109 61	≤2.8	See table below
NTNV	11N20SI SO	Ant2	5260	5233.3~5240	5233.49	-29.85	-25.85	2.600 16	≤2.6	See table below
NTNV	11N20SI SO	Ant3	5260	5233.3~5240	5233.69	-26.42	-21.42	7.211 07	≤2.8	See table

NTNV	11N20SI SO	Ant1	5260	5240~5249	5248.96	-13.45	-8.45	142.8 8940	≤99.2	below See table below
NTNV	11N20SI SO	Ant2	5260	5240~5249	5248.88	-12.76	-8.76	133.0 4544	≤97.6	below See table below
NTNV	11N20SI SO	Ant3	5260	5240~5249	5249	-12.92	-7.92	161.4 3586	≤100. 0	below See table below
NTNV	11N20SI SO	Ant1	5260	5249~5250	5249.04	-12.55	-7.55	175.7 9236	≤109. 6	below See table below
NTNV	11N20SI SO	Ant2	5260	5249~5250	5249.01	-11.55	-7.55	175.7 9236	≤102. 3	below See table below
NTNV	11N20SI SO	Ant3	5260	5249~5250	5249.06	-11.93	-6.93	202.7 6827	≤114. 8	below See table below
NTNV	11N20SI SO	Ant1	5260	5350~26000	21952.6 0	-44.80	-39.80	0.104 71	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5260	5350~26000	21516.2 0	-44.99	-40.99	0.079 62	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5260	5350~26000	21478.3 4	-44.23	-39.23	0.119 40	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5300	30~5233.3	5232.26	-43.55	-38.55	0.139 64	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5300	30~5233.3	5215.09	-45.50	-41.50	0.070 79	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5300	30~5233.3	5146.93	-43.85	-38.85	0.130 32	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5300	5233.3~5240	5233.31	-31.21	-26.21	2.393 32	≤2.5	below See table below
NTNV	11N20SI SO	Ant2	5300	5233.3~5240	5233.3	-31.47	-27.47	1.790 61	≤2.5	below See table below
NTNV	11N20SI SO	Ant3	5300	5233.3~5240	5233.61	-30.83	-25.83	2.612 16	≤2.7	below See table below
NTNV	11N20SI SO	Ant1	5300	5240~5249	5240.60	-30.92	-25.92	2.558 59	≤17.9	PASS
NTNV	11N20SI	Ant2	5300	5240~5249	5240.14	-30.77	-26.77	2.103	≤16.3	PASS

	SO							78		
NTNV	11N20SI SO	Ant3	5300	5240~5249	5240.18	-28.99	-23.99	3.990 25	≤16.4	PASS
NTNV	11N20SI SO	Ant1	5300	5249~5250	5249.03	-30.19	-25.19	3.026 91	≤107. 2	PASS
NTNV	11N20SI SO	Ant2	5300	5249~5250	5249.03	-31.17	-27.17	1.918 67	≤107. 2	PASS
NTNV	11N20SI SO	Ant3	5300	5249~5250	5249.03	-31.26	-26.26	2.365 92	≤107. 2	PASS
NTNV	11N20SI SO	Ant1	5300	5350~26000	22132.2 6	-44.82	-39.82	0.104 23	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5300	5350~26000	22073.0 6	-44.34	-40.34	0.092 47	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5300	5350~26000	21916.1 2	-44.32	-39.32	0.116 95	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5320	30~5233.3	5159.41	-43.79	-38.79	0.132 13	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5320	30~5233.3	5170.34	-47.26	-43.26	0.047 21	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5320	30~5233.3	5162.01	-43.81	-38.81	0.131 52	≤2.5	PASS
NTNV	11N20SI SO	Ant1	5320	5233.3~5240	5233.51	-30.01	-25.01	3.155 00	≤2.6	See table below
NTNV	11N20SI SO	Ant2	5320	5233.3~5240	5233.66	-31.21	-27.21	1.901 08	≤2.7	See table below
NTNV	11N20SI SO	Ant3	5320	5233.3~5240	5233.4	-31.13	-26.13	2.437 81	≤2.6	See table below
NTNV	11N20SI SO	Ant1	5320	5240~5249	5240.17	-31.21	-26.21	2.393 32	≤16.4	PASS
NTNV	11N20SI SO	Ant2	5320	5240~5249	5240.05	-31.22	-27.22	1.896 71	≤16.0	PASS
NTNV	11N20SI SO	Ant3	5320	5240~5249	5240.26	-30.90	-25.90	2.570 40	≤16.7	PASS
NTNV	11N20SI SO	Ant1	5320	5249~5250	5249.02	-30.89	-25.89	2.576 32	≤104. 7	PASS
NTNV	11N20SI SO	Ant2	5320	5249~5250	5249.01	-30.78	-26.78	2.098 94	≤102. 3	PASS
NTNV	11N20SI SO	Ant3	5320	5249~5250	5249.01	-31.28	-26.28	2.355 05	≤102. 3	PASS
NTNV	11N20SI	Ant1	5320	5350~26000	21498.9	-44.55	-39.55	0.110	≤2.5	PASS

	SO				9			92		
NTNV	11N20SI SO	Ant2	5320	5350~26000	21987.0 2	-44.93	-40.93	0.080 72	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5320	5350~26000	5355.51	-40.83	-35.83	0.261 22	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5260	30~5233.3	4874.27	-46.37	-41.37	0.072 95	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5260	30~5233.3	5232.78	-47.46	-43.46	0.045 08	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5260	30~5233.3	5232.78	-47.92	-42.92	0.051 05	≤2.5	PASS
NTNV	11N20MI MO	total	5260	30~5233.3	---	---	---	0.169 08	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.84	-30.73	-25.73	2.673 01	≤2.9	See table below
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.74	-30.15	-26.15	2.426 61	≤2.8	See table below
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.33	-31.32	-26.32	2.333 46	≤2.5	See table below
NTNV	11N20MI MO	total	5260	5233.3~5240	---	---	---	7.433 08	≤2.5	See table below
NTNV	11N20MI MO	Ant1	5260	5240~5249	5248.99	-20.59	-15.59	27.60 578	≤99.8	See table below
NTNV	11N20MI MO	Ant2	5260	5240~5249	5249.00	-20.82	-16.82	20.79 697	≤100. 0	See table below
NTNV	11N20MI MO	Ant3	5260	5240~5249	5248.93	-20.83	-15.83	26.12 161	≤98.6	See table below
NTNV	11N20MI MO	total	5260	5240~5249	---	---	---	74.52 436	≤98.6	See table below
NTNV	11N20MI MO	Ant1	5260	5249~5250	5249.06	-19.87	-14.87	32.58 367	≤114. 8	PASS
NTNV	11N20MI MO	Ant2	5260	5249~5250	5249.03	-20.37	-16.37	23.06 747	≤107. 2	PASS
NTNV	11N20MI MO	Ant3	5260	5249~5250	5249.02	-20.50	-15.50	28.18 383	≤104. 7	PASS

NTNV	11N20MI MO	total	5260	5249~5250	---	---	---	83.83 497	≤104. 7	PASS
NTNV	11N20MI MO	Ant1	5260	5350~26000	21439.1 0	-44.41	-39.41	0.114 55	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5260	5350~26000	21954.6 7	-43.84	-39.84	0.103 75	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5260	5350~26000	21973.9 4	-44.07	-39.07	0.123 88	≤2.5	PASS
NTNV	11N20MI MO	total	5260	5350~26000	---	---	---	0.342 18	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5300	30~5233.3	4874.27	-47.28	-42.28	0.059 16	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5300	30~5233.3	1747.61	-46.64	-42.64	0.054 45	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5300	30~5233.3	5230.70	-47.33	-42.33	0.058 48	≤2.5	PASS
NTNV	11N20MI MO	total	5300	30~5233.3	---	---	---	0.172 09	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.44	-31.57	-26.57	2.202 93	≤2.6	See table below
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.55	-31.52	-27.52	1.770 11	≤2.7	See table below
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.47	-31.18	-26.18	2.409 91	≤2.6	See table below
NTNV	11N20MI MO	total	5300	5233.3~5240	---	---	---	6.382 95	≤2.6	See table below
NTNV	11N20MI MO	Ant1	5300	5240~5249	5240.05	-30.82	-25.82	2.618 18	≤16.0	PASS
NTNV	11N20MI MO	Ant2	5300	5240~5249	5240.00	-30.75	-26.75	2.113 49	≤15.8	PASS
NTNV	11N20MI MO	Ant3	5300	5240~5249	5240.19	-31.33	-26.33	2.328 09	≤16.5	PASS
NTNV	11N20MI MO	total	5300	5240~5249	---	---	---	7.059 76	≤15.8	PASS
NTNV	11N20MI MO	Ant1	5300	5249~5250	5249.01	-31.66	-26.66	2.157 74	≤102. 3	PASS
NTNV	11N20MI MO	Ant2	5300	5249~5250	5249.03	-31.27	-27.27	1.874 99	≤107. 2	PASS
NTNV	11N20MI	Ant3	5300	5249~5250	5249.11	-30.45	-25.45	2.851	≤128.	PASS

	MO							02	8	
NTNV	11N20MI MO	total	5300	5249~5250	---	---	---	6.883 75	≤102. 3	PASS
NTNV	11N20MI MO	Ant1	5300	5350~26000	21516.2 0	-44.46	-39.46	0.113 24	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5300	5350~26000	21956.0 4	-43.99	-39.99	0.100 23	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5300	5350~26000	22099.2 2	-44.26	-39.26	0.118 58	≤2.5	PASS
NTNV	11N20MI MO	total	5300	5350~26000	---	---	---	0.332 05	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5320	30~5233.3	4874.27	-46.95	-41.95	0.063 83	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5320	30~5233.3	1751.77	-44.94	-40.94	0.080 54	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5320	30~5233.3	3597.38	-41.65	-36.65	0.216 27	≤2.5	PASS
NTNV	11N20MI MO	total	5320	30~5233.3	---	---	---	0.360 64	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.55	-31.21	-26.21	2.393 32	≤2.7	See table below
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.82	-30.14	-26.14	2.432 20	≤2.9	See table below
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.35	-31.57	-26.57	2.202 93	≤2.5	See table below
NTNV	11N20MI MO	total	5320	5233.3~5240	---	---	---	7.028 45	≤2.5	See table below
NTNV	11N20MI MO	Ant1	5320	5240~5249	5240.13	-31.28	-26.28	2.355 05	≤16.3	PASS
NTNV	11N20MI MO	Ant2	5320	5240~5249	5240.41	-31.30	-27.30	1.862 09	≤17.2	PASS
NTNV	11N20MI MO	Ant3	5320	5240~5249	5240.10	-31.56	-26.56	2.208 00	≤16.2	PASS
NTNV	11N20MI MO	total	5320	5240~5249	---	---	---	6.425 14	≤16.2	PASS
NTNV	11N20MI MO	Ant1	5320	5249~5250	5249.05	-30.83	-25.83	2.612 16	≤112. 2	PASS
NTNV	11N20MI MO	Ant2	5320	5249~5250	5249.02	-31.37	-27.37	1.832 31	≤104. 7	PASS

NTNV	11N20MI MO	Ant3	5320	5249~5250	5249.01	-31.28	-26.28	2.355 05	≤102. 3	PASS
NTNV	11N20MI MO	total	5320	5249~5250	---	---	---	6.799 52	≤102. 3	PASS
NTNV	11N20MI MO	Ant1	5320	5350~26000	21506.5 6	-44.50	-39.50	0.112 20	≤2.5	PASS
NTNV	11N20MI MO	Ant2	5320	5350~26000	21999.4 1	-44.95	-40.95	0.080 35	≤2.5	PASS
NTNV	11N20MI MO	Ant3	5320	5350~26000	18719.5 0	-43.72	-38.72	0.134 28	≤2.5	PASS
NTNV	11N20MI MO	total	5320	5350~26000	---	---	---	0.326 83	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	30~5221.6	5221.6	-32.62	-27.62	1.729 82	≤2.5	See table below
NTNV	11N40SI SO	Ant2	5270	30~5221.6	5220.04	-39.00	-35.00	0.316 23	≤2.5	PASS
NTNV	11N40SI SO	Ant3	5270	30~5221.6	5220.04	-37.55	-32.55	0.555 90	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	5221.6~5230	5222.17	-30.82	-25.82	2.618 18	≤2.7	See table below
NTNV	11N40SI SO	Ant2	5270	5221.6~5230	5225.77	-27.47	-23.47	4.497 80	≤4.4	See table below
NTNV	11N40SI SO	Ant3	5270	5221.6~5230	5222.36	-29.29	-24.29	3.723 92	≤2.8	See table below
NTNV	11N40SI SO	Ant1	5270	5230~5249	5232.68	-28.09	-23.09	4.909 08	≤10.3	PASS
NTNV	11N40SI SO	Ant2	5270	5230~5249	5248.89	-20.71	-16.71	21.33 045	≤49.5	PASS
NTNV	11N40SI SO	Ant3	5270	5230~5249	5248.96	-22.01	-17.01	19.90 673	≤49.8	PASS
NTNV	11N40SI SO	Ant1	5270	5249~5250	5249.06	-19.97	-14.97	31.84 198	≤57.4	See table below
NTNV	11N40SI SO	Ant2	5270	5249~5250	5249.03	-19.50	-15.50	28.18 383	≤53.6	See table below
NTNV	11N40SI SO	Ant3	5270	5249~5250	5249.13	-19.94	-14.94	32.06 269	≤67.4	PASS
NTNV	11N40SI	Ant1	5270	5350~5358.4	5350.45	-30.28	-25.28	2.964	≤15	PASS

	SO							83		
NTNV	11N40SI SO	Ant2	5270	5350~5358.4	5354.22	-30.33	-26.33	2.328 09	≤15	PASS
NTNV	11N40SI SO	Ant3	5270	5350~5358.4	5353.55	-30.40	-25.40	2.884 03	≤15	PASS
NTNV	11N40SI SO	Ant1	5270	5358.4~2600 0	22156.5 3	-45.03	-40.03	0.099 31	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5270	5358.4~2600 0	18858.6 9	-44.43	-40.43	0.090 57	≤2.5	PASS
NTNV	11N40SI SO	Ant3	5270	5358.4~2600 0	21567.5 6	-44.93	-39.93	0.101 62	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5310	30~5221.6	5219.52	-43.54	-38.54	0.139 96	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5310	30~5221.6	5215.89	-46.47	-42.47	0.056 62	≤2.5	PASS
NTNV	11N40SI SO	Ant3	5310	30~5221.6	5190.45	-43.57	-38.57	0.139 00	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5310	5221.6~5230	5221.7	-30.45	-25.45	2.851 02	≤2.5	See table below
NTNV	11N40SI SO	Ant2	5310	5221.6~5230	5222.32	-31.04	-27.04	1.976 97	≤2.7	See table below
NTNV	11N40SI SO	Ant3	5310	5221.6~5230	5222.06	-29.99	-24.99	3.169 57	≤2.6	See table below
NTNV	11N40SI SO	Ant1	5310	5230~5249	5230.02	-30.57	-25.57	2.773 32	≤7.9	PASS
NTNV	11N40SI SO	Ant2	5310	5230~5249	5230.70	-31.17	-27.17	1.918 67	≤8.5	PASS
NTNV	11N40SI SO	Ant3	5310	5230~5249	5231.31	-30.61	-25.61	2.747 89	≤9.0	PASS
NTNV	11N40SI SO	Ant1	5310	5249~5250	5249.03	-31.42	-26.42	2.280 34	≤53.6	PASS
NTNV	11N40SI SO	Ant2	5310	5249~5250	5249.02	-30.69	-26.69	2.142 89	≤52.4	PASS
NTNV	11N40SI SO	Ant3	5310	5249~5250	5249.01	-31.01	-26.01	2.506 11	≤51.2	PASS
NTNV	11N40SI SO	Ant1	5310	5350~5358.4	5350.58	-28.93	-23.93	4.045 76	≤15	PASS
NTNV	11N40SI SO	Ant2	5310	5350~5358.4	5354.00	-29.62	-25.62	2.741 57	≤15	PASS
NTNV	11N40SI	Ant3	5310	5350~5358.4	5354.79	-29.92	-24.92	3.221	≤15	PASS

	SO							07		
NTNV	11N40SI SO	Ant1	5310	5358.4~2600 0	5362.53	-43.52	-38.52	0.140 60	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5310	5358.4~2600 0	22096.6 7	-44.62	-40.62	0.086 70	≤2.5	PASS
NTNV	11N40SI SO	Ant3	5310	5358.4~2600 0	22151.0 3	-44.52	-39.52	0.111 69	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	30~5221.6	4874.80	-47.03	-42.03	0.062 66	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	30~5221.6	4878.44	-48.36	-44.36	0.036 64	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5270	30~5221.6	4825.48	-48.37	-43.37	0.046 03	≤2.5	PASS
NTNV	11N40MI MO	total	5270	30~5221.6	---	---	---	0.145 33	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.79	-31.47	-26.47	2.254 24	≤2.5	See table below
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5222.25	-30.64	-26.64	2.167 70	≤2.7	See table below
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.72	-29.64	-24.64	3.435 58	≤2.5	See table below
NTNV	11N40MI MO	total	5270	5221.6~5230	---	---	---	7.857 52	≤2.5	See table below
NTNV	11N40MI MO	Ant1	5270	5230~5249	5231.06	-31.21	-26.21	2.393 32	≤8.8	PASS
NTNV	11N40MI MO	Ant2	5270	5230~5249	5230.53	-31.02	-27.02	1.986 09	≤8.3	PASS
NTNV	11N40MI MO	Ant3	5270	5230~5249	5231.88	-30.64	-25.64	2.728 98	≤9.5	PASS
NTNV	11N40MI MO	total	5270	5230~5249	---	---	---	7.108 39	≤8.3	PASS
NTNV	11N40MI MO	Ant1	5270	5249~5250	5249.02	-27.73	-22.73	5.333 35	≤52.4	PASS
NTNV	11N40MI MO	Ant2	5270	5249~5250	5249.06	-27.65	-23.65	4.315 19	≤57.4	PASS
NTNV	11N40MI MO	Ant3	5270	5249~5250	5249.20	-26.06	-21.06	7.834 30	≤79.2	PASS
NTNV	11N40MI MO	total	5270	5249~5250	---	---	---	17.48 284	≤52.4	PASS

NTNV	11N40MI MO	Ant1	5270	5350~5358.4	5357.41	-30.12	-25.12	3.076 10	≤15	PASS
NTNV	11N40MI MO	Ant2	5270	5350~5358.4	5351.86	-30.09	-26.09	2.460 37	≤15	PASS
NTNV	11N40MI MO	Ant3	5270	5350~5358.4	5355.34	-30.45	-25.45	2.851 02	≤15	PASS
NTNV	11N40MI MO	total	5270	5350~5358.4	---	---	---	8.387 49	≤15	PASS
NTNV	11N40MI MO	Ant1	5270	5358.4~2600 0	18966.7 2	-44.99	-39.99	0.100 23	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5358.4~2600 0	22066.4 0	-44.70	-40.70	0.085 11	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5270	5358.4~2600 0	22022.3 6	-44.61	-39.61	0.109 40	≤2.5	PASS
NTNV	11N40MI MO	total	5270	5358.4~2600 0	---	---	---	0.294 74	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5310	30~5221.6	4874.28	-47.38	-42.38	0.057 81	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5310	30~5221.6	1751.02	-46.40	-42.40	0.057 54	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5310	30~5221.6	1762.96	-48.44	-43.44	0.045 29	≤2.5	PASS
NTNV	11N40MI MO	total	5310	30~5221.6	---	---	---	0.160 64	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.55	-30.69	-25.69	2.697 74	≤2.8	See table below
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.12	-31.08	-27.08	1.958 84	≤2.7	See table below
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.39	-30.44	-25.44	2.857 59	≤2.8	See table below
NTNV	11N40MI MO	total	5310	5221.6~5230	---	---	---	7.514 17	≤2.7	See table below
NTNV	11N40MI MO	Ant1	5310	5230~5249	5230.02	-30.96	-25.96	2.535 13	≤7.9	PASS
NTNV	11N40MI MO	Ant2	5310	5230~5249	5230.42	-30.56	-26.56	2.208 00	≤8.3	PASS
NTNV	11N40MI MO	Ant3	5310	5230~5249	5230.30	-31.10	-26.10	2.454 71	≤8.2	PASS
NTNV	11N40MI	total	5310	5230~5249	---	---	---	7.197	≤7.9	PASS

	MO							84		
NTNV	11N40MI MO	Ant1	5310	5249~5250	5249.03	-30.96	-25.96	2.535 13	≤53.6	PASS
NTNV	11N40MI MO	Ant2	5310	5249~5250	5249.02	-31.92	-27.92	1.614 36	≤52.4	PASS
NTNV	11N40MI MO	Ant3	5310	5249~5250	5249.03	-31.23	-26.23	2.382 32	≤53.6	PASS
NTNV	11N40MI MO	total	5310	5249~5250	---	---	---	6.531 81	≤52.4	PASS
NTNV	11N40MI MO	Ant1	5310	5350~5358.4	5354.93	-29.99	-24.99	3.169 57	≤15	PASS
NTNV	11N40MI MO	Ant2	5310	5350~5358.4	5356.59	-30.26	-26.26	2.365 92	≤15	PASS
NTNV	11N40MI MO	Ant3	5310	5350~5358.4	5353.44	-30.10	-25.10	3.090 30	≤15	PASS
NTNV	11N40MI MO	total	5310	5350~5358.4	---	---	---	8.625 79	≤15	PASS
NTNV	11N40MI MO	Ant1	5310	5358.4~2600 0	22166.1 7	-44.84	-39.84	0.103 75	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5310	5358.4~2600 0	18753.4 2	-44.29	-40.29	0.093 54	≤2.5	PASS
NTNV	11N40MI MO	Ant3	5310	5358.4~2600 0	21466.4 2	-44.64	-39.64	0.108 64	≤2.5	PASS
NTNV	11N40MI MO	total	5310	5358.4~2600 0	---	---	---	0.305 93	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5260	30~5233.3	5233.3	-32.30	-27.30	1.862 09	≤2.5	See table below
NTNV	11AC20S ISO	Ant2	5260	30~5233.3	5231.74	-36.62	-32.62	0.547 02	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5260	30~5233.3	5230.18	-35.64	-30.64	0.862 98	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5260	5233.3~5240	5233.92	-29.45	-24.45	3.589 22	≤3.0	See table below
NTNV	11AC20S ISO	Ant2	5260	5233.3~5240	5233.86	-28.69	-24.69	3.396 25	≤2.9	See table below
NTNV	11AC20S ISO	Ant3	5260	5233.3~5240	5233.66	-28.49	-23.49	4.477 13	≤2.7	See table below
NTNV	11AC20S ISO	Ant1	5260	5240~5249	5249	-12.81	-7.81	165.5 7700	≤100. 0	See table

NTNV	11AC20S ISO	Ant2	5260	5240~5249	5248.86	-12.29	-8.29	148.2 5181	≤97.2	below See table below
NTNV	11AC20S ISO	Ant3	5260	5240~5249	5248.98	-13.84	-8.84	130.6 1709	≤99.6	below See table below
NTNV	11AC20S ISO	Ant1	5260	5249~5250	5249	-12.57	-7.57	174.9 8467	≤100. 0	below See table below
NTNV	11AC20S ISO	Ant2	5260	5249~5250	5249.04	-11.32	-7.32	185.3 5316	≤109. 6	below See table below
NTNV	11AC20S ISO	Ant3	5260	5249~5250	5249	-13.46	-8.46	142.5 6076	≤100. 0	below See table below
NTNV	11AC20S ISO	Ant1	5260	5350~26000	21593.9 8	-44.85	-39.85	0.103 51	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5260	5350~26000	18728.4 5	-44.40	-40.40	0.091 20	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5260	5350~26000	22081.3 2	-44.79	-39.79	0.104 95	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5300	30~5233.3	5227.58	-41.66	-36.66	0.215 77	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5300	30~5233.3	5228.10	-45.55	-41.55	0.069 98	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5300	30~5233.3	5228.10	-43.25	-38.25	0.149 62	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5300	5233.3~5240	5234.26	-30.13	-25.13	3.069 02	≤3.2	below See table below
NTNV	11AC20S ISO	Ant2	5300	5233.3~5240	5233.57	-30.52	-26.52	2.228 44	≤2.7	below See table below
NTNV	11AC20S ISO	Ant3	5300	5233.3~5240	5233.5	-31.02	-26.02	2.500 35	≤2.6	below See table below
NTNV	11AC20S ISO	Ant1	5300	5240~5249	5240.76	-29.80	-24.80	3.311 31	≤18.5	PASS
NTNV	11AC20S ISO	Ant2	5300	5240~5249	5240.24	-30.84	-26.84	2.070 14	≤16.6	PASS
NTNV	11AC20S ISO	Ant3	5300	5240~5249	5240.73	-30.82	-25.82	2.618 18	≤18.4	PASS

NTNV	11AC20S ISO	Ant1	5300	5249~5250	5249.08	-30.60	-25.60	2.754 23	≤120. 2	PASS
NTNV	11AC20S ISO	Ant2	5300	5249~5250	5249.03	-30.92	-26.92	2.032 36	≤107. 2	PASS
NTNV	11AC20S ISO	Ant3	5300	5249~5250	5249.00	-31.27	-26.27	2.360 48	≤100. 0	PASS
NTNV	11AC20S ISO	Ant1	5300	5350~26000	22047.5 9	-44.05	-39.05	0.124 45	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5300	5350~26000	21629.7 7	-45.04	-41.04	0.078 70	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5300	5350~26000	21991.1 5	-44.21	-39.21	0.119 95	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5320	30~5233.3	5160.45	-43.20	-38.20	0.151 36	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5320	30~5233.3	5233.30	-46.91	-42.91	0.051 17	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5320	30~5233.3	5164.62	-44.64	-39.64	0.108 64	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5320	5233.3~5240	5233.57	-30.87	-25.87	2.588 21	≤2.7	See table below
NTNV	11AC20S ISO	Ant2	5320	5233.3~5240	5233.35	-31.38	-27.38	1.828 10	≤2.5	See table below
NTNV	11AC20S ISO	Ant3	5320	5233.3~5240	5233.35	-31.14	-26.14	2.432 20	≤2.5	See table below
NTNV	11AC20S ISO	Ant1	5320	5240~5249	5240.13	-31.36	-26.36	2.312 06	≤16.3	PASS
NTNV	11AC20S ISO	Ant2	5320	5240~5249	5240.28	-31.25	-27.25	1.883 65	≤16.8	PASS
NTNV	11AC20S ISO	Ant3	5320	5240~5249	5240.20	-30.70	-25.70	2.691 53	≤16.5	PASS
NTNV	11AC20S ISO	Ant1	5320	5249~5250	5249.02	-31.28	-26.28	2.355 05	≤104. 7	PASS
NTNV	11AC20S ISO	Ant2	5320	5249~5250	5249.03	-30.54	-26.54	2.218 20	≤107. 2	PASS
NTNV	11AC20S ISO	Ant3	5320	5249~5250	5249.05	-31.05	-26.05	2.483 13	≤112. 2	PASS
NTNV	11AC20S ISO	Ant1	5320	5350~26000	5350.00	-43.57	-38.57	0.139 00	≤2.5	PASS
NTNV	11AC20S ISO	Ant2	5320	5350~26000	5357.57	-43.20	-39.20	0.120 23	≤2.5	PASS

NTNV	11AC20S ISO	Ant3	5320	5350~26000	22064.1 1	-43.66	-38.66	0.136 14	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5260	30~5233.3	1750.73	-45.32	-40.32	0.092 90	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	30~5233.3	5232.78	-42.23	-38.23	0.150 31	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5260	30~5233.3	5194.80	-47.74	-42.74	0.053 21	≤2.5	PASS
NTNV	11AC20 MIMO	total	5260	30~5233.3	---	---	---	0.296 42	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.31	-30.96	-25.96	2.535 13	≤2.5	See table below
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.34	-31.19	-27.19	1.909 85	≤2.5	See table below
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.41	-31.22	-26.22	2.387 81	≤2.6	See table below
NTNV	11AC20 MIMO	total	5260	5233.3~5240	---	---	---	6.832 79	≤2.5	See table below
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5248.93	-19.72	-14.72	33.72 873	≤98.6	See table below
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.89	-19.91	-15.91	25.64 484	≤97.8	See table below
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.69	-21.37	-16.37	23.06 747	≤93.9	See table below
NTNV	11AC20 MIMO	total	5260	5240~5249	---	---	---	82.44 104	≤93.9	See table below
NTNV	11AC20 MIMO	Ant1	5260	5249~5250	5249.05	-19.02	-14.02	39.62 780	≤112. 2	See table below
NTNV	11AC20 MIMO	Ant2	5260	5249~5250	5249.10	-18.39	-14.39	36.39 150	≤125. 9	See table below
NTNV	11AC20 MIMO	Ant3	5260	5249~5250	5249.01	-19.55	-14.55	35.07 519	≤102. 3	See table below

NTNV	11AC20 MIMO	total	5260	5249~5250	---	---	---	111.0 9449	≤102. 3	See table below
NTNV	11AC20 MIMO	Ant1	5260	5350~26000	22168.0 5	-44.30	-39.30	0.117 49	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5350~26000	18923.9 3	-44.76	-40.76	0.083 95	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5260	5350~26000	20960.0 2	-44.00	-39.00	0.125 89	≤2.5	PASS
NTNV	11AC20 MIMO	total	5260	5350~26000	---	---	---	0.327 33	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5300	30~5233.3	1748.65	-43.20	-38.20	0.151 36	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5300	30~5233.3	1737.20	-43.98	-39.98	0.100 46	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5300	30~5233.3	5137.56	-48.04	-43.04	0.049 66	≤2.5	PASS
NTNV	11AC20 MIMO	total	5300	30~5233.3	---	---	---	0.301 48	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.4	-30.12	-25.12	3.076 10	≤2.6	See table below
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.57	-30.66	-26.66	2.157 74	≤2.7	See table below
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.79	-31.07	-26.07	2.471 72	≤2.8	See table below
NTNV	11AC20 MIMO	total	5300	5233.3~5240	---	---	---	7.705 56	≤2.6	See table below
NTNV	11AC20 MIMO	Ant1	5300	5240~5249	5240.00	-31.23	-26.23	2.382 32	≤15.8	PASS
NTNV	11AC20 MIMO	Ant2	5300	5240~5249	5240.12	-31.27	-27.27	1.874 99	≤16.2	PASS
NTNV	11AC20 MIMO	Ant3	5300	5240~5249	5240.31	-30.17	-25.17	3.040 89	≤16.9	PASS
NTNV	11AC20 MIMO	total	5300	5240~5249	---	---	---	7.298 20	≤15.8	PASS
NTNV	11AC20 MIMO	Ant1	5300	5249~5250	5249.01	-31.00	-26.00	2.511 89	≤102. 3	PASS
NTNV	11AC20 MIMO	Ant2	5300	5249~5250	5249.04	-31.18	-27.18	1.914 26	≤109. 6	PASS

NTNV	11AC20 MIMO	Ant3	5300	5249~5250	5249.02	-30.21	-25.21	3.013 01	≤104. 7	PASS
NTNV	11AC20 MIMO	total	5300	5249~5250	---	---	---	7.439 16	≤102. 3	PASS
NTNV	11AC20 MIMO	Ant1	5300	5350~26000	18736.0 2	-44.82	-39.82	0.104 23	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5300	5350~26000	22056.5 4	-44.64	-40.64	0.086 30	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5300	5350~26000	22021.4 3	-44.81	-39.81	0.104 47	≤2.5	PASS
NTNV	11AC20 MIMO	total	5300	5350~26000	---	---	---	0.295 00	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5320	30~5233.3	5153.69	-47.43	-42.43	0.057 15	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5320	30~5233.3	4916.94	-48.17	-44.17	0.038 28	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5320	30~5233.3	5224.45	-47.33	-42.33	0.058 48	≤2.5	PASS
NTNV	11AC20 MIMO	total	5320	30~5233.3	---	---	---	0.153 91	≤2.5	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.45	-31.04	-26.04	2.488 86	≤2.6	See table below
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.91	-30.48	-26.48	2.249 05	≤2.9	See table below
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.47	-31.35	-26.35	2.317 39	≤2.6	See table below
NTNV	11AC20 MIMO	total	5320	5233.3~5240	---	---	---	7.055 30	≤2.6	See table below
NTNV	11AC20 MIMO	Ant1	5320	5240~5249	5240.12	-30.97	-25.97	2.529 30	≤16.2	PASS
NTNV	11AC20 MIMO	Ant2	5320	5240~5249	5240.06	-31.35	-27.35	1.840 77	≤16.0	PASS
NTNV	11AC20 MIMO	Ant3	5320	5240~5249	5240.06	-30.70	-25.70	2.691 53	≤16.0	PASS
NTNV	11AC20 MIMO	total	5320	5240~5249	---	---	---	7.061 60	≤16.0	PASS
NTNV	11AC20 MIMO	Ant1	5320	5249~5250	5249.02	-31.23	-26.23	2.382 32	≤104. 7	PASS
NTNV	11AC20	Ant2	5320	5249~5250	5249.01	-30.49	-26.49	2.243	≤102.	PASS

	MIMO							88	3	
NTNV	11AC20 MIMO	Ant3	5320	5249~5250	5249.01	-30.98	-25.98	2.52348	≤102.3	PASS
NTNV	11AC20 MIMO	total	5320	5249~5250	---	---	---	7.14968	≤102.3	PASS
NTNV	11AC20 MIMO	Ant1	5320	5350~26000	22059.98	-44.69	-39.69	0.10740	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5320	5350~26000	21573.33	-44.83	-40.83	0.08260	≤2.5	PASS
NTNV	11AC20 MIMO	Ant3	5320	5350~26000	18972.12	-45.04	-40.04	0.09908	≤2.5	PASS
NTNV	11AC20 MIMO	total	5320	5350~26000	---	---	---	0.28908	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5270	30~5221.6	5211.74	-33.30	-28.30	1.47911	≤2.5	See table below
NTNV	11AC40S ISO	Ant2	5270	30~5221.6	5217.97	-39.67	-35.67	0.27102	≤2.5	PASS
NTNV	11AC40S ISO	Ant3	5270	30~5221.6	5215.37	-38.68	-33.68	0.42855	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5270	5221.6~5230	5222.45	-29.53	-24.53	3.52371	≤2.8	See table below
NTNV	11AC40S ISO	Ant2	5270	5221.6~5230	5223.46	-28.87	-24.87	3.25837	≤3.2	See table below
NTNV	11AC40S ISO	Ant3	5270	5221.6~5230	5223.27	-27.13	-22.13	6.12350	≤3.1	See table below
NTNV	11AC40S ISO	Ant1	5270	5230~5249	5231.81	-27.56	-22.56	5.54626	≤9.4	See table below
NTNV	11AC40S ISO	Ant2	5270	5230~5249	5249.00	-21.33	-17.33	18.49269	≤50	PASS
NTNV	11AC40S ISO	Ant3	5270	5230~5249	5248.98	-22.28	-17.28	18.70682	≤49.9	PASS
NTNV	11AC40S ISO	Ant1	5270	5249~5250	5249.04	-20.90	-15.90	25.70396	≤54.8	PASS
NTNV	11AC40S ISO	Ant2	5270	5249~5250	5249.04	-20.08	-16.08	24.66039	≤54.8	PASS
NTNV	11AC40S ISO	Ant3	5270	5249~5250	5249.05	-21.00	-16.00	25.11886	≤56.1	PASS
NTNV	11AC40S	Ant1	5270	5350~5358.4	5357.13	-30.21	-25.21	3.013	≤15	PASS

NTNV	ISO 11AC40S	Ant2	5270	5350~5358.4	5356.42	-30.24	-26.24	2.376 84	≤15	PASS
NTNV	ISO 11AC40S	Ant3	5270	5350~5358.4	5350.47	-30.14	-25.14	3.061 96	≤15	PASS
NTNV	ISO 11AC40S	Ant1	5270	5358.4~2600 0	21842.0 9	-44.03	-39.03	0.125 03	≤2.5	PASS
NTNV	ISO 11AC40S	Ant2	5270	5358.4~2600 0	18880.7 1	-44.53	-40.53	0.088 51	≤2.5	PASS
NTNV	ISO 11AC40S	Ant3	5270	5358.4~2600 0	21543.4 8	-44.64	-39.64	0.108 64	≤2.5	PASS
NTNV	ISO 11AC40S	Ant1	5310	30~5221.6	5217.97	-38.41	-33.41	0.456 04	≤2.5	PASS
NTNV	ISO 11AC40S	Ant2	5310	30~5221.6	5219.00	-45.10	-41.10	0.077 62	≤2.5	PASS
NTNV	ISO 11AC40S	Ant3	5310	30~5221.6	5220.04	-43.37	-38.37	0.145 55	≤2.5	PASS
NTNV	ISO 11AC40S	Ant1	5310	5221.6~5230	5221.72	-30.52	-25.52	2.805 43	≤2.5	See table below
NTNV	ISO 11AC40S	Ant2	5310	5221.6~5230	5221.69	-31.18	-27.18	1.914 26	≤2.5	See table below
NTNV	ISO 11AC40S	Ant3	5310	5221.6~5230	5221.68	-31.26	-26.26	2.365 92	≤2.5	See table below
NTNV	ISO 11AC40S	Ant1	5310	5230~5249	5231.05	-30.64	-25.64	2.728 98	≤8.8	PASS
NTNV	ISO 11AC40S	Ant2	5310	5230~5249	5230.61	-31.11	-27.11	1.945 36	≤8.4	PASS
NTNV	ISO 11AC40S	Ant3	5310	5230~5249	5230.30	-31.10	-26.10	2.454 71	≤8.2	PASS
NTNV	ISO 11AC40S	Ant1	5310	5249~5250	5249.02	-30.59	-25.59	2.760 58	≤52.4	PASS
NTNV	ISO 11AC40S	Ant2	5310	5249~5250	5249.03	-30.92	-26.92	2.032 36	≤53.6	PASS
NTNV	ISO 11AC40S	Ant3	5310	5249~5250	5249.02	-30.84	-25.84	2.606 15	≤52.4	PASS
NTNV	ISO 11AC40S	Ant1	5310	5350~5358.4	5353.69	-27.81	-22.81	5.236 00	≤15	PASS
NTNV	ISO 11AC40S	Ant2	5310	5350~5358.4	5353.25	-29.42	-25.42	2.870 78	≤15	PASS
NTNV	ISO 11AC40S	Ant3	5310	5350~5358.4	5351.12	-30.01	-25.01	3.155	≤15	PASS

	ISO							00		
NTNV	11AC40S ISO	Ant1	5310	5358.4~2600 0	5358.40	-38.50	-33.50	0.446 68	≤2.5	PASS
NTNV	11AC40S ISO	Ant2	5310	5358.4~2600 0	21550.3 6	-44.80	-40.80	0.083 18	≤2.5	PASS
NTNV	11AC40S ISO	Ant3	5310	5358.4~2600 0	5359.78	-41.94	-36.94	0.202 30	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5270	30~5221.6	4874.28	-48.40	-43.40	0.045 71	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	30~5221.6	4994.73	-48.81	-44.81	0.033 04	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5270	30~5221.6	5005.63	-48.32	-43.32	0.046 56	≤2.5	PASS
NTNV	11AC40 MIMO	total	5270	30~5221.6	---	---	---	0.125 31	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5270	5221.6~5230	5221.91	-31.47	-26.47	2.254 24	≤2.6	See table below
NTNV	11AC40 MIMO	Ant2	5270	5221.6~5230	5222.48	-30.85	-26.85	2.065 38	≤2.8	See table below
NTNV	11AC40 MIMO	Ant3	5270	5221.6~5230	5221.74	-30.78	-25.78	2.642 41	≤2.5	See table below
NTNV	11AC40 MIMO	total	5270	5221.6~5230	---	---	---	6.962 03	≤2.5	See table below
NTNV	11AC40 MIMO	Ant1	5270	5230~5249	5230.74	-31.09	-26.09	2.460 37	≤8.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	5230~5249	5232.55	-30.11	-26.11	2.449 06	≤10.1	PASS
NTNV	11AC40 MIMO	Ant3	5270	5230~5249	5231.27	-30.92	-25.92	2.558 59	≤9.0	PASS
NTNV	11AC40 MIMO	total	5270	5230~5249	---	---	---	7.468 02	≤8.5	PASS
NTNV	11AC40 MIMO	Ant1	5270	5249~5250	5249.06	-28.36	-23.36	4.613 18	≤57.4	PASS
NTNV	11AC40 MIMO	Ant2	5270	5249~5250	5249.13	-28.35	-24.35	3.672 82	≤67.4	PASS
NTNV	11AC40 MIMO	Ant3	5270	5249~5250	5249.01	-28.89	-23.89	4.083 19	≤51.2	PASS
NTNV	11AC40 MIMO	total	5270	5249~5250	---	---	---	12.36 919	≤51.2	PASS

NTNV	11AC40 MIMO	Ant1	5270	5350~5358.4	5352.62	-30.39	-25.39	2.890 68	≤15	PASS
NTNV	11AC40 MIMO	Ant2	5270	5350~5358.4	5357.11	-30.29	-26.29	2.349 63	≤15	PASS
NTNV	11AC40 MIMO	Ant3	5270	5350~5358.4	5355.56	-30.12	-25.12	3.076 10	≤15	PASS
NTNV	11AC40 MIMO	total	5270	5350~5358.4	---	---	---	8.316 41	≤15	PASS
NTNV	11AC40 MIMO	Ant1	5270	5358.4~2600 0	22155.1 6	-44.04	-39.04	0.124 74	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5270	5358.4~2600 0	22166.8 5	-44.63	-40.63	0.086 50	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5270	5358.4~2600 0	21853.1 0	-44.69	-39.69	0.107 40	≤2.5	PASS
NTNV	11AC40 MIMO	total	5270	5358.4~2600 0	---	---	---	0.318 64	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5310	30~5221.6	5158.26	-48.07	-43.07	0.049 32	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5310	30~5221.6	4873.24	-48.73	-44.73	0.033 65	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5310	30~5221.6	5218.49	-48.34	-43.34	0.046 34	≤2.5	PASS
NTNV	11AC40 MIMO	total	5310	30~5221.6	---	---	---	0.129 31	≤2.5	PASS
NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5221.89	-31.26	-26.26	2.365 92	≤2.6	See table below
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5222.47	-31.21	-27.21	1.901 08	≤2.8	See table below
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5221.91	-31.06	-26.06	2.477 42	≤2.6	See table below
NTNV	11AC40 MIMO	total	5310	5221.6~5230	---	---	---	6.744 42	≤2.6	See table below
NTNV	11AC40 MIMO	Ant1	5310	5230~5249	5230.19	-31.33	-26.33	2.328 09	≤8.1	PASS
NTNV	11AC40 MIMO	Ant2	5310	5230~5249	5230.02	-31.27	-27.27	1.874 99	≤7.9	PASS
NTNV	11AC40 MIMO	Ant3	5310	5230~5249	5231.65	-30.22	-25.22	3.006 08	≤9.3	PASS
NTNV	11AC40	total	5310	5230~5249	---	---	---	7.209	≤7.9	PASS

	MIMO							16		
NTNV	11AC40 MIMO	Ant1	5310	5249~5250	5249.03	-30.97	-25.97	2.529 30	≤53.6	PASS
NTNV	11AC40 MIMO	Ant2	5310	5249~5250	5249.03	-30.64	-26.64	2.167 70	≤53.6	PASS
NTNV	11AC40 MIMO	Ant3	5310	5249~5250	5249.03	-30.95	-25.95	2.540 97	≤53.6	PASS
NTNV	11AC40 MIMO	total	5310	5249~5250	---	---	---	7.237 97	≤53.6	PASS
NTNV	11AC40 MIMO	Ant1	5310	5350~5358.4	5351.17	-30.36	-25.36	2.910 72	≤15	PASS
NTNV	11AC40 MIMO	Ant2	5310	5350~5358.4	5357.44	-30.26	-26.26	2.365 92	≤15	PASS
NTNV	11AC40 MIMO	Ant3	5310	5350~5358.4	5355.11	-30.33	-25.33	2.930 89	≤15	PASS
NTNV	11AC40 MIMO	total	5310	5350~5358.4	---	---	---	8.207 53	≤15	PASS
NTNV	11AC40 MIMO	Ant1	5310	5358.4~2600 0	21465.7 3	-44.49	-39.49	0.112 46	≤2.5	PASS
NTNV	11AC40 MIMO	Ant2	5310	5358.4~2600 0	22131.7 6	-44.74	-40.74	0.084 33	≤2.5	PASS
NTNV	11AC40 MIMO	Ant3	5310	5358.4~2600 0	21436.1 4	-44.15	-39.15	0.121 62	≤2.5	PASS
NTNV	11AC40 MIMO	total	5310	5358.4~2600 0	---	---	---	0.318 41	≤2.5	PASS
NTNV	11AC80S ISO	Ant1	5290	30~5203.3	5196.06	-33.18	-28.18	1.520 55	≤2.5	See table below
NTNV	11AC80S ISO	Ant2	5290	30~5203.3	5196.57	-37.10	-33.10	0.489 78	≤2.5	PASS
NTNV	11AC80S ISO	Ant3	5290	30~5203.3	5185.71	-32.59	-27.59	1.741 81	≤2.5	See table below
NTNV	11AC80S ISO	Ant1	5290	5203.3~5210	5206.88	-33.28	-28.28	1.485 94	≤3.2	PASS
NTNV	11AC80S ISO	Ant2	5290	5203.3~5210	5206.50	-32.99	-28.99	1.261 83	≤3.1	PASS
NTNV	11AC80S ISO	Ant3	5290	5203.3~5210	5207.39	-34.20	-29.20	1.202 26	≤3.3	PASS
NTNV	11AC80S ISO	Ant1	5290	5210~5249	5211.33	-33.77	-28.77	1.327 39	≤4.2	PASS
NTNV	11AC80S ISO	Ant2	5290	5210~5249	5210.12	-33.27	-29.27	1.183 04	≤4.0	PASS

NTNV	11AC80S ISO	Ant3	5290	5210~5249	5214.99	-32.18	-27.18	1.914 26	≤5.0	PASS
NTNV	11AC80S ISO	Ant1	5290	5249~5250	5249.01	-27.82	-22.82	5.223 96	≤25.6	PASS
NTNV	11AC80S ISO	Ant2	5290	5249~5250	5249.78	-16.14	-12.14	61.09 420	≤150. 6	PASS
NTNV	11AC80S ISO	Ant3	5290	5249~5250	5249.06	-27.83	-22.83	5.211 95	≤28.7	PASS
NTNV	11AC80S ISO	Ant1	5290	5350~5376.8	5351.02	-33.51	-28.51	1.409 29	≤15	PASS
NTNV	11AC80S ISO	Ant2	5290	5350~5376.8	5350.56	-28.54	-24.54	3.515 60	≤15	PASS
NTNV	11AC80S ISO	Ant3	5290	5350~5376.8	5354.26	-33.90	-28.90	1.288 25	≤15	PASS
NTNV	11AC80S ISO	Ant1	5290	5376.8~2600 0	5378.17	-42.16	-37.16	0.192 31	≤2.5	PASS
NTNV	11AC80S ISO	Ant2	5290	5376.8~2600 0	5383.67	-36.51	-32.51	0.561 05	≤2.5	PASS
NTNV	11AC80S ISO	Ant3	5290	5376.8~2600 0	21560.5 1	-43.90	-38.90	0.128 82	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5290	30~5203.3	4874.80	-48.14	-43.14	0.048 53	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5290	30~5203.3	4822.55	-48.28	-44.28	0.037 33	≤2.5	PASS
NTNV	11AC80 MIMO	Ant3	5290	30~5203.3	4862.90	-48.46	-43.46	0.045 08	≤2.5	PASS
NTNV	11AC80 MIMO	total	5290	30~5203.3	---	---	---	0.130 94	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5290	5203.3~5210	5203.45	-47.71	-42.71	0.053 58	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5290	5203.3~5210	5204.89	-48.01	-44.01	0.039 72	≤2.8	PASS
NTNV	11AC80 MIMO	Ant3	5290	5203.3~5210	5208.06	-47.27	-42.27	0.059 29	≤3.5	PASS
NTNV	11AC80 MIMO	total	5290	5203.3~5210	---	---	---	0.152 59	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5290	5210~5249	5210.16	-46.54	-41.54	0.070 15	≤4.0	See table below
NTNV	11AC80 MIMO	Ant2	5290	5210~5249	5217.06	-47.16	-43.16	0.048 31	≤5.5	See table below
NTNV	11AC80	Ant3	5290	5210~5249	5212.96	-47.27	-42.27	0.059	≤4.6	See

	MIMO							29		table below
NTNV	11AC80 MIMO	total	5290	5210~5249	---	---	---	0.17775	≤4.0	See table below
NTNV	11AC80 MIMO	Ant1	5290	5249~5250	5249.98	-33.31	-28.31	1.47571	≤238.7	PASS
NTNV	11AC80 MIMO	Ant2	5290	5249~5250	5249.95	-33.44	-29.44	1.13763	≤222.8	PASS
NTNV	11AC80 MIMO	Ant3	5290	5249~5250	5249.96	-32.74	-27.74	1.68267	≤228.0	PASS
NTNV	11AC80 MIMO	total	5290	5249~5250	---	---	---	4.29601	≤222.8	PASS
NTNV	11AC80 MIMO	Ant1	5290	5350~5376.8	5357.88	-48.71	-43.71	0.04256	≤15	PASS
NTNV	11AC80 MIMO	Ant2	5290	5350~5376.8	5355.33	-48.72	-44.72	0.03373	≤15	PASS
NTNV	11AC80 MIMO	Ant3	5290	5350~5376.8	5367.74	-48.53	-43.53	0.04436	≤15	PASS
NTNV	11AC80 MIMO	total	5290	5350~5376.8	---	---	---	0.12065	≤15	PASS
NTNV	11AC80 MIMO	Ant1	5290	5376.8~26000	22098.78	-44.33	-39.33	0.11668	≤2.5	PASS
NTNV	11AC80 MIMO	Ant2	5290	5376.8~26000	21557.08	-44.58	-40.58	0.08750	≤2.5	PASS
NTNV	11AC80 MIMO	Ant3	5290	5376.8~26000	22117.34	-44.94	-39.94	0.10139	≤2.5	PASS
NTNV	11AC80 MIMO	total	5290	5376.8~26000	---	---	---	0.30557	≤2.5	PASS
NTNV	11AC160 SISO	Ant1	5250	30~5099.6	5096.05	-32.39	-27.39	1.82390	≤2.5	See table below
NTNV	11AC160 SISO	Ant2	5250	30~5099.6	5096.05	-28.32	-24.32	3.69828	≤2.5	See table below
NTNV	11AC160 SISO	Ant3	5250	30~5099.6	5097.07	-38.72	-33.72	0.42462	≤2.5	PASS
NTNV	11AC160 SISO	Ant1	5250	5099.6~5150	5149.50	-36.27	-31.27	0.74645	≤15	PASS
NTNV	11AC160 SISO	Ant2	5250	5099.6~5150	5133.52	-33.53	-29.53	1.11429	≤15	PASS
NTNV	11AC160 SISO	Ant3	5250	5099.6~5150	5150.00	-31.80	-26.80	2.08930	≤15	PASS

NTNV	11AC160 SISO	Ant1	5250	5350~5400.4	5386.39	-39.37	-34.37	0.365 59	≤15	PASS
NTNV	11AC160 SISO	Ant2	5250	5350~5400.4	5351.16	-32.89	-28.89	1.291 22	≤15	PASS
NTNV	11AC160 SISO	Ant3	5250	5350~5400.4	5372.13	-33.74	-28.74	1.336 60	≤15	PASS
NTNV	11AC160 SISO	Ant1	5250	5400.4~2600 0	5401.77	-41.44	-36.44	0.226 99	≤2.5	PASS
NTNV	11AC160 SISO	Ant2	5250	5400.4~2600 0	5400.40	-37.95	-33.95	0.402 72	≤2.5	PASS
NTNV	11AC160 SISO	Ant3	5250	5400.4~2600 0	5400.40	-37.37	-32.37	0.579 43	≤2.5	PASS
NTNV	11AC160 MIMO	Ant1	5250	30~5099.6	5098.08	-47.94	-42.94	0.050 82	≤2.5	PASS
NTNV	11AC160 MIMO	Ant2	5250	30~5099.6	5096.05	-45.38	-41.38	0.072 78	≤2.5	PASS
NTNV	11AC160 MIMO	Ant3	5250	30~5099.6	5098.08	-47.64	-42.64	0.054 45	≤2.5	PASS
NTNV	11AC160 MIMO	total	5250	30~5099.6	---	---	---	0.178 05	≤2.5	PASS
NTNV	11AC160 MIMO	Ant1	5250	5099.6~5150	5143.80	-45.50	-40.50	0.089 13	≤15	PASS
NTNV	11AC160 MIMO	Ant2	5250	5099.6~5150	5115.22	-43.21	-39.21	0.119 95	≤15	PASS
NTNV	11AC160 MIMO	Ant3	5250	5099.6~5150	5144.25	-45.43	-40.43	0.090 57	≤15	PASS
NTNV	11AC160 MIMO	total	5250	5099.6~5150	---	---	---	0.299 65	≤15	PASS
NTNV	11AC160 MIMO	Ant1	5250	5350~5400.4	5355.04	-47.09	-42.09	0.061 80	≤15	PASS
NTNV	11AC160 MIMO	Ant2	5250	5350~5400.4	5354.08	-46.05	-42.05	0.062 37	≤15	PASS
NTNV	11AC160 MIMO	Ant3	5250	5350~5400.4	5385.53	-47.71	-42.71	0.053 58	≤15	PASS
NTNV	11AC160 MIMO	total	5250	5350~5400.4	---	---	---	0.177 75	≤15	PASS
NTNV	11AC160 MIMO	Ant1	5250	5400.4~2600 0	22029.0 8	-44.55	-39.55	0.110 92	≤2.5	PASS
NTNV	11AC160 MIMO	Ant2	5250	5400.4~2600 0	21987.2 0	-45.47	-41.47	0.071 29	≤2.5	PASS
NTNV	11AC160 MIMO	Ant3	5250	5400.4~2600 0	22099.1 2	-44.47	-39.47	0.112 98	≤2.5	PASS
NTNV	11AC160	total	5250	5400.4~2600	---	---	---	0.295	≤2.5	PASS

	MIMO			0				19		
NTNV	11AX20S ISO	Ant1	5260	30~5233.3	5232.26	-35.67	-30.67	0.857 04	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5260	30~5233.3	5230.70	-36.90	-32.90	0.512 86	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5260	30~5233.3	5232.78	-37.33	-32.33	0.584 79	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5260	5233.3~5240	5234.28	-27.03	-22.03	6.266 14	≤3.3	See table below
NTNV	11AX20S ISO	Ant2	5260	5233.3~5240	5233.59	-29.48	-25.48	2.831 39	≤2.7	See table below
NTNV	11AX20S ISO	Ant3	5260	5233.3~5240	5233.31	-30.08	-25.08	3.104 56	≤2.5	See table below
NTNV	11AX20S ISO	Ant1	5260	5240~5249	5248.96	-10.99	-5.99	251.7 6769	≤99.2	See table below
NTNV	11AX20S ISO	Ant2	5260	5240~5249	5249	-11.00	-7.00	199.5 2623	≤100. 0	See table below
NTNV	11AX20S ISO	Ant3	5260	5240~5249	5248.92	-11.56	-6.56	220.8 0047	≤98.4	See table below
NTNV	11AX20S ISO	Ant1	5260	5249~5249.8	5249.02	-9.95	-4.95	319.8 8951	≤104. 7	See table below
NTNV	11AX20S ISO	Ant2	5260	5249~5249.8	5249.1	-8.62	-4.62	345.1 4374	≤125. 9	See table below
NTNV	11AX20S ISO	Ant3	5260	5249~5249.8	5249.01	-9.96	-4.96	319.1 5379	≤102. 3	See table below
NTNV	11AX20S ISO	Ant1	5260	5249.8~5250	5249.8	-4.18	0.82	1207. 81384	≤631. 0	See table below
NTNV	11AX20S ISO	Ant2	5260	5249.8~5250	5249.8	-3.27	0.73	1183. 04156	≤631. 0	See table below
NTNV	11AX20S ISO	Ant3	5260	5249.8~5250	5249.81	-4.02	0.98	1253. 14117	≤670. 9	See table below

NTNV	11AX20S ISO	Ant1	5260	5350~26000	21716.5 0	-44.68	-39.68	0.107 65	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5260	5350~26000	20880.1 8	-44.64	-40.64	0.086 30	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5260	5350~26000	22075.8 1	-43.90	-38.90	0.128 82	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5300	30~5233.3	5227.58	-41.74	-36.74	0.211 84	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5300	30~5233.3	5223.93	-45.19	-41.19	0.076 03	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5300	30~5233.3	5140.68	-43.51	-38.51	0.140 93	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5300	5233.3~5240	5233.44	-31.20	-26.20	2.398 83	≤2.6	See table below
NTNV	11AX20S ISO	Ant2	5300	5233.3~5240	5233.57	-31.34	-27.34	1.845 02	≤2.7	See table below
NTNV	11AX20S ISO	Ant3	5300	5233.3~5240	5233.52	-29.87	-24.87	3.258 37	≤2.6	See table below
NTNV	11AX20S ISO	Ant1	5300	5240~5249	5240.84	-30.22	-25.22	3.006 08	≤18.8	PASS
NTNV	11AX20S ISO	Ant2	5300	5240~5249	5240.09	-31.57	-27.57	1.749 85	≤16.1	PASS
NTNV	11AX20S ISO	Ant3	5300	5240~5249	5240.38	-30.49	-25.49	2.824 88	≤17.1	PASS
NTNV	11AX20S ISO	Ant1	5300	5249~5249.8	5249.00	-30.97	-25.97	2.529 30	≤100. 0	PASS
NTNV	11AX20S ISO	Ant2	5300	5249~5249.8	5249.02	-31.10	-27.10	1.949 84	≤104. 7	PASS
NTNV	11AX20S ISO	Ant3	5300	5249~5249.8	5249.01	-30.67	-25.67	2.710 19	≤102. 3	PASS
NTNV	11AX20S ISO	Ant1	5300	5249.8~5250	5249.80	-30.29	-25.29	2.958 01	≤631. 0	PASS
NTNV	11AX20S ISO	Ant2	5300	5249.8~5250	5249.81	-30.86	-26.86	2.060 63	≤670. 9	PASS
NTNV	11AX20S ISO	Ant3	5300	5249.8~5250	5249.82	-30.62	-25.62	2.741 57	≤713. 4	PASS
NTNV	11AX20S ISO	Ant1	5300	5350~26000	21591.9 1	-43.82	-38.82	0.131 22	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5300	5350~26000	22199.0 2	-44.43	-40.43	0.090 57	≤2.5	PASS

NTNV	11AX20S ISO	Ant3	5300	5350~26000	22079.9 4	-44.92	-39.92	0.101 86	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5320	30~5233.3	5215.61	-43.04	-38.04	0.157 04	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5320	30~5233.3	5214.05	-46.89	-42.89	0.051 40	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5320	30~5233.3	5200.52	-44.38	-39.38	0.115 35	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5320	5233.3~5240	5233.48	-29.89	-24.89	3.243 40	≤2.6	See table below
NTNV	11AX20S ISO	Ant2	5320	5233.3~5240	5233.73	-31.06	-27.06	1.967 89	≤2.8	See table below
NTNV	11AX20S ISO	Ant3	5320	5233.3~5240	5233.36	-31.34	-26.34	2.322 74	≤2.5	See table below
NTNV	11AX20S ISO	Ant1	5320	5240~5249	5240.01	-31.31	-26.31	2.338 84	≤15.9	PASS
NTNV	11AX20S ISO	Ant2	5320	5240~5249	5240.06	-31.52	-27.52	1.770 11	≤16.0	PASS
NTNV	11AX20S ISO	Ant3	5320	5240~5249	5240.39	-30.61	-25.61	2.747 89	≤17.2	PASS
NTNV	11AX20S ISO	Ant1	5320	5249~5249.8	5249.01	-31.25	-26.25	2.371 37	≤102. 3	PASS
NTNV	11AX20S ISO	Ant2	5320	5249~5249.8	5249.02	-30.94	-26.94	2.023 02	≤104. 7	PASS
NTNV	11AX20S ISO	Ant3	5320	5249~5249.8	5249.00	-31.25	-26.25	2.371 37	≤100. 0	PASS
NTNV	11AX20S ISO	Ant1	5320	5249.8~5250	5249.82	-30.07	-25.07	3.111 72	≤713. 4	PASS
NTNV	11AX20S ISO	Ant2	5320	5249.8~5250	5249.80	-31.11	-27.11	1.945 36	≤631. 0	PASS
NTNV	11AX20S ISO	Ant3	5320	5249.8~5250	5249.82	-30.29	-25.29	2.958 01	≤713. 4	PASS
NTNV	11AX20S ISO	Ant1	5320	5350~26000	5356.20	-42.66	-37.66	0.171 40	≤2.5	PASS
NTNV	11AX20S ISO	Ant2	5320	5350~26000	22175.6 2	-44.47	-40.47	0.089 74	≤2.5	PASS
NTNV	11AX20S ISO	Ant3	5320	5350~26000	5350.69	-43.66	-38.66	0.136 14	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5260	30~5233.3	5192.19	-47.37	-42.37	0.057 94	≤2.5	PASS

NTNV	11AX20 MIMO	Ant2	5260	30~5233.3	5231.74	-44.72	-40.72	0.084 72	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	30~5233.3	5225.50	-47.65	-42.65	0.054 33	≤2.5	PASS
NTNV	11AX20 MIMO	total	5260	30~5233.3	---	---	---	0.196 99	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5234.04	-30.47	-25.47	2.837 92	≤3.1	See table below
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.31	-31.13	-27.13	1.936 42	≤2.5	See table below
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.33	-31.60	-26.60	2.187 76	≤2.5	See table below
NTNV	11AX20 MIMO	total	5260	5233.3~5240	---	---	---	6.962 10	≤2.5	See table below
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.97	-17.06	-12.06	62.23 003	≤99.4	See table below
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.90	-17.96	-13.96	40.17 908	≤98.0	See table below
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.98	-17.79	-12.79	52.60 173	≤99.6	See table below
NTNV	11AX20 MIMO	total	5260	5240~5249	---	---	---	155.0 1084	≤98.0	See table below
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.01	-16.54	-11.54	70.14 553	≤102. 3	See table below
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.02	-16.67	-12.67	54.07 543	≤104. 7	See table below
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.02	-16.86	-11.86	65.16 284	≤104. 7	See table below
NTNV	11AX20 MIMO	total	5260	5249~5249.8	---	---	---	189.3 8380	≤102. 3	See table below
NTNV	11AX20	Ant1	5260	5249.8~5250	5249.81	-10.60	-5.60	275.4	≤670.	See

	MIMO							2287	9	table below
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.81	-10.73	-6.73	212.3 2445	≤670. 9	See table below
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.81	-9.84	-4.84	328.0 9529	≤670. 9	See table below
NTNV	11AX20 MIMO	total	5260	5249.8~5250	---	---	---	815.8 4261	≤670. 9	See table below
NTNV	11AX20 MIMO	Ant1	5260	5350~26000	21981.5 1	-44.76	-39.76	0.105 68	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5260	5350~26000	21434.9 7	-44.83	-40.83	0.082 60	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	5350~26000	19011.3 5	-44.48	-39.48	0.112 72	≤2.5	PASS
NTNV	11AX20 MIMO	total	5260	5350~26000	---	---	---	0.301 00	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	30~5233.3	5209.89	-47.98	-42.98	0.050 35	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	30~5233.3	5009.04	-48.07	-44.07	0.039 17	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	30~5233.3	5220.81	-47.57	-42.57	0.055 34	≤2.5	PASS
NTNV	11AX20 MIMO	total	5300	30~5233.3	---	---	---	0.144 86	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.35	-31.44	-26.44	2.269 86	≤2.5	See table below
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.49	-30.75	-26.75	2.113 49	≤2.6	See table below
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.87	-30.66	-25.66	2.716 44	≤2.9	See table below
NTNV	11AX20 MIMO	total	5300	5233.3~5240	---	---	---	7.099 79	≤2.5	See table below
NTNV	11AX20 MIMO	Ant1	5300	5240~5249	5240.79	-30.75	-25.75	2.660 73	≤18.6	PASS
NTNV	11AX20 MIMO	Ant2	5300	5240~5249	5240.04	-31.70	-27.70	1.698 24	≤16.0	PASS

NTNV	11AX20 MIMO	Ant3	5300	5240~5249	5240.24	-31.53	-26.53	2.223 31	≤16.6	PASS
NTNV	11AX20 MIMO	total	5300	5240~5249	---	---	---	6.582 28	≤16.0	PASS
NTNV	11AX20 MIMO	Ant1	5300	5249~5249.8	5249.00	-31.31	-26.31	2.338 84	≤100. 0	PASS
NTNV	11AX20 MIMO	Ant2	5300	5249~5249.8	5249.03	-30.75	-26.75	2.113 49	≤107. 2	PASS
NTNV	11AX20 MIMO	Ant3	5300	5249~5249.8	5249.01	-31.25	-26.25	2.371 37	≤102. 3	PASS
NTNV	11AX20 MIMO	total	5300	5249~5249.8	---	---	---	6.823 70	≤100. 0	PASS
NTNV	11AX20 MIMO	Ant1	5300	5249.8~5250	5249.80	-31.39	-26.39	2.296 15	≤631. 0	PASS
NTNV	11AX20 MIMO	Ant2	5300	5249.8~5250	5249.80	-31.00	-27.00	1.995 26	≤631. 0	PASS
NTNV	11AX20 MIMO	Ant3	5300	5249.8~5250	5249.80	-30.31	-25.31	2.944 42	≤631. 0	PASS
NTNV	11AX20 MIMO	total	5300	5249.8~5250	---	---	---	7.235 83	≤631. 0	PASS
NTNV	11AX20 MIMO	Ant1	5300	5350~26000	21882.3 9	-43.99	-38.99	0.126 18	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5350~26000	21897.5 3	-44.24	-40.24	0.094 62	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5300	5350~26000	22089.5 8	-44.52	-39.52	0.111 69	≤2.5	PASS
NTNV	11AX20 MIMO	total	5300	5350~26000	---	---	---	0.332 49	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5320	30~5233.3	4874.27	-47.61	-42.61	0.054 83	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5320	30~5233.3	4874.27	-48.24	-44.24	0.037 67	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	30~5233.3	4894.04	-47.72	-42.72	0.053 46	≤2.5	PASS
NTNV	11AX20 MIMO	total	5320	30~5233.3	---	---	---	0.145 96	≤2.5	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.51	-30.76	-25.76	2.654 61	≤2.6	See table below
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5233.38	-31.45	-27.45	1.798 87	≤2.5	See table below
NTNV	11AX20	Ant3	5320	5233.3~5240	5233.69	-30.88	-25.88	2.582	≤2.8	See

	MIMO							26		table below
NTNV	11AX20 MIMO	total	5320	5233.3~5240	---	---	---	7.03574	≤2.5	See table below
NTNV	11AX20 MIMO	Ant1	5320	5240~5249	5240.79	-30.49	-25.49	2.82488	≤18.6	PASS
NTNV	11AX20 MIMO	Ant2	5320	5240~5249	5240.05	-31.50	-27.50	1.77828	≤16.0	PASS
NTNV	11AX20 MIMO	Ant3	5320	5240~5249	5240.55	-30.69	-25.69	2.69774	≤17.7	PASS
NTNV	11AX20 MIMO	total	5320	5240~5249	---	---	---	7.30090	≤16.0	PASS
NTNV	11AX20 MIMO	Ant1	5320	5249~5249.8	5249.01	-31.61	-26.61	2.18273	≤102.3	PASS
NTNV	11AX20 MIMO	Ant2	5320	5249~5249.8	5249.01	-31.11	-27.11	1.94536	≤102.3	PASS
NTNV	11AX20 MIMO	Ant3	5320	5249~5249.8	5249.08	-30.52	-25.52	2.80543	≤120.2	PASS
NTNV	11AX20 MIMO	total	5320	5249~5249.8	---	---	---	6.93352	≤102.3	PASS
NTNV	11AX20 MIMO	Ant1	5320	5249.8~5250	5249.81	-30.66	-25.66	2.71644	≤670.9	PASS
NTNV	11AX20 MIMO	Ant2	5320	5249.8~5250	5249.81	-31.07	-27.07	1.96336	≤670.9	PASS
NTNV	11AX20 MIMO	Ant3	5320	5249.8~5250	5249.81	-30.38	-25.38	2.89734	≤670.9	PASS
NTNV	11AX20 MIMO	total	5320	5249.8~5250	---	---	---	7.57714	≤670.9	PASS
NTNV	11AX20 MIMO	Ant1	5320	5350~26000	22095.09	-44.35	-39.35	0.11614	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5320	5350~26000	20801.02	-45.01	-41.01	0.07925	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	5350~26000	18766.99	-44.70	-39.70	0.10715	≤2.5	PASS
NTNV	11AX20 MIMO	total	5320	5350~26000	---	---	---	0.30254	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5270	30~5221.6	5221.6	-29.99	-24.99	3.16957	≤2.5	See table below
NTNV	11AX40S ISO	Ant2	5270	30~5221.6	5219.00	-39.64	-35.64	0.27290	≤2.5	PASS
NTNV	11AX40S	Ant3	5270	30~5221.6	5220.04	-33.52	-28.52	1.406	≤2.5	See

	ISO							05		table below
NTNV	11AX40S ISO	Ant1	5270	5221.6~5230	5221.79	-29.28	-24.28	3.732 50	≤2.5	See table below
NTNV	11AX40S ISO	Ant2	5270	5221.6~5230	5222.68	-27.75	-23.75	4.216 97	≤2.9	See table below
NTNV	11AX40S ISO	Ant3	5270	5221.6~5230	5223.13	-30.25	-25.25	2.985 38	≤3.1	See table below
NTNV	11AX40S ISO	Ant1	5270	5230~5249	5235.81	-24.88	-19.88	10.28 016	≤13.9	See table below
NTNV	11AX40S ISO	Ant2	5270	5230~5249	5232.47	-29.17	-25.17	3.040 89	≤10.1	PASS
NTNV	11AX40S ISO	Ant3	5270	5230~5249	5231.56	-28.65	-23.65	4.315 19	≤9.2	PASS
NTNV	11AX40S ISO	Ant1	5270	5249~5250	5249.03	-17.71	-12.71	53.57 967	≤53.6	See table below
NTNV	11AX40S ISO	Ant2	5270	5249~5250	5249.93	-13.54	-9.54	111.1 7317	≤425. 6	PASS
NTNV	11AX40S ISO	Ant3	5270	5249~5250	5249.99	-13.71	-8.71	134.5 8604	≤488. 6	PASS
NTNV	11AX40S ISO	Ant1	5270	5350~5358.4	5354.47	-30.63	-25.63	2.735 27	≤15	PASS
NTNV	11AX40S ISO	Ant2	5270	5350~5358.4	5350.51	-29.65	-25.65	2.722 70	≤15	PASS
NTNV	11AX40S ISO	Ant3	5270	5350~5358.4	5351.87	-29.61	-24.61	3.459 39	≤15	PASS
NTNV	11AX40S ISO	Ant1	5270	5358.4~2600 0	23174.1 6	-44.10	-39.10	0.123 03	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5270	5358.4~2600 0	23185.1 7	-45.03	-41.03	0.078 89	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5270	5358.4~2600 0	21944.6 1	-44.84	-39.84	0.103 75	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5310	30~5221.6	5216.93	-42.91	-37.91	0.161 81	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5310	30~5221.6	5167.09	-46.78	-42.78	0.052 72	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5310	30~5221.6	5206.03	-44.20	-39.20	0.120 23	≤2.5	PASS

NTNV	11AX40S ISO	Ant1	5310	5221.6~5230	5221.73	-30.94	-25.94	2.546 83	≤2.5	See table below
NTNV	11AX40S ISO	Ant2	5310	5221.6~5230	5221.84	-31.03	-27.03	1.981 53	≤2.6	See table below
NTNV	11AX40S ISO	Ant3	5310	5221.6~5230	5221.68	-30.32	-25.32	2.937 65	≤2.5	See table below
NTNV	11AX40S ISO	Ant1	5310	5230~5249	5231.08	-30.69	-25.69	2.697 74	≤8.8	PASS
NTNV	11AX40S ISO	Ant2	5310	5230~5249	5231.18	-29.70	-25.70	2.691 53	≤8.9	PASS
NTNV	11AX40S ISO	Ant3	5310	5230~5249	5230.10	-31.71	-26.71	2.133 04	≤8.0	PASS
NTNV	11AX40S ISO	Ant1	5310	5249~5250	5249.05	-30.84	-25.84	2.606 15	≤56.1	PASS
NTNV	11AX40S ISO	Ant2	5310	5249~5250	5249.03	-31.28	-27.28	1.870 68	≤53.6	PASS
NTNV	11AX40S ISO	Ant3	5310	5249~5250	5249.01	-30.66	-25.66	2.716 44	≤51.2	PASS
NTNV	11AX40S ISO	Ant1	5310	5350~5358.4	5350.43	-29.11	-24.11	3.881 50	≤15	PASS
NTNV	11AX40S ISO	Ant2	5310	5350~5358.4	5350.97	-28.44	-24.44	3.597 49	≤15	PASS
NTNV	11AX40S ISO	Ant3	5310	5350~5358.4	5354.26	-29.75	-24.75	3.349 65	≤15	PASS
NTNV	11AX40S ISO	Ant1	5310	5358.4~2600 0	5358.40	-40.35	-35.35	0.291 74	≤2.5	PASS
NTNV	11AX40S ISO	Ant2	5310	5358.4~2600 0	5359.78	-42.04	-38.04	0.157 04	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5310	5358.4~2600 0	5361.15	-40.24	-35.24	0.299 23	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	30~5221.6	5194.60	-48.35	-43.35	0.046 24	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	30~5221.6	5201.87	-48.64	-44.64	0.034 36	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	30~5221.6	5216.93	-46.82	-41.82	0.065 77	≤2.5	PASS
NTNV	11AX40 MIMO	total	5270	30~5221.6	---	---	---	0.146 37	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5221.74	-31.42	-26.42	2.280 34	≤2.5	See table

NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5222.06	-31.13	-27.13	1.936 42	≤2.6	below See table below
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.81	-30.22	-25.22	3.006 08	≤2.6	below See table below
NTNV	11AX40 MIMO	total	5270	5221.6~5230	---	---	---	7.222 84	≤2.5	below See table below
NTNV	11AX40 MIMO	Ant1	5270	5230~5249	5231.58	-30.61	-25.61	2.747 89	≤9.2	PASS
NTNV	11AX40 MIMO	Ant2	5270	5230~5249	5230.70	-30.70	-26.70	2.137 96	≤8.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5230~5249	5230.06	-30.67	-25.67	2.710 19	≤8.0	PASS
NTNV	11AX40 MIMO	total	5270	5230~5249	---	---	---	7.596 04	≤8.0	PASS
NTNV	11AX40 MIMO	Ant1	5270	5249~5250	5249.00	-31.52	-26.52	2.228 44	≤50	PASS
NTNV	11AX40 MIMO	Ant2	5270	5249~5250	5249.03	-31.16	-27.16	1.923 09	≤53.6	PASS
NTNV	11AX40 MIMO	Ant3	5270	5249~5250	5249.05	-30.34	-25.34	2.924 15	≤56.1	PASS
NTNV	11AX40 MIMO	total	5270	5249~5250	---	---	---	7.075 68	≤50	PASS
NTNV	11AX40 MIMO	Ant1	5270	5350~5358.4	5351.97	-30.26	-25.26	2.978 52	≤15	PASS
NTNV	11AX40 MIMO	Ant2	5270	5350~5358.4	5357.47	-30.38	-26.38	2.301 44	≤15	PASS
NTNV	11AX40 MIMO	Ant3	5270	5350~5358.4	5356.86	-29.92	-24.92	3.221 07	≤15	PASS
NTNV	11AX40 MIMO	total	5270	5350~5358.4	---	---	---	8.501 03	≤15	PASS
NTNV	11AX40 MIMO	Ant1	5270	5358.4~2600 0	19056.1 7	-44.80	-39.80	0.104 71	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	5358.4~2600 0	22063.6 5	-44.61	-40.61	0.086 90	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5270	5358.4~2600 0	18743.7 9	-44.82	-39.82	0.104 23	≤2.5	PASS
NTNV	11AX40 MIMO	total	5270	5358.4~2600 0	---	---	---	0.295 84	≤2.5	PASS
NTNV	11AX40	Ant1	5310	30~5221.6	5206.54	-47.96	-42.96	0.050	≤2.5	PASS

	MIMO							58		
NTNV	11AX40 MIMO	Ant2	5310	30~5221.6	4881.55	-48.74	-44.74	0.033 57	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	30~5221.6	5205.51	-47.27	-42.27	0.059 29	≤2.5	PASS
NTNV	11AX40 MIMO	total	5310	30~5221.6	---	---	---	0.143 44	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.99	-31.30	-26.30	2.344 23	≤2.6	See table below
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.66	-30.89	-26.89	2.046 44	≤2.5	See table below
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5221.66	-30.52	-25.52	2.805 43	≤2.5	See table below
NTNV	11AX40 MIMO	total	5310	5221.6~5230	---	---	---	7.196 10	≤2.5	See table below
NTNV	11AX40 MIMO	Ant1	5310	5230~5249	5231.20	-31.12	-26.12	2.443 43	≤8.9	PASS
NTNV	11AX40 MIMO	Ant2	5310	5230~5249	5230.82	-30.67	-26.67	2.152 78	≤8.6	PASS
NTNV	11AX40 MIMO	Ant3	5310	5230~5249	5230.44	-30.84	-25.84	2.606 15	≤8.3	PASS
NTNV	11AX40 MIMO	total	5310	5230~5249	---	---	---	7.202 36	≤8.3	PASS
NTNV	11AX40 MIMO	Ant1	5310	5249~5250	5249.01	-30.88	-25.88	2.582 26	≤51.2	PASS
NTNV	11AX40 MIMO	Ant2	5310	5249~5250	5249.01	-30.74	-26.74	2.118 36	≤51.2	PASS
NTNV	11AX40 MIMO	Ant3	5310	5249~5250	5249.02	-31.16	-26.16	2.421 03	≤52.4	PASS
NTNV	11AX40 MIMO	total	5310	5249~5250	---	---	---	7.121 65	≤51.2	PASS
NTNV	11AX40 MIMO	Ant1	5310	5350~5358.4	5357.14	-30.11	-25.11	3.083 19	≤15	PASS
NTNV	11AX40 MIMO	Ant2	5310	5350~5358.4	5351.15	-30.10	-26.10	2.454 71	≤15	PASS
NTNV	11AX40 MIMO	Ant3	5310	5350~5358.4	5352.33	-29.50	-24.50	3.548 13	≤15	PASS
NTNV	11AX40 MIMO	total	5310	5350~5358.4	---	---	---	9.086 03	≤15	PASS

NTNV	11AX40 MIMO	Ant1	5310	5358.4~2600 0	21542.7 9	-44.39	-39.39	0.115 08	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5310	5358.4~2600 0	22072.5 9	-44.54	-40.54	0.088 31	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5358.4~2600 0	21991.4 0	-44.20	-39.20	0.120 23	≤2.5	PASS
NTNV	11AX40 MIMO	total	5310	5358.4~2600 0	---	---	---	0.323 62	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5290	30~5203.3	5199.16	-32.32	-27.32	1.853 53	≤2.5	See table below
NTNV	11AX80S ISO	Ant2	5290	30~5203.3	5197.09	-38.19	-34.19	0.381 07	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5290	30~5203.3	5196.57	-35.65	-30.65	0.860 99	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5290	5203.3~5210	5205.79	-33.66	-28.66	1.361 44	≤3.0	PASS
NTNV	11AX80S ISO	Ant2	5290	5203.3~5210	5204.87	-31.82	-27.82	1.651 96	≤2.8	See table below
NTNV	11AX80S ISO	Ant3	5290	5203.3~5210	5206.64	-28.61	-23.61	4.355 12	≤3.1	See table below
NTNV	11AX80S ISO	Ant1	5290	5210~5249	5235.86	-27.47	-22.47	5.662 39	≤13.4	PASS
NTNV	11AX80S ISO	Ant2	5290	5210~5249	5223.18	-28.10	-24.10	3.890 45	≤7.4	See table below
NTNV	11AX80S ISO	Ant3	5290	5210~5249	5226.19	-33.41	-28.41	1.442 12	≤8.5	PASS
NTNV	11AX80S ISO	Ant1	5290	5249~5250	5249.91	-18.42	-13.42	45.49 881	≤203. 2	PASS
NTNV	11AX80S ISO	Ant2	5290	5249~5250	5249.99	-9.02	-5.02	314.7 7483	≤244. 3	See table below
NTNV	11AX80S ISO	Ant3	5290	5249~5250	5249.97	-16.40	-11.40	72.44 360	≤233. 3	PASS
NTNV	11AX80S ISO	Ant1	5290	5350~5376.8	5359.41	-31.75	-26.75	2.113 49	≤15	PASS
NTNV	11AX80S ISO	Ant2	5290	5350~5376.8	5350.03	-32.70	-28.70	1.348 96	≤15	PASS
NTNV	11AX80S ISO	Ant3	5290	5350~5376.8	5358.90	-36.78	-31.78	0.663 74	≤15	PASS

NTNV	11AX80S ISO	Ant1	5290	5376.8~2600 0	5388.49	-43.63	-38.63	0.137 09	≤2.5	PASS
NTNV	11AX80S ISO	Ant2	5290	5376.8~2600 0	21504.8 3	-44.29	-40.29	0.093 54	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5290	5376.8~2600 0	5379.55	-44.16	-39.16	0.121 34	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5290	30~5203.3	4874.28	-48.37	-43.37	0.046 03	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5290	30~5203.3	2994.30	-48.28	-44.28	0.037 33	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5290	30~5203.3	5161.40	-47.96	-42.96	0.050 58	≤2.5	PASS
NTNV	11AX80 MIMO	total	5290	30~5203.3	---	---	---	0.133 94	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5290	5203.3~5210	5203.37	-47.98	-42.98	0.050 35	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5290	5203.3~5210	5203.76	-48.09	-44.09	0.038 99	≤2.6	PASS
NTNV	11AX80 MIMO	Ant3	5290	5203.3~5210	5209.12	-46.25	-41.25	0.074 99	≤3.7	PASS
NTNV	11AX80 MIMO	total	5290	5203.3~5210	---	---	---	0.164 33	≤2.5	PASS
NTNV	11AX80 MIMO	Ant1	5290	5210~5249	5210.20	-46.23	-41.23	0.075 34	≤4.0	PASS
NTNV	11AX80 MIMO	Ant2	5290	5210~5249	5248.84	-37.95	-33.95	0.402 72	≤24.8	PASS
NTNV	11AX80 MIMO	Ant3	5290	5210~5249	5248.81	-37.79	-32.79	0.526 02	≤24.8	PASS
NTNV	11AX80 MIMO	total	5290	5210~5249	---	---	---	1.004 08	≤4.0	PASS
NTNV	11AX80 MIMO	Ant1	5290	5249~5250	5249.99	-19.08	-14.08	39.08 409	≤244. 3	PASS
NTNV	11AX80 MIMO	Ant2	5290	5249~5250	5250.00	-21.21	-17.21	19.01 078	≤250. 0	PASS
NTNV	11AX80 MIMO	Ant3	5290	5249~5250	5250.00	-19.88	-14.88	32.50 873	≤250. 0	PASS
NTNV	11AX80 MIMO	total	5290	5249~5250	---	---	---	90.60 360	≤244. 3	PASS
NTNV	11AX80 MIMO	Ant1	5290	5350~5376.8	5350.27	-45.57	-40.57	0.087 70	≤15	PASS
NTNV	11AX80 MIMO	Ant2	5290	5350~5376.8	5350.32	-44.05	-40.05	0.098 86	≤15	PASS
NTNV	11AX80	Ant3	5290	5350~5376.8	5350.03	-47.48	-42.48	0.056	≤15	PASS

	MIMO							49		
NTNV	11AX80 MIMO	total	5290	5350~5376.8	---	---	---	0.243 05	≤15	PASS
NTNV	11AX80 MIMO	Ant1	5290	5376.8~2600 0	21537.8 3	-44.55	-39.55	0.110 92	≤2.5	PASS
NTNV	11AX80 MIMO	Ant2	5290	5376.8~2600 0	18816.9 4	-45.00	-41.00	0.079 43	≤2.5	PASS
NTNV	11AX80 MIMO	Ant3	5290	5376.8~2600 0	18758.5 1	-44.47	-39.47	0.112 98	≤2.5	PASS
NTNV	11AX80 MIMO	total	5290	5376.8~2600 0	---	---	---	0.303 33	≤2.5	PASS
NTNV	11AX160 SISO	Ant1	5250	30~5099.6	5093.01	-37.06	-32.06	0.622 30	≤2.5	PASS
NTNV	11AX160 SISO	Ant2	5250	30~5099.6	5097.07	-30.30	-26.30	2.344 23	≤2.5	See table below
NTNV	11AX160 SISO	Ant3	5250	30~5099.6	5099.09	-38.35	-33.35	0.462 38	≤2.5	PASS
NTNV	11AX160 SISO	Ant1	5250	5099.6~5150	5127.47	-30.66	-25.66	2.716 44	≤15	PASS
NTNV	11AX160 SISO	Ant2	5250	5099.6~5150	5149.85	-34.29	-30.29	0.935 41	≤15	PASS
NTNV	11AX160 SISO	Ant3	5250	5099.6~5150	5146.47	-32.02	-27.02	1.986 09	≤15	PASS
NTNV	11AX160 SISO	Ant1	5250	5350~5400.4	5383.97	-35.78	-30.78	0.835 60	≤15	PASS
NTNV	11AX160 SISO	Ant2	5250	5350~5400.4	5377.37	-34.61	-30.61	0.868 96	≤15	PASS
NTNV	11AX160 SISO	Ant3	5250	5350~5400.4	5367.29	-33.29	-28.29	1.482 52	≤15	PASS
NTNV	11AX160 SISO	Ant1	5250	5400.4~2600 0	5404.52	-37.36	-32.36	0.580 76	≤2.5	PASS
NTNV	11AX160 SISO	Ant2	5250	5400.4~2600 0	5403.15	-39.41	-35.41	0.287 74	≤2.5	PASS
NTNV	11AX160 SISO	Ant3	5250	5400.4~2600 0	5401.09	-38.36	-33.36	0.461 32	≤2.5	PASS
NTNV	11AX160 MIMO	Ant1	5250	30~5099.6	5016.97	-48.93	-43.93	0.040 46	≤2.5	PASS
NTNV	11AX160 MIMO	Ant2	5250	30~5099.6	5098.08	-47.63	-43.63	0.043 35	≤2.5	PASS
NTNV	11AX160 MIMO	Ant3	5250	30~5099.6	4954.61	-48.23	-43.23	0.047 53	≤2.5	PASS
NTNV	11AX160	total	5250	30~5099.6	---	---	---	0.131	≤2.5	PASS

	MIMO							34		
NTNV	11AX160 MIMO	Ant1	5250	5099.6~5150	5144.10	-46.00	-41.00	0.079 43	≤15	PASS
NTNV	11AX160 MIMO	Ant2	5250	5099.6~5150	5127.22	-44.96	-40.96	0.080 17	≤15	PASS
NTNV	11AX160 MIMO	Ant3	5250	5099.6~5150	5144.20	-45.75	-40.75	0.084 14	≤15	PASS
NTNV	11AX160 MIMO	total	5250	5099.6~5150	---	---	---	0.243 74	≤15	PASS
NTNV	11AX160 MIMO	Ant1	5250	5350~5400.4	5369.81	-47.68	-42.68	0.053 95	≤15	PASS
NTNV	11AX160 MIMO	Ant2	5250	5350~5400.4	5355.09	-46.68	-42.68	0.053 95	≤15	PASS
NTNV	11AX160 MIMO	Ant3	5250	5350~5400.4	5368.95	-47.57	-42.57	0.055 34	≤15	PASS
NTNV	11AX160 MIMO	total	5250	5350~5400.4	---	---	---	0.163 24	≤15	PASS
NTNV	11AX160 MIMO	Ant1	5250	5400.4~2600 0	18770.2 3	-44.32	-39.32	0.116 95	≤2.5	PASS
NTNV	11AX160 MIMO	Ant2	5250	5400.4~2600 0	18988.5 8	-45.33	-41.33	0.073 62	≤2.5	PASS
NTNV	11AX160 MIMO	Ant3	5250	5400.4~2600 0	22092.9 4	-44.38	-39.38	0.115 35	≤2.5	PASS
NTNV	11AX160 MIMO	total	5250	5400.4~2600 0	---	---	---	0.305 92	≤2.5	PASS

Test Result_Step2

TestCondition	TestMode	Antenna	Frequency[MHz]	Freq.Range [MHz]	Result [MHz]	Result [dBm/MHz]	EIRP[dBm/MHz]	Result [μW/MHz]	Limit [μW]	Verdict
NTNV	11A	Ant1	5260	5233.3~5240	5239.69	-46.24	-41.24	0.07516	≤5.2	PASS
NTNV	11A	Ant2	5260	5233.3~5240	5237.55	-47.13	-43.13	0.04864	≤3	PASS
NTNV	11A	Ant3	5260	5233.3~5240	5239.79	-46.96	-41.96	0.06368	≤4	PASS
NTNV	11A	Ant1	5260	5240~5249	5248.97	-33.67	-28.67	1.35831	≤100	PASS
NTNV	11A	Ant2	5260	5240~5249	5249.00	-34.55	-30.55	0.88105	≤97	PASS
NTNV	11A	Ant3	5260	5240~5249	5248.97	-34.60	-29.60	1.09648	≤100	PASS
NTNV	11A	Ant1	5260	5249~5250	5249.59	-33.79	-28.79	1.32130	≤100	PASS
NTNV	11A	Ant2	5260	5249~5250	5249.59	-33.99	-29.99	1.00231	≤102	PASS
NTNV	11A	Ant3	5260	5249~5250	5249.55	-34.15	-29.15	1.21619	≤105	PASS
NTNV	11A	Ant1	5300	5233.3~5240	5233.97	-47.56	-42.56	0.05546	≤3	PASS
NTNV	11A	Ant2	5300	5233.3~5240	5234.66	-47.63	-43.63	0.04335	≤3	PASS
NTNV	11A	Ant3	5300	5233.3~5240	5233.49	-47.55	-42.55	0.05559	≤2.6	PASS
NTNV	11A	Ant1	5320	5233.3~5240	5234.65	-47.58	-42.58	0.05521	≤2.9	PASS
NTNV	11A	Ant2	5320	5233.3~5240	5233.31	-47.70	-43.70	0.04266	≤2.5	PASS
NTNV	11A	Ant3	5320	5233.3~5240	5235.39	-47.58	-42.58	0.05521	≤3	PASS
NTNV	11N20SI SO	Ant1	5260	5233.3~5240	5239.78	-42.44	-37.44	0.18030	≤5	PASS
NTNV	11N20SI SO	Ant2	5260	5233.3~5240	5237.33	-47.13	-43.13	0.04864	≤2.6	PASS
NTNV	11N20SI SO	Ant3	5260	5233.3~5240	5233.69	-46.99	-41.99	0.06324	≤2.8	PASS
NTNV	11N20SI	Ant1	5260	5240~5249	5248.96	-32.92	-27.92	1.614	≤98	PASS

	SO							36		
NTNV	11N20SI SO	Ant2	5260	5240~5249	5248.88	-31.51	-27.51	1.774 19	≤99	PASS
NTNV	11N20SI SO	Ant3	5260	5240~5249	5249.00	-32.56	-27.56	1.753 88	≤99	PASS
NTNV	11N20SI SO	Ant1	5260	5249~5250	5249.98	-32.03	-27.03	1.981 53	≤112	PASS
NTNV	11N20SI SO	Ant2	5260	5249~5250	5249.98	-31.89	-27.89	1.625 55	≤105	PASS
NTNV	11N20SI SO	Ant3	5260	5249~5250	5249.95	-31.99	-26.99	1.999 86	≤112	PASS
NTNV	11N20SI SO	Ant1	5300	5233.3~5240	5235.54	-47.54	-42.54	0.055 72	≤2.5	PASS
NTNV	11N20SI SO	Ant2	5300	5233.3~5240	5234.21	-47.65	-43.65	0.043 15	≤2.5	PASS
NTNV	11N20SI SO	Ant3	5300	5233.3~5240	5235.90	-47.54	-42.54	0.055 72	≤3	PASS
NTNV	11N20SI SO	Ant1	5320	5233.3~5240	5233.51	-47.56	-42.56	0.055 46	≤2.6	PASS
NTNV	11N20SI SO	Ant2	5320	5233.3~5240	5233.75	-47.69	-43.69	0.042 76	≤3	PASS
NTNV	11N20SI SO	Ant3	5320	5233.3~5240	5234.24	-47.55	-42.55	0.055 59	≤2.6	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.84	-47.74	-42.74	0.053 21	≤2.9	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.74	-47.71	-42.71	0.053 58	≤2.8	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.33	-47.70	-42.70	0.053 70	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.84	-47.69	-43.69	0.042 76	≤2.9	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.74	-47.69	-43.69	0.042 76	≤2.8	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.33	-47.71	-43.71	0.042 56	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.84	-47.64	-42.64	0.054 45	≤2.9	PASS
NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.74	-47.63	-42.63	0.054 58	≤2.8	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.33	-47.65	-42.65	0.054 33	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5260	5233.3~5240	5233.84	---	---	0.150 42	≤2.9	PASS

NTNV	11N20MI MO	Ant2	5260	5233.3~5240	5233.74	---	---	0.150 92	≤2.8	PASS
NTNV	11N20MI MO	Ant3	5260	5233.3~5240	5233.33	---	---	0.150 59	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5248.99	-40.93	-35.93	0.255 27	≤100	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5249.00	-40.93	-35.93	0.255 27	≤100	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5248.93	-41.10	-36.10	0.245 47	≤99	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5248.99	-39.14	-35.14	0.306 20	≤100	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5249.00	-39.13	-35.13	0.306 90	≤100	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5248.93	-39.41	-35.41	0.287 74	≤99	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5248.99	-40.26	-35.26	0.297 85	≤100	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5249.00	-40.29	-35.29	0.295 80	≤100	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5248.93	-40.47	-35.47	0.283 79	≤99	PASS
NTNV	11N20MI MO	Ant1	5260	5240~5249	5248.99	---	---	0.859 32	≤100	PASS
NTNV	11N20MI MO	Ant2	5260	5240~5249	5249.00	---	---	0.857 97	≤100	PASS
NTNV	11N20MI MO	Ant3	5260	5240~5249	5248.93	---	---	0.817 00	≤99	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.44	-47.71	-42.71	0.053 58	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.55	-47.72	-42.72	0.053 46	≤2.7	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.47	-47.72	-42.72	0.053 46	≤2.6	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.44	-47.71	-43.71	0.042 56	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.55	-47.73	-43.73	0.042 36	≤2.7	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.47	-47.74	-43.74	0.042 27	≤2.6	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.44	-47.66	-42.66	0.054 20	≤2.6	PASS
NTNV	11N20MI	Ant2	5300	5233.3~5240	5233.55	-47.65	-42.65	0.054	≤2.7	PASS

	MO							33		
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.47	-47.69	-42.69	0.053 83	≤2.6	PASS
NTNV	11N20MI MO	Ant1	5300	5233.3~5240	5233.44	---	---	0.150 34	≤2.6	PASS
NTNV	11N20MI MO	Ant2	5300	5233.3~5240	5233.55	---	---	0.150 15	≤2.7	PASS
NTNV	11N20MI MO	Ant3	5300	5233.3~5240	5233.47	---	---	0.149 56	≤2.6	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.55	-47.70	-42.70	0.053 70	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.82	-47.71	-42.71	0.053 58	≤2.9	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.35	-47.70	-42.70	0.053 70	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.55	-47.74	-43.74	0.042 27	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.82	-47.76	-43.76	0.042 07	≤2.9	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.35	-47.74	-43.74	0.042 27	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.55	-47.63	-42.63	0.054 58	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.82	-47.61	-42.61	0.054 83	≤2.9	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.35	-47.60	-42.60	0.054 95	≤2.5	PASS
NTNV	11N20MI MO	Ant1	5320	5233.3~5240	5233.55	---	---	0.150 55	≤2.7	PASS
NTNV	11N20MI MO	Ant2	5320	5233.3~5240	5233.82	---	---	0.150 48	≤2.9	PASS
NTNV	11N20MI MO	Ant3	5320	5233.3~5240	5233.35	---	---	0.150 92	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	30~5221.6	5221.60	-47.24	-42.24	0.059 70	≤2.5	PASS
NTNV	11N40SI SO	Ant1	5270	5221.6~5230	5229.99	-46.79	-41.79	0.066 22	≤8	PASS
NTNV	11N40SI SO	Ant2	5270	5221.6~5230	5229.58	-47.28	-43.28	0.046 99	≤4	PASS
NTNV	11N40SI SO	Ant3	5270	5221.6~5230	5227.32	-47.25	-42.25	0.059 57	≤4	PASS
NTNV	11N40SI SO	Ant1	5270	5249~5250	5249.06	-39.35	-34.35	0.367 28	≤50	PASS

NTNV	11N40SI SO	Ant1	5310	5221.6~5230	5222.24	-47.61	-42.61	0.054 83	≤2.5	PASS
NTNV	11N40SI SO	Ant2	5310	5221.6~5230	5224.89	-47.74	-43.74	0.042 27	≤2.7	PASS
NTNV	11N40SI SO	Ant3	5310	5221.6~5230	5222.06	-47.61	-42.61	0.054 83	≤2.6	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.79	-47.77	-42.77	0.052 84	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5222.25	-47.79	-42.79	0.052 60	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.72	-47.78	-42.78	0.052 72	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.79	-47.78	-43.78	0.041 88	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5222.25	-47.78	-43.78	0.041 88	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.72	-47.78	-43.78	0.041 88	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.79	-47.75	-42.75	0.053 09	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5222.25	-47.73	-42.73	0.053 33	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.72	-47.75	-42.75	0.053 09	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5270	5221.6~5230	5221.79	---	---	0.147 81	≤2.5	PASS
NTNV	11N40MI MO	Ant2	5270	5221.6~5230	5222.25	---	---	0.147 81	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5270	5221.6~5230	5221.72	---	---	0.147 69	≤2.5	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.55	-47.78	-42.78	0.052 72	≤2.8	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.12	-47.76	-42.76	0.052 97	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.39	-47.78	-42.78	0.052 72	≤2.8	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.55	-47.78	-43.78	0.041 88	≤2.8	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.12	-47.80	-43.80	0.041 69	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.39	-47.80	-43.80	0.041 69	≤2.8	PASS
NTNV	11N40MI	Ant1	5310	5221.6~5230	5222.55	-47.68	-42.68	0.053	≤2.8	PASS

	MO							95		
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.12	-47.70	-42.70	0.053 70	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.39	-47.69	-42.69	0.053 83	≤2.8	PASS
NTNV	11N40MI MO	Ant1	5310	5221.6~5230	5222.55	---	---	0.148 55	≤2.8	PASS
NTNV	11N40MI MO	Ant2	5310	5221.6~5230	5222.12	---	---	0.148 36	≤2.7	PASS
NTNV	11N40MI MO	Ant3	5310	5221.6~5230	5222.39	---	---	0.148 24	≤2.8	PASS
NTNV	11AC20S ISO	Ant1	5260	30~5233.3	5233.30	-46.91	-41.91	0.064 42	≤2.5	PASS
NTNV	11AC20S ISO	Ant1	5260	5233.3~5240	5239.18	-46.55	-41.55	0.069 98	≤4	PASS
NTNV	11AC20S ISO	Ant2	5260	5233.3~5240	5239.32	-46.79	-42.79	0.052 60	≤5	PASS
NTNV	11AC20S ISO	Ant3	5260	5233.3~5240	5238.14	-47.13	-42.13	0.061 24	≤2.7	PASS
NTNV	11AC20S ISO	Ant1	5260	5240~5249	5249.00	-32.23	-27.23	1.892 34	≤99	PASS
NTNV	11AC20S ISO	Ant2	5260	5240~5249	5248.86	-31.74	-27.74	1.682 67	≤97	PASS
NTNV	11AC20S ISO	Ant3	5260	5240~5249	5248.98	-33.11	-28.11	1.545 25	≤100	PASS
NTNV	11AC20S ISO	Ant1	5260	5249~5250	5249.99	-31.59	-26.59	2.192 80	≤100	PASS
NTNV	11AC20S ISO	Ant2	5260	5249~5250	5249.97	-30.85	-26.85	2.065 38	≤107	PASS
NTNV	11AC20S ISO	Ant3	5260	5249~5250	5250.00	-32.52	-27.52	1.770 11	≤105	PASS
NTNV	11AC20S ISO	Ant1	5300	5233.3~5240	5235.65	-47.57	-42.57	0.055 34	≤3.2	PASS
NTNV	11AC20S ISO	Ant2	5300	5233.3~5240	5233.57	-47.65	-43.65	0.043 15	≤2.7	PASS
NTNV	11AC20S ISO	Ant3	5300	5233.3~5240	5235.91	-47.53	-42.53	0.055 85	≤3	PASS
NTNV	11AC20S ISO	Ant1	5320	5233.3~5240	5235.67	-47.54	-42.54	0.055 72	≤2.7	PASS
NTNV	11AC20S ISO	Ant2	5320	5233.3~5240	5234.90	-47.68	-43.68	0.042 85	≤2.5	PASS
NTNV	11AC20S ISO	Ant3	5320	5233.3~5240	5234.81	-47.55	-42.55	0.055 59	≤2.5	PASS

NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.31	-47.71	-42.71	0.053 58	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.34	-47.72	-42.72	0.053 46	≤3	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.41	-47.70	-42.70	0.053 70	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.31	-47.69	-43.69	0.042 76	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.34	-47.69	-43.69	0.042 76	≤3	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.41	-47.70	-43.70	0.042 66	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.31	-47.66	-42.66	0.054 20	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.34	-47.66	-42.66	0.054 20	≤3	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.41	-47.66	-42.66	0.054 20	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5260	5233.3~5240	5233.31	---	---	0.150 54	≤2.5	PASS
NTNV	11AC20 MIMO	Ant2	5260	5233.3~5240	5233.34	---	---	0.150 42	≤3	PASS
NTNV	11AC20 MIMO	Ant3	5260	5233.3~5240	5233.41	---	---	0.150 56	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5248.93	-39.74	-34.74	0.335 74	≤98	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.89	-39.64	-34.64	0.343 56	≤99	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.69	-39.91	-34.91	0.322 85	≤98	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5248.93	-39.35	-35.35	0.291 74	≤98	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.89	-39.31	-35.31	0.294 44	≤99	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.69	-39.49	-35.49	0.282 49	≤98	PASS
NTNV	11AC20 MIMO	Ant1	5260	5240~5249	5248.93	-39.48	-34.48	0.356 45	≤98	PASS
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.89	-39.39	-34.39	0.363 92	≤99	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.69	-39.62	-34.62	0.345 14	≤98	PASS
NTNV	11AC20	Ant1	5260	5240~5249	5248.93	---	---	0.983	≤98	PASS

	MIMO							93		
NTNV	11AC20 MIMO	Ant2	5260	5240~5249	5248.89	---	---	1.001 92	≤99	PASS
NTNV	11AC20 MIMO	Ant3	5260	5240~5249	5248.69	---	---	0.950 48	≤98	PASS
NTNV	11AC20 MIMO	Ant1	5260	5249~5250	5249.05	-39.37	-34.37	0.365 59	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5249~5250	5249.10	-38.78	-33.78	0.418 79	≤135	PASS
NTNV	11AC20 MIMO	Ant3	5260	5249~5250	5249.01	-38.74	-33.74	0.422 67	≤135	PASS
NTNV	11AC20 MIMO	Ant1	5260	5249~5250	5249.05	-38.96	-34.96	0.319 15	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5249~5250	5249.10	-38.33	-34.33	0.368 98	≤135	PASS
NTNV	11AC20 MIMO	Ant3	5260	5249~5250	5249.01	-38.30	-34.30	0.371 54	≤135	PASS
NTNV	11AC20 MIMO	Ant1	5260	5249~5250	5249.05	-39.11	-34.11	0.388 15	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5249~5250	5249.10	-38.44	-33.44	0.452 90	≤135	PASS
NTNV	11AC20 MIMO	Ant3	5260	5249~5250	5249.01	-38.49	-33.49	0.447 71	≤135	PASS
NTNV	11AC20 MIMO	Ant1	5260	5249~5250	5249.05	---	---	1.072 89	≤100	PASS
NTNV	11AC20 MIMO	Ant2	5260	5249~5250	5249.10	---	---	1.240 67	≤135	PASS
NTNV	11AC20 MIMO	Ant3	5260	5249~5250	5249.01	---	---	1.241 92	≤135	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.40	-47.70	-42.70	0.053 70	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.57	-47.74	-42.74	0.053 21	≤2.7	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.79	-47.71	-42.71	0.053 58	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.40	-47.72	-43.72	0.042 46	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.57	-47.71	-43.71	0.042 56	≤2.7	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.79	-47.69	-43.69	0.042 76	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.40	-47.66	-42.66	0.054 20	≤2.6	PASS

NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.57	-47.67	-42.67	0.054 08	≤2.7	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.79	-47.65	-42.65	0.054 33	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5300	5233.3~5240	5233.4	---	---	0.150 36	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5300	5233.3~5240	5233.57	---	---	0.149 85	≤2.7	PASS
NTNV	11AC20 MIMO	Ant3	5300	5233.3~5240	5233.79	---	---	0.150 67	≤2.9	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.45	-47.69	-42.69	0.053 83	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.91	-47.71	-42.71	0.053 58	≤2.9	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.47	-47.71	-42.71	0.053 58	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.45	-47.71	-43.71	0.042 56	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.91	-47.75	-43.75	0.042 17	≤2.9	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.47	-47.71	-43.71	0.042 56	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.45	-47.61	-42.61	0.054 83	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.91	-47.62	-42.62	0.054 70	≤2.9	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.47	-47.62	-42.62	0.054 70	≤2.6	PASS
NTNV	11AC20 MIMO	Ant1	5320	5233.3~5240	5233.45	---	---	0.151 22	≤2.6	PASS
NTNV	11AC20 MIMO	Ant2	5320	5233.3~5240	5233.91	---	---	0.150 45	≤2.9	PASS
NTNV	11AC20 MIMO	Ant3	5320	5233.3~5240	5233.47	---	---	0.150 84	≤2.6	PASS
NTNV	11AC40S ISO	Ant1	5270	30~5221.6	5211.74	-47.37	-42.37	0.057 94	≤2.5	PASS
NTNV	11AC40S ISO	Ant1	5270	5221.6~5230	5227.52	-46.97	-41.97	0.063 53	≤5	PASS
NTNV	11AC40S ISO	Ant2	5270	5221.6~5230	5227.28	-47.36	-43.36	0.046 13	≤3.2	PASS
NTNV	11AC40S ISO	Ant3	5270	5221.6~5230	5223.27	-47.34	-42.34	0.058 34	≤3	PASS
NTNV	11AC40S	Ant1	5270	5230~5249	5237.58	-46.18	-41.18	0.076	≤15	PASS

NTNV	ISO 11AC40S ISO	Ant1	5310	5221.6~5230	5223.22	-47.62	-42.62	21 0.054 70	≤2.5	PASS
NTNV	ISO 11AC40S ISO	Ant2	5310	5221.6~5230	5223.88	-47.73	-43.73	0.042 36	≤2.5	PASS
NTNV	ISO 11AC40S ISO	Ant3	5310	5221.6~5230	5225.46	-47.58	-42.58	0.055 21	≤2.5	PASS
NTNV	MIMO 11AC40 MIMO	Ant1	5270	5221.6~5230	5221.91	-47.75	-42.75	0.053 09	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant2	5270	5221.6~5230	5222.48	-47.76	-42.76	0.052 97	≤2.8	PASS
NTNV	MIMO 11AC40 MIMO	Ant3	5270	5221.6~5230	5221.74	-47.78	-42.78	0.052 72	≤2.5	PASS
NTNV	MIMO 11AC40 MIMO	Ant1	5270	5221.6~5230	5221.91	-47.78	-43.78	0.041 88	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant2	5270	5221.6~5230	5222.48	-47.77	-43.77	0.041 98	≤2.8	PASS
NTNV	MIMO 11AC40 MIMO	Ant3	5270	5221.6~5230	5221.74	-47.73	-43.73	0.042 36	≤2.5	PASS
NTNV	MIMO 11AC40 MIMO	Ant1	5270	5221.6~5230	5221.91	-47.68	-42.68	0.053 95	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant2	5270	5221.6~5230	5222.48	-47.67	-42.67	0.054 08	≤2.8	PASS
NTNV	MIMO 11AC40 MIMO	Ant3	5270	5221.6~5230	5221.74	-47.71	-42.71	0.053 58	≤2.5	PASS
NTNV	MIMO 11AC40 MIMO	Ant1	5270	5221.6~5230	5221.91	---	---	0.148 92	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant2	5270	5221.6~5230	5222.48	---	---	0.149 03	≤2.8	PASS
NTNV	MIMO 11AC40 MIMO	Ant3	5270	5221.6~5230	5221.74	---	---	0.148 66	≤2.5	PASS
NTNV	MIMO 11AC40 MIMO	Ant1	5310	5221.6~5230	5221.89	-47.77	-42.77	0.052 84	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant2	5310	5221.6~5230	5222.47	-47.75	-42.75	0.053 09	≤2.8	PASS
NTNV	MIMO 11AC40 MIMO	Ant3	5310	5221.6~5230	5221.91	-47.78	-42.78	0.052 72	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant1	5310	5221.6~5230	5221.89	-47.80	-43.80	0.041 69	≤2.6	PASS
NTNV	MIMO 11AC40 MIMO	Ant2	5310	5221.6~5230	5222.47	-47.80	-43.80	0.041 69	≤2.8	PASS
NTNV	MIMO 11AC40 MIMO	Ant3	5310	5221.6~5230	5221.91	-47.79	-43.79	0.041 78	≤2.6	PASS

NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5221.89	-47.69	-42.69	0.053 83	≤2.6	PASS
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5222.47	-47.70	-42.70	0.053 70	≤2.8	PASS
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5221.91	-47.67	-42.67	0.054 08	≤2.6	PASS
NTNV	11AC40 MIMO	Ant1	5310	5221.6~5230	5221.89	---	---	0.148 36	≤2.6	PASS
NTNV	11AC40 MIMO	Ant2	5310	5221.6~5230	5222.47	---	---	0.148 48	≤2.8	PASS
NTNV	11AC40 MIMO	Ant3	5310	5221.6~5230	5221.91	---	---	0.148 58	≤2.6	PASS
NTNV	11AC80S ISO	Ant1	5290	30~5203.3	5196.06	-46.92	-41.92	0.064 27	≤2.5	PASS
NTNV	11AC80S ISO	Ant3	5290	30~5203.3	5185.71	-47.46	-42.46	0.056 75	≤2.5	PASS
NTNV	11AC80S ISO	Ant3	5290	30~5203.3	5201.75	-46.93	-41.93	0.064 12	≤2.5	PASS
NTNV	11AC80 MIMO	Ant1	5290	5210~5249	5210.16	-47.84	-42.84	0.052 00	≤4	PASS
NTNV	11AC80 MIMO	Ant2	5290	5210~5249	5217.06	-47.81	-42.81	0.052 36	≤5	PASS
NTNV	11AC80 MIMO	Ant3	5290	5210~5249	5212.96	-47.83	-42.83	0.052 12	≤4	PASS
NTNV	11AC80 MIMO	Ant1	5290	5210~5249	5210.16	-47.84	-43.84	0.041 30	≤4	PASS
NTNV	11AC80 MIMO	Ant2	5290	5210~5249	5217.06	-47.80	-43.80	0.041 69	≤5	PASS
NTNV	11AC80 MIMO	Ant3	5290	5210~5249	5212.96	-47.83	-43.83	0.041 40	≤4	PASS
NTNV	11AC80 MIMO	Ant1	5290	5210~5249	5210.16	-47.78	-42.78	0.052 72	≤4	PASS
NTNV	11AC80 MIMO	Ant2	5290	5210~5249	5217.06	-47.75	-42.75	0.053 09	≤5	PASS
NTNV	11AC80 MIMO	Ant3	5290	5210~5249	5212.96	-47.76	-42.76	0.052 97	≤4	PASS
NTNV	11AC80 MIMO	Ant1	5290	5210~5249	5210.16	---	---	0.146 02	≤4	PASS
NTNV	11AC80 MIMO	Ant2	5290	5210~5249	5217.06	---	---	0.147 14	≤5	PASS
NTNV	11AC80 MIMO	Ant3	5290	5210~5249	5212.96	---	---	0.146 49	≤4	PASS
NTNV	11AC160	Ant1	5250	30~5099.6	5096.05	-47.66	-42.66	0.054	≤2.5	PASS

	SISO							20		
NTNV	11AC160 SISO	Ant2	5250	30~5099.6	5096.05	-46.11	-42.11	0.061 52	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5260	5233.3~5240	5239.65	-42.61	-37.61	0.173 38	≤4	PASS
NTNV	11AX20S ISO	Ant2	5260	5233.3~5240	5236.17	-42.74	-38.74	0.133 66	≤2.7	PASS
NTNV	11AX20S ISO	Ant3	5260	5233.3~5240	5234.47	-47.33	-42.33	0.058 48	≤2.5	PASS
NTNV	11AX20S ISO	Ant1	5260	5240~5249	5248.96	-32.42	-27.42	1.811 34	≤99	PASS
NTNV	11AX20S ISO	Ant2	5260	5240~5249	5249.00	-34.10	-30.10	0.977 24	≤99	PASS
NTNV	11AX20S ISO	Ant3	5260	5240~5249	5248.92	-35.22	-30.22	0.950 60	≤99	PASS
NTNV	11AX20S ISO	Ant1	5260	5249~5249.8	5249.77	-29.94	-24.94	3.206 27	≤148	PASS
NTNV	11AX20S ISO	Ant2	5260	5249~5249.8	5249.77	-32.74	-28.74	1.336 60	≤112	PASS
NTNV	11AX20S ISO	Ant3	5260	5249~5249.8	5249.80	-33.26	-28.26	1.492 79	≤102	PASS
NTNV	11AX20S ISO	Ant1	5260	5249.8~5250	5249.98	-16.77	-11.77	66.52 732	≤807	PASS
NTNV	11AX20S ISO	Ant2	5260	5249.8~5250	5249.98	-17.43	-13.43	45.39 416	≤671	PASS
NTNV	11AX20S ISO	Ant3	5260	5249.8~5250	5250.00	-17.65	-12.65	54.32 503	≤671	PASS
NTNV	11AX20S ISO	Ant1	5300	5233.3~5240	5235.04	-47.56	-42.56	0.055 46	≤2.6	PASS
NTNV	11AX20S ISO	Ant2	5300	5233.3~5240	5234.57	-47.67	-43.67	0.042 95	≤2.7	PASS
NTNV	11AX20S ISO	Ant3	5300	5233.3~5240	5233.52	-47.55	-42.55	0.055 59	≤3	PASS
NTNV	11AX20S ISO	Ant1	5320	5233.3~5240	5233.48	-47.60	-42.60	0.054 95	≤2.6	PASS
NTNV	11AX20S ISO	Ant2	5320	5233.3~5240	5234.41	-47.70	-43.70	0.042 66	≤2.8	PASS
NTNV	11AX20S ISO	Ant3	5320	5233.3~5240	5235.11	-47.57	-42.57	0.055 34	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5234.04	-47.71	-42.71	0.053 58	≤3.1	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.31	-47.69	-42.69	0.053 83	≤2.5	PASS

NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.33	-47.70	-42.70	0.053 70	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5234.04	-47.67	-43.67	0.042 95	≤3.1	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.31	-47.69	-43.69	0.042 76	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.33	-47.66	-43.66	0.043 05	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5234.04	-47.63	-42.63	0.054 58	≤3.1	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.31	-47.65	-42.65	0.054 33	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.33	-47.63	-42.63	0.054 58	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5233.3~5240	5234.04	---	---	0.151 11	≤3.1	PASS
NTNV	11AX20 MIMO	Ant2	5260	5233.3~5240	5233.31	---	---	0.150 92	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5260	5233.3~5240	5233.33	---	---	0.151 33	≤3	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.97	-39.04	-34.04	0.394 46	≤100	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.90	-39.48	-34.48	0.356 45	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.98	-39.78	-34.78	0.332 66	≤99	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.97	-37.63	-33.63	0.433 51	≤100	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.90	-37.52	-33.52	0.444 63	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.98	-38.18	-34.18	0.381 94	≤99	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.97	-39.31	-34.31	0.370 68	≤100	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.90	-39.55	-34.55	0.350 75	≤100	PASS
NTNV	11AX20 MIMO	Ant3	5260	5240~5249	5248.98	-39.77	-34.77	0.333 43	≤99	PASS
NTNV	11AX20 MIMO	Ant1	5260	5240~5249	5248.97	---	---	1.198 65	≤100	PASS
NTNV	11AX20 MIMO	Ant2	5260	5240~5249	5248.90	---	---	1.151 83	≤100	PASS
NTNV	11AX20	Ant3	5260	5240~5249	5248.98	---	---	1.048	≤99	PASS

	MIMO							03		
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.01	-37.48	-32.48	0.564 94	≤112	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.02	-38.89	-33.89	0.408 32	≤110	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.02	-30.65	-25.65	2.722 70	≤269	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.01	-36.49	-32.49	0.563 64	≤112	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.02	-36.26	-32.26	0.594 29	≤110	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.02	-30.10	-26.10	2.454 71	≤269	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.01	-37.89	-32.89	0.514 04	≤112	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.02	-38.88	-33.88	0.409 26	≤110	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.02	-30.75	-25.75	2.660 73	≤269	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249~5249.8	5249.01	---	---	1.642 62	≤112	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249~5249.8	5249.02	---	---	1.411 87	≤110	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249~5249.8	5249.02	---	---	7.838 14	≤269	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-23.23	-18.23	15.03 142	≤631	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.81	-23.44	-18.44	14.32 188	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.81	-23.56	-18.56	13.93 157	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-22.88	-18.88	12.94 196	≤631	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.81	-22.72	-18.72	13.42 765	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.81	-22.40	-18.40	14.45 440	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	-22.95	-17.95	16.03 245	≤631	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.81	-23.12	-18.12	15.41 700	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.81	-23.07	-18.07	15.59 553	≤631	PASS





NTNV	11AX20 MIMO	Ant1	5260	5249.8~5250	5249.81	---	---	44.00 583	≤631	PASS
NTNV	11AX20 MIMO	Ant2	5260	5249.8~5250	5249.81	---	---	43.16 653	≤631	PASS
NTNV	11AX20 MIMO	Ant3	5260	5249.8~5250	5249.81	---	---	43.98 150	≤631	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.35	-47.71	-42.71	0.053 58	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.49	-47.71	-42.71	0.053 58	≤2.6	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.87	-47.70	-42.70	0.053 70	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.35	-47.70	-43.70	0.042 66	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.49	-47.68	-43.68	0.042 85	≤2.6	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.87	-47.71	-43.71	0.042 56	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.35	-47.63	-42.63	0.054 58	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.49	-47.63	-42.63	0.054 58	≤2.6	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.87	-47.64	-42.64	0.054 45	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5300	5233.3~5240	5233.35	---	---	0.150 82	≤2.5	PASS
NTNV	11AX20 MIMO	Ant2	5300	5233.3~5240	5233.49	---	---	0.151 01	≤2.6	PASS
NTNV	11AX20 MIMO	Ant3	5300	5233.3~5240	5233.87	---	---	0.150 71	≤2.9	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.51	-47.69	-42.69	0.053 83	≤2.6	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5233.38	-47.70	-42.70	0.053 70	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.69	-47.68	-42.68	0.053 95	≤2.8	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.51	-47.73	-43.73	0.042 36	≤2.6	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5233.38	-47.70	-43.70	0.042 66	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.69	-47.72	-43.72	0.042 46	≤2.8	PASS
NTNV	11AX20	Ant1	5320	5233.3~5240	5233.51	-47.59	-42.59	0.055	≤2.6	PASS

	MIMO							08		
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5233.38	-47.61	-42.61	0.054 83	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.69	-47.60	-42.60	0.054 95	≤2.8	PASS
NTNV	11AX20 MIMO	Ant1	5320	5233.3~5240	5233.51	---	---	0.151 27	≤2.6	PASS
NTNV	11AX20 MIMO	Ant2	5320	5233.3~5240	5233.38	---	---	0.151 19	≤2.5	PASS
NTNV	11AX20 MIMO	Ant3	5320	5233.3~5240	5233.69	---	---	0.151 36	≤2.8	PASS
NTNV	11AX40S ISO	Ant1	5270	30~5221.6	5221.60	-47.31	-42.31	0.058 75	≤2.5	PASS
NTNV	11AX40S ISO	Ant3	5270	30~5221.6	5220.04	-47.35	-42.35	0.058 21	≤2.5	PASS
NTNV	11AX40S ISO	Ant1	5270	5221.6~5230	5229.78	-46.93	-41.93	0.064 12	≤5	PASS
NTNV	11AX40S ISO	Ant2	5270	5221.6~5230	5229.50	-47.31	-43.31	0.046 67	≤5	PASS
NTNV	11AX40S ISO	Ant3	5270	5221.6~5230	5223.13	-47.15	-42.15	0.060 95	≤4	PASS
NTNV	11AX40S ISO	Ant1	5270	5230~5249	5245.31	-43.65	-38.65	0.136 46	≤49	PASS
NTNV	11AX40S ISO	Ant1	5270	5249~5250	5249.03	-43.85	-38.85	0.130 32	≤50	PASS
NTNV	11AX40S ISO	Ant1	5310	5221.6~5230	5227.65	-47.65	-42.65	0.054 33	≤3	PASS
NTNV	11AX40S ISO	Ant2	5310	5221.6~5230	5225.52	-47.77	-43.77	0.041 98	≤2.6	PASS
NTNV	11AX40S ISO	Ant3	5310	5221.6~5230	5222.50	-47.60	-42.60	0.054 95	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5221.74	-47.76	-42.76	0.052 97	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5222.06	-47.78	-42.78	0.052 72	≤2.6	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.81	-47.79	-42.79	0.052 60	≤2.6	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5221.74	-47.76	-43.76	0.042 07	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5222.06	-47.77	-43.77	0.041 98	≤2.6	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.81	-47.78	-43.78	0.041 88	≤2.6	PASS

NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5221.74	-47.72	-42.72	0.053 46	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5222.06	-47.71	-42.71	0.053 58	≤2.6	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.81	-47.69	-42.69	0.053 83	≤2.6	PASS
NTNV	11AX40 MIMO	Ant1	5270	5221.6~5230	5221.74	---	---	0.148 50	≤2.5	PASS
NTNV	11AX40 MIMO	Ant2	5270	5221.6~5230	5222.06	---	---	0.148 28	≤2.6	PASS
NTNV	11AX40 MIMO	Ant3	5270	5221.6~5230	5221.81	---	---	0.148 31	≤2.6	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.99	-47.77	-42.77	0.052 84	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.66	-47.77	-42.77	0.052 84	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5221.66	-47.75	-42.75	0.053 09	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.99	-47.79	-43.79	0.041 78	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.66	-47.77	-43.77	0.041 98	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5221.66	-47.78	-43.78	0.041 88	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.99	-47.67	-42.67	0.054 08	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.66	-47.67	-42.67	0.054 08	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5221.66	-47.67	-42.67	0.054 08	≤2.5	PASS
NTNV	11AX40 MIMO	Ant1	5310	5221.6~5230	5221.99	---	---	0.148 70	≤3	PASS
NTNV	11AX40 MIMO	Ant2	5310	5221.6~5230	5221.66	---	---	0.148 90	≤2.5	PASS
NTNV	11AX40 MIMO	Ant3	5310	5221.6~5230	5221.66	---	---	0.149 05	≤2.5	PASS
NTNV	11AX80S ISO	Ant1	5290	30~5203.3	5199.16	-46.80	-41.80	0.066 07	≤2.5	PASS
NTNV	11AX80S ISO	Ant3	5290	5203.3~5210	5206.64	-47.07	-42.07	0.062 09	≤3.1	PASS
NTNV	11AX80S ISO	Ant2	5290	5249~5250	5249.99	-29.00	-25.00	3.162 28	≤250	PASS
NTNV	11AX160	Ant2	5250	30~5099.6	5097.07	-46.45	-42.45	0.056	≤2.5	PASS


	SISO							89		
--	------	--	--	--	--	--	--	----	--	--

Test Graphs


 10:30:23 AM 03/13/2026	 12:51:18 PM 03/13/2026
NTNV-11A-Ant1-5260-30~5233.3-See table below	NTNV-11A-Ant2-5260-30~5233.3-PASS
 03:07:45 PM 03/13/2026	 10:30:33 AM 03/13/2026
NTNV-11A-Ant3-5260-30~5233.3-PASS	NTNV-11A-Ant1-5260-5233.3~5240-See table below




NTVN-11A-Ant2-5260-5233.3~5240-See table below





NTVN-11A-Ant3-5260-5233.3~5240-See table below







NTVN-11A-Ant1-5260-5240~5249-See table below




NTVN-11A-Ant2-5260-5240~5249-See table below




NTNV-11A-Ant3-5260-5240~5249-See table below  12:52:36 PM 03/13/2026	NTNV-11A-Ant1-5260-5249~5250-See table below  03:09:04 PM 03/13/2026
NTNV-11A-Ant2-5260-5249~5250-See table below  10:32:17 AM 03/13/2026	NTNV-11A-Ant3-5260-5249~5250-See table below  12:53:09 PM 03/13/2026
NTNV-11A-Ant1-5260-5350~26000-PASS	NTNV-11A-Ant2-5260-5350~26000-PASS




NTNV-11A-Ant3-5260-5350~26000-PASS




NTNV-11A-Ant1-5300-30~5233.3-PASS




NTNV-11A-Ant2-5300-30~5233.3-PASS



NTNV-11A-Ant3-5300-30~5233.3-PASS



NTNV-11A-Ant1-5300-5233.3~5240-See table
below



NTNV-11A-Ant2-5300-5233.3~5240-See table
below



03:12:35 PM 03/13/2026

NTVN-11A-Ant3-5300-5233.3~5240-See table below



10:35:48 AM 03/13/2026

NTVN-11A-Ant1-5300-5240~5249-PASS



12:57:18 PM 03/13/2026

NTVN-11A-Ant2-5300-5240~5249-PASS



03:13:07 PM 03/13/2026

NTVN-11A-Ant3-5300-5240~5249-PASS








10:35:58 AM 03/13/2026


NTVN-11A-Ant1-5300-5249~5250-PASS



12:57:28 PM 03/13/2026

NTVN-11A-Ant2-5300-5249~5250-PASS







NTNV-11A-Ant3-5320-30~5233.3-PASS



NTNV-11A-Ant1-5320-5233.3~5240-See table below



NTNV-11A-Ant2-5320-5233.3~5240-See table below



NTNV-11A-Ant3-5320-5233.3~5240-See table below



NTNV-11A-Ant1-5320-5240~5249-PASS



NTNV-11A-Ant2-5320-5240~5249-PASS




NTNV-11A-Ant3-5320-5240~5249-PASS




NTNV-11A-Ant1-5320-5249~5250-PASS



NTNV-11A-Ant2-5320-5249~5250-PASS




NTNV-11A-Ant3-5320-5249~5250-PASS




NTNV-11A-Ant1-5320-5350~26000-PASS


NTNV-11A-Ant2-5320-5350~26000-PASS




NTVN-11A-Ant3-5320-5350~26000-PASS





NTVN-11N20SISO-Ant1-5260-30~5233.3-See
table below







NTVN-11N20SISO-Ant2-5260-30~5233.3-PASS




NTVN-11N20SISO-Ant3-5260-30~5233.3-See
table below




NTNV-11N20SISO-Ant1-5260-5233.3~5240-See table below	NTNV-11N20SISO-Ant2-5260-5233.3~5240-See table below
	
NTNV-11N20SISO-Ant3-5260-5233.3~5240-See table below	NTNV-11N20SISO-Ant1-5260-5240~5249-See table below
	
NTNV-11N20SISO-Ant2-5260-5240~5249-See table below	NTNV-11N20SISO-Ant3-5260-5240~5249-See table below




NTVN-11N20SISO-Ant1-5260-5249~5250-See table below





NTVN-11N20SISO-Ant2-5260-5249~5250-See table below







NTVN-11N20SISO-Ant3-5260-5249~5250-See table below



NTVN-11N20SISO-Ant1-5260-5350~26000-PAS S




NTNV-11N20SISO-Ant2-5260-5350~26000-PAS S	NTNV-11N20SISO-Ant3-5260-5350~26000-PAS S
 10:54:15 AM 03/13/2026	 01:19:46 PM 03/13/2026
NTNV-11N20SISO-Ant1-5300-30~5233.3-PASS	NTNV-11N20SISO-Ant2-5300-30~5233.3-PASS
 03:26:48 PM 03/13/2026	 10:54:26 AM 03/13/2026
NTNV-11N20SISO-Ant3-5300-30~5233.3-PASS	NTNV-11N20SISO-Ant1-5300-5233.3~5240-See table below




NTNV-11N20SISO-Ant2-5300-5233.3~5240-See table below

NTNV-11N20SISO-Ant3-5300-5233.3~5240-See table below




NTNV-11N20SISO-Ant1-5300-5240~5249-PASS

NTNV-11N20SISO-Ant2-5300-5240~5249-PASS




NTNV-11N20SISO-Ant3-5300-5240~5249-PASS


NTNV-11N20SISO-Ant1-5300-5249~5250-PASS




NTNV-11N20SISO-Ant2-5300-5249~5250-PASS




NTNV-11N20SISO-Ant3-5300-5249~5250-PASS




NTNV-11N20SISO-Ant1-5300-5350~26000-PASS



NTNV-11N20SISO-Ant2-5300-5350~26000-PASS




NTNV-11N20SISO-Ant3-5300-5350~26000-PASS




NTNV-11N20SISO-Ant1-5320-30~5233.3-PASS

S



01:24:17 PM 03/13/2026




03:32:04 PM 03/13/2026

NTNV-11N20SISO-Ant2-5320-30~5233.3-PASS

NTNV-11N20SISO-Ant3-5320-30~5233.3-PASS




10:57:59 AM 03/13/2026



01:24:28 PM 03/13/2026

NTNV-11N20SISO-Ant1-5320-5233.3~5240-See
table below

NTNV-11N20SISO-Ant2-5320-5233.3~5240-See
table below



03:32:14 PM 03/13/2026



10:58:31 AM 03/13/2026

NTNV-11N20SISO-Ant3-5320-5233.3~5240-See
table below



NTNV-11N20SISO-Ant1-5320-5240~5249-PASS




NTNV-11N20SISO-Ant2-5320-5240~5249-PASS



NTNV-11N20SISO-Ant3-5320-5240~5249-PASS



NTNV-11N20SISO-Ant1-5320-5249~5250-PASS



NTNV-11N20SISO-Ant2-5320-5249~5250-PASS

