Japan Test Report

Equipment	:	**Cloud Lite Managed Wi-Fi 7 2x2 Indoor Access Point, Cloud Managed Wi-Fi 7 2x2 Indoor Access Point**
Model No.	:	**ECW510L, ECW510P**
Brand Name	:	**EnGenius**
Applicant	:	**EnGenius Networks Japan Inc.**
Address	:	**10F, Expert Tamachi, 3-6-14 Shibaura Minato-ku, Tokyo-to 108-0023, Japan**
Standard	:	**Article 2 Paragraph 1 Item 19-3**
Received Date	:	**May 12, 2026**
Tested Date	:	**May 30 ~ Jun. 13, 2026**

Measurement was conducted by the following test method:
MIC Notice No. 88, Appendix 45.

We, International Certification Corporation, would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by: Alex Huang
Alex Huang / Supervisor

Approved by: Gary Chang
Gary Chang / Manager

Table of Contents

1 General Description 5

1.1 Information 5

1.2 Test Equipment and Calibration Data 11

1.3 Testing Applied Standards 11

1.4 Deviation from Test Standard and Measurement Procedure 11

1.5 Measurement Uncertainty 12

2 Test Configuration 13

2.1 Testing Location and Conditions 13

2.2 Testing Facility 13

2.3 Supporting Units 13

2.4 The Worst Test Modes and Channel Details 13

3 Transmitter Test Results 14

3.1 Antenna Power 14

3.2 Frequency Tolerance 17

3.3 Occupied Bandwidth 18

3.4 Transmitter Spurious Emissions 19

3.5 Adjacent Channel Emitted Power 24

3.6 Burst Length 25

3.7 Carrier Sense Measurement 26

3.8 Interference Prevention Function 27

4 Receiver Test Results 28

4.1 Receiver Spurious Emissions 28

5 Test laboratory information 29

Appendix A. Antenna Power

Appendix B. Frequency Tolerance

Appendix C. Occupied Bandwidth

Appendix D. Transmitter Spurious Emissions

Appendix E. Adjacent Channel Emitted Power

Appendix F. Burst Length

Appendix G. Carrier Sense Measurement

Appendix H. Interference Prevention Function

Appendix I. Receiver Spurious Emissions

Appendix J. TPC Function

Release Record

Report No.	Version	Description	Issued Date
JR632506-03AN	Rev. 01	Initial issue	Jul. 20, 2026

Summary of Test Results

Ref. Std. Clause	Description	Result
3.1.2(2)	Antenna Power	Pass
3.1.2(3)	Tolerance for Antenna Power	Pass
3.1.2(4)	Frequency Tolerance	Pass
3.1.2(5)	E.I.R.P	Pass
3.1.2(7)	Transmission Burst Length	Pass
3.1.2(8)	Unwanted Emission Strength	Pass
3.1.2(9)	Adjacent Channel Emitted Power	Pass
3.1.2(11)	Occupied Bandwidth	Pass
3.1.3	Secondary Radiated Emissions	Pass
3.1.4.1	Interference Prevention Function	Pass
3.1.7	Carrier Sense	Pass

Declaration of Conformity:
The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.
Comments and Explanations:
The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Information

1.1.1 Product Details

The following models are provided to this EUT.

Brand Name	Model Name	Product Name	Description
EnGenius	ECW510L	Cloud Lite Managed Wi-Fi 7 2x2 Indoor Access Point	For marketing purpose.
EnGenius	ECW510P	Cloud Managed Wi-Fi 7 2x2 Indoor Access Point	

1.1.2 Specification of the Equipment under Test (EUT)

Power Supply Type	12V⎓ from AC adapter 54V⎓ from POE
Type(s) of Modulation / Technology	4096QAM, 1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK / OFDM
Frequency Range (MHz)	5150~5250, 5250~5350, 5470~5730
Operating Mode: **IEEE Std. 802.11 / Data rate (Mbps/MCS)**	802.11a: Up to 54 Mbps 802.11n HT20 (MCS 0~15) 802.11n HT40 (MCS 0~15) 802.11ac VHT20 (MCS 0~9) 802.11ac VHT40 (MCS 0~9) 802.11ac VHT80 (MCS 0~9) 802.11ac VHT160 (MCS 0~9) 802.11ax HE20 (MCS 0~11) 802.11ax HE40 (MCS 0~11) 802.11ax HE80 (MCS 0~11) 802.11ax HE160 (MCS 0~11) 802.11be EHT20 (MCS 0~13) 802.11be EHT40 (MCS 0~13) 802.11be EHT80 (MCS 0~13) 802.11be EHT160 (MCS 0~13)
HW Version	v.1.0.0
SW Version	1.2.16
TPC function	Support

1.1.3 Accessories

No.	Equipment	Description
1	Wall-mounted bracket	---

1.1.4 Antenna Details

Ant. No.	Brand	Model	Type	Connector	Operating Frequencies (MHz) / Antenna Gain (dBi)		
					5150~5250	5250~5350	5470~5730
1	AWAN	5-1	PIFA	UFL	4.46	4.22	3.96
2	AWAN	5-2	PIFA	UFL	6.56	6.96	6.49

Note: Please refer to antenna report for more details about antenna pattern and other information.

複製禁止

1.1.5 Antenna Power

Operating Mode	Band	Rated Power (mW/MHz)	Measured Conducted Power (mW/MHz)	Radiated Power (mW/MHz)
11a	W52	2.20500	2.19786	9.95405
11n HT20		2.20500	1.99986	9.05733
11ac VHT20		2.20500	2.20293	9.97700
11ax HE20		2.20500	2.05589	9.31108
11be EHT20		2.20500	2.16272	9.79490
11n HT40		1.10000	1.07152	4.85289
11ac VHT40		1.10000	1.03992	4.70977
11ax HE40		1.10000	1.09648	4.96592
11be EHT40		1.10000	1.03992	4.70977
11ac VHT80		0.55000	0.53333	2.41546
11ax HE80		0.55000	0.53088	2.40436
11be EHT80		0.55000	0.54450	2.46604
11ac VHT160	W52+W53	0.25100	0.23659	1.17490
11ax HE160		0.25100	0.25061	1.24451
11be EHT160		0.25100	0.22961	1.14025
11a	W53	2.00000	1.97697	9.81748
11n HT20		2.00000	1.95884	9.72747
11ac VHT20		2.00000	1.92752	9.57194
11ax HE20		2.00000	1.99986	9.93116
11be EHT20		2.00000	1.96789	9.77237
11n HT40		1.00000	0.97949	4.86407
11ac VHT40		1.00000	0.95499	4.74242
11ax HE40		1.00000	0.95940	4.76431
11be EHT40		1.00000	0.92045	4.57088
11ac VHT80		0.50000	0.49659	2.46604
11ax HE80		0.50000	0.49659	2.46604
11be EHT80		0.50000	0.49888	2.47742

11a	W56	9.95000	9.93116	44.25884
11n HT20		9.95000	9.81748	43.75221
11ac VHT20		9.95000	9.63829	42.95364
11ax HE20		9.95000	9.03649	40.27170
11be EHT20		9.95000	9.79490	43.65158
11n HT40		4.99000	4.76431	21.23244
11ac VHT40		4.99000	4.62381	20.60630
11ax HE40		4.99000	4.57088	20.37042
11be EHT40		4.99000	4.98884	22.23310
11ac VHT80		2.49000	2.32274	10.35142
11ax HE80		2.49000	2.38232	10.61696
11be EHT80		2.49000	2.46604	10.99006
11ac VHT160		0.80000	0.75336	3.35738
11ax HE160		0.80000	0.67920	3.02691
11be EHT160		0.80000	0.64565	2.87740

複製禁止

1.1.6 Channel List

802.11a / n HT20 / ac VHT20 / ax HE20 / be EHT20		802.11n HT40 / ac VHT40 / ax HE40 / be EHT40	
Channel	**Frequency(MHz)**	**Channel**	**Frequency(MHz)**
36	5180	38	5190
40	5200	46	5230
44	5220	54	5270
48	5240	62	5310
52	5260	102	5510
56	5280	110	5550
60	5300	118	5590
64	5320	126	5630
100	5500	134	5670
104	5520	142	5710
108	5540	**802.11ac VHT80 / ax HE80 / be EHT80**	
112	5560	42	5210
116	5580	58	5290
120	5600	106	5530
124	5620	122	5610
128	5640	138	5690
132	5660	**802.11ac VHT160 / ax HE160 / be EHT160**	
136	5680	50	5250
140	5700	114	5570
144	5720	---	---

1.1.7 Test Tool and Power Index

Test Tool
Qualcomm Sequence Profiling Resource (32-bit), V6.00.00130.1

Power Index						
Channel	Frequency MHz)	802.11a	802.11n HT20	802.11ac VHT20	802.11ax HE20	802.11be EHT20
36	5180	11	11.5	12	12	12
40	5200	11	11.5	12	12	12
48	5240	11.5	11.5	12	11	11
52	5260	11.5	11.5	11.5	10	9.5
56	5280	11.5	12	12	12.5	12
64	5320	11.5	12	12	12.5	12
100	5500	18	18.5	18.5	18.5	18.5
120	5600	18	18.5	18.5	18.5	18.5
144	5720	18	19	19	19	19

Power Index					
Channel	Frequency MHz)	802.11n HT40	802.11ac VHT40	802.11ax HE40	802.11be EHT40
38	5190	11	11	11	11
46	5230	11	11	11	11
54	5270	11	11	11	11
62	5310	11	11	11	11
102	5510	17.5	17.5	17.5	18
118	5590	17.5	17.5	17.5	18
142	5710	18	18	18	18.5

Power Index				
Channel	Frequency MHz)	802.11ac VHT80	802. 11ax HE80	802.11be EHT80
42	5210	11.5	11.5	11.5
58	5290	11	11	11
106	5530	17.5	17.5	17.5
122	5610	18	18	18
138	5690	18.5	19	19

Power Index				
Channel	Frequency MHz)	802.11ac VHT160	802. 11ax HE160	802.11be EHT160
50	5250	11	10.5	10.5
114	5570	16	15	15

1.1.8 Test Voltage

Test Voltage	☒ Vnom (100 Vac)	☒ Vmax (110 Vac)	☒ Vmin (90 Vac)

1.1.9 Protection Method for High Frequency and Modulation Section

Protected Method	Description
Special Screw	The high-frequency and modulation components are well covered within EUT' housing which uses special screws to protect itself from being opened unless with the dedicated tools.

1.2 Test Equipment and Calibration Data

Test Item	RF Conducted						
Test Site	(TH01-WS)						
Tested Date	May 30 ~ Jun. 13, 2026						
Instrument	**Brand**	**Model No.**	**Serial No.**	**Calibration Date**	**Calibration Until**	**Calibration Authority**	**Calibration Method**
Spectrum Analyzer	R&S	FSV40	101486	Mar. 10, 2026	Mar. 09, 2027	ETC	(C)
AC POWER SOURCE	APC	AFC-500W	F312060012	Jan. 08, 2026	Jan. 07, 2027	ETC	(C)
Power Sensor	Anritsu	MA2411B	1207367	Feb. 04, 2026	Feb. 03, 2027	ETC	(C)
Power Meter	Anritsu	ML2495A	1218007	Feb. 04, 2026	Feb. 03, 2027	ETC	(C)
Measurement Software	Sporton	SENSE	5.10.7	NA	NA	N/A	N/A

Note 1: Calibration Interval of instruments listed above is one year.
Note 2: Calibration Method
a. Calibration conducted by the National Institute of Information and Communications Technology(NICT) or a designated calibration agency under Article 102-18 paragraph (1) of the Radio Law.
b. Calibration conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992) Japan Calibration Service System.
c. Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).
d. Calibration conducted by using other equipment that listed above from a) to c).

1.3 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

Article 2 Paragraph 1 Item 19-3

1.4 Deviation from Test Standard and Measurement Procedure

None

1.5 Measurement Uncertainty

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2)).

Measurement Uncertainty	
Parameters	**Uncertainty**
Bandwidth	±34.139 Hz
Conducted power	±0.808 dB
Frequency error	$\pm 1 \times 10^{-9}$
TX Conducted emission	±2.680 dB
RX Conducted emission	±3.034 dB
Time	±0.1%
Adjacent channel leakage power	±0.557 dB

複製禁止

2 Test Configuration

2.1 Testing Location and Conditions

Test Site	Site Category	Ambient Condition	Tested By
TH01-WS	OVEN Room	20.5℃ / 60%	Alan Tang

2.2 Testing Facility

Test Laboratory	International Certification Corporation
Test Site	TH01-WS
Address of Test Site	No.3-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

2.3 Supporting Units

Support Unit	Brand	Model	FCC ID
Laptop	DELL	Vostro 5410	DoC

2.4 The Worst Test Modes and Channel Details

Test item	Mode	Test Frequency (MHz)
Antenna Power Frequency Tolerance Occupied Bandwidth Transmitter Spurious Emission Adjacent Channel Emitted Power Burst Length Carrier Sense Interference Prevention Function Receiver Spurious Emissions	11a / 11n HT20 / 11ac VHT20 / 11ax HE20 / 11be EHT20	5180 / 5200 / 5240 / 5260 / 5280 / 5320 / 5500 / 5600 / 5720
	11n HT40 / 11ac VHT40 / 11ax HE40 / 11be EHT40	5190 / 5230 / 5270 / 5310 / 5510 / 5590 / 5710
	11ac VHT80 / 11ax HE80 11be EHT80	5210 / 5290 / 5530 / 5610 / 5690
	11ac VHT160 / 11ax HE160 11be EHT160	5250 / 5570

3 Transmitter Test Results

3.1 Antenna Power

3.1.1 Limit of Antenna Power

Band	Bandwidth(MHz)	Output Power Limit (mW/MHz)		Power Tolerance
		Conducted Power	EIRP	
W52	20	10	10	+20 % , -80 %
	40	5	5	
	80	2.5	2.5	
	160	1.25	1.25	

Band	Bandwidth(MHz)	Output Power Limit (mW/MHz)			Power Tolerance
		Conducted Power	EIRP		
			W/TPC	W/O TPC	
W53	20	10	10	5	+20 % , -80 %
	40	5	5	2.5	
	80	2.5	2.5	1.25	
	160	1.25	1.25	0.625	

Band	Bandwidth(MHz)	Output Power Limit (mW/MHz)			Power Tolerance
		Conducted Power	EIRP		
			W/TPC	W/O TPC	
W56	20	10	50	25	+50 % , -50 %
	40	5	25	12.5	
	80	2.5	12.5	6.25	
	160	1.25	6.25	3.125	

Note: TPC, A function to reduce the average antenna power by 3 dB in one communication system.


Output Power	Band	Power Tolerance	Bandwidth: 80 + 80 MHz	
Conducted Power (mW/MHz)	W52	+20 % , -80 %	1.25	
	W53	+20 % , -80 %	1.25	
	W56	+50 % , -50 %	1.25	
EIRP (mW/MHz)	W52	+20 % , -80 %	1.25	
	W53	+20 % , -80 %	With TPC	1.25
		+20 % , -80 %	Without TPC	0.625
	W56	+50 % , -50 %	With TPC	1.25
		+50 % , -50 %	Without TPC	0.625

Note: TPC, A function to reduce the average antenna power by 3 dB in one communication system.

3.1.2 Test Procedures

1. A power meter is connected on the IF output port of the spectrum analyzer. Adjust the spectrum analyzer to have the center frequency the same with the measured carrier.RBW=VBW=1MHz, detector mode is positive peak. Turn off the averaging function and use zero span.
2. The calibrating signal power shall be reduced to 0 dBm and it shall be verified that the power meter reading also reduces by 10 dB. Connect the equipment to be measured. Using the following settings of the spectrum analyzer in combination with "max hold" function, find the frequency of highest power output in the power envelope: center frequency equal to operating frequency; RBW & VBW: 1 MHz; detector mode: positive peak; averaging: off; span: 3 times the spectrum width; amplitude: adjust for middle of the instrument's range. The frequency found shall be recorded
3. Set the center frequency of the spectrum analyzer to the found frequency and switch to zero span. The power meter indicates the measured power density “E”. Remove the EUT and put the replacing standard signal generator (SSG). Set the standard signal generator (SSG) at same frequency and transmit on, then set SSG output power at Pt to give the equivalent output level of “E”
4. Calculate antenna power density by the formula below PD = Pt + 10*log(1/x).
   x: The duty cycle of the EUT in continuously transmitting mode
   Pt: Output power of the SSG
5. Antenna Power Error is definition that actual measure antenna power tolerance between + 20% to -80% or +50 % to -50 % power range that base on operating frequency range and manufacturer declare the conducted power density

3.1.3 Test Setup



3.1.4 Test Result

Refer to Appendix A, J.

3.2 Frequency Tolerance


3.2.1 Limit of Frequency Tolerance

Frequency tolerance shall be +/- 20ppm.

3.2.2 Test Procedures

1. Set Span = 500kHz, RBW = 1kHz, VBW = 3kHz, Sweep time = Auto, detector = Peak.
2. Use Peak search function to find the max peak value and record this value (RF).
3. Calculate frequency tolerance by below formula
   FT(ppm) = { (RF) – (MF) / (MF) } × 1000000
   (FT: Frequency Tolerance, RF: Reading Frequency, MF: Measurement Frequency.)

3.2.3 Test Setup



3.2.4 Test Result

Refer to Appendix B.

3.3 Occupied Bandwidth


3.3.1 Limit of Occupied Bandwidth

System	Limit (MHz)
20 MHz (Non-OFDM)	18
20 MHz (OFDM)	20
40 MHz (OFDM)	40
80 MHz (OFDM)	80
80 + 80 MHz (OFDM)	80
160 MHz (OFDM)	160

3.3.2 Test Procedures

1. Set Span = 2 times the limit of above table, RBW = VBW= About 3% or less of the limit of above table, detector = Peak, Sweep time = Auto.
2. Enable OBW function of spectrum analyzer to measure OBW and capture test plot.

3.3.3 Test Setup



3.3.4 Test Result

Refer to Appendix C.

3.4 Transmitter Spurious Emissions

3.4.1 Limit of Transmitter Spurious Emissions

W52

Bandwidth(MHz)	Measured Frequency Range	Limit
20 (OBW: 18 MHz or less)	5142 MHz or less	2.5 uW/MHz
	5142.0 ~ 5150.0 MHz	15.0 µW/MHz
	5250.0 ~ 5251.0 MHz	$10.0^{1-(f-9)}$ mW/MHz
	5251.0 ~ 5260.0 MHz	$10.0^{-1-(8/90)(f-11)}$ mW/MHz
	5260.0 ~ 5266.7 MHz	$10.0^{-1.8-(6/50)(f-20)}$ mW/MHz
	5266.7 MHz or more	2.5 uW/MHz
20 (OBW: 18 - 20 MHz)	5142 MHz or less	2.5 uW/MHz
	5142 – 5150 MHz	15 uW/MHz
	5250 -5250.2 MHz	$10^{1-(8/3)(f-9.75)}$ mW/MHz
	5250.2 – 5251 MHz	$10^{1-(f-9)}$ mW/MHz
	5251 – 5260 MHz	$10^{-1-(8/90)(f-11)}$ mW/MHz W/MHz
	5260 – 5266.7 MHz	$10^{-1.8-(6/50)(f-20)}$ mW/MHz
	5266.7 MHz or more	2.5 uW/MHz
40	5141.6 MHz or less	2.5 µW/MHz
	5141.6 ~ 5150.0 MHz	15.0 µW/MHz
	5250.0 ~ 5251.0 MHz	$10.0^{-(f-20)+\log(1/2)}$ mW/MHz
	5251.0 ~ 5270.0 MHz	$10.0^{-(8/190)(f-21)-1+\log(1/2)}$ mW/MHz
	5270.0 ~ 5278.4 MHz	$10.0^{-(3/50)(f-40)-1.8+\log(1/2)}$ mW/MHz
	5278.4 MHz or more	2.5 µW/MHz
80	5123.2 MHz or less	2.5 µW/MHz
	5123.2 ~ 5150.0 MHz	15.0 µW/MHz
	5250.0 ~ 5251.0 MHz	$10.0^{-(f-40)+\log(1/4)}$ mW/MHz
	5251.0 ~ 5290.0 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/4)}$ mW/MHz
	5290.0 ~ 5296.7 MHz	$10.0^{-(3/100)(f-80)-1.8+\log(1/4)}$ mW/MHz
	5296.7 MHz or more	2.5 µW/MHz

W53

Bandwidth(MHz)	Measured Frequency Range	Limit
20 (OBW: 18 MHz or less)	5233.3 MHz or less	2.5 uW/MHz
	5233.3 ~ 5240.0 MHz	$10^{-1.8-(6/50)(f-20)}$ mW/MHz
	5240.0 ~ 5249 MHz	$10^{-1-(8/90)(f-11)}$ mW/MHz W/MHz
	5249 ~ 5250.0 MHz	$10^{1-(f-9)}$ mW/MHz
	5350 MHz or more	2.5 uW/MHz
20 (OBW: 18 - 20 MHz)	5233.3 MHz or less	2.5 uW/MHz
	5233.3 ~ 5240.0 MHz	$10^{-1.8-(6/50)(f-20)}$ mW/MHz
	5240.0 ~ 5249 MHz	$10^{1-(8/90)(f-11)}$ mW/MHz
	5249 ~ 5249.8 MHz	$10^{1-(f-9)}$ mW/MHz
	5249.8 – 5250 MHz	$10^{1-(8/3)(f-9.75)}$ mW/MHz W/MHz
	5350 MHz or more	2.5 uW/MHz
40	5221.6 MHz or less	2.5 µW/MHz
	5221.6 ~ 5230 MHz	$10.0^{-(3/50)(f-40)-1.8+\log(1/2)}$ mW/MHz
	5230 ~ 5249 MHz	$10.0^{-(8/190)(f-21)-1+\log(1/2)}$ mW/MHz
	5249 ~ 5250.0 MHz	$10.0^{-(f-20)-1+\log(1/2)}$ mW/MHz
	5350 ~ 5358.4 MHz	15.0 µW/MHz
	5358.4 MHz or more	2.5 µW/MHz
80	5203.3 MHz or less	2.5 µW/MHz
	5203.3 ~ 5210.0 MHz	$10.0^{-(3/100)(f-80)-1.8+\log(1/4)}$ mW/MHz
	5210.0 ~ 5249 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/4)}$ mW/MHz
	5249 ~ 5250 MHz	$10.0^{-(f-40)-1+\log(1/4)}$ mW/MHz
	5350 ~ 5376.8MHz	15.0 µW/MHz
	5376.8 MHz or more	2.5 µW/MHz

W56

Bandwidth(MHz)	Measured Frequency Range	Limit
20 (DSSS, etc)	5470 MHz or less	12.5 uW/MHz
	5730 MHz or more	12.5 uW/MHz
20 (OFDM)	5460 MHz or less	2.5 uW/MHz
	5460 – 5470 MHz	12.5 uW/MHz
	5745 -5765 MHz	12.5 uW/MHz
	Over 5765 MHz	2.5 uW/MHz
40	5460 MHz or less	12.5 µW/MHz
	5460 ~ 5470 MHz	50 µW/MHz
	5770 MHz or more	12.5 µW/MHz
80	5460 MHz or less	12.5 µW/MHz
	5460 ~ 5469.5 MHz	50 µW/MHz
	5469.5 ~ 5470 MHz	51.2 µW/MHz
	5770 MHz or more	12.5 µW/MHz
160	5419.6 MHz or less	12.5 µW/MHz
	5419.6 ~ 5470.0 MHz	50 µW/MHz
	5725.0 MHz or more	12.5 µW/MHz

W52 + W53

Bandwidth(MHz)	Measured Frequency Range	Limit
160	5099.6 MHz or less	2.5 µW/MHz
	5099.6 ~ 5150.0 MHz	15 µW/MHz
	5350 ~ 5400.4 MHz	15 µW/MHz
	5400.4 MHz or more	2.5 µW/MHz

80+80 MHz system

Frequency (GHz)	Measured Frequency Range	Limit
5.21 & (5.53 or 5.61 or 5.69)	5134.8 MHz or less	2.5 μW/MHz
	5134.8 ~ 5150.0 MHz	162.5 μW/MHz
	5250.0 ~ 5251 MHz	$10.0^{-(f-40)-1+\log(1/8)}$ mW/MHz
	5251 ~ 5285.2 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/8)}$ mW/MHz
	5285.2 ~ 5370 MHz	2.5 μW/MHz
	5370 ~ 5454.8 MHz	2.5 μW/MHz (When used 5,370 - 5,454.8 MHz simultaneously with a 5.2GHz band high power radio station : 12.5 μW/MHz)
	5454.8 ~ 5470 MHz	15.0 μW/MHz (When used simultaneously 5,454.8 - 5,470 MHz with a 5.2GHz band high-power radio station : 50 μW/MHz)
	5730 MHz or more	15.0 μW/MHz (*When used 5690MHz)
	5770 MHz or more	15.0 μW/MHz


Frequency (GHz)	Measured Frequency Range	Limit
5.29 & (5.53 or 5.61 or 5.69)	5214.8 MHz or less	2.5 μW/MHz
	5214.8 ~ 5249 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/8)}$ mW/MHz
	5249 ~ 5250 MHz	$10.0^{-(f-40)-1+\log(1/8)}$ mW/MHz
	5350 ~ 5365.2 MHz	15.0 μW/MHz
	5365.2 ~ 5410 MHz	2.5 μW/MHz
	5410 ~ 5454.8 MHz	2.5 μW/MHz
	5454.8 ~ 5470 MHz	15.0 μW/MHz
	5730 MHz or more	15.0 μW/MHz (*When used 5690MHz)
	5770 MHz or more	15.0 μW/MHz

Frequency (GHz)	Measured Frequency Range	Limit
5.53 & 5.69	5419.6 MHz or less	12.5 μW/MHz
	5419.6 ~ 5470.0 MHz	50 μW/MHz
	5770.0 MHz or more	12.5 μW/MHz

3.4.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto.
3. Following above setting of spectrum analyzer to measure spurious emission of 30~26000 MHz.

3.4.3 Test Setup



3.4.4 Test result

Refer to Appendix D.

3.5 Adjacent Channel Emitted Power


3.5.1 Limit of Adjacent Channel Emitted Power

Bandwidth(MHz)	Measured Frequency Range (MHz)	Limit (dBc)
20	Fc +/- 20MHz +/- 10MHz	>25
	Fc +/- 40MHz+/- 10MHz	>40
40	Fc +/- 40MHz+/- 20MHz	>25
	Fc +/- 80MHz+/- 20MHz	>40
80	Fc +/- 80MHz+/- 40MHz	>25
80+80	Fc +/- 80MHz+/- 40MHz	>25
160	-	-

3.5.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = 300kHz, VBW = 300kHz, Detector = sample, Sweep = Auto.
3. Enable Adjacent channel power measurement function of spectrum analyzer to measure power of Fc+/- 20MHz, 40MHz or 80MHz

3.5.3 Test Setup



3.5.4 Test result

Refer to Appendix E.

3.6 Burst Length


3.6.1 Limit of Burst Length

Burst Length shall be less than 8 ms.

3.6.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 10 MHz, detector = Peak, Span = 0Hz, Sweep time = 50 ms.
3. Enable trigger and gating function of spectrum analyzer to lock on burst and measure burst on time.

3.6.3 Test Setup



3.6.4 Test Result

Refer to Appendix F.

3.7 Carrier Sense Measurement

3.7.1 Limit of Carrier Sense Measurement


Limits
EUT shall not transmit any waves when carrier wave inject into EUT

3.7.2 Test Procedures

1. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto, Span = 50 MHz.
2. Set EUT to normal operating mode and link up with accessory.
3. Turn off the EUT transmission
4. Turn on the Signal Generator output to send carrier wave to EUT then turn on the EUT transmission

   Power level of carrier wave at EUT is as below
   Pcs (dBm) = 22.79 + Gr – 20log(F)
   Gr: Antenna gain (dBi)
   F : Transmission Frequency (MHz)
5. Check the EUT does not transmit any waves

3.7.3 Test Setup



3.7.4 Test result

Refer to Appendix G.

3.8 Interference Prevention Function


3.8.1 Limit of Interference Prevention Function Measurement

Limits
The identification code shall be 19 bits long

3.8.2 Test Procedures

1. Set EUT under operating mode and link up with companion equipment
2. Check communication status between EUT and companion equipment is normal
3. Confirm the MAC address of EUT

3.8.3 Test Setup



3.8.4 Test Result

Refer to Appendix H.

4 Receiver Test Results

4.1 Receiver Spurious Emissions


4.1.1 Limit of Receiver Spurious Emissions

Item	Limits
Rx Spurious Emission	≤ 4nW (f < 1GHz).
	≤ 20nW (1GHz ≤ f).

4.1.2 Test Procedures

1. Set EUT under receiving condition to perform test
2. Set RBW = VBW = 100kHz, detector = Peak, Sweep time = Auto for emission measurement below 1GHz.
3. Set RBW = VBW = 1MHz, detector = Peak, Sweep time = Auto for emission measurement above 1GHz.

4.1.3 Test Setup



4.1.4 Test Result

Refer to Appendix I.

5 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corporation (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website https://www.icertifi.com.tw.

Linkou

Tel: 886-2-2601-1640

No.30-2, Ding Fwu Tsuen, Lin Kou District, New Taipei City, Taiwan (R.O.C.)

Kwei Shan

Tel: 886-3-271-8666

No.3-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

No.2-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

Kwei Shan Site II

Tel: 886-3-271-8640

No.14-1, Lane 19, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

Zhonghe

Tel: 886-2-2222-0288

1F, No. 6, Jiankang Road, Zhonghe District, New Taipei City 235045, Taiwan (R.O.C.)

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666
Fax: 886-3-318-0345
Email: ICC_Service@icertifi.com.tw

==END==

Summary

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5.15-5.25GHz	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	3.42	2.19786	2.20500	-0.32	20	-80
802.11n HT20_Nss1,(MCS0)_2TX	Pass	3.01	1.99986	2.20500	-9.30	20	-80
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	3.43	2.20293	2.20500	-0.09	20	-80
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	3.13	2.05589	2.20500	-6.76	20	-80
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	3.35	2.16272	2.20500	-1.92	20	-80
802.11n HT40_Nss1,(MCS0)_2TX	Pass	0.30	1.07152	1.10000	-2.59	20	-80
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	0.17	1.03992	1.10000	-5.46	20	-80
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	0.40	1.09648	1.10000	-0.32	20	-80
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	0.17	1.03992	1.10000	-5.46	20	-80
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-2.73	0.53333	0.55000	-3.03	20	-80
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	-2.75	0.53088	0.55000	-3.48	20	-80
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	-2.64	0.54450	0.55000	-1.00	20	-80
5.15-5.35GHz	-	-	-	-	-	-	-
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	-6.26	0.23659	0.25100	-5.74	20	-80
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	Pass	-6.01	0.25061	0.25100	-0.16	20	-80
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	Pass	-6.39	0.22961	0.25100	-8.52	20	-80
5.25-5.35GHz	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	2.96	1.97697	2.00000	-1.15	20	-80
802.11n HT20_Nss1,(MCS0)_2TX	Pass	2.92	1.95884	2.00000	-2.06	20	-80
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	2.85	1.92752	2.00000	-3.62	20	-80
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	3.01	1.99986	2.00000	-0.01	20	-80
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	2.94	1.96789	2.00000	-1.61	20	-80
802.11n HT40_Nss1,(MCS0)_2TX	Pass	-0.09	0.97949	1.00000	-2.05	20	-80
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	-0.20	0.95499	1.00000	-4.50	20	-80
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	-0.18	0.95940	1.00000	-4.06	20	-80
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	-0.36	0.92045	1.00000	-7.96	20	-80
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-3.04	0.49659	0.50000	-0.68	20	-80
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	-3.04	0.49659	0.50000	-0.68	20	-80
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	-3.02	0.49888	0.50000	-0.22	20	-80
5.47-5.73GHz	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	9.50	8.91251	9.95000	-10.43	50	-50
802.11n HT20_Nss1,(MCS0)_2TX	Pass	9.80	9.54993	9.95000	-4.02	50	-50
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	9.71	9.35406	9.95000	-5.99	50	-50
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	9.50	8.91251	9.95000	-10.43	50	-50
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	9.75	9.44061	9.95000	-5.12	50	-50
802.11n HT40_Nss1,(MCS0)_2TX	Pass	6.53	4.49780	4.99000	-9.86	50	-50
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	6.49	4.45656	4.99000	-10.69	50	-50
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	6.52	4.48745	4.99000	-10.07	50	-50
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	6.77	4.75335	4.99000	-4.74	50	-50
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	3.51	2.24388	2.49000	-9.88	50	-50
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	3.63	2.30675	2.49000	-7.36	50	-50
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	3.50	2.23872	2.49000	-10.09	50	-50
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	-1.25	0.74989	0.80000	-6.26	50	-50
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	Pass	-1.69	0.67764	0.80000	-15.29	50	-50
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	Pass	-1.92	0.64269	0.80000	-19.66	50	-50

Result

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
802.11a_(6Mbps)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	3.22	2.09894	2.20500	-4.81	20	-80
5180MHz_TnomVmin	Pass	3.24	2.10863	2.20500	-4.37	20	-80
5180MHz_TnomVmax	Pass	3.23	2.10378	2.20500	-4.59	20	-80
5200MHz_TnomVnom	Pass	2.96	1.97697	2.20500	-10.34	20	-80
5200MHz_TnomVmin	Pass	2.94	1.96789	2.20500	-10.75	20	-80
5200MHz_TnomVmax	Pass	2.94	1.96789	2.20500	-10.75	20	-80
5240MHz_TnomVnom	Pass	3.39	2.18273	2.20500	-1.01	20	-80
5240MHz_TnomVmin	Pass	3.41	2.19280	2.20500	-0.55	20	-80
5240MHz_TnomVmax	Pass	3.42	2.19786	2.20500	-0.32	20	-80
5260MHz_TnomVnom	Pass	2.95	1.97242	2.00000	-1.38	20	-80
5260MHz_TnomVmin	Pass	2.96	1.97697	2.00000	-1.15	20	-80
5260MHz_TnomVmax	Pass	2.94	1.96789	2.00000	-1.61	20	-80
5280MHz_TnomVnom	Pass	2.83	1.91867	2.00000	-4.07	20	-80
5280MHz_TnomVmin	Pass	2.80	1.90546	2.00000	-4.73	20	-80
5280MHz_TnomVmax	Pass	2.79	1.90108	2.00000	-4.95	20	-80
5320MHz_TnomVnom	Pass	2.89	1.94536	2.00000	-2.73	20	-80
5320MHz_TnomVmin	Pass	2.88	1.94089	2.00000	-2.96	20	-80
5320MHz_TnomVmax	Pass	2.87	1.93642	2.00000	-3.18	20	-80
5500MHz_TnomVnom	Pass	9.80	9.54993	9.95000	-4.02	50	-50
5500MHz_TnomVmin	Pass	9.78	9.50605	9.95000	-4.46	50	-50
5500MHz_TnomVmax	Pass	9.82	9.59401	9.95000	-3.58	50	-50
5600MHz_TnomVnom	Pass	9.95	9.88553	9.95000	-0.65	50	-50
5600MHz_TnomVmin	Pass	9.97	9.93116	9.95000	-0.19	50	-50
5600MHz_TnomVmax	Pass	9.94	9.86279	9.95000	-0.88	50	-50
5720MHz_TnomVnom	Pass	9.51	8.93305	9.95000	-10.22	50	-50
5720MHz_TnomVmin	Pass	9.50	8.91251	9.95000	-10.43	50	-50
5720MHz_TnomVmax	Pass	9.50	8.91251	9.95000	-10.43	50	-50
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	3.01	1.99986	2.20500	-9.30	20	-80
5180MHz_TnomVmin	Pass	3.00	1.99526	2.20500	-9.51	20	-80
5180MHz_TnomVmax	Pass	3.00	1.99526	2.20500	-9.51	20	-80
5200MHz_TnomVnom	Pass	2.99	1.99067	2.20500	-9.72	20	-80
5200MHz_TnomVmin	Pass	2.96	1.97697	2.20500	-10.34	20	-80
5200MHz_TnomVmax	Pass	2.97	1.98153	2.20500	-10.13	20	-80
5240MHz_TnomVnom	Pass	2.95	1.97242	2.20500	-10.55	20	-80
5240MHz_TnomVmin	Pass	2.95	1.97242	2.20500	-10.55	20	-80
5240MHz_TnomVmax	Pass	2.96	1.97697	2.20500	-10.34	20	-80
5260MHz_TnomVnom	Pass	2.56	1.80302	2.00000	-9.85	20	-80
5260MHz_TnomVmin	Pass	2.57	1.80717	2.00000	-9.64	20	-80
5260MHz_TnomVmax	Pass	2.56	1.80302	2.00000	-9.85	20	-80
5280MHz_TnomVnom	Pass	2.90	1.94984	2.00000	-2.51	20	-80
5280MHz_TnomVmin	Pass	2.90	1.94984	2.00000	-2.51	20	-80
5280MHz_TnomVmax	Pass	2.92	1.95884	2.00000	-2.06	20	-80
5320MHz_TnomVnom	Pass	2.86	1.93197	2.00000	-3.40	20	-80
5320MHz_TnomVmin	Pass	2.88	1.94089	2.00000	-2.96	20	-80
5320MHz_TnomVmax	Pass	2.89	1.94536	2.00000	-2.73	20	-80
5500MHz_TnomVnom	Pass	9.80	9.54993	9.95000	-4.02	50	-50
5500MHz_TnomVmin	Pass	9.80	9.54993	9.95000	-4.02	50	-50
5500MHz_TnomVmax	Pass	9.81	9.57194	9.95000	-3.80	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5600MHz_TnomVnom	Pass	9.92	9.81748	9.95000	-1.33	50	-50
5600MHz_TnomVmin	Pass	9.90	9.77237	9.95000	-1.79	50	-50
5600MHz_TnomVmax	Pass	9.91	9.79490	9.95000	-1.56	50	-50
5720MHz_TnomVnom	Pass	9.92	9.81748	9.95000	-1.33	50	-50
5720MHz_TnomVmin	Pass	9.90	9.77237	9.95000	-1.79	50	-50
5720MHz_TnomVmax	Pass	9.90	9.77237	9.95000	-1.79	50	-50
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	0.25	1.05925	1.10000	-3.70	20	-80
5190MHz_TnomVmin	Pass	0.29	1.06905	1.10000	-2.81	20	-80
5190MHz_TnomVmax	Pass	0.24	1.05682	1.10000	-3.93	20	-80
5230MHz_TnomVnom	Pass	0.30	1.07152	1.10000	-2.59	20	-80
5230MHz_TnomVmin	Pass	0.28	1.06660	1.10000	-3.04	20	-80
5230MHz_TnomVmax	Pass	0.28	1.06660	1.10000	-3.04	20	-80
5270MHz_TnomVnom	Pass	-0.09	0.97949	1.00000	-2.05	20	-80
5270MHz_TnomVmin	Pass	-0.10	0.97724	1.00000	-2.28	20	-80
5270MHz_TnomVmax	Pass	-0.10	0.97724	1.00000	-2.28	20	-80
5310MHz_TnomVnom	Pass	-0.26	0.94189	1.00000	-5.81	20	-80
5310MHz_TnomVmin	Pass	-0.25	0.94406	1.00000	-5.59	20	-80
5310MHz_TnomVmax	Pass	-0.23	0.94842	1.00000	-5.16	20	-80
5510MHz_TnomVnom	Pass	6.59	4.56037	4.99000	-8.61	50	-50
5510MHz_TnomVmin	Pass	6.63	4.60257	4.99000	-7.76	50	-50
5510MHz_TnomVmax	Pass	6.61	4.58142	4.99000	-8.19	50	-50
5590MHz_TnomVnom	Pass	6.53	4.49780	4.99000	-9.86	50	-50
5590MHz_TnomVmin	Pass	6.54	4.50817	4.99000	-9.66	50	-50
5590MHz_TnomVmax	Pass	6.53	4.49780	4.99000	-9.86	50	-50
5710MHz_TnomVnom	Pass	6.76	4.74242	4.99000	-4.96	50	-50
5710MHz_TnomVmin	Pass	6.78	4.76431	4.99000	-4.52	50	-50
5710MHz_TnomVmax	Pass	6.77	4.75335	4.99000	-4.74	50	-50
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	3.40	2.18776	2.20500	-0.78	20	-80
5180MHz_TnomVmin	Pass	3.42	2.19786	2.20500	-0.32	20	-80
5180MHz_TnomVmax	Pass	3.41	2.19280	2.20500	-0.55	20	-80
5200MHz_TnomVnom	Pass	3.40	2.18776	2.20500	-0.78	20	-80
5200MHz_TnomVmin	Pass	3.41	2.19280	2.20500	-0.55	20	-80
5200MHz_TnomVmax	Pass	3.42	2.19786	2.20500	-0.32	20	-80
5240MHz_TnomVnom	Pass	3.43	2.20293	2.20500	-0.09	20	-80
5240MHz_TnomVmin	Pass	3.42	2.19786	2.20500	-0.32	20	-80
5240MHz_TnomVmax	Pass	3.41	2.19280	2.20500	-0.55	20	-80
5260MHz_TnomVnom	Pass	2.56	1.80302	2.00000	-9.85	20	-80
5260MHz_TnomVmin	Pass	2.54	1.79473	2.00000	-10.26	20	-80
5260MHz_TnomVmax	Pass	2.54	1.79473	2.00000	-10.26	20	-80
5280MHz_TnomVnom	Pass	2.82	1.91426	2.00000	-4.29	20	-80
5280MHz_TnomVmin	Pass	2.85	1.92752	2.00000	-3.62	20	-80
5280MHz_TnomVmax	Pass	2.84	1.92309	2.00000	-3.85	20	-80
5320MHz_TnomVnom	Pass	2.81	1.90985	2.00000	-4.51	20	-80
5320MHz_TnomVmin	Pass	2.78	1.89671	2.00000	-5.16	20	-80
5320MHz_TnomVmax	Pass	2.80	1.90546	2.00000	-4.73	20	-80
5500MHz_TnomVnom	Pass	9.72	9.37562	9.95000	-5.77	50	-50
5500MHz_TnomVmin	Pass	9.73	9.39723	9.95000	-5.56	50	-50
5500MHz_TnomVmax	Pass	9.71	9.35406	9.95000	-5.99	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5600MHz_TnomVnom	Pass	9.84	9.63829	9.95000	-3.13	50	-50
5600MHz_TnomVmin	Pass	9.82	9.59401	9.95000	-3.58	50	-50
5600MHz_TnomVmax	Pass	9.82	9.59401	9.95000	-3.58	50	-50
5720MHz_TnomVnom	Pass	9.81	9.57194	9.95000	-3.80	50	-50
5720MHz_TnomVmin	Pass	9.84	9.63829	9.95000	-3.13	50	-50
5720MHz_TnomVmax	Pass	9.82	9.59401	9.95000	-3.58	50	-50
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	0.14	1.03276	1.10000	-6.11	20	-80
5190MHz_TnomVmin	Pass	0.16	1.03753	1.10000	-5.68	20	-80
5190MHz_TnomVmax	Pass	0.17	1.03992	1.10000	-5.46	20	-80
5230MHz_TnomVnom	Pass	0.16	1.03753	1.10000	-5.68	20	-80
5230MHz_TnomVmin	Pass	0.13	1.03039	1.10000	-6.33	20	-80
5230MHz_TnomVmax	Pass	0.12	1.02802	1.10000	-6.54	20	-80
5270MHz_TnomVnom	Pass	-0.29	0.93541	1.00000	-6.46	20	-80
5270MHz_TnomVmin	Pass	-0.30	0.93325	1.00000	-6.67	20	-80
5270MHz_TnomVmax	Pass	-0.31	0.93111	1.00000	-6.89	20	-80
5310MHz_TnomVnom	Pass	-0.20	0.95499	1.00000	-4.50	20	-80
5310MHz_TnomVmin	Pass	-0.23	0.94842	1.00000	-5.16	20	-80
5310MHz_TnomVmax	Pass	-0.21	0.95280	1.00000	-4.72	20	-80
5510MHz_TnomVnom	Pass	6.62	4.59198	4.99000	-7.98	50	-50
5510MHz_TnomVmin	Pass	6.60	4.57088	4.99000	-8.40	50	-50
5510MHz_TnomVmax	Pass	6.63	4.60257	4.99000	-7.76	50	-50
5590MHz_TnomVnom	Pass	6.49	4.45656	4.99000	-10.69	50	-50
5590MHz_TnomVmin	Pass	6.50	4.46684	4.99000	-10.48	50	-50
5590MHz_TnomVmax	Pass	6.49	4.45656	4.99000	-10.69	50	-50
5710MHz_TnomVnom	Pass	6.64	4.61318	4.99000	-7.55	50	-50
5710MHz_TnomVmin	Pass	6.65	4.62381	4.99000	-7.34	50	-50
5710MHz_TnomVmax	Pass	6.64	4.61318	4.99000	-7.55	50	-50
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-2.73	0.53333	0.55000	-3.03	20	-80
5210MHz_TnomVmin	Pass	-2.74	0.53211	0.55000	-3.25	20	-80
5210MHz_TnomVmax	Pass	-2.76	0.52966	0.55000	-3.70	20	-80
5290MHz_TnomVnom	Pass	-3.05	0.49545	0.50000	-0.91	20	-80
5290MHz_TnomVmin	Pass	-3.04	0.49659	0.50000	-0.68	20	-80
5290MHz_TnomVmax	Pass	-3.06	0.49431	0.50000	-1.14	20	-80
5530MHz_TnomVnom	Pass	3.59	2.28560	2.49000	-8.21	50	-50
5530MHz_TnomVmin	Pass	3.62	2.30144	2.49000	-7.57	50	-50
5530MHz_TnomVmax	Pass	3.60	2.29087	2.49000	-8.00	50	-50
5610MHz_TnomVnom	Pass	3.63	2.30675	2.49000	-7.36	50	-50
5610MHz_TnomVmin	Pass	3.66	2.32274	2.49000	-6.72	50	-50
5610MHz_TnomVmax	Pass	3.64	2.31206	2.49000	-7.15	50	-50
5690MHz_TnomVnom	Pass	3.51	2.24388	2.49000	-9.88	50	-50
5690MHz_TnomVmin	Pass	3.51	2.24388	2.49000	-9.88	50	-50
5690MHz_TnomVmax	Pass	3.52	2.24905	2.49000	-9.68	50	-50
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	-6.26	0.23659	0.25100	-5.74	20	-80
5250MHz_TnomVmin	Pass	-6.27	0.23605	0.25100	-5.96	20	-80
5250MHz_TnomVmax	Pass	-6.28	0.23550	0.25100	-6.17	20	-80
5570MHz_TnomVnom	Pass	-1.24	0.75162	0.80000	-6.05	50	-50
5570MHz_TnomVmin	Pass	-1.23	0.75336	0.80000	-5.83	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5570MHz_TnomVmax	Pass	-1.25	0.74989	0.80000	-6.26	50	-50
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	3.13	2.05589	2.20500	-6.76	20	-80
5180MHz_TnomVmin	Pass	3.11	2.04644	2.20500	-7.19	20	-80
5180MHz_TnomVmax	Pass	3.10	2.04174	2.20500	-7.40	20	-80
5200MHz_TnomVnom	Pass	3.05	2.01837	2.20500	-8.46	20	-80
5200MHz_TnomVmin	Pass	3.05	2.01837	2.20500	-8.46	20	-80
5200MHz_TnomVmax	Pass	3.07	2.02768	2.20500	-8.04	20	-80
5240MHz_TnomVnom	Pass	1.94	1.56315	2.20500	-29.11	20	-80
5240MHz_TnomVmin	Pass	1.94	1.56315	2.20500	-29.11	20	-80
5240MHz_TnomVmax	Pass	1.95	1.56675	2.20500	-28.95	20	-80
5260MHz_TnomVnom	Pass	0.50	1.12202	2.00000	-43.90	20	-80
5260MHz_TnomVmin	Pass	0.51	1.12460	2.00000	-43.77	20	-80
5260MHz_TnomVmax	Pass	0.52	1.12720	2.00000	-43.64	20	-80
5280MHz_TnomVnom	Pass	2.92	1.95884	2.00000	-2.06	20	-80
5280MHz_TnomVmin	Pass	2.93	1.96336	2.00000	-1.83	20	-80
5280MHz_TnomVmax	Pass	2.92	1.95884	2.00000	-2.06	20	-80
5320MHz_TnomVnom	Pass	2.98	1.98609	2.00000	-0.70	20	-80
5320MHz_TnomVmin	Pass	2.99	1.99067	2.00000	-0.47	20	-80
5320MHz_TnomVmax	Pass	3.01	1.99986	2.00000	-0.01	20	-80
5500MHz_TnomVnom	Pass	9.50	8.91251	9.95000	-10.43	50	-50
5500MHz_TnomVmin	Pass	9.51	8.93305	9.95000	-10.22	50	-50
5500MHz_TnomVmax	Pass	9.50	8.91251	9.95000	-10.43	50	-50
5600MHz_TnomVnom	Pass	9.53	8.97429	9.95000	-9.81	50	-50
5600MHz_TnomVmin	Pass	9.55	9.01571	9.95000	-9.39	50	-50
5600MHz_TnomVmax	Pass	9.54	8.99498	9.95000	-9.60	50	-50
5720MHz_TnomVnom	Pass	9.55	9.01571	9.95000	-9.39	50	-50
5720MHz_TnomVmin	Pass	9.55	9.01571	9.95000	-9.39	50	-50
5720MHz_TnomVmax	Pass	9.56	9.03649	9.95000	-9.18	50	-50
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	0.10	1.02329	1.10000	-6.97	20	-80
5190MHz_TnomVmin	Pass	0.13	1.03039	1.10000	-6.33	20	-80
5190MHz_TnomVmax	Pass	0.11	1.02565	1.10000	-6.76	20	-80
5230MHz_TnomVnom	Pass	0.40	1.09648	1.10000	-0.32	20	-80
5230MHz_TnomVmin	Pass	0.37	1.08893	1.10000	-1.01	20	-80
5230MHz_TnomVmax	Pass	0.38	1.09144	1.10000	-0.78	20	-80
5270MHz_TnomVnom	Pass	-0.23	0.94842	1.00000	-5.16	20	-80
5270MHz_TnomVmin	Pass	-0.21	0.95280	1.00000	-4.72	20	-80
5270MHz_TnomVmax	Pass	-0.23	0.94842	1.00000	-5.16	20	-80
5310MHz_TnomVnom	Pass	-0.19	0.95719	1.00000	-4.28	20	-80
5310MHz_TnomVmin	Pass	-0.19	0.95719	1.00000	-4.28	20	-80
5310MHz_TnomVmax	Pass	-0.18	0.95940	1.00000	-4.06	20	-80
5510MHz_TnomVnom	Pass	6.60	4.57088	4.99000	-8.40	50	-50
5510MHz_TnomVmin	Pass	6.58	4.54988	4.99000	-8.82	50	-50
5510MHz_TnomVmax	Pass	6.57	4.53942	4.99000	-9.03	50	-50
5590MHz_TnomVnom	Pass	6.52	4.48745	4.99000	-10.07	50	-50
5590MHz_TnomVmin	Pass	6.53	4.49780	4.99000	-9.86	50	-50
5590MHz_TnomVmax	Pass	6.52	4.48745	4.99000	-10.07	50	-50
5710MHz_TnomVnom	Pass	6.59	4.56037	4.99000	-8.61	50	-50
5710MHz_TnomVmin	Pass	6.57	4.53942	4.99000	-9.03	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5710MHz_TnomVmax	Pass	6.57	4.53942	4.99000	-9.03	50	-50
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-2.77	0.52845	0.55000	-3.92	20	-80
5210MHz_TnomVmin	Pass	-2.75	0.53088	0.55000	-3.48	20	-80
5210MHz_TnomVmax	Pass	-2.76	0.52966	0.55000	-3.70	20	-80
5290MHz_TnomVnom	Pass	-3.06	0.49431	0.50000	-1.14	20	-80
5290MHz_TnomVmin	Pass	-3.07	0.49317	0.50000	-1.37	20	-80
5290MHz_TnomVmax	Pass	-3.04	0.49659	0.50000	-0.68	20	-80
5530MHz_TnomVnom	Pass	3.64	2.31206	2.49000	-7.15	50	-50
5530MHz_TnomVmin	Pass	3.66	2.32274	2.49000	-6.72	50	-50
5530MHz_TnomVmax	Pass	3.65	2.31739	2.49000	-6.93	50	-50
5610MHz_TnomVnom	Pass	3.65	2.31739	2.49000	-6.93	50	-50
5610MHz_TnomVmin	Pass	3.63	2.30675	2.49000	-7.36	50	-50
5610MHz_TnomVmax	Pass	3.64	2.31206	2.49000	-7.15	50	-50
5690MHz_TnomVnom	Pass	3.76	2.37684	2.49000	-4.54	50	-50
5690MHz_TnomVmin	Pass	3.77	2.38232	2.49000	-4.32	50	-50
5690MHz_TnomVmax	Pass	3.75	2.37137	2.49000	-4.76	50	-50
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	-6.03	0.24946	0.25100	-0.61	20	-80
5250MHz_TnomVmin	Pass	-6.04	0.24889	0.25100	-0.84	20	-80
5250MHz_TnomVmax	Pass	-6.01	0.25061	0.25100	-0.16	20	-80
5570MHz_TnomVnom	Pass	-1.69	0.67764	0.80000	-15.29	50	-50
5570MHz_TnomVmin	Pass	-1.68	0.67920	0.80000	-15.10	50	-50
5570MHz_TnomVmax	Pass	-1.69	0.67764	0.80000	-15.29	50	-50
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	3.16	2.07014	2.20500	-6.12	20	-80
5180MHz_TnomVmin	Pass	3.14	2.06063	2.20500	-6.55	20	-80
5180MHz_TnomVmax	Pass	3.13	2.05589	2.20500	-6.76	20	-80
5200MHz_TnomVnom	Pass	3.35	2.16272	2.20500	-1.92	20	-80
5200MHz_TnomVmin	Pass	3.33	2.15278	2.20500	-2.37	20	-80
5200MHz_TnomVmax	Pass	3.31	2.14289	2.20500	-2.82	20	-80
5240MHz_TnomVnom	Pass	2.29	1.69434	2.20500	-23.16	20	-80
5240MHz_TnomVmin	Pass	2.29	1.69434	2.20500	-23.16	20	-80
5240MHz_TnomVmax	Pass	2.30	1.69824	2.20500	-22.98	20	-80
5260MHz_TnomVnom	Pass	0.40	1.09648	2.00000	-45.18	20	-80
5260MHz_TnomVmin	Pass	0.37	1.08893	2.00000	-45.55	20	-80
5260MHz_TnomVmax	Pass	0.38	1.09144	2.00000	-45.43	20	-80
5280MHz_TnomVnom	Pass	2.78	1.89671	2.00000	-5.16	20	-80
5280MHz_TnomVmin	Pass	2.75	1.88365	2.00000	-5.82	20	-80
5280MHz_TnomVmax	Pass	2.77	1.89234	2.00000	-5.38	20	-80
5320MHz_TnomVnom	Pass	2.94	1.96789	2.00000	-1.61	20	-80
5320MHz_TnomVmin	Pass	2.90	1.94984	2.00000	-2.51	20	-80
5320MHz_TnomVmax	Pass	2.91	1.95434	2.00000	-2.28	20	-80
5500MHz_TnomVnom	Pass	9.77	9.48418	9.95000	-4.68	50	-50
5500MHz_TnomVmin	Pass	9.75	9.44061	9.95000	-5.12	50	-50
5500MHz_TnomVmax	Pass	9.76	9.46237	9.95000	-4.90	50	-50
5600MHz_TnomVnom	Pass	9.91	9.79490	9.95000	-1.56	50	-50
5600MHz_TnomVmin	Pass	9.88	9.72747	9.95000	-2.24	50	-50
5600MHz_TnomVmax	Pass	9.90	9.77237	9.95000	-1.79	50	-50
5720MHz_TnomVnom	Pass	9.80	9.54993	9.95000	-4.02	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5720MHz_TnomVmin	Pass	9.81	9.57194	9.95000	-3.80	50	-50
5720MHz_TnomVmax	Pass	9.82	9.59401	9.95000	-3.58	50	-50
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	0.14	1.03276	1.10000	-6.11	20	-80
5190MHz_TnomVmin	Pass	0.17	1.03992	1.10000	-5.46	20	-80
5190MHz_TnomVmax	Pass	0.15	1.03514	1.10000	-5.90	20	-80
5230MHz_TnomVnom	Pass	0.03	1.00693	1.10000	-8.46	20	-80
5230MHz_TnomVmin	Pass	0.02	1.00462	1.10000	-8.67	20	-80
5230MHz_TnomVmax	Pass	0.05	1.01158	1.10000	-8.04	20	-80
5270MHz_TnomVnom	Pass	-0.41	0.90991	1.00000	-9.01	20	-80
5270MHz_TnomVmin	Pass	-0.39	0.91411	1.00000	-8.59	20	-80
5270MHz_TnomVmax	Pass	-0.40	0.91201	1.00000	-8.80	20	-80
5310MHz_TnomVnom	Pass	-0.36	0.92045	1.00000	-7.96	20	-80
5310MHz_TnomVmin	Pass	-0.37	0.91833	1.00000	-8.17	20	-80
5310MHz_TnomVmax	Pass	-0.37	0.91833	1.00000	-8.17	20	-80
5510MHz_TnomVnom	Pass	6.77	4.75335	4.99000	-4.74	50	-50
5510MHz_TnomVmin	Pass	6.78	4.76431	4.99000	-4.52	50	-50
5510MHz_TnomVmax	Pass	6.79	4.77529	4.99000	-4.30	50	-50
5590MHz_TnomVnom	Pass	6.83	4.81948	4.99000	-3.42	50	-50
5590MHz_TnomVmin	Pass	6.81	4.79733	4.99000	-3.86	50	-50
5590MHz_TnomVmax	Pass	6.85	4.84172	4.99000	-2.97	50	-50
5710MHz_TnomVnom	Pass	6.95	4.95450	4.99000	-0.71	50	-50
5710MHz_TnomVmin	Pass	6.96	4.96592	4.99000	-0.48	50	-50
5710MHz_TnomVmax	Pass	6.98	4.98884	4.99000	-0.02	50	-50
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-2.65	0.54325	0.55000	-1.23	20	-80
5210MHz_TnomVmin	Pass	-2.64	0.54450	0.55000	-1.00	20	-80
5210MHz_TnomVmax	Pass	-2.67	0.54075	0.55000	-1.68	20	-80
5290MHz_TnomVnom	Pass	-3.03	0.49774	0.50000	-0.45	20	-80
5290MHz_TnomVmin	Pass	-3.02	0.49888	0.50000	-0.22	20	-80
5290MHz_TnomVmax	Pass	-3.04	0.49659	0.50000	-0.68	20	-80
5530MHz_TnomVnom	Pass	3.87	2.43781	2.49000	-2.10	50	-50
5530MHz_TnomVmin	Pass	3.85	2.42661	2.49000	-2.55	50	-50
5530MHz_TnomVmax	Pass	3.86	2.43220	2.49000	-2.32	50	-50
5610MHz_TnomVnom	Pass	3.50	2.23872	2.49000	-10.09	50	-50
5610MHz_TnomVmin	Pass	3.50	2.23872	2.49000	-10.09	50	-50
5610MHz_TnomVmax	Pass	3.51	2.24388	2.49000	-9.88	50	-50
5690MHz_TnomVnom	Pass	3.90	2.45471	2.49000	-1.42	50	-50
5690MHz_TnomVmin	Pass	3.91	2.46037	2.49000	-1.19	50	-50
5690MHz_TnomVmax	Pass	3.92	2.46604	2.49000	-0.96	50	-50
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	-6.41	0.22856	0.25100	-8.94	20	-80
5250MHz_TnomVmin	Pass	-6.39	0.22961	0.25100	-8.52	20	-80
5250MHz_TnomVmax	Pass	-6.40	0.22909	0.25100	-8.73	20	-80
5570MHz_TnomVnom	Pass	-1.91	0.64417	0.80000	-19.48	50	-50
5570MHz_TnomVmin	Pass	-1.90	0.64565	0.80000	-19.29	50	-50
5570MHz_TnomVmax	Pass	-1.92	0.64269	0.80000	-19.66	50	-50

Summary

Mode	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)
5.15-5.25GHz	-	-	-	-
802.11a_(6Mbps)_2TX	3.42	2.19786	9.98	9.95405
802.11n HT20_Nss1,(MCS0)_2TX	3.01	1.99986	9.57	9.05733
802.11ac VHT20_Nss1,(MCS0)_2TX	3.43	2.20293	9.99	9.97700
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	3.13	2.05589	9.69	9.31108
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	3.35	2.16272	9.91	9.79490
802.11n HT40_Nss1,(MCS0)_2TX	0.30	1.07152	6.86	4.85289
802.11ac VHT40_Nss1,(MCS0)_2TX	0.17	1.03992	6.73	4.70977
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	0.40	1.09648	6.96	4.96592
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	0.17	1.03992	6.73	4.70977
802.11ac VHT80_Nss1,(MCS0)_2TX	-2.73	0.53333	3.83	2.41546
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	-2.75	0.53088	3.81	2.40436
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	-2.64	0.54450	3.92	2.46604
5.15-5.35GHz	-	-	-	-
802.11ac VHT160_Nss1,(MCS0)_2TX	-6.26	0.23659	0.70	1.17490
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	-6.01	0.25061	0.95	1.24451
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	-6.39	0.22961	0.57	1.14025
5.25-5.35GHz	-	-	-	-
802.11a_(6Mbps)_2TX	2.96	1.97697	9.92	9.81748
802.11n HT20_Nss1,(MCS0)_2TX	2.92	1.95884	9.88	9.72747
802.11ac VHT20_Nss1,(MCS0)_2TX	2.85	1.92752	9.81	9.57194
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	3.01	1.99986	9.97	9.93116
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	2.94	1.96789	9.90	9.77237
802.11n HT40_Nss1,(MCS0)_2TX	-0.09	0.97949	6.87	4.86407
802.11ac VHT40_Nss1,(MCS0)_2TX	-0.20	0.95499	6.76	4.74242
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	-0.18	0.95940	6.78	4.76431
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	-0.36	0.92045	6.60	4.57088
802.11ac VHT80_Nss1,(MCS0)_2TX	-3.04	0.49659	3.92	2.46604
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	-3.04	0.49659	3.92	2.46604
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	-3.02	0.49888	3.94	2.47742
5.47-5.73GHz	-	-	-	-
802.11a_(6Mbps)_2TX	9.97	9.93116	16.46	44.25884
802.11n HT20_Nss1,(MCS0)_2TX	9.92	9.81748	16.41	43.75221
802.11ac VHT20_Nss1,(MCS0)_2TX	9.84	9.63829	16.33	42.95364
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	9.56	9.03649	16.05	40.27170
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	9.91	9.79490	16.40	43.65158
802.11n HT40_Nss1,(MCS0)_2TX	6.78	4.76431	13.27	21.23244
802.11ac VHT40_Nss1,(MCS0)_2TX	6.65	4.62381	13.14	20.60630
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	6.60	4.57088	13.09	20.37042
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	6.98	4.98884	13.47	22.23310
802.11ac VHT80_Nss1,(MCS0)_2TX	3.66	2.32274	10.15	10.35142
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	3.77	2.38232	10.26	10.61696
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	3.92	2.46604	10.41	10.99006
802.11ac VHT160_Nss1,(MCS0)_2TX	-1.23	0.75336	5.26	3.35738
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	-1.68	0.67920	4.81	3.02691
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	-1.90	0.64565	4.59	2.87740

Result

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
802.11a_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	6.56	0.44	-0.04	3.22	2.09894	10	9.78	9.50605	10
5180MHz_TnomVmin	Pass	6.56	0.50	-0.05	3.24	2.10863	10	9.80	9.54993	10
5180MHz_TnomVmax	Pass	6.56	0.52	-0.10	3.23	2.10378	10	9.79	9.52796	10
5200MHz_TnomVnom	Pass	6.56	0.25	-0.38	2.96	1.97697	10	9.52	8.95365	10
5200MHz_TnomVmin	Pass	6.56	0.22	-0.39	2.94	1.96789	10	9.50	8.91251	10
5200MHz_TnomVmax	Pass	6.56	0.24	-0.40	2.94	1.96789	10	9.50	8.91251	10
5240MHz_TnomVnom	Pass	6.56	0.69	0.05	3.39	2.18273	10	9.95	9.88553	10
5240MHz_TnomVmin	Pass	6.56	0.73	0.05	3.41	2.19280	10	9.97	9.93116	10
5240MHz_TnomVmax	Pass	6.56	0.71	0.08	3.42	2.19786	10	9.98	9.95405	10
5260MHz_TnomVnom	Pass	6.96	0.29	-0.45	2.95	1.97242	10	9.91	9.79490	10
5260MHz_TnomVmin	Pass	6.96	0.29	-0.41	2.96	1.97697	10	9.92	9.81748	10
5260MHz_TnomVmax	Pass	6.96	0.29	-0.47	2.94	1.96789	10	9.90	9.77237	10
5280MHz_TnomVnom	Pass	6.96	0.10	-0.47	2.83	1.91867	10	9.79	9.52796	10
5280MHz_TnomVmin	Pass	6.96	0.05	-0.49	2.80	1.90546	10	9.76	9.46237	10
5280MHz_TnomVmax	Pass	6.96	0.03	-0.48	2.79	1.90108	10	9.75	9.44061	10
5320MHz_TnomVnom	Pass	6.96	0.15	-0.40	2.89	1.94536	10	9.85	9.66051	10
5320MHz_TnomVmin	Pass	6.96	0.17	-0.45	2.88	1.94089	10	9.84	9.63829	10
5320MHz_TnomVmax	Pass	6.96	0.17	-0.47	2.87	1.93642	10	9.83	9.61612	10
5500MHz_TnomVnom	Pass	6.49	6.83	6.74	9.80	9.54993	10	16.29	42.55984	50
5500MHz_TnomVmin	Pass	6.49	6.81	6.73	9.78	9.50605	10	16.27	42.36430	50
5500MHz_TnomVmax	Pass	6.49	6.85	6.76	9.82	9.59401	10	16.31	42.75629	50
5600MHz_TnomVnom	Pass	6.49	7.28	6.58	9.95	9.88553	10	16.44	44.05549	50
5600MHz_TnomVmin	Pass	6.49	7.30	6.58	9.97	9.93116	10	16.46	44.25884	50
5600MHz_TnomVmax	Pass	6.49	7.27	6.56	9.94	9.86279	10	16.43	43.95416	50
5720MHz_TnomVnom	Pass	6.49	6.78	6.21	9.51	8.93305	10	16.00	39.81072	50
5720MHz_TnomVmin	Pass	6.49	6.75	6.21	9.50	8.91251	10	15.99	39.71915	50
5720MHz_TnomVmax	Pass	6.49	6.71	6.25	9.50	8.91251	10	15.99	39.71915	50
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	6.56	0.29	-0.31	3.01	1.99986	10	9.57	9.05733	10
5180MHz_TnomVmin	Pass	6.56	0.25	-0.28	3.00	1.99526	10	9.56	9.03649	10
5180MHz_TnomVmax	Pass	6.56	0.29	-0.33	3.00	1.99526	10	9.56	9.03649	10
5200MHz_TnomVnom	Pass	6.56	0.45	-0.55	2.99	1.99067	10	9.55	9.01571	10
5200MHz_TnomVmin	Pass	6.56	0.43	-0.59	2.96	1.97697	10	9.52	8.95365	10
5200MHz_TnomVmax	Pass	6.56	0.42	-0.56	2.97	1.98153	10	9.53	8.97429	10
5240MHz_TnomVnom	Pass	6.56	0.28	-0.44	2.95	1.97242	10	9.51	8.93305	10
5240MHz_TnomVmin	Pass	6.56	0.27	-0.41	2.95	1.97242	10	9.51	8.93305	10
5240MHz_TnomVmax	Pass	6.56	0.29	-0.42	2.96	1.97697	10	9.52	8.95365	10
5260MHz_TnomVnom	Pass	6.96	-0.04	-0.90	2.56	1.80302	10	9.52	8.95365	10
5260MHz_TnomVmin	Pass	6.96	-0.05	-0.87	2.57	1.80717	10	9.53	8.97429	10
5260MHz_TnomVmax	Pass	6.96	-0.06	-0.89	2.56	1.80302	10	9.52	8.95365	10
5280MHz_TnomVnom	Pass	6.96	0.21	-0.45	2.90	1.94984	10	9.86	9.68278	10
5280MHz_TnomVmin	Pass	6.96	0.20	-0.44	2.90	1.94984	10	9.86	9.68278	10
5280MHz_TnomVmax	Pass	6.96	0.22	-0.43	2.92	1.95884	10	9.88	9.72747	10
5320MHz_TnomVnom	Pass	6.96	0.05	-0.37	2.86	1.93197	10	9.82	9.59401	10
5320MHz_TnomVmin	Pass	6.96	0.07	-0.35	2.88	1.94089	10	9.84	9.63829	10
5320MHz_TnomVmax	Pass	6.96	0.11	-0.36	2.89	1.94536	10	9.85	9.66051	10
5500MHz_TnomVnom	Pass	6.49	6.93	6.64	9.80	9.54993	10	16.29	42.55984	50

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5500MHz_TnomVmin	Pass	6.49	7.00	6.56	9.80	9.54993	10	16.29	42.55984	50
5500MHz_TnomVmax	Pass	6.49	7.00	6.59	9.81	9.57194	10	16.30	42.65795	50
5600MHz_TnomVnom	Pass	6.49	7.03	6.79	9.92	9.81748	10	16.41	43.75221	50
5600MHz_TnomVmin	Pass	6.49	7.04	6.74	9.90	9.77237	10	16.39	43.55119	50
5600MHz_TnomVmax	Pass	6.49	7.06	6.73	9.91	9.79490	10	16.40	43.65158	50
5720MHz_TnomVnom	Pass	6.49	7.15	6.65	9.92	9.81748	10	16.41	43.75221	50
5720MHz_TnomVmin	Pass	6.49	7.13	6.64	9.90	9.77237	10	16.39	43.55119	50
5720MHz_TnomVmax	Pass	6.49	7.12	6.65	9.90	9.77237	10	16.39	43.55119	50
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	6.56	-2.46	-3.09	0.25	1.05925	5	6.81	4.79733	5
5190MHz_TnomVmin	Pass	6.56	-2.43	-3.04	0.29	1.06905	5	6.85	4.84172	5
5190MHz_TnomVmax	Pass	6.56	-2.48	-3.08	0.24	1.05682	5	6.80	4.78630	5
5230MHz_TnomVnom	Pass	6.56	-2.25	-3.23	0.30	1.07152	5	6.86	4.85289	5
5230MHz_TnomVmin	Pass	6.56	-2.26	-3.25	0.28	1.06660	5	6.84	4.83059	5
5230MHz_TnomVmax	Pass	6.56	-2.29	-3.23	0.28	1.06660	5	6.84	4.83059	5
5270MHz_TnomVnom	Pass	6.96	-2.74	-3.49	-0.09	0.97949	5	6.87	4.86407	5
5270MHz_TnomVmin	Pass	6.96	-2.78	-3.46	-0.10	0.97724	5	6.86	4.85289	5
5270MHz_TnomVmax	Pass	6.96	-2.81	-3.43	-0.10	0.97724	5	6.86	4.85289	5
5310MHz_TnomVnom	Pass	6.96	-3.13	-3.41	-0.26	0.94189	5	6.70	4.67735	5
5310MHz_TnomVmin	Pass	6.96	-3.12	-3.40	-0.25	0.94406	5	6.71	4.68813	5
5310MHz_TnomVmax	Pass	6.96	-3.11	-3.38	-0.23	0.94842	5	6.73	4.70977	5
5510MHz_TnomVnom	Pass	6.49	3.67	3.48	6.59	4.56037	5	13.08	20.32357	25
5510MHz_TnomVmin	Pass	6.49	3.71	3.52	6.63	4.60257	5	13.12	20.51162	25
5510MHz_TnomVmax	Pass	6.49	3.69	3.50	6.61	4.58142	5	13.10	20.41738	25
5590MHz_TnomVnom	Pass	6.49	3.47	3.56	6.53	4.49780	5	13.02	20.04472	25
5590MHz_TnomVmin	Pass	6.49	3.42	3.64	6.54	4.50817	5	13.03	20.09093	25
5590MHz_TnomVmax	Pass	6.49	3.44	3.59	6.53	4.49780	5	13.02	20.04472	25
5710MHz_TnomVnom	Pass	6.49	3.71	3.79	6.76	4.74242	5	13.25	21.13489	25
5710MHz_TnomVmin	Pass	6.49	3.76	3.78	6.78	4.76431	5	13.27	21.23244	25
5710MHz_TnomVmax	Pass	6.49	3.73	3.78	6.77	4.75335	5	13.26	21.18361	25
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	6.56	0.72	0.03	3.40	2.18776	10	9.96	9.90832	10
5180MHz_TnomVmin	Pass	6.56	0.72	0.07	3.42	2.19786	10	9.98	9.95405	10
5180MHz_TnomVmax	Pass	6.56	0.70	0.08	3.41	2.19280	10	9.97	9.93116	10
5200MHz_TnomVnom	Pass	6.56	0.83	-0.09	3.40	2.18776	10	9.96	9.90832	10
5200MHz_TnomVmin	Pass	6.56	0.80	-0.04	3.41	2.19280	10	9.97	9.93116	10
5200MHz_TnomVmax	Pass	6.56	0.85	-0.07	3.42	2.19786	10	9.98	9.95405	10
5240MHz_TnomVnom	Pass	6.56	0.83	-0.04	3.43	2.20293	10	9.99	9.97700	10
5240MHz_TnomVmin	Pass	6.56	0.78	0.00	3.42	2.19786	10	9.98	9.95405	10
5240MHz_TnomVmax	Pass	6.56	0.83	-0.08	3.41	2.19280	10	9.97	9.93116	10
5260MHz_TnomVnom	Pass	6.96	-0.09	-0.85	2.56	1.80302	10	9.52	8.95365	10
5260MHz_TnomVmin	Pass	6.96	-0.10	-0.88	2.54	1.79473	10	9.50	8.91251	10
5260MHz_TnomVmax	Pass	6.96	-0.11	-0.86	2.54	1.79473	10	9.50	8.91251	10
5280MHz_TnomVnom	Pass	6.96	0.07	-0.47	2.82	1.91426	10	9.78	9.50605	10
5280MHz_TnomVmin	Pass	6.96	0.12	-0.45	2.85	1.92752	10	9.81	9.57194	10
5280MHz_TnomVmax	Pass	6.96	0.13	-0.50	2.84	1.92309	10	9.80	9.54993	10
5320MHz_TnomVnom	Pass	6.96	0.08	-0.49	2.81	1.90985	10	9.77	9.48418	10
5320MHz_TnomVmin	Pass	6.96	0.03	-0.50	2.78	1.89671	10	9.74	9.41890	10
5320MHz_TnomVmax	Pass	6.96	0.05	-0.49	2.80	1.90546	10	9.76	9.46237	10

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5500MHz_TnomVnom	Pass	6.49	6.80	6.62	9.72	9.37562	10	16.21	41.78304	50
5500MHz_TnomVmin	Pass	6.49	6.84	6.60	9.73	9.39723	10	16.22	41.87936	50
5500MHz_TnomVmax	Pass	6.49	6.83	6.56	9.71	9.35406	10	16.20	41.68694	50
5600MHz_TnomVnom	Pass	6.49	6.97	6.69	9.84	9.63829	10	16.33	42.95364	50
5600MHz_TnomVmin	Pass	6.49	6.98	6.64	9.82	9.59401	10	16.31	42.75629	50
5600MHz_TnomVmax	Pass	6.49	6.95	6.67	9.82	9.59401	10	16.31	42.75629	50
5720MHz_TnomVnom	Pass	6.49	7.05	6.53	9.81	9.57194	10	16.30	42.65795	50
5720MHz_TnomVmin	Pass	6.49	7.08	6.57	9.84	9.63829	10	16.33	42.95364	50
5720MHz_TnomVmax	Pass	6.49	7.01	6.61	9.82	9.59401	10	16.31	42.75629	50
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	6.56	-2.51	-3.26	0.14	1.03276	5	6.70	4.67735	5
5190MHz_TnomVmin	Pass	6.56	-2.52	-3.21	0.16	1.03753	5	6.72	4.69894	5
5190MHz_TnomVmax	Pass	6.56	-2.47	-3.25	0.17	1.03992	5	6.73	4.70977	5
5230MHz_TnomVnom	Pass	6.56	-2.41	-3.35	0.16	1.03753	5	6.72	4.69894	5
5230MHz_TnomVmin	Pass	6.56	-2.43	-3.38	0.13	1.03039	5	6.69	4.66659	5
5230MHz_TnomVmax	Pass	6.56	-2.44	-3.40	0.12	1.02802	5	6.68	4.65586	5
5270MHz_TnomVnom	Pass	6.96	-3.07	-3.55	-0.29	0.93541	5	6.67	4.64515	5
5270MHz_TnomVmin	Pass	6.96	-3.03	-3.60	-0.30	0.93325	5	6.66	4.63447	5
5270MHz_TnomVmax	Pass	6.96	-3.05	-3.61	-0.31	0.93111	5	6.65	4.62381	5
5310MHz_TnomVnom	Pass	6.96	-3.06	-3.36	-0.20	0.95499	5	6.76	4.74242	5
5310MHz_TnomVmin	Pass	6.96	-3.08	-3.40	-0.23	0.94842	5	6.73	4.70977	5
5310MHz_TnomVmax	Pass	6.96	-3.08	-3.37	-0.21	0.95280	5	6.75	4.73151	5
5510MHz_TnomVnom	Pass	6.49	3.70	3.52	6.62	4.59198	5	13.11	20.46445	25
5510MHz_TnomVmin	Pass	6.49	3.69	3.49	6.60	4.57088	5	13.09	20.37042	25
5510MHz_TnomVmax	Pass	6.49	3.68	3.56	6.63	4.60257	5	13.12	20.51162	25
5590MHz_TnomVnom	Pass	6.49	3.37	3.59	6.49	4.45656	5	12.98	19.86095	25
5590MHz_TnomVmin	Pass	6.49	3.43	3.54	6.50	4.46684	5	12.99	19.90673	25
5590MHz_TnomVmax	Pass	6.49	3.40	3.55	6.49	4.45656	5	12.98	19.86095	25
5710MHz_TnomVnom	Pass	6.49	3.69	3.56	6.64	4.61318	5	13.13	20.55891	25
5710MHz_TnomVmin	Pass	6.49	3.71	3.57	6.65	4.62381	5	13.14	20.60630	25
5710MHz_TnomVmax	Pass	6.49	3.67	3.58	6.64	4.61318	5	13.13	20.55891	25
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	6.56	-5.25	-6.29	-2.73	0.53333	2.5	3.83	2.41546	2.5
5210MHz_TnomVmin	Pass	6.56	-5.31	-6.25	-2.74	0.53211	2.5	3.82	2.40991	2.5
5210MHz_TnomVmax	Pass	6.56	-5.30	-6.29	-2.76	0.52966	2.5	3.80	2.39883	2.5
5290MHz_TnomVnom	Pass	6.96	-5.68	-6.47	-3.05	0.49545	2.5	3.91	2.46037	2.5
5290MHz_TnomVmin	Pass	6.96	-5.64	-6.51	-3.04	0.49659	2.5	3.92	2.46604	2.5
5290MHz_TnomVmax	Pass	6.96	-5.67	-6.52	-3.06	0.49431	2.5	3.90	2.45471	2.5
5530MHz_TnomVnom	Pass	6.49	0.50	0.66	3.59	2.28560	2.5	10.08	10.18591	12.5
5530MHz_TnomVmin	Pass	6.49	0.52	0.70	3.62	2.30144	2.5	10.11	10.25652	12.5
5530MHz_TnomVmax	Pass	6.49	0.51	0.67	3.60	2.29087	2.5	10.09	10.20939	12.5
5610MHz_TnomVnom	Pass	6.49	0.80	0.43	3.63	2.30675	2.5	10.12	10.28016	12.5
5610MHz_TnomVmin	Pass	6.49	0.82	0.47	3.66	2.32274	2.5	10.15	10.35142	12.5
5610MHz_TnomVmax	Pass	6.49	0.81	0.44	3.64	2.31206	2.5	10.13	10.30386	12.5
5690MHz_TnomVnom	Pass	6.49	0.63	0.36	3.51	2.24388	2.5	10.00	10.00000	12.5
5690MHz_TnomVmin	Pass	6.49	0.61	0.38	3.51	2.24388	2.5	10.00	10.00000	12.5
5690MHz_TnomVmax	Pass	6.49	0.63	0.39	3.52	2.24905	2.5	10.01	10.02305	12.5
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	6.96	-8.85	-9.74	-6.26	0.23659	1.25	0.70	1.17490	1.25

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5250MHz_TnomVmin	Pass	6.96	-8.90	-9.69	-6.27	0.23605	1.25	0.69	1.17220	1.25
5250MHz_TnomVmax	Pass	6.96	-8.88	-9.75	-6.28	0.23550	1.25	0.68	1.16950	1.25
5570MHz_TnomVnom	Pass	6.49	-4.19	-4.32	-1.24	0.75162	1.25	5.25	3.34965	6.25
5570MHz_TnomVmin	Pass	6.49	-4.18	-4.31	-1.23	0.75336	1.25	5.26	3.35738	6.25
5570MHz_TnomVmax	Pass	6.49	-4.17	-4.35	-1.25	0.74989	1.25	5.24	3.34195	6.25
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	6.56	0.43	-0.22	3.13	2.05589	10	9.69	9.31108	10
5180MHz_TnomVmin	Pass	6.56	0.40	-0.23	3.11	2.04644	10	9.67	9.26830	10
5180MHz_TnomVmax	Pass	6.56	0.39	-0.24	3.10	2.04174	10	9.66	9.24698	10
5200MHz_TnomVnom	Pass	6.56	0.44	-0.40	3.05	2.01837	10	9.61	9.14113	10
5200MHz_TnomVmin	Pass	6.56	0.43	-0.38	3.05	2.01837	10	9.61	9.14113	10
5200MHz_TnomVmax	Pass	6.56	0.47	-0.39	3.07	2.02768	10	9.63	9.18333	10
5240MHz_TnomVnom	Pass	6.56	-0.83	-1.33	1.94	1.56315	10	8.50	7.07946	10
5240MHz_TnomVmin	Pass	6.56	-0.79	-1.36	1.94	1.56315	10	8.50	7.07946	10
5240MHz_TnomVmax	Pass	6.56	-0.82	-1.32	1.95	1.56675	10	8.51	7.09578	10
5260MHz_TnomVnom	Pass	6.96	-2.15	-2.90	0.50	1.12202	10	7.46	5.57186	10
5260MHz_TnomVmin	Pass	6.96	-2.11	-2.93	0.51	1.12460	10	7.47	5.58470	10
5260MHz_TnomVmax	Pass	6.96	-2.10	-2.92	0.52	1.12720	10	7.48	5.59758	10
5280MHz_TnomVnom	Pass	6.96	0.32	-0.55	2.92	1.95884	10	9.88	9.72747	10
5280MHz_TnomVmin	Pass	6.96	0.35	-0.56	2.93	1.96336	10	9.89	9.74990	10
5280MHz_TnomVmax	Pass	6.96	0.29	-0.50	2.92	1.95884	10	9.88	9.72747	10
5320MHz_TnomVnom	Pass	6.96	0.24	-0.31	2.98	1.98609	10	9.94	9.86279	10
5320MHz_TnomVmin	Pass	6.96	0.25	-0.30	2.99	1.99067	10	9.95	9.88553	10
5320MHz_TnomVmax	Pass	6.96	0.28	-0.29	3.01	1.99986	10	9.97	9.93116	10
5500MHz_TnomVnom	Pass	6.49	6.76	6.21	9.50	8.91251	10	15.99	39.71915	50
5500MHz_TnomVmin	Pass	6.49	6.73	6.25	9.51	8.93305	10	16.00	39.81072	50
5500MHz_TnomVmax	Pass	6.49	6.74	6.22	9.50	8.91251	10	15.99	39.71915	50
5600MHz_TnomVnom	Pass	6.49	6.72	6.31	9.53	8.97429	10	16.02	39.99447	50
5600MHz_TnomVmin	Pass	6.49	6.70	6.38	9.55	9.01571	10	16.04	40.17908	50
5600MHz_TnomVmax	Pass	6.49	6.71	6.34	9.54	8.99498	10	16.03	40.08667	50
5720MHz_TnomVnom	Pass	6.49	6.73	6.35	9.55	9.01571	10	16.04	40.17908	50
5720MHz_TnomVmin	Pass	6.49	6.72	6.36	9.55	9.01571	10	16.04	40.17908	50
5720MHz_TnomVmax	Pass	6.49	6.70	6.40	9.56	9.03649	10	16.05	40.27170	50
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	6.56	-2.36	-3.53	0.10	1.02329	5	6.66	4.63447	5
5190MHz_TnomVmin	Pass	6.56	-2.35	-3.49	0.13	1.03039	5	6.69	4.66659	5
5190MHz_TnomVmax	Pass	6.56	-2.37	-3.50	0.11	1.02565	5	6.67	4.64515	5
5230MHz_TnomVnom	Pass	6.56	-2.35	-2.88	0.40	1.09648	5	6.96	4.96592	5
5230MHz_TnomVmin	Pass	6.56	-2.39	-2.90	0.37	1.08893	5	6.93	4.93174	5
5230MHz_TnomVmax	Pass	6.56	-2.37	-2.91	0.38	1.09144	5	6.94	4.94311	5
5270MHz_TnomVnom	Pass	6.96	-2.86	-3.65	-0.23	0.94842	5	6.73	4.70977	5
5270MHz_TnomVmin	Pass	6.96	-2.85	-3.62	-0.21	0.95280	5	6.75	4.73151	5
5270MHz_TnomVmax	Pass	6.96	-2.89	-3.63	-0.23	0.94842	5	6.73	4.70977	5
5310MHz_TnomVnom	Pass	6.96	-2.98	-3.43	-0.19	0.95719	5	6.77	4.75335	5
5310MHz_TnomVmin	Pass	6.96	-2.96	-3.46	-0.19	0.95719	5	6.77	4.75335	5
5310MHz_TnomVmax	Pass	6.96	-2.91	-3.49	-0.18	0.95940	5	6.78	4.76431	5
5510MHz_TnomVnom	Pass	6.49	3.70	3.48	6.60	4.57088	5	13.09	20.37042	25
5510MHz_TnomVmin	Pass	6.49	3.69	3.45	6.58	4.54988	5	13.07	20.27683	25

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5510MHz_TnomVmax	Pass	6.49	3.68	3.43	6.57	4.53942	5	13.06	20.23019	25
5590MHz_TnomVnom	Pass	6.49	3.43	3.58	6.52	4.48745	5	13.01	19.99862	25
5590MHz_TnomVmin	Pass	6.49	3.40	3.64	6.53	4.49780	5	13.02	20.04472	25
5590MHz_TnomVmax	Pass	6.49	3.42	3.60	6.52	4.48745	5	13.01	19.99862	25
5710MHz_TnomVnom	Pass	6.49	3.55	3.60	6.59	4.56037	5	13.08	20.32357	25
5710MHz_TnomVmin	Pass	6.49	3.54	3.58	6.57	4.53942	5	13.06	20.23019	25
5710MHz_TnomVmax	Pass	6.49	3.52	3.59	6.57	4.53942	5	13.06	20.23019	25
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	6.56	-5.30	-6.31	-2.77	0.52845	2.5	3.79	2.39332	2.5
5210MHz_TnomVmin	Pass	6.56	-5.25	-6.33	-2.75	0.53088	2.5	3.81	2.40436	2.5
5210MHz_TnomVmax	Pass	6.56	-5.26	-6.36	-2.76	0.52966	2.5	3.80	2.39883	2.5
5290MHz_TnomVnom	Pass	6.96	-5.61	-6.59	-3.06	0.49431	2.5	3.90	2.45471	2.5
5290MHz_TnomVmin	Pass	6.96	-5.63	-6.59	-3.07	0.49317	2.5	3.89	2.44906	2.5
5290MHz_TnomVmax	Pass	6.96	-5.58	-6.58	-3.04	0.49659	2.5	3.92	2.46604	2.5
5530MHz_TnomVnom	Pass	6.49	0.40	0.85	3.64	2.31206	2.5	10.13	10.30386	12.5
5530MHz_TnomVmin	Pass	6.49	0.41	0.88	3.66	2.32274	2.5	10.15	10.35142	12.5
5530MHz_TnomVmax	Pass	6.49	0.39	0.87	3.65	2.31739	2.5	10.14	10.32761	12.5
5610MHz_TnomVnom	Pass	6.49	0.67	0.60	3.65	2.31739	2.5	10.14	10.32761	12.5
5610MHz_TnomVmin	Pass	6.49	0.65	0.58	3.63	2.30675	2.5	10.12	10.28016	12.5
5610MHz_TnomVmax	Pass	6.49	0.66	0.59	3.64	2.31206	2.5	10.13	10.30386	12.5
5690MHz_TnomVnom	Pass	6.49	1.03	0.45	3.76	2.37684	2.5	10.25	10.59254	12.5
5690MHz_TnomVmin	Pass	6.49	1.04	0.47	3.77	2.38232	2.5	10.26	10.61696	12.5
5690MHz_TnomVmax	Pass	6.49	1.00	0.46	3.75	2.37137	2.5	10.24	10.56818	12.5
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	6.96	-8.38	-9.82	-6.03	0.24946	1.25	0.93	1.23880	1.25
5250MHz_TnomVmin	Pass	6.96	-8.40	-9.81	-6.04	0.24889	1.25	0.92	1.23595	1.25
5250MHz_TnomVmax	Pass	6.96	-8.36	-9.79	-6.01	0.25061	1.25	0.95	1.24451	1.25
5570MHz_TnomVnom	Pass	6.49	-4.90	-4.51	-1.69	0.67764	1.25	4.80	3.01995	6.25
5570MHz_TnomVmin	Pass	6.49	-4.89	-4.50	-1.68	0.67920	1.25	4.81	3.02691	6.25
5570MHz_TnomVmax	Pass	6.49	-4.93	-4.48	-1.69	0.67764	1.25	4.80	3.01995	6.25
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	6.56	0.51	-0.25	3.16	2.07014	10	9.72	9.37562	10
5180MHz_TnomVmin	Pass	6.56	0.52	-0.30	3.14	2.06063	10	9.70	9.33254	10
5180MHz_TnomVmax	Pass	6.56	0.51	-0.32	3.13	2.05589	10	9.69	9.31108	10
5200MHz_TnomVnom	Pass	6.56	0.69	-0.05	3.35	2.16272	10	9.91	9.79490	10
5200MHz_TnomVmin	Pass	6.56	0.67	-0.06	3.33	2.15278	10	9.89	9.74990	10
5200MHz_TnomVmax	Pass	6.56	0.65	-0.09	3.31	2.14289	10	9.87	9.70510	10
5240MHz_TnomVnom	Pass	6.56	-0.39	-1.08	2.29	1.69434	10	8.85	7.67361	10
5240MHz_TnomVmin	Pass	6.56	-0.38	-1.09	2.29	1.69434	10	8.85	7.67361	10
5240MHz_TnomVmax	Pass	6.56	-0.40	-1.04	2.30	1.69824	10	8.86	7.69130	10
5260MHz_TnomVnom	Pass	6.96	-2.35	-2.89	0.40	1.09648	10	7.36	5.44503	10
5260MHz_TnomVmin	Pass	6.96	-2.40	-2.90	0.37	1.08893	10	7.33	5.40754	10
5260MHz_TnomVmax	Pass	6.96	-2.39	-2.89	0.38	1.09144	10	7.34	5.42001	10
5280MHz_TnomVnom	Pass	6.96	0.12	-0.62	2.78	1.89671	10	9.74	9.41890	10
5280MHz_TnomVmin	Pass	6.96	0.10	-0.65	2.75	1.88365	10	9.71	9.35406	10
5280MHz_TnomVmax	Pass	6.96	0.11	-0.63	2.77	1.89234	10	9.73	9.39723	10
5320MHz_TnomVnom	Pass	6.96	0.13	-0.29	2.94	1.96789	10	9.90	9.77237	10

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5320MHz_TnomVmin	Pass	6.96	0.08	-0.30	2.90	1.94984	10	9.86	9.68278	10
5320MHz_TnomVmax	Pass	6.96	0.08	-0.28	2.91	1.95434	10	9.87	9.70510	10
5500MHz_TnomVnom	Pass	6.49	6.95	6.56	9.77	9.48418	10	16.26	42.26686	50
5500MHz_TnomVmin	Pass	6.49	6.97	6.50	9.75	9.44061	10	16.24	42.07266	50
5500MHz_TnomVmax	Pass	6.49	6.96	6.52	9.76	9.46237	10	16.25	42.16965	50
5600MHz_TnomVnom	Pass	6.49	7.03	6.76	9.91	9.79490	10	16.40	43.65158	50
5600MHz_TnomVmin	Pass	6.49	6.97	6.76	9.88	9.72747	10	16.37	43.35109	50
5600MHz_TnomVmax	Pass	6.49	7.01	6.77	9.90	9.77237	10	16.39	43.55119	50
5720MHz_TnomVnom	Pass	6.49	6.93	6.64	9.80	9.54993	10	16.29	42.55984	50
5720MHz_TnomVmin	Pass	6.49	6.97	6.63	9.81	9.57194	10	16.30	42.65795	50
5720MHz_TnomVmax	Pass	6.49	7.01	6.60	9.82	9.59401	10	16.31	42.75629	50
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	6.56	-2.76	-2.98	0.14	1.03276	5	6.70	4.67735	5
5190MHz_TnomVmin	Pass	6.56	-2.74	-2.95	0.17	1.03992	5	6.73	4.70977	5
5190MHz_TnomVmax	Pass	6.56	-2.77	-2.96	0.15	1.03514	5	6.71	4.68813	5
5230MHz_TnomVnom	Pass	6.56	-2.66	-3.33	0.03	1.00693	5	6.59	4.56037	5
5230MHz_TnomVmin	Pass	6.56	-2.64	-3.38	0.02	1.00462	5	6.58	4.54988	5
5230MHz_TnomVmax	Pass	6.56	-2.60	-3.36	0.05	1.01158	5	6.61	4.58142	5
5270MHz_TnomVnom	Pass	6.96	-3.17	-3.68	-0.41	0.90991	5	6.55	4.51856	5
5270MHz_TnomVmin	Pass	6.96	-3.16	-3.66	-0.39	0.91411	5	6.57	4.53942	5
5270MHz_TnomVmax	Pass	6.96	-3.19	-3.64	-0.40	0.91201	5	6.56	4.52898	5
5310MHz_TnomVnom	Pass	6.96	-3.19	-3.56	-0.36	0.92045	5	6.60	4.57088	5
5310MHz_TnomVmin	Pass	6.96	-3.17	-3.61	-0.37	0.91833	5	6.59	4.56037	5
5310MHz_TnomVmax	Pass	6.96	-3.18	-3.60	-0.37	0.91833	5	6.59	4.56037	5
5510MHz_TnomVnom	Pass	6.49	3.72	3.79	6.77	4.75335	5	13.26	21.18361	25
5510MHz_TnomVmin	Pass	6.49	3.76	3.78	6.78	4.76431	5	13.27	21.23244	25
5510MHz_TnomVmax	Pass	6.49	3.74	3.81	6.79	4.77529	5	13.28	21.28139	25
5590MHz_TnomVnom	Pass	6.49	4.04	3.59	6.83	4.81948	5	13.32	21.47830	25
5590MHz_TnomVmin	Pass	6.49	4.02	3.57	6.81	4.79733	5	13.30	21.37962	25
5590MHz_TnomVmax	Pass	6.49	4.05	3.61	6.85	4.84172	5	13.34	21.57744	25
5710MHz_TnomVnom	Pass	6.49	3.97	3.90	6.95	4.95450	5	13.44	22.08005	25
5710MHz_TnomVmin	Pass	6.49	3.96	3.93	6.96	4.96592	5	13.45	22.13095	25
5710MHz_TnomVmax	Pass	6.49	3.98	3.96	6.98	4.98884	5	13.47	22.23310	25
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	6.56	-5.36	-5.98	-2.65	0.54325	2.5	3.91	2.46037	2.5
5210MHz_TnomVmin	Pass	6.56	-5.34	-5.99	-2.64	0.54450	2.5	3.92	2.46604	2.5
5210MHz_TnomVmax	Pass	6.56	-5.38	-6.00	-2.67	0.54075	2.5	3.89	2.44906	2.5
5290MHz_TnomVnom	Pass	6.96	-5.85	-6.24	-3.03	0.49774	2.5	3.93	2.47172	2.5
5290MHz_TnomVmin	Pass	6.96	-5.84	-6.22	-3.02	0.49888	2.5	3.94	2.47742	2.5
5290MHz_TnomVmax	Pass	6.96	-5.86	-6.25	-3.04	0.49659	2.5	3.92	2.46604	2.5
5530MHz_TnomVnom	Pass	6.49	0.63	1.07	3.87	2.43781	2.5	10.36	10.86426	12.5
5530MHz_TnomVmin	Pass	6.49	0.62	1.05	3.85	2.42661	2.5	10.34	10.81434	12.5
5530MHz_TnomVmax	Pass	6.49	0.62	1.06	3.86	2.43220	2.5	10.35	10.83927	12.5
5610MHz_TnomVnom	Pass	6.49	0.53	0.45	3.50	2.23872	2.5	9.99	9.97700	12.5
5610MHz_TnomVmin	Pass	6.49	0.51	0.47	3.50	2.23872	2.5	9.99	9.97700	12.5
5610MHz_TnomVmax	Pass	6.49	0.52	0.48	3.51	2.24388	2.5	10.00	10.00000	12.5
5690MHz_TnomVnom	Pass	6.49	1.18	0.57	3.90	2.45471	2.5	10.39	10.93956	12.5
5690MHz_TnomVmin	Pass	6.49	1.21	0.56	3.91	2.46037	2.5	10.40	10.96478	12.5

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5690MHz_TnomVmax	Pass	6.49	1.21	0.58	3.92	2.46604	2.5	10.41	10.99006	12.5
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	6.96	-9.13	-9.74	-6.41	0.22856	1.25	0.55	1.13501	1.25
5250MHz_TnomVmin	Pass	6.96	-9.10	-9.73	-6.39	0.22961	1.25	0.57	1.14025	1.25
5250MHz_TnomVmax	Pass	6.96	-9.14	-9.70	-6.40	0.22909	1.25	0.56	1.13763	1.25
5570MHz_TnomVnom	Pass	6.49	-5.08	-4.76	-1.91	0.64417	1.25	4.58	2.87078	6.25
5570MHz_TnomVmin	Pass	6.49	-5.07	-4.75	-1.90	0.64565	1.25	4.59	2.87740	6.25
5570MHz_TnomVmax	Pass	6.49	-5.06	-4.81	-1.92	0.64269	1.25	4.57	2.86418	6.25

P1 = Port 1 Antenna Power; P2 = Port 2 Antenna Power; Pn = Port n Antenna Power;
Antenna Power = Sum by P1~Pn;

複製禁止

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.15-5.25GHz	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.24G	5.24001888G	3.6021	±20	1	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.24G	5.24001874G	3.5769	±20	1	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.24G	5.24001881G	3.5899	±20	2	-
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.24G	5.24001888G	3.6034	±20	2	-
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.24G	5.2400189G	3.6065	±20	2	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.23G	5.23001794G	3.4306	±20	2	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.23G	5.23001792G	3.426	±20	1	-
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.23G	5.23001801G	3.4444	±20	2	-
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.23G	5.23001805G	3.4511	±20	2	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.21G	5.21001678G	3.2211	±20	1	-
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.21G	5.21001676G	3.2173	±20	2	-
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.21G	5.2100168G	3.2248	±20	2	-
5.15-5.35GHz	-	-	-	-	-	-	-
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	5.25G	5.25001868G	3.5575	±20	2	-
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.25001872G	3.5663	±20	2	-
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.25001876G	3.5737	±20	2	-
5.25-5.35GHz	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.26G	5.26001983G	3.77	±20	1	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.26G	5.26001987G	3.7779	±20	2	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.26G	5.26001995G	3.7922	±20	2	-
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.26G	5.26001992G	3.7876	±20	1	-
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.26G	5.26001992G	3.7865	±20	1	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.27G	5.2700197G	3.7374	±20	2	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.27G	5.27001967G	3.7319	±20	1	-
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.27G	5.27001962G	3.7228	±20	1	-
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.27G	5.27001963G	3.7254	±20	1	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.29G	5.29001905G	3.6015	±20	1	-
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.29G	5.2900191G	3.6102	±20	2	-
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.29G	5.29001919G	3.6272	±20	1	-
5.47-5.73GHz	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.72G	5.72002489G	4.3519	±20	2	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.72G	5.72002499G	4.3682	±20	2	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.72G	5.72002514G	4.3951	±20	1	-
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.72G	5.72002518G	4.4028	±20	1	-
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.72G	5.72002498G	4.3663	±20	1	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.71G	5.71002452G	4.2937	±20	1	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.71G	5.7100245G	4.2911	±20	1	-
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.71G	5.71002437G	4.2687	±20	1	-
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.71G	5.71002453G	4.2954	±20	2	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.69G	5.69002323G	4.0819	±20	2	-
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.69G	5.6900232G	4.0773	±20	1	-
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.69G	5.69002325G	4.0856	±20	2	-
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	5.57G	5.57001832G	3.2883	±20	1	-
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	Pass	5.57G	5.57001832G	3.2898	±20	2	-
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	Pass	5.57G	5.57001834G	3.2917	±20	1	-

複製禁止

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_(6Mbps)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.18001518G	2.9301	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.18001517G	2.9293	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.18001518G	2.9313	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.18001519G	2.9328	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.18001519G	2.9319	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.1800152G	2.9334	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.20001616G	3.1067	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.20001615G	3.1056	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.20001616G	3.1069	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.20001616G	3.1071	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.20001617G	3.1094	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.20001616G	3.1077	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.24001888G	3.6021	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.24001885G	3.5964	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.2400188G	3.5884	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.2400188G	3.588	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.24001878G	3.584	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.24001875G	3.579	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.26001977G	3.7593	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.26001977G	3.7576	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.26001977G	3.7589	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.26001979G	3.762	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.26001983G	3.77	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.26001982G	3.7671	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.28001921G	3.6379	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.28001922G	3.6403	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.28001922G	3.6398	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.28001921G	3.6381	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.28001923G	3.642	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.28001924G	3.6434	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.32001892G	3.557	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.32001891G	3.5549	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.32001895G	3.5611	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.32001896G	3.5635	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.32001893G	3.5588	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.32001893G	3.5577	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.50001829G	3.3253	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.50001829G	3.3253	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50001829G	3.3247	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.5000183G	3.3264	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50001828G	3.3231	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.50001829G	3.3255	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.60001854G	3.31	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60001853G	3.3096	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.60001857G	3.3164	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.60001855G	3.3123	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.60001859G	3.3196	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.6000186G	3.3213	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.72002487G	4.3474	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5720MHz_TnomVnom	Pass	5.72G	5.72002484G	4.343	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72002488G	4.3498	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72002489G	4.3505	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72002489G	4.3512	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002489G	4.3519	±20	2	-
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.18001524G	2.9419	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.18001525G	2.9448	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.18001525G	2.9438	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.18001525G	2.9442	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.18001523G	2.9392	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.18001524G	2.9423	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.20001616G	3.1081	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.20001615G	3.1063	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.20001615G	3.105	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.20001617G	3.1092	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.20001616G	3.1075	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.20001618G	3.1115	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.24001874G	3.5769	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.24001874G	3.5756	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.24001874G	3.5763	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.24001873G	3.5748	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.24001873G	3.575	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.24001874G	3.5758	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.26001982G	3.7675	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.26001982G	3.7673	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.26001982G	3.7675	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.26001984G	3.7719	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.26001986G	3.7764	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.26001987G	3.7779	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.28001929G	3.6525	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.28001929G	3.6528	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.2800193G	3.6549	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.28001929G	3.654	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.2800193G	3.6544	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.28001928G	3.6523	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.32001891G	3.5536	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.32001891G	3.5553	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.32001889G	3.5515	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.32001888G	3.5481	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.32001887G	3.5464	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.32001886G	3.5459	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.50001829G	3.3249	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.50001828G	3.3235	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50001829G	3.3245	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50001829G	3.3262	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50001829G	3.326	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.5000183G	3.328	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.60001858G	3.3175	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60001858G	3.3177	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5600MHz_TnomVmin	Pass	5.6G	5.6000186G	3.3214	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.60001861G	3.3223	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.60001862G	3.3243	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.60001861G	3.3239	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.7200249G	4.3524	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.7200249G	4.3537	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.7200249G	4.3537	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.7200249G	4.3537	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72002496G	4.3633	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002499G	4.3682	±20	2	-
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.19001578G	3.0403	±20	1	-
5190MHz_TnomVnom	Pass	5.19G	5.19001578G	3.041	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.19001576G	3.0374	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.19001578G	3.041	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.19001577G	3.0383	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.19001577G	3.038	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.23001792G	3.4262	±20	1	-
5230MHz_TnomVnom	Pass	5.23G	5.23001791G	3.4252	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.23001793G	3.4273	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.23001794G	3.4306	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.23001793G	3.4277	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.23001794G	3.4293	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.27001968G	3.7347	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.2700197G	3.7374	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.27001967G	3.7326	±20	1	-
5270MHz_TnomVmin	Pass	5.27G	5.27001967G	3.7326	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.27001967G	3.733	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.27001968G	3.7343	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.31001904G	3.5859	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.31001904G	3.5849	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.31001904G	3.5847	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.31001903G	3.5832	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.31001901G	3.5804	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.31001902G	3.5815	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.51001803G	3.2722	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.51001803G	3.2728	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.510018G	3.2661	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.510018G	3.2668	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.51001802G	3.2701	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.51001802G	3.2711	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.59001829G	3.2726	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.59001827G	3.2685	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.59001829G	3.2725	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.5900183G	3.2732	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.59001829G	3.2712	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.59001828G	3.2694	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.71002449G	4.2897	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.71002449G	4.2888	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.71002451G	4.2923	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5710MHz_TnomVmin	Pass	5.71G	5.71002452G	4.2933	±20	2	-
5710MHz_TnomVmax	Pass	5.71G	5.71002452G	4.2937	±20	1	-
5710MHz_TnomVmax	Pass	5.71G	5.71002451G	4.2925	±20	2	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.18001526G	2.9467	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.18001527G	2.9486	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.18001528G	2.9488	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.18001527G	2.9479	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.18001528G	2.9502	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.18001528G	2.95	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.20001616G	3.1071	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.20001616G	3.1073	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.20001618G	3.1121	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.20001617G	3.1104	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.2000162G	3.1146	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.20001622G	3.1185	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.24001873G	3.5739	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.24001874G	3.5758	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.24001877G	3.5811	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.24001877G	3.5813	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.2400188G	3.5874	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.24001881G	3.5899	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.26001991G	3.785	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.26001992G	3.7869	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.26001992G	3.7876	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.26001995G	3.7922	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.26001993G	3.7895	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.26001991G	3.7854	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.28001926G	3.6473	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.28001925G	3.6453	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.28001923G	3.6419	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.28001923G	3.6411	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.28001922G	3.6402	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.28001921G	3.6373	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.32001885G	3.5436	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.32001887G	3.5462	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.32001885G	3.5438	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.32001886G	3.5445	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.32001886G	3.5444	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.32001886G	3.5455	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.50001832G	3.3305	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.50001832G	3.3313	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50001828G	3.3238	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50001828G	3.3244	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50001826G	3.3195	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.50001824G	3.3158	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.60001861G	3.3239	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60001863G	3.3271	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.60001862G	3.3245	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.60001862G	3.3246	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5600MHz_TnomVmax	Pass	5.6G	5.60001862G	3.3257	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.60001862G	3.3248	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.72002506G	4.3806	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72002505G	4.3799	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72002509G	4.386	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72002511G	4.389	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72002514G	4.3951	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002514G	4.3951	±20	2	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.19001577G	3.0385	±20	1	-
5190MHz_TnomVnom	Pass	5.19G	5.19001578G	3.0399	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.19001577G	3.0393	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.19001577G	3.0376	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.19001575G	3.0341	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.19001574G	3.0322	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.23001791G	3.4237	±20	1	-
5230MHz_TnomVnom	Pass	5.23G	5.23001792G	3.4258	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.23001792G	3.426	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.23001791G	3.4252	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.2300179G	3.4231	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.23001792G	3.4254	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.27001967G	3.7319	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.27001966G	3.73	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.27001965G	3.7287	±20	1	-
5270MHz_TnomVmin	Pass	5.27G	5.27001964G	3.7266	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.27001963G	3.7241	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.27001964G	3.7266	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.31001901G	3.5802	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.31001903G	3.5829	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.31001905G	3.5879	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.31001904G	3.5859	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.31001905G	3.5878	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.31001906G	3.5889	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.51001801G	3.2691	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.51001801G	3.2679	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.51001804G	3.2735	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.51001804G	3.274	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.51001804G	3.2742	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.51001805G	3.2762	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.59001827G	3.2689	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.59001828G	3.2696	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.59001828G	3.2703	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.59001828G	3.2692	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.59001831G	3.275	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.5900183G	3.2733	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.7100245G	4.2911	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.71002445G	4.2825	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.71002443G	4.2783	±20	1	-
5710MHz_TnomVmin	Pass	5.71G	5.71002444G	4.2802	±20	2	-
5710MHz_TnomVmax	Pass	5.71G	5.7100244G	4.2732	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5710MHz_TnomVmax	Pass	5.71G	5.71002441G	4.2746	±20	2	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	5.21G	5.21001678G	3.2211	±20	1	-
5210MHz_TnomVnom	Pass	5.21G	5.21001677G	3.2194	±20	2	-
5210MHz_TnomVmin	Pass	5.21G	5.21001678G	3.2202	±20	1	-
5210MHz_TnomVmin	Pass	5.21G	5.21001678G	3.2198	±20	2	-
5210MHz_TnomVmax	Pass	5.21G	5.21001678G	3.22	±20	1	-
5210MHz_TnomVmax	Pass	5.21G	5.21001677G	3.2196	±20	2	-
5290MHz_TnomVnom	Pass	5.29G	5.29001903G	3.597	±20	1	-
5290MHz_TnomVnom	Pass	5.29G	5.29001903G	3.597	±20	2	-
5290MHz_TnomVmin	Pass	5.29G	5.29001905G	3.6015	±20	1	-
5290MHz_TnomVmin	Pass	5.29G	5.29001904G	3.5985	±20	2	-
5290MHz_TnomVmax	Pass	5.29G	5.29001901G	3.5936	±20	1	-
5290MHz_TnomVmax	Pass	5.29G	5.29001903G	3.5972	±20	2	-
5530MHz_TnomVnom	Pass	5.53G	5.53001799G	3.2523	±20	1	-
5530MHz_TnomVnom	Pass	5.53G	5.53001799G	3.2532	±20	2	-
5530MHz_TnomVmin	Pass	5.53G	5.530018G	3.2546	±20	1	-
5530MHz_TnomVmin	Pass	5.53G	5.53001797G	3.2495	±20	2	-
5530MHz_TnomVmax	Pass	5.53G	5.53001797G	3.249	±20	1	-
5530MHz_TnomVmax	Pass	5.53G	5.53001798G	3.2512	±20	2	-
5610MHz_TnomVnom	Pass	5.61G	5.6100188G	3.351	±20	1	-
5610MHz_TnomVnom	Pass	5.61G	5.61001881G	3.352	±20	2	-
5610MHz_TnomVmin	Pass	5.61G	5.6100188G	3.3503	±20	1	-
5610MHz_TnomVmin	Pass	5.61G	5.6100188G	3.3506	±20	2	-
5610MHz_TnomVmax	Pass	5.61G	5.61001879G	3.3501	±20	1	-
5610MHz_TnomVmax	Pass	5.61G	5.61001881G	3.3528	±20	2	-
5690MHz_TnomVnom	Pass	5.69G	5.69002322G	4.0808	±20	1	-
5690MHz_TnomVnom	Pass	5.69G	5.6900232G	4.0766	±20	2	-
5690MHz_TnomVmin	Pass	5.69G	5.69002321G	4.0798	±20	1	-
5690MHz_TnomVmin	Pass	5.69G	5.69002319G	4.0756	±20	2	-
5690MHz_TnomVmax	Pass	5.69G	5.69002321G	4.0796	±20	1	-
5690MHz_TnomVmax	Pass	5.69G	5.69002323G	4.0819	±20	2	-
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	5.25G	5.25001862G	3.5474	±20	1	-
5250MHz_TnomVnom	Pass	5.25G	5.25001863G	3.5476	±20	2	-
5250MHz_TnomVmin	Pass	5.25G	5.25001864G	3.5503	±20	1	-
5250MHz_TnomVmin	Pass	5.25G	5.25001863G	3.5491	±20	2	-
5250MHz_TnomVmax	Pass	5.25G	5.25001867G	3.556	±20	1	-
5250MHz_TnomVmax	Pass	5.25G	5.25001868G	3.5575	±20	2	-
5570MHz_TnomVnom	Pass	5.57G	5.57001829G	3.2833	±20	1	-
5570MHz_TnomVnom	Pass	5.57G	5.57001829G	3.284	±20	2	-
5570MHz_TnomVmin	Pass	5.57G	5.57001829G	3.2844	±20	1	-
5570MHz_TnomVmin	Pass	5.57G	5.57001829G	3.2844	±20	2	-
5570MHz_TnomVmax	Pass	5.57G	5.57001832G	3.2883	±20	1	-
5570MHz_TnomVmax	Pass	5.57G	5.57001831G	3.2864	±20	2	-
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.18001529G	2.9515	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.18001529G	2.9514	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.18001528G	2.9492	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.18001529G	2.9521	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5180MHz_TnomVmax	Pass	5.18G	5.18001528G	2.9506	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.18001529G	2.9519	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.20001623G	3.1202	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.20001623G	3.1215	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.20001624G	3.1235	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.20001625G	3.1254	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.20001628G	3.1313	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.2000163G	3.1344	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.24001884G	3.5947	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.24001883G	3.5933	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.24001886G	3.599	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.24001887G	3.601	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.24001887G	3.601	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.24001888G	3.6034	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.2600199G	3.7838	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.2600199G	3.7833	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.26001992G	3.7876	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.26001989G	3.7816	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.26001991G	3.7854	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.26001992G	3.7867	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.28001921G	3.6386	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.28001922G	3.6394	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.28001923G	3.6411	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.28001925G	3.6449	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.28001925G	3.6453	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.28001927G	3.6496	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.32001889G	3.5515	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.3200189G	3.5523	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.3200189G	3.5519	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.3200189G	3.5521	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.32001891G	3.5543	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.32001889G	3.5506	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.50001824G	3.3162	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.50001824G	3.3164	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50001823G	3.3142	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50001825G	3.3173	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50001822G	3.3127	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.50001822G	3.3135	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.60001862G	3.3246	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60001862G	3.3241	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.60001864G	3.3277	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.60001864G	3.328	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.60001861G	3.3225	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.60001861G	3.3229	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.72002518G	4.4028	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72002518G	4.4014	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72002513G	4.3941	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72002513G	4.3927	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72002506G	4.3818	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002501G	4.3729	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.19001574G	3.0329	±20	1	-
5190MHz_TnomVnom	Pass	5.19G	5.19001573G	3.0308	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.19001572G	3.0285	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.19001571G	3.0272	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.19001569G	3.0235	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.19001572G	3.0279	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.23001794G	3.4293	±20	1	-
5230MHz_TnomVnom	Pass	5.23G	5.23001794G	3.4294	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.23001796G	3.4346	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.23001797G	3.4354	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.230018G	3.4415	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.23001801G	3.4444	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.2700196G	3.7194	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.27001961G	3.7207	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.27001962G	3.7228	±20	1	-
5270MHz_TnomVmin	Pass	5.27G	5.2700196G	3.719	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.27001958G	3.7157	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.27001959G	3.7175	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.31001908G	3.5936	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.31001906G	3.5898	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.31001909G	3.5949	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.31001907G	3.5908	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.31001909G	3.5951	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.3100191G	3.5964	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.51001807G	3.2791	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.51001807G	3.2797	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.51001808G	3.2811	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.51001809G	3.2826	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.5100181G	3.2849	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.51001811G	3.2862	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.59001832G	3.2775	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.59001833G	3.2794	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.59001835G	3.2818	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.59001834G	3.281	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.59001836G	3.2846	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.59001835G	3.2826	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.71002437G	4.2687	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.71002437G	4.2676	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.71002435G	4.2651	±20	1	-
5710MHz_TnomVmin	Pass	5.71G	5.71002436G	4.2655	±20	2	-
5710MHz_TnomVmax	Pass	5.71G	5.71002429G	4.2546	±20	1	-
5710MHz_TnomVmax	Pass	5.71G	5.71002431G	4.2569	±20	2	-
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	5.21G	5.21001676G	3.2167	±20	1	-
5210MHz_TnomVnom	Pass	5.21G	5.21001676G	3.2159	±20	2	-
5210MHz_TnomVmin	Pass	5.21G	5.21001675G	3.2146	±20	1	-
5210MHz_TnomVmin	Pass	5.21G	5.21001676G	3.2173	±20	2	-
5210MHz_TnomVmax	Pass	5.21G	5.21001675G	3.2157	±20	1	-
5210MHz_TnomVmax	Pass	5.21G	5.21001676G	3.2159	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5290MHz_TnomVnom	Pass	5.29G	5.29001901G	3.5941	±20	1	-
5290MHz_TnomVnom	Pass	5.29G	5.29001902G	3.5958	±20	2	-
5290MHz_TnomVmin	Pass	5.29G	5.29001902G	3.5949	±20	1	-
5290MHz_TnomVmin	Pass	5.29G	5.29001904G	3.5989	±20	2	-
5290MHz_TnomVmax	Pass	5.29G	5.29001908G	3.6068	±20	1	-
5290MHz_TnomVmax	Pass	5.29G	5.2900191G	3.6102	±20	2	-
5530MHz_TnomVnom	Pass	5.53G	5.53001798G	3.2508	±20	1	-
5530MHz_TnomVnom	Pass	5.53G	5.53001798G	3.2505	±20	2	-
5530MHz_TnomVmin	Pass	5.53G	5.530018G	3.2544	±20	1	-
5530MHz_TnomVmin	Pass	5.53G	5.53001799G	3.2537	±20	2	-
5530MHz_TnomVmax	Pass	5.53G	5.530018G	3.255	±20	1	-
5530MHz_TnomVmax	Pass	5.53G	5.53001798G	3.2519	±20	2	-
5610MHz_TnomVnom	Pass	5.61G	5.61001882G	3.3553	±20	1	-
5610MHz_TnomVnom	Pass	5.61G	5.61001881G	3.3526	±20	2	-
5610MHz_TnomVmin	Pass	5.61G	5.61001883G	3.3565	±20	1	-
5610MHz_TnomVmin	Pass	5.61G	5.61001882G	3.3554	±20	2	-
5610MHz_TnomVmax	Pass	5.61G	5.61001883G	3.3561	±20	1	-
5610MHz_TnomVmax	Pass	5.61G	5.61001883G	3.3558	±20	2	-
5690MHz_TnomVnom	Pass	5.69G	5.6900232G	4.0773	±20	1	-
5690MHz_TnomVnom	Pass	5.69G	5.69002317G	4.0717	±20	2	-
5690MHz_TnomVmin	Pass	5.69G	5.69002317G	4.0717	±20	1	-
5690MHz_TnomVmin	Pass	5.69G	5.69002316G	4.0707	±20	2	-
5690MHz_TnomVmax	Pass	5.69G	5.69002313G	4.065	±20	1	-
5690MHz_TnomVmax	Pass	5.69G	5.69002313G	4.0643	±20	2	-
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	5.25G	5.25001868G	3.5583	±20	1	-
5250MHz_TnomVnom	Pass	5.25G	5.25001868G	3.5585	±20	2	-
5250MHz_TnomVmin	Pass	5.25G	5.25001869G	3.5608	±20	1	-
5250MHz_TnomVmin	Pass	5.25G	5.25001871G	3.5646	±20	2	-
5250MHz_TnomVmax	Pass	5.25G	5.25001872G	3.5657	±20	1	-
5250MHz_TnomVmax	Pass	5.25G	5.25001872G	3.5663	±20	2	-
5570MHz_TnomVnom	Pass	5.57G	5.57001831G	3.2867	±20	1	-
5570MHz_TnomVnom	Pass	5.57G	5.57001831G	3.2878	±20	2	-
5570MHz_TnomVmin	Pass	5.57G	5.57001831G	3.2876	±20	1	-
5570MHz_TnomVmin	Pass	5.57G	5.57001832G	3.2885	±20	2	-
5570MHz_TnomVmax	Pass	5.57G	5.57001832G	3.2892	±20	1	-
5570MHz_TnomVmax	Pass	5.57G	5.57001832G	3.2898	±20	2	-
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.18001529G	2.9523	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.18001528G	2.9506	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.18001528G	2.9506	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.18001529G	2.9508	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.18001527G	2.9475	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.18001529G	2.951	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.20001631G	3.1369	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.20001633G	3.14	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.20001631G	3.1371	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.20001631G	3.1362	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.20001634G	3.1429	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.20001635G	3.144	±20	2	-


Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5240MHz_TnomVnom	Pass	5.24G	5.24001889G	3.6044	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.24001889G	3.6048	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.24001888G	3.6023	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.2400189G	3.6065	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.24001886G	3.6	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.24001887G	3.6015	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.26001992G	3.7865	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.26001991G	3.7842	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.2600199G	3.7827	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.2600199G	3.7825	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.26001988G	3.7789	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.26001988G	3.7785	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.2800193G	3.6551	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.28001929G	3.653	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.2800193G	3.6557	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.28001932G	3.6583	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.28001938G	3.671	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.2800194G	3.6737	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.32001886G	3.5447	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.32001888G	3.5491	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.32001893G	3.5586	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.32001896G	3.5633	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.32001899G	3.5688	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.32001899G	3.5688	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.5000182G	3.3098	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.5000182G	3.3085	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50001819G	3.3076	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50001819G	3.3075	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50001818G	3.3051	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.50001818G	3.3049	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.60001865G	3.3296	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60001866G	3.332	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.60001867G	3.3346	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.60001866G	3.3321	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.60001867G	3.3332	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.60001868G	3.3352	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.72002498G	4.3663	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72002497G	4.3659	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72002494G	4.36	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72002495G	4.3612	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72002495G	4.3614	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002494G	4.3594	±20	2	-
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.1900157G	3.0258	±20	1	-
5190MHz_TnomVnom	Pass	5.19G	5.19001572G	3.0281	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.19001571G	3.0272	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.19001572G	3.0281	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.19001574G	3.0318	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.19001573G	3.0303	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.23001802G	3.4447	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5230MHz_TnomVnom	Pass	5.23G	5.23001801G	3.4434	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.230018G	3.4413	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.23001802G	3.4455	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.23001804G	3.4497	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.23001805G	3.4511	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.27001961G	3.7218	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.27001962G	3.7222	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.27001963G	3.7243	±20	1	-
5270MHz_TnomVmin	Pass	5.27G	5.27001963G	3.7241	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.27001963G	3.7254	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.27001961G	3.7214	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.31001909G	3.5959	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.31001908G	3.5925	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.3100191G	3.5972	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.31001912G	3.5998	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.31001913G	3.6028	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.31001914G	3.6041	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.51001812G	3.2882	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.51001813G	3.2907	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.51001812G	3.288	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.51001811G	3.2864	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.51001811G	3.2864	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.5100181G	3.2857	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.59001834G	3.2816	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.59001834G	3.2812	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.59001837G	3.2855	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.59001838G	3.2886	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.5900184G	3.2907	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.5900184G	3.2907	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.71002432G	4.2592	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.71002435G	4.2643	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.71002438G	4.2692	±20	1	-
5710MHz_TnomVmin	Pass	5.71G	5.71002443G	4.2781	±20	2	-
5710MHz_TnomVmax	Pass	5.71G	5.71002446G	4.2835	±20	1	-
5710MHz_TnomVmax	Pass	5.71G	5.71002453G	4.2954	±20	2	-
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	5.21G	5.21001675G	3.2157	±20	1	-
5210MHz_TnomVnom	Pass	5.21G	5.21001676G	3.2171	±20	2	-
5210MHz_TnomVmin	Pass	5.21G	5.21001676G	3.2165	±20	1	-
5210MHz_TnomVmin	Pass	5.21G	5.21001677G	3.2192	±20	2	-
5210MHz_TnomVmax	Pass	5.21G	5.21001678G	3.2215	±20	1	-
5210MHz_TnomVmax	Pass	5.21G	5.2100168G	3.2248	±20	2	-
5290MHz_TnomVnom	Pass	5.29G	5.29001913G	3.617	±20	1	-
5290MHz_TnomVnom	Pass	5.29G	5.29001914G	3.6172	±20	2	-
5290MHz_TnomVmin	Pass	5.29G	5.29001917G	3.6231	±20	1	-
5290MHz_TnomVmin	Pass	5.29G	5.29001916G	3.6227	±20	2	-
5290MHz_TnomVmax	Pass	5.29G	5.29001919G	3.6272	±20	1	-
5290MHz_TnomVmax	Pass	5.29G	5.29001919G	3.6268	±20	2	-
5530MHz_TnomVnom	Pass	5.53G	5.530018G	3.2546	±20	1	-
5530MHz_TnomVnom	Pass	5.53G	5.530018G	3.2542	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5530MHz_TnomVmin	Pass	5.53G	5.53001799G	3.2528	±20	1	-
5530MHz_TnomVmin	Pass	5.53G	5.53001798G	3.2514	±20	2	-
5530MHz_TnomVmax	Pass	5.53G	5.53001798G	3.2512	±20	1	-
5530MHz_TnomVmax	Pass	5.53G	5.53001797G	3.2497	±20	2	-
5610MHz_TnomVnom	Pass	5.61G	5.61001885G	3.3601	±20	1	-
5610MHz_TnomVnom	Pass	5.61G	5.61001884G	3.3585	±20	2	-
5610MHz_TnomVmin	Pass	5.61G	5.61001887G	3.364	±20	1	-
5610MHz_TnomVmin	Pass	5.61G	5.61001888G	3.366	±20	2	-
5610MHz_TnomVmax	Pass	5.61G	5.61001889G	3.3679	±20	1	-
5610MHz_TnomVmax	Pass	5.61G	5.61001888G	3.366	±20	2	-
5690MHz_TnomVnom	Pass	5.69G	5.69002314G	4.0668	±20	1	-
5690MHz_TnomVnom	Pass	5.69G	5.69002317G	4.0717	±20	2	-
5690MHz_TnomVmin	Pass	5.69G	5.69002321G	4.0798	±20	1	-
5690MHz_TnomVmin	Pass	5.69G	5.69002321G	4.0791	±20	2	-
5690MHz_TnomVmax	Pass	5.69G	5.69002324G	4.0844	±20	1	-
5690MHz_TnomVmax	Pass	5.69G	5.69002325G	4.0856	±20	2	-
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5250MHz_TnomVnom	Pass	5.25G	5.25001873G	3.5667	±20	1	-
5250MHz_TnomVnom	Pass	5.25G	5.25001873G	3.5682	±20	2	-
5250MHz_TnomVmin	Pass	5.25G	5.25001876G	3.5735	±20	1	-
5250MHz_TnomVmin	Pass	5.25G	5.25001874G	3.5686	±20	2	-
5250MHz_TnomVmax	Pass	5.25G	5.25001874G	3.5697	±20	1	-
5250MHz_TnomVmax	Pass	5.25G	5.25001876G	3.5737	±20	2	-
5570MHz_TnomVnom	Pass	5.57G	5.57001832G	3.2892	±20	1	-
5570MHz_TnomVnom	Pass	5.57G	5.57001832G	3.2882	±20	2	-
5570MHz_TnomVmin	Pass	5.57G	5.57001833G	3.2908	±20	1	-
5570MHz_TnomVmin	Pass	5.57G	5.57001833G	3.291	±20	2	-
5570MHz_TnomVmax	Pass	5.57G	5.57001834G	3.2917	±20	1	-
5570MHz_TnomVmax	Pass	5.57G	5.57001832G	3.2882	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5180MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001518G	NaN	NaN	2.9301	±20	1	-
5.18G	5.18001517G	NaN	NaN	2.9293	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5180MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001518G	NaN	NaN	2.9313	±20	1	-
5.18G	5.18001519G	NaN	NaN	2.9328	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5180MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001519G	NaN	NaN	2.9319	±20	1	-
5.18G	5.1800152G	NaN	NaN	2.9334	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5200MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001616G	NaN	NaN	3.1067	±20	1	-
5.2G	5.20001615G	NaN	NaN	3.1056	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5200MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001616G	NaN	NaN	3.1069	±20	1	-
5.2G	5.20001616G	NaN	NaN	3.1071	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5200MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001617G	NaN	NaN	3.1094	±20	1	-
5.2G	5.20001616G	NaN	NaN	3.1077	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX Freq. Stability


5240MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001888G	NaN	NaN	3.6021	±20	1	-
5.24G	5.24001885G	NaN	NaN	3.5964	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX Freq. Stability


5240MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.2400188G	NaN	NaN	3.5884	±20	1	-
5.24G	5.2400188G	NaN	NaN	3.588	±20	2	-

5.15-5.25GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5240MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001878G	NaN	NaN	3.584	±20	1	-
5.24G	5.24001875G	NaN	NaN	3.579	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5260MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001977G	NaN	NaN	3.7593	±20	1	-
5.26G	5.26001977G	NaN	NaN	3.7576	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5260MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001977G	NaN	NaN	3.7589	±20	1	-
5.26G	5.26001979G	NaN	NaN	3.762	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5260MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001983G	NaN	NaN	3.77	±20	1	-
5.26G	5.26001982G	NaN	NaN	3.7671	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5280MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001921G	NaN	NaN	3.6379	±20	1	-
5.28G	5.28001922G	NaN	NaN	3.6403	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5280MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001922G	NaN	NaN	3.6398	±20	1	-
5.28G	5.28001921G	NaN	NaN	3.6381	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX Freq. Stability


5280MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001923G	NaN	NaN	3.642	±20	1	-
5.28G	5.28001924G	NaN	NaN	3.6434	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX Freq. Stability

5320MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001892G	NaN	NaN	3.557	±20	1	-
5.32G	5.32001891G	NaN	NaN	3.5549	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5320MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001895G	NaN	NaN	3.5611	±20	1	-
5.32G	5.32001896G	NaN	NaN	3.5635	±20	2	-

5.25-5.35GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5320MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001893G	NaN	NaN	3.5588	±20	1	-
5.32G	5.32001893G	NaN	NaN	3.5577	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5500MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001829G	NaN	NaN	3.3253	±20	1	-
5.5G	5.50001829G	NaN	NaN	3.3253	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX **Freq. Stability**

5500MHz_TnomVmin




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001829G	NaN	NaN	3.3247	±20	1	-
5.5G	5.5000183G	NaN	NaN	3.3264	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Freq. Stability

5500MHz_TnomVmax




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001828G	NaN	NaN	3.3231	±20	1	-
5.5G	5.50001829G	NaN	NaN	3.3255	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Freq. Stability

5600MHz_TnomVnom




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001854G	NaN	NaN	3.31	±20	1	-
5.6G	5.60001853G	NaN	NaN	3.3096	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Freq. Stability

5600MHz_TnomVmin




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001857G	NaN	NaN	3.3164	±20	1	-
5.6G	5.60001855G	NaN	NaN	3.3123	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX

Freq. Stability


5600MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001859G	NaN	NaN	3.3196	±20	1	-
5.6G	5.6000186G	NaN	NaN	3.3213	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX Freq. Stability


5720MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002487G	NaN	NaN	4.3474	±20	1	-
5.72G	5.72002484G	NaN	NaN	4.343	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX Freq. Stability


5720MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002488G	NaN	NaN	4.3498	±20	1	-
5.72G	5.72002489G	NaN	NaN	4.3505	±20	2	-

5.47-5.73GHz_802.11a_(6Mbps)_2TX **Freq. Stability**


5720MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002489G	NaN	NaN	4.3512	±20	1	-
5.72G	5.72002489G	NaN	NaN	4.3519	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001524G	NaN	NaN	2.9419	±20	1	-
5.18G	5.18001525G	NaN	NaN	2.9448	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5180MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001525G	NaN	NaN	2.9438	±20	1	-
5.18G	5.18001525G	NaN	NaN	2.9442	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5180MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001523G	NaN	NaN	2.9392	±20	1	-
5.18G	5.18001524G	NaN	NaN	2.9423	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5200MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001616G	NaN	NaN	3.1081	±20	1	-
5.2G	5.20001615G	NaN	NaN	3.1063	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5200MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001615G	NaN	NaN	3.105	±20	1	-
5.2G	5.20001617G	NaN	NaN	3.1092	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5200MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001616G	NaN	NaN	3.1075	±20	1	-
5.2G	5.20001618G	NaN	NaN	3.1115	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5240MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001874G	NaN	NaN	3.5769	±20	1	-
5.24G	5.24001874G	NaN	NaN	3.5756	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5240MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001874G	NaN	NaN	3.5763	±20	1	-
5.24G	5.24001873G	NaN	NaN	3.5748	±20	2	-

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5240MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001873G	NaN	NaN	3.575	±20	1	-
5.24G	5.24001874G	NaN	NaN	3.5758	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5260MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001982G	NaN	NaN	3.7675	±20	1	-
5.26G	5.26001982G	NaN	NaN	3.7673	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5260MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001982G	NaN	NaN	3.7675	±20	1	-
5.26G	5.26001984G	NaN	NaN	3.7719	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5260MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001986G	NaN	NaN	3.7764	±20	1	-
5.26G	5.26001987G	NaN	NaN	3.7779	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5280MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001929G	NaN	NaN	3.6525	±20	1	-
5.28G	5.28001929G	NaN	NaN	3.6528	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5280MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.2800193G	NaN	NaN	3.6549	±20	1	-
5.28G	5.28001929G	NaN	NaN	3.654	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5280MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.2800193G	NaN	NaN	3.6544	±20	1	-
5.28G	5.28001928G	NaN	NaN	3.6523	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5320MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001891G	NaN	NaN	3.5536	±20	1	-
5.32G	5.32001891G	NaN	NaN	3.5553	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5320MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001889G	NaN	NaN	3.5515	±20	1	-
5.32G	5.32001888G	NaN	NaN	3.5481	±20	2	-

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001887G	NaN	NaN	3.5464	±20	1	-
5.32G	5.32001886G	NaN	NaN	3.5459	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **Freq. Stability**

5500MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001829G	NaN	NaN	3.3249	±20	1	-
5.5G	5.50001828G	NaN	NaN	3.3235	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5500MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001829G	NaN	NaN	3.3245	±20	1	-
5.5G	5.50001829G	NaN	NaN	3.3262	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability

5500MHz_TnomVmax




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001829G	NaN	NaN	3.326	±20	1	-
5.5G	5.5000183G	NaN	NaN	3.328	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVnom




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001858G	NaN	NaN	3.3175	±20	1	-
5.6G	5.60001858G	NaN	NaN	3.3177	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5600MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.6000186G	NaN	NaN	3.3214	±20	1	-
5.6G	5.60001861G	NaN	NaN	3.3223	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5600MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001862G	NaN	NaN	3.3243	±20	1	-
5.6G	5.60001861G	NaN	NaN	3.3239	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX Freq. Stability


5720MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.7200249G	NaN	NaN	4.3524	±20	1	-
5.72G	5.7200249G	NaN	NaN	4.3537	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.7200249G	NaN	NaN	4.3537	±20	1	-
5.72G	5.7200249G	NaN	NaN	4.3537	±20	2	-

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002496G	NaN	NaN	4.3633	±20	1	-
5.72G	5.72002499G	NaN	NaN	4.3682	±20	2	-

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001578G	NaN	NaN	3.0403	±20	1	-
5.19G	5.19001578G	NaN	NaN	3.041	±20	2	-

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001576G	NaN	NaN	3.0374	±20	1	-
5.19G	5.19001578G	NaN	NaN	3.041	±20	2	-

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001577G	NaN	NaN	3.0383	±20	1	-
5.19G	5.19001577G	NaN	NaN	3.038	±20	2	-

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001792G	NaN	NaN	3.4262	±20	1	-
5.23G	5.23001791G	NaN	NaN	3.4252	±20	2	-

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001793G	NaN	NaN	3.4273	±20	1	-
5.23G	5.23001794G	NaN	NaN	3.4306	±20	2	-

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001793G	NaN	NaN	3.4277	±20	1	-
5.23G	5.23001794G	NaN	NaN	3.4293	±20	2	-

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001968G	NaN	NaN	3.7347	±20	1	-
5.27G	5.2700197G	NaN	NaN	3.7374	±20	2	-

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001967G	NaN	NaN	3.7326	±20	1	-
5.27G	5.27001967G	NaN	NaN	3.7326	±20	2	-

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5270MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001967G	NaN	NaN	3.733	±20	1	-
5.27G	5.27001968G	NaN	NaN	3.7343	±20	2	-

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5310MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001904G	NaN	NaN	3.5859	±20	1	-
5.31G	5.31001904G	NaN	NaN	3.5849	±20	2	-

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5310MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001904G	NaN	NaN	3.5847	±20	1	-
5.31G	5.31001903G	NaN	NaN	3.5832	±20	2	-

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5310MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001901G	NaN	NaN	3.5804	±20	1	-
5.31G	5.31001902G	NaN	NaN	3.5815	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5510MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001803G	NaN	NaN	3.2722	±20	1	-
5.51G	5.51001803G	NaN	NaN	3.2728	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5510MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.510018G	NaN	NaN	3.2661	±20	1	-
5.51G	5.510018G	NaN	NaN	3.2668	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001802G	NaN	NaN	3.2701	±20	1	-
5.51G	5.51001802G	NaN	NaN	3.2711	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001829G	NaN	NaN	3.2726	±20	1	-
5.59G	5.59001827G	NaN	NaN	3.2685	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5590MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001829G	NaN	NaN	3.2725	±20	1	-
5.59G	5.5900183G	NaN	NaN	3.2732	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5590MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001829G	NaN	NaN	3.2712	±20	1	-
5.59G	5.59001828G	NaN	NaN	3.2694	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5710MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002449G	NaN	NaN	4.2897	±20	1	-
5.71G	5.71002449G	NaN	NaN	4.2888	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX Freq. Stability


5710MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002451G	NaN	NaN	4.2923	±20	1	-
5.71G	5.71002452G	NaN	NaN	4.2933	±20	2	-

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002452G	NaN	NaN	4.2937	±20	1	-
5.71G	5.71002451G	NaN	NaN	4.2925	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001526G	NaN	NaN	2.9467	±20	1	-
5.18G	5.18001527G	NaN	NaN	2.9486	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001528G	NaN	NaN	2.9488	±20	1	-
5.18G	5.18001527G	NaN	NaN	2.9479	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001528G	NaN	NaN	2.9502	±20	1	-
5.18G	5.18001528G	NaN	NaN	2.95	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001616G	NaN	NaN	3.1071	±20	1	-
5.2G	5.20001616G	NaN	NaN	3.1073	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001618G	NaN	NaN	3.1121	±20	1	-
5.2G	5.20001617G	NaN	NaN	3.1104	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX Freq. Stability


5200MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.2000162G	NaN	NaN	3.1146	±20	1	-
5.2G	5.20001622G	NaN	NaN	3.1185	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX Freq. Stability


5240MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001873G	NaN	NaN	3.5739	±20	1	-
5.24G	5.24001874G	NaN	NaN	3.5758	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX Freq. Stability


5240MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001877G	NaN	NaN	3.5811	±20	1	-
5.24G	5.24001877G	NaN	NaN	3.5813	±20	2	-

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX Freq. Stability


5240MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.2400188G	NaN	NaN	3.5874	±20	1	-
5.24G	5.24001881G	NaN	NaN	3.5899	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX Freq. Stability


5260MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001991G	NaN	NaN	3.785	±20	1	-
5.26G	5.26001992G	NaN	NaN	3.7869	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX Freq. Stability


5260MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001992G	NaN	NaN	3.7876	±20	1	-
5.26G	5.26001995G	NaN	NaN	3.7922	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001993G	NaN	NaN	3.7895	±20	1	-
5.26G	5.26001991G	NaN	NaN	3.7854	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001926G	NaN	NaN	3.6473	±20	1	-
5.28G	5.28001925G	NaN	NaN	3.6453	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001923G	NaN	NaN	3.6419	±20	1	-
5.28G	5.28001923G	NaN	NaN	3.6411	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001922G	NaN	NaN	3.6402	±20	1	-
5.28G	5.28001921G	NaN	NaN	3.6373	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001885G	NaN	NaN	3.5436	±20	1	-
5.32G	5.32001887G	NaN	NaN	3.5462	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001885G	NaN	NaN	3.5438	±20	1	-
5.32G	5.32001886G	NaN	NaN	3.5445	±20	2	-

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001886G	NaN	NaN	3.5444	±20	1	-
5.32G	5.32001886G	NaN	NaN	3.5455	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001832G	NaN	NaN	3.3305	±20	1	-
5.5G	5.50001832G	NaN	NaN	3.3313	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001828G	NaN	NaN	3.3238	±20	1	-
5.5G	5.50001828G	NaN	NaN	3.3244	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001826G	NaN	NaN	3.3195	±20	1	-
5.5G	5.50001824G	NaN	NaN	3.3158	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001861G	NaN	NaN	3.3239	±20	1	-
5.6G	5.60001863G	NaN	NaN	3.3271	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001862G	NaN	NaN	3.3245	±20	1	-
5.6G	5.60001862G	NaN	NaN	3.3246	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001862G	NaN	NaN	3.3257	±20	1	-
5.6G	5.60001862G	NaN	NaN	3.3248	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002506G	NaN	NaN	4.3806	±20	1	-
5.72G	5.72002505G	NaN	NaN	4.3799	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002509G	NaN	NaN	4.386	±20	1	-
5.72G	5.72002511G	NaN	NaN	4.389	±20	2	-

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002514G	NaN	NaN	4.3951	±20	1	-
5.72G	5.72002514G	NaN	NaN	4.3951	±20	2	-

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001577G	NaN	NaN	3.0385	±20	1	-
5.19G	5.19001578G	NaN	NaN	3.0399	±20	2	-

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001577G	NaN	NaN	3.0393	±20	1	-
5.19G	5.19001577G	NaN	NaN	3.0376	±20	2	-

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001575G	NaN	NaN	3.0341	±20	1	-
5.19G	5.19001574G	NaN	NaN	3.0322	±20	2	-

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001791G	NaN	NaN	3.4237	±20	1	-
5.23G	5.23001792G	NaN	NaN	3.4258	±20	2	-

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001792G	NaN	NaN	3.426	±20	1	-
5.23G	5.23001791G	NaN	NaN	3.4252	±20	2	-

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.2300179G	NaN	NaN	3.4231	±20	1	-
5.23G	5.23001792G	NaN	NaN	3.4254	±20	2	-

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001967G	NaN	NaN	3.7319	±20	1	-
5.27G	5.27001966G	NaN	NaN	3.73	±20	2	-

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001965G	NaN	NaN	3.7287	±20	1	-
5.27G	5.27001964G	NaN	NaN	3.7266	±20	2	-

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001963G	NaN	NaN	3.7241	±20	1	-
5.27G	5.27001964G	NaN	NaN	3.7266	±20	2	-

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001901G	NaN	NaN	3.5802	±20	1	-
5.31G	5.31001903G	NaN	NaN	3.5829	±20	2	-

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001905G	NaN	NaN	3.5879	±20	1	-
5.31G	5.31001904G	NaN	NaN	3.5859	±20	2	-

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001905G	NaN	NaN	3.5878	±20	1	-
5.31G	5.31001906G	NaN	NaN	3.5889	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001801G	NaN	NaN	3.2691	±20	1	-
5.51G	5.51001801G	NaN	NaN	3.2679	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001804G	NaN	NaN	3.2735	±20	1	-
5.51G	5.51001804G	NaN	NaN	3.274	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001804G	NaN	NaN	3.2742	±20	1	-
5.51G	5.51001805G	NaN	NaN	3.2762	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001827G	NaN	NaN	3.2689	±20	1	-
5.59G	5.59001828G	NaN	NaN	3.2696	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001828G	NaN	NaN	3.2703	±20	1	-
5.59G	5.59001828G	NaN	NaN	3.2692	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001831G	NaN	NaN	3.275	±20	1	-
5.59G	5.5900183G	NaN	NaN	3.2733	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.7100245G	NaN	NaN	4.2911	±20	1	-
5.71G	5.71002445G	NaN	NaN	4.2825	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002443G	NaN	NaN	4.2783	±20	1	-
5.71G	5.71002444G	NaN	NaN	4.2802	±20	2	-

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.7100244G	NaN	NaN	4.2732	±20	1	-
5.71G	5.71002441G	NaN	NaN	4.2746	±20	2	-

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001678G	NaN	NaN	3.2211	±20	1	-
5.21G	5.21001677G	NaN	NaN	3.2194	±20	2	-

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001678G	NaN	NaN	3.2202	±20	1	-
5.21G	5.21001678G	NaN	NaN	3.2198	±20	2	-

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001678G	NaN	NaN	3.22	±20	1	-
5.21G	5.21001677G	NaN	NaN	3.2196	±20	2	-

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001903G	NaN	NaN	3.597	±20	1	-
5.29G	5.29001903G	NaN	NaN	3.597	±20	2	-

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001905G	NaN	NaN	3.6015	±20	1	-
5.29G	5.29001904G	NaN	NaN	3.5985	±20	2	-

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001901G	NaN	NaN	3.5936	±20	1	-
5.29G	5.29001903G	NaN	NaN	3.5972	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53001799G	NaN	NaN	3.2523	±20	1	-
5.53G	5.53001799G	NaN	NaN	3.2532	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.530018G	NaN	NaN	3.2546	±20	1	-
5.53G	5.53001797G	NaN	NaN	3.2495	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53001797G	NaN	NaN	3.249	±20	1	-
5.53G	5.53001798G	NaN	NaN	3.2512	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.6100188G	NaN	NaN	3.351	±20	1	-
5.61G	5.61001881G	NaN	NaN	3.352	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.6100188G	NaN	NaN	3.3503	±20	1	-
5.61G	5.6100188G	NaN	NaN	3.3506	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001879G	NaN	NaN	3.3501	±20	1	-
5.61G	5.61001881G	NaN	NaN	3.3528	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002322G	NaN	NaN	4.0808	±20	1	-
5.69G	5.6900232G	NaN	NaN	4.0766	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002321G	NaN	NaN	4.0798	±20	1	-
5.69G	5.69002319G	NaN	NaN	4.0756	±20	2	-

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002321G	NaN	NaN	4.0796	±20	1	-
5.69G	5.69002323G	NaN	NaN	4.0819	±20	2	-

5.15-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001862G	NaN	NaN	3.5474	±20	1	-
5.25G	5.25001863G	NaN	NaN	3.5476	±20	2	-

5.15-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001864G	NaN	NaN	3.5503	±20	1	-
5.25G	5.25001863G	NaN	NaN	3.5491	±20	2	-

5.15-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001867G	NaN	NaN	3.556	±20	1	-
5.25G	5.25001868G	NaN	NaN	3.5575	±20	2	-

5.47-5.73GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001829G	NaN	NaN	3.2833	±20	1	-
5.57G	5.57001829G	NaN	NaN	3.284	±20	2	-

5.47-5.73GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001829G	NaN	NaN	3.2844	±20	1	-
5.57G	5.57001829G	NaN	NaN	3.2844	±20	2	-

5.47-5.73GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001832G	NaN	NaN	3.2883	±20	1	-
5.57G	5.57001831G	NaN	NaN	3.2864	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001529G	NaN	NaN	2.9515	±20	1	-
5.18G	5.18001529G	NaN	NaN	2.9514	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001528G	NaN	NaN	2.9492	±20	1	-
5.18G	5.18001529G	NaN	NaN	2.9521	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001528G	NaN	NaN	2.9506	±20	1	-
5.18G	5.18001529G	NaN	NaN	2.9519	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001623G	NaN	NaN	3.1202	±20	1	-
5.2G	5.20001623G	NaN	NaN	3.1215	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001624G	NaN	NaN	3.1235	±20	1	-
5.2G	5.20001625G	NaN	NaN	3.1254	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001628G	NaN	NaN	3.1313	±20	1	-
5.2G	5.2000163G	NaN	NaN	3.1344	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5240MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001884G	NaN	NaN	3.5947	±20	1	-
5.24G	5.24001883G	NaN	NaN	3.5933	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5240MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001886G	NaN	NaN	3.599	±20	1	-
5.24G	5.24001887G	NaN	NaN	3.601	±20	2	-

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5240MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001887G	NaN	NaN	3.601	±20	1	-
5.24G	5.24001888G	NaN	NaN	3.6034	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.2600199G	NaN	NaN	3.7838	±20	1	-
5.26G	5.2600199G	NaN	NaN	3.7833	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001992G	NaN	NaN	3.7876	±20	1	-
5.26G	5.26001989G	NaN	NaN	3.7816	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001991G	NaN	NaN	3.7854	±20	1	-
5.26G	5.26001992G	NaN	NaN	3.7867	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001921G	NaN	NaN	3.6386	±20	1	-
5.28G	5.28001922G	NaN	NaN	3.6394	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001923G	NaN	NaN	3.6411	±20	1	-
5.28G	5.28001925G	NaN	NaN	3.6449	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001925G	NaN	NaN	3.6453	±20	1	-
5.28G	5.28001927G	NaN	NaN	3.6496	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001889G	NaN	NaN	3.5515	±20	1	-
5.32G	5.3200189G	NaN	NaN	3.5523	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.3200189G	NaN	NaN	3.5519	±20	1	-
5.32G	5.3200189G	NaN	NaN	3.5521	±20	2	-

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001891G	NaN	NaN	3.5543	±20	1	-
5.32G	5.32001889G	NaN	NaN	3.5506	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001824G	NaN	NaN	3.3162	±20	1	-
5.5G	5.50001824G	NaN	NaN	3.3164	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001823G	NaN	NaN	3.3142	±20	1	-
5.5G	5.50001825G	NaN	NaN	3.3173	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001822G	NaN	NaN	3.3127	±20	1	-
5.5G	5.50001822G	NaN	NaN	3.3135	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001862G	NaN	NaN	3.3246	±20	1	-
5.6G	5.60001862G	NaN	NaN	3.3241	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001864G	NaN	NaN	3.3277	±20	1	-
5.6G	5.60001864G	NaN	NaN	3.328	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001861G	NaN	NaN	3.3225	±20	1	-
5.6G	5.60001861G	NaN	NaN	3.3229	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002518G	NaN	NaN	4.4028	±20	1	-
5.72G	5.72002518G	NaN	NaN	4.4014	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002513G	NaN	NaN	4.3941	±20	1	-
5.72G	5.72002513G	NaN	NaN	4.3927	±20	2	-

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002506G	NaN	NaN	4.3818	±20	1	-
5.72G	5.72002501G	NaN	NaN	4.3729	±20	2	-

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001574G	NaN	NaN	3.0329	±20	1	-
5.19G	5.19001573G	NaN	NaN	3.0308	±20	2	-

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001572G	NaN	NaN	3.0285	±20	1	-
5.19G	5.19001571G	NaN	NaN	3.0272	±20	2	-

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001569G	NaN	NaN	3.0235	±20	1	-
5.19G	5.19001572G	NaN	NaN	3.0279	±20	2	-

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001794G	NaN	NaN	3.4293	±20	1	-
5.23G	5.23001794G	NaN	NaN	3.4294	±20	2	-

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001796G	NaN	NaN	3.4346	±20	1	-
5.23G	5.23001797G	NaN	NaN	3.4354	±20	2	-

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.230018G	NaN	NaN	3.4415	±20	1	-
5.23G	5.23001801G	NaN	NaN	3.4444	±20	2	-

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.2700196G	NaN	NaN	3.7194	±20	1	-
5.27G	5.27001961G	NaN	NaN	3.7207	±20	2	-

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001962G	NaN	NaN	3.7228	±20	1	-
5.27G	5.2700196G	NaN	NaN	3.719	±20	2	-

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001958G	NaN	NaN	3.7157	±20	1	-
5.27G	5.27001959G	NaN	NaN	3.7175	±20	2	-

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001908G	NaN	NaN	3.5936	±20	1	-
5.31G	5.31001906G	NaN	NaN	3.5898	±20	2	-

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001909G	NaN	NaN	3.5949	±20	1	-
5.31G	5.31001907G	NaN	NaN	3.5908	±20	2	-

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001909G	NaN	NaN	3.5951	±20	1	-
5.31G	5.3100191G	NaN	NaN	3.5964	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001807G	NaN	NaN	3.2791	±20	1	-
5.51G	5.51001807G	NaN	NaN	3.2797	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001808G	NaN	NaN	3.2811	±20	1	-
5.51G	5.51001809G	NaN	NaN	3.2826	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.5100181G	NaN	NaN	3.2849	±20	1	-
5.51G	5.51001811G	NaN	NaN	3.2862	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001832G	NaN	NaN	3.2775	±20	1	-
5.59G	5.59001833G	NaN	NaN	3.2794	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001835G	NaN	NaN	3.2818	±20	1	-
5.59G	5.59001834G	NaN	NaN	3.281	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001836G	NaN	NaN	3.2846	±20	1	-
5.59G	5.59001835G	NaN	NaN	3.2826	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002437G	NaN	NaN	4.2687	±20	1	-
5.71G	5.71002437G	NaN	NaN	4.2676	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002435G	NaN	NaN	4.2651	±20	1	-
5.71G	5.71002436G	NaN	NaN	4.2655	±20	2	-

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002429G	NaN	NaN	4.2546	±20	1	-
5.71G	5.71002431G	NaN	NaN	4.2569	±20	2	-

5.15-5.25GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001676G	NaN	NaN	3.2167	±20	1	-
5.21G	5.21001676G	NaN	NaN	3.2159	±20	2	-

5.15-5.25GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001675G	NaN	NaN	3.2146	±20	1	-
5.21G	5.21001676G	NaN	NaN	3.2173	±20	2	-

5.15-5.25GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001675G	NaN	NaN	3.2157	±20	1	-
5.21G	5.21001676G	NaN	NaN	3.2159	±20	2	-

5.25-5.35GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001901G	NaN	NaN	3.5941	±20	1	-
5.29G	5.29001902G	NaN	NaN	3.5958	±20	2	-

5.25-5.35GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001902G	NaN	NaN	3.5949	±20	1	-
5.29G	5.29001904G	NaN	NaN	3.5989	±20	2	-

5.25-5.35GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001908G	NaN	NaN	3.6068	±20	1	-
5.29G	5.2900191G	NaN	NaN	3.6102	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53001798G	NaN	NaN	3.2508	±20	1	-
5.53G	5.53001798G	NaN	NaN	3.2505	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.530018G	NaN	NaN	3.2544	±20	1	-
5.53G	5.53001799G	NaN	NaN	3.2537	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.530018G	NaN	NaN	3.255	±20	1	-
5.53G	5.53001798G	NaN	NaN	3.2519	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001882G	NaN	NaN	3.3553	±20	1	-
5.61G	5.61001881G	NaN	NaN	3.3526	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001883G	NaN	NaN	3.3565	±20	1	-
5.61G	5.61001882G	NaN	NaN	3.3554	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001883G	NaN	NaN	3.3561	±20	1	-
5.61G	5.61001883G	NaN	NaN	3.3558	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.6900232G	NaN	NaN	4.0773	±20	1	-
5.69G	5.69002317G	NaN	NaN	4.0717	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002317G	NaN	NaN	4.0717	±20	1	-
5.69G	5.69002316G	NaN	NaN	4.0707	±20	2	-

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002313G	NaN	NaN	4.065	±20	1	-
5.69G	5.69002313G	NaN	NaN	4.0643	±20	2	-

5.15-5.35GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001868G	NaN	NaN	3.5583	±20	1	-
5.25G	5.25001868G	NaN	NaN	3.5585	±20	2	-

5.15-5.35GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001869G	NaN	NaN	3.5608	±20	1	-
5.25G	5.25001871G	NaN	NaN	3.5646	±20	2	-

5.15-5.35GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001872G	NaN	NaN	3.5657	±20	1	-
5.25G	5.25001872G	NaN	NaN	3.5663	±20	2	-

5.47-5.73GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001831G	NaN	NaN	3.2867	±20	1	-
5.57G	5.57001831G	NaN	NaN	3.2878	±20	2	-

5.47-5.73GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001831G	NaN	NaN	3.2876	±20	1	-
5.57G	5.57001832G	NaN	NaN	3.2885	±20	2	-

5.47-5.73GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001832G	NaN	NaN	3.2892	±20	1	-
5.57G	5.57001832G	NaN	NaN	3.2898	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001529G	NaN	NaN	2.9523	±20	1	-
5.18G	5.18001528G	NaN	NaN	2.9506	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001528G	NaN	NaN	2.9506	±20	1	-
5.18G	5.18001529G	NaN	NaN	2.9508	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5180MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.18001527G	NaN	NaN	2.9475	±20	1	-
5.18G	5.18001529G	NaN	NaN	2.951	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001631G	NaN	NaN	3.1369	±20	1	-
5.2G	5.20001633G	NaN	NaN	3.14	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001631G	NaN	NaN	3.1371	±20	1	-
5.2G	5.20001631G	NaN	NaN	3.1362	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5200MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.20001634G	NaN	NaN	3.1429	±20	1	-
5.2G	5.20001635G	NaN	NaN	3.144	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5240MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001889G	NaN	NaN	3.6044	±20	1	-
5.24G	5.24001889G	NaN	NaN	3.6048	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5240MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001888G	NaN	NaN	3.6023	±20	1	-
5.24G	5.2400189G	NaN	NaN	3.6065	±20	2	-

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5240MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.24001886G	NaN	NaN	3.6	±20	1	-
5.24G	5.24001887G	NaN	NaN	3.6015	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001992G	NaN	NaN	3.7865	±20	1	-
5.26G	5.26001991G	NaN	NaN	3.7842	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.2600199G	NaN	NaN	3.7827	±20	1	-
5.26G	5.2600199G	NaN	NaN	3.7825	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5260MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.26001988G	NaN	NaN	3.7789	±20	1	-
5.26G	5.26001988G	NaN	NaN	3.7785	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.2800193G	NaN	NaN	3.6551	±20	1	-
5.28G	5.28001929G	NaN	NaN	3.653	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.2800193G	NaN	NaN	3.6557	±20	1	-
5.28G	5.28001932G	NaN	NaN	3.6583	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5280MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.28001938G	NaN	NaN	3.671	±20	1	-
5.28G	5.2800194G	NaN	NaN	3.6737	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001886G	NaN	NaN	3.5447	±20	1	-
5.32G	5.32001888G	NaN	NaN	3.5491	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001893G	NaN	NaN	3.5586	±20	1	-
5.32G	5.32001896G	NaN	NaN	3.5633	±20	2	-

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5320MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.32001899G	NaN	NaN	3.5688	±20	1	-
5.32G	5.32001899G	NaN	NaN	3.5688	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.5000182G	NaN	NaN	3.3098	±20	1	-
5.5G	5.5000182G	NaN	NaN	3.3085	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001819G	NaN	NaN	3.3076	±20	1	-
5.5G	5.50001819G	NaN	NaN	3.3075	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5500MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50001818G	NaN	NaN	3.3051	±20	1	-
5.5G	5.50001818G	NaN	NaN	3.3049	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001865G	NaN	NaN	3.3296	±20	1	-
5.6G	5.60001866G	NaN	NaN	3.332	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001867G	NaN	NaN	3.3346	±20	1	-
5.6G	5.60001866G	NaN	NaN	3.3321	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5600MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.60001867G	NaN	NaN	3.3332	±20	1	-
5.6G	5.60001868G	NaN	NaN	3.3352	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002498G	NaN	NaN	4.3663	±20	1	-
5.72G	5.72002497G	NaN	NaN	4.3659	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002494G	NaN	NaN	4.36	±20	1	-
5.72G	5.72002495G	NaN	NaN	4.3612	±20	2	-

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5720MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.72G	5.72002495G	NaN	NaN	4.3614	±20	1	-
5.72G	5.72002494G	NaN	NaN	4.3594	±20	2	-

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.1900157G	NaN	NaN	3.0258	±20	1	-
5.19G	5.19001572G	NaN	NaN	3.0281	±20	2	-

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001571G	NaN	NaN	3.0272	±20	1	-
5.19G	5.19001572G	NaN	NaN	3.0281	±20	2	-

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5190MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19001574G	NaN	NaN	3.0318	±20	1	-
5.19G	5.19001573G	NaN	NaN	3.0303	±20	2	-

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001802G	NaN	NaN	3.4447	±20	1	-
5.23G	5.23001801G	NaN	NaN	3.4434	±20	2	-

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.230018G	NaN	NaN	3.4413	±20	1	-
5.23G	5.23001802G	NaN	NaN	3.4455	±20	2	-

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5230MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.23001804G	NaN	NaN	3.4497	±20	1	-
5.23G	5.23001805G	NaN	NaN	3.4511	±20	2	-

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001961G	NaN	NaN	3.7218	±20	1	-
5.27G	5.27001962G	NaN	NaN	3.7222	±20	2	-

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001963G	NaN	NaN	3.7243	±20	1	-
5.27G	5.27001963G	NaN	NaN	3.7241	±20	2	-

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5270MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001963G	NaN	NaN	3.7254	±20	1	-
5.27G	5.27001961G	NaN	NaN	3.7214	±20	2	-

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001909G	NaN	NaN	3.5959	±20	1	-
5.31G	5.31001908G	NaN	NaN	3.5925	±20	2	-

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.3100191G	NaN	NaN	3.5972	±20	1	-
5.31G	5.31001912G	NaN	NaN	3.5998	±20	2	-

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5310MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31001913G	NaN	NaN	3.6028	±20	1	-
5.31G	5.31001914G	NaN	NaN	3.6041	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001812G	NaN	NaN	3.2882	±20	1	-
5.51G	5.51001813G	NaN	NaN	3.2907	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001812G	NaN	NaN	3.288	±20	1	-
5.51G	5.51001811G	NaN	NaN	3.2864	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5510MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51001811G	NaN	NaN	3.2864	±20	1	-
5.51G	5.5100181G	NaN	NaN	3.2857	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001834G	NaN	NaN	3.2816	±20	1	-
5.59G	5.59001834G	NaN	NaN	3.2812	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59001837G	NaN	NaN	3.2855	±20	1	-
5.59G	5.59001838G	NaN	NaN	3.2886	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5590MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.5900184G	NaN	NaN	3.2907	±20	1	-
5.59G	5.5900184G	NaN	NaN	3.2907	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002432G	NaN	NaN	4.2592	±20	1	-
5.71G	5.71002435G	NaN	NaN	4.2643	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002438G	NaN	NaN	4.2692	±20	1	-
5.71G	5.71002443G	NaN	NaN	4.2781	±20	2	-

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5710MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71002446G	NaN	NaN	4.2835	±20	1	-
5.71G	5.71002453G	NaN	NaN	4.2954	±20	2	-

5.15-5.25GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001675G	NaN	NaN	3.2157	±20	1	-
5.21G	5.21001676G	NaN	NaN	3.2171	±20	2	-

5.15-5.25GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001676G	NaN	NaN	3.2165	±20	1	-
5.21G	5.21001677G	NaN	NaN	3.2192	±20	2	-

5.15-5.25GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5210MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21001678G	NaN	NaN	3.2215	±20	1	-
5.21G	5.2100168G	NaN	NaN	3.2248	±20	2	-

5.25-5.35GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001913G	NaN	NaN	3.617	±20	1	-
5.29G	5.29001914G	NaN	NaN	3.6172	±20	2	-

5.25-5.35GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001917G	NaN	NaN	3.6231	±20	1	-
5.29G	5.29001916G	NaN	NaN	3.6227	±20	2	-

5.25-5.35GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5290MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.29001919G	NaN	NaN	3.6272	±20	1	-
5.29G	5.29001919G	NaN	NaN	3.6268	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.530018G	NaN	NaN	3.2546	±20	1	-
5.53G	5.530018G	NaN	NaN	3.2542	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53001799G	NaN	NaN	3.2528	±20	1	-
5.53G	5.53001798G	NaN	NaN	3.2514	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5530MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53001798G	NaN	NaN	3.2512	±20	1	-
5.53G	5.53001797G	NaN	NaN	3.2497	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001885G	NaN	NaN	3.3601	±20	1	-
5.61G	5.61001884G	NaN	NaN	3.3585	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001887G	NaN	NaN	3.364	±20	1	-
5.61G	5.61001888G	NaN	NaN	3.366	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5610MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61001889G	NaN	NaN	3.3679	±20	1	-
5.61G	5.61001888G	NaN	NaN	3.366	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002314G	NaN	NaN	4.0668	±20	1	-
5.69G	5.69002317G	NaN	NaN	4.0717	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002321G	NaN	NaN	4.0798	±20	1	-
5.69G	5.69002321G	NaN	NaN	4.0791	±20	2	-

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5690MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.69002324G	NaN	NaN	4.0844	±20	1	-
5.69G	5.69002325G	NaN	NaN	4.0856	±20	2	-

5.15-5.35GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001873G	NaN	NaN	3.5667	±20	1	-
5.25G	5.25001873G	NaN	NaN	3.5682	±20	2	-

5.15-5.35GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001876G	NaN	NaN	3.5735	±20	1	-
5.25G	5.25001874G	NaN	NaN	3.5686	±20	2	-

5.15-5.35GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5250MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.25G	5.25001874G	NaN	NaN	3.5697	±20	1	-
5.25G	5.25001876G	NaN	NaN	3.5737	±20	2	-

5.47-5.73GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVnom



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001832G	NaN	NaN	3.2892	±20	1	-
5.57G	5.57001832G	NaN	NaN	3.2882	±20	2	-

5.47-5.73GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**


5570MHz_TnomVmin



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001833G	NaN	NaN	3.2908	±20	1	-
5.57G	5.57001833G	NaN	NaN	3.291	±20	2	-

5.47-5.73GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **Freq. Stability**

5570MHz_TnomVmax



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.57G	5.57001834G	NaN	NaN	3.2917	±20	1	-
5.57G	5.57001832G	NaN	NaN	3.2882	±20	2	-

Summary

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
5.15-5.25GHz	-	-	-
802.11a_(6Mbps)_2TX	16.872M	16M9D1D	16.752M
802.11n HT20_Nss1,(MCS0)_2TX	17.931M	17M9D1D	17.871M
802.11ac VHT20_Nss1,(MCS0)_2TX	17.931M	17M9D1D	17.851M
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	19.09M	19M1D1D	19.03M
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	19.09M	19M1D1D	19.05M
802.11n HT40_Nss1,(MCS0)_2TX	36.582M	36M6D1D	36.422M
802.11ac VHT40_Nss1,(MCS0)_2TX	36.582M	36M6D1D	36.422M
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	37.941M	37M9D1D	37.821M
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	37.901M	37M9D1D	37.861M
802.11ac VHT80_Nss1,(MCS0)_2TX	76.442M	76M4D1D	76.282M
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	77.801M	77M8D1D	77.721M
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	77.881M	77M9D1D	77.641M
5.15-5.35GHz	-	-	-
802.11ac VHT160_Nss1,(MCS0)_2TX	155.442M	155MD1D	155.282M
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	157.041M	157MD1D	156.722M
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	157.041M	157MD1D	156.722M
5.25-5.35GHz	-	-	-
802.11a_(6Mbps)_2TX	16.872M	16M9D1D	16.772M
802.11n HT20_Nss1,(MCS0)_2TX	17.931M	17M9D1D	17.891M
802.11ac VHT20_Nss1,(MCS0)_2TX	17.931M	17M9D1D	17.911M
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	19.09M	19M1D1D	19.05M
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	19.11M	19M1D1D	19.05M
802.11n HT40_Nss1,(MCS0)_2TX	36.542M	36M5D1D	36.422M
802.11ac VHT40_Nss1,(MCS0)_2TX	36.582M	36M6D1D	36.382M
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	37.941M	37M9D1D	37.821M
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	37.941M	37M9D1D	37.821M
802.11ac VHT80_Nss1,(MCS0)_2TX	76.042M	76M0D1D	75.882M
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	77.561M	77M6D1D	77.241M
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	77.561M	77M6D1D	77.401M
5.47-5.73GHz	-	-	-
802.11a_(6Mbps)_2TX	16.852M	16M9D1D	16.772M
802.11n HT20_Nss1,(MCS0)_2TX	17.991M	18M0D1D	17.891M
802.11ac VHT20_Nss1,(MCS0)_2TX	18.011M	18M0D1D	17.871M
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	19.09M	19M1D1D	19.05M
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	19.13M	19M1D1D	19.05M
802.11n HT40_Nss1,(MCS0)_2TX	36.702M	36M7D1D	36.542M
802.11ac VHT40_Nss1,(MCS0)_2TX	36.742M	36M7D1D	36.542M
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	37.981M	38M0D1D	37.901M
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	38.021M	38M0D1D	37.901M
802.11ac VHT80_Nss1,(MCS0)_2TX	76.842M	76M8D1D	76.042M
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	78.121M	78M1D1D	77.401M
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	78.041M	78M0D1D	77.561M
802.11ac VHT160_Nss1,(MCS0)_2TX	156.562M	157MD1D	155.442M
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	157.681M	158MD1D	156.882M
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	157.681M	158MD1D	156.882M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
802.11a_(6Mbps)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	16.752M	16.852M
5180MHz_TnomVmin	Pass	20M	16.772M	16.872M
5180MHz_TnomVmax	Pass	20M	16.772M	16.872M
5200MHz_TnomVnom	Pass	20M	16.792M	16.832M
5200MHz_TnomVmin	Pass	20M	16.792M	16.812M
5200MHz_TnomVmax	Pass	20M	16.772M	16.792M
5240MHz_TnomVnom	Pass	20M	16.792M	16.812M
5240MHz_TnomVmin	Pass	20M	16.792M	16.812M
5240MHz_TnomVmax	Pass	20M	16.792M	16.832M
5260MHz_TnomVnom	Pass	20M	16.792M	16.812M
5260MHz_TnomVmin	Pass	20M	16.772M	16.812M
5260MHz_TnomVmax	Pass	20M	16.772M	16.812M
5280MHz_TnomVnom	Pass	20M	16.792M	16.852M
5280MHz_TnomVmin	Pass	20M	16.832M	16.872M
5280MHz_TnomVmax	Pass	20M	16.832M	16.872M
5320MHz_TnomVnom	Pass	20M	16.812M	16.812M
5320MHz_TnomVmin	Pass	20M	16.792M	16.832M
5320MHz_TnomVmax	Pass	20M	16.812M	16.832M
5500MHz_TnomVnom	Pass	20M	16.812M	16.832M
5500MHz_TnomVmin	Pass	20M	16.772M	16.812M
5500MHz_TnomVmax	Pass	20M	16.772M	16.832M
5600MHz_TnomVnom	Pass	20M	16.812M	16.852M
5600MHz_TnomVmin	Pass	20M	16.792M	16.852M
5600MHz_TnomVmax	Pass	20M	16.812M	16.832M
5720MHz_TnomVnom	Pass	20M	16.772M	16.812M
5720MHz_TnomVmin	Pass	20M	16.772M	16.832M
5720MHz_TnomVmax	Pass	20M	16.792M	16.832M
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	17.871M	17.911M
5180MHz_TnomVmin	Pass	20M	17.911M	17.931M
5180MHz_TnomVmax	Pass	20M	17.911M	17.931M
5200MHz_TnomVnom	Pass	20M	17.911M	17.911M
5200MHz_TnomVmin	Pass	20M	17.891M	17.931M
5200MHz_TnomVmax	Pass	20M	17.911M	17.931M
5240MHz_TnomVnom	Pass	20M	17.931M	17.911M
5240MHz_TnomVmin	Pass	20M	17.891M	17.931M
5240MHz_TnomVmax	Pass	20M	17.891M	17.891M
5260MHz_TnomVnom	Pass	20M	17.891M	17.891M
5260MHz_TnomVmin	Pass	20M	17.911M	17.911M
5260MHz_TnomVmax	Pass	20M	17.911M	17.891M
5280MHz_TnomVnom	Pass	20M	17.911M	17.891M
5280MHz_TnomVmin	Pass	20M	17.911M	17.931M
5280MHz_TnomVmax	Pass	20M	17.911M	17.931M
5320MHz_TnomVnom	Pass	20M	17.931M	17.891M
5320MHz_TnomVmin	Pass	20M	17.911M	17.931M
5320MHz_TnomVmax	Pass	20M	17.911M	17.931M
5500MHz_TnomVnom	Pass	20M	17.991M	17.911M
5500MHz_TnomVmin	Pass	20M	17.951M	17.911M
5500MHz_TnomVmax	Pass	20M	17.971M	17.911M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5600MHz_TnomVnom	Pass	20M	17.971M	17.931M
5600MHz_TnomVmin	Pass	20M	17.971M	17.911M
5600MHz_TnomVmax	Pass	20M	17.971M	17.911M
5720MHz_TnomVnom	Pass	20M	17.951M	17.891M
5720MHz_TnomVmin	Pass	20M	17.951M	17.911M
5720MHz_TnomVmax	Pass	20M	17.951M	17.891M
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	36.542M	36.502M
5190MHz_TnomVmin	Pass	40M	36.542M	36.502M
5190MHz_TnomVmax	Pass	40M	36.582M	36.422M
5230MHz_TnomVnom	Pass	40M	36.542M	36.462M
5230MHz_TnomVmin	Pass	40M	36.542M	36.462M
5230MHz_TnomVmax	Pass	40M	36.502M	36.462M
5270MHz_TnomVnom	Pass	40M	36.502M	36.422M
5270MHz_TnomVmin	Pass	40M	36.502M	36.422M
5270MHz_TnomVmax	Pass	40M	36.502M	36.462M
5310MHz_TnomVnom	Pass	40M	36.502M	36.462M
5310MHz_TnomVmin	Pass	40M	36.542M	36.422M
5310MHz_TnomVmax	Pass	40M	36.502M	36.422M
5510MHz_TnomVnom	Pass	40M	36.702M	36.542M
5510MHz_TnomVmin	Pass	40M	36.702M	36.582M
5510MHz_TnomVmax	Pass	40M	36.702M	36.542M
5590MHz_TnomVnom	Pass	40M	36.582M	36.582M
5590MHz_TnomVmin	Pass	40M	36.582M	36.582M
5590MHz_TnomVmax	Pass	40M	36.622M	36.622M
5710MHz_TnomVnom	Pass	40M	36.622M	36.582M
5710MHz_TnomVmin	Pass	40M	36.622M	36.582M
5710MHz_TnomVmax	Pass	40M	36.582M	36.542M
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	17.851M	17.911M
5180MHz_TnomVmin	Pass	20M	17.871M	17.911M
5180MHz_TnomVmax	Pass	20M	17.851M	17.911M
5200MHz_TnomVnom	Pass	20M	17.851M	17.911M
5200MHz_TnomVmin	Pass	20M	17.851M	17.911M
5200MHz_TnomVmax	Pass	20M	17.851M	17.931M
5240MHz_TnomVnom	Pass	20M	17.891M	17.911M
5240MHz_TnomVmin	Pass	20M	17.911M	17.911M
5240MHz_TnomVmax	Pass	20M	17.891M	17.931M
5260MHz_TnomVnom	Pass	20M	17.931M	17.931M
5260MHz_TnomVmin	Pass	20M	17.911M	17.911M
5260MHz_TnomVmax	Pass	20M	17.911M	17.931M
5280MHz_TnomVnom	Pass	20M	17.931M	17.931M
5280MHz_TnomVmin	Pass	20M	17.911M	17.931M
5280MHz_TnomVmax	Pass	20M	17.931M	17.931M
5320MHz_TnomVnom	Pass	20M	17.911M	17.911M
5320MHz_TnomVmin	Pass	20M	17.931M	17.911M
5320MHz_TnomVmax	Pass	20M	17.931M	17.911M
5500MHz_TnomVnom	Pass	20M	18.011M	17.911M
5500MHz_TnomVmin	Pass	20M	18.011M	17.891M
5500MHz_TnomVmax	Pass	20M	17.991M	17.891M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5600MHz_TnomVnom	Pass	20M	17.971M	17.891M
5600MHz_TnomVmin	Pass	20M	17.971M	17.891M
5600MHz_TnomVmax	Pass	20M	17.951M	17.871M
5720MHz_TnomVnom	Pass	20M	17.931M	17.911M
5720MHz_TnomVmin	Pass	20M	17.951M	17.911M
5720MHz_TnomVmax	Pass	20M	17.971M	17.911M
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	36.582M	36.422M
5190MHz_TnomVmin	Pass	40M	36.542M	36.422M
5190MHz_TnomVmax	Pass	40M	36.582M	36.462M
5230MHz_TnomVnom	Pass	40M	36.542M	36.422M
5230MHz_TnomVmin	Pass	40M	36.542M	36.422M
5230MHz_TnomVmax	Pass	40M	36.542M	36.422M
5270MHz_TnomVnom	Pass	40M	36.542M	36.422M
5270MHz_TnomVmin	Pass	40M	36.582M	36.462M
5270MHz_TnomVmax	Pass	40M	36.502M	36.422M
5310MHz_TnomVnom	Pass	40M	36.542M	36.382M
5310MHz_TnomVmin	Pass	40M	36.582M	36.422M
5310MHz_TnomVmax	Pass	40M	36.582M	36.382M
5510MHz_TnomVnom	Pass	40M	36.662M	36.582M
5510MHz_TnomVmin	Pass	40M	36.702M	36.542M
5510MHz_TnomVmax	Pass	40M	36.742M	36.582M
5590MHz_TnomVnom	Pass	40M	36.622M	36.582M
5590MHz_TnomVmin	Pass	40M	36.622M	36.542M
5590MHz_TnomVmax	Pass	40M	36.622M	36.542M
5710MHz_TnomVnom	Pass	40M	36.622M	36.542M
5710MHz_TnomVmin	Pass	40M	36.662M	36.542M
5710MHz_TnomVmax	Pass	40M	36.662M	36.582M
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	80M	76.442M	76.282M
5210MHz_TnomVmin	Pass	80M	76.362M	76.362M
5210MHz_TnomVmax	Pass	80M	76.362M	76.282M
5290MHz_TnomVnom	Pass	80M	75.962M	75.962M
5290MHz_TnomVmin	Pass	80M	75.882M	76.042M
5290MHz_TnomVmax	Pass	80M	75.962M	75.962M
5530MHz_TnomVnom	Pass	80M	76.362M	76.122M
5530MHz_TnomVmin	Pass	80M	76.362M	76.042M
5530MHz_TnomVmax	Pass	80M	76.362M	76.122M
5610MHz_TnomVnom	Pass	80M	76.842M	76.362M
5610MHz_TnomVmin	Pass	80M	76.762M	76.362M
5610MHz_TnomVmax	Pass	80M	76.762M	76.362M
5690MHz_TnomVnom	Pass	80M	76.762M	76.682M
5690MHz_TnomVmin	Pass	80M	76.762M	76.682M
5690MHz_TnomVmax	Pass	80M	76.762M	76.602M
802.11ac VHT160_Nss1,(MCS0)_2TX	-	-	-	-
5250MHz_TnomVnom	Pass	160M	155.442M	155.282M
5250MHz_TnomVmin	Pass	160M	155.442M	155.282M
5250MHz_TnomVmax	Pass	160M	155.442M	155.282M
5570MHz_TnomVnom	Pass	160M	156.562M	155.602M
5570MHz_TnomVmin	Pass	160M	156.562M	155.442M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5570MHz_TnomVmax	Pass	160M	156.562M	155.602M
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	19.07M	19.07M
5180MHz_TnomVmin	Pass	20M	19.07M	19.09M
5180MHz_TnomVmax	Pass	20M	19.05M	19.07M
5200MHz_TnomVnom	Pass	20M	19.05M	19.07M
5200MHz_TnomVmin	Pass	20M	19.05M	19.07M
5200MHz_TnomVmax	Pass	20M	19.03M	19.07M
5240MHz_TnomVnom	Pass	20M	19.05M	19.07M
5240MHz_TnomVmin	Pass	20M	19.05M	19.09M
5240MHz_TnomVmax	Pass	20M	19.07M	19.09M
5260MHz_TnomVnom	Pass	20M	19.07M	19.09M
5260MHz_TnomVmin	Pass	20M	19.07M	19.07M
5260MHz_TnomVmax	Pass	20M	19.05M	19.09M
5280MHz_TnomVnom	Pass	20M	19.05M	19.07M
5280MHz_TnomVmin	Pass	20M	19.05M	19.07M
5280MHz_TnomVmax	Pass	20M	19.05M	19.07M
5320MHz_TnomVnom	Pass	20M	19.07M	19.07M
5320MHz_TnomVmin	Pass	20M	19.05M	19.09M
5320MHz_TnomVmax	Pass	20M	19.07M	19.07M
5500MHz_TnomVnom	Pass	20M	19.09M	19.07M
5500MHz_TnomVmin	Pass	20M	19.09M	19.05M
5500MHz_TnomVmax	Pass	20M	19.09M	19.07M
5600MHz_TnomVnom	Pass	20M	19.09M	19.09M
5600MHz_TnomVmin	Pass	20M	19.09M	19.07M
5600MHz_TnomVmax	Pass	20M	19.09M	19.09M
5720MHz_TnomVnom	Pass	20M	19.09M	19.05M
5720MHz_TnomVmin	Pass	20M	19.09M	19.07M
5720MHz_TnomVmax	Pass	20M	19.07M	19.07M
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	37.901M	37.901M
5190MHz_TnomVmin	Pass	40M	37.941M	37.901M
5190MHz_TnomVmax	Pass	40M	37.941M	37.901M
5230MHz_TnomVnom	Pass	40M	37.901M	37.861M
5230MHz_TnomVmin	Pass	40M	37.901M	37.861M
5230MHz_TnomVmax	Pass	40M	37.901M	37.821M
5270MHz_TnomVnom	Pass	40M	37.861M	37.861M
5270MHz_TnomVmin	Pass	40M	37.901M	37.821M
5270MHz_TnomVmax	Pass	40M	37.941M	37.901M
5310MHz_TnomVnom	Pass	40M	37.861M	37.901M
5310MHz_TnomVmin	Pass	40M	37.861M	37.901M
5310MHz_TnomVmax	Pass	40M	37.901M	37.901M
5510MHz_TnomVnom	Pass	40M	37.941M	37.981M
5510MHz_TnomVmin	Pass	40M	37.941M	37.941M
5510MHz_TnomVmax	Pass	40M	37.941M	37.941M
5590MHz_TnomVnom	Pass	40M	37.941M	37.941M
5590MHz_TnomVmin	Pass	40M	37.941M	37.941M
5590MHz_TnomVmax	Pass	40M	37.941M	37.941M
5710MHz_TnomVnom	Pass	40M	37.901M	37.981M
5710MHz_TnomVmin	Pass	40M	37.901M	37.941M


Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5710MHz_TnomVmax	Pass	40M	37.901M	37.941M
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	80M	77.721M	77.721M
5210MHz_TnomVmin	Pass	80M	77.721M	77.801M
5210MHz_TnomVmax	Pass	80M	77.721M	77.721M
5290MHz_TnomVnom	Pass	80M	77.401M	77.561M
5290MHz_TnomVmin	Pass	80M	77.481M	77.481M
5290MHz_TnomVmax	Pass	80M	77.241M	77.401M
5530MHz_TnomVnom	Pass	80M	77.641M	77.561M
5530MHz_TnomVmin	Pass	80M	77.641M	77.641M
5530MHz_TnomVmax	Pass	80M	77.641M	77.401M
5610MHz_TnomVnom	Pass	80M	77.961M	77.881M
5610MHz_TnomVmin	Pass	80M	78.041M	77.801M
5610MHz_TnomVmax	Pass	80M	78.041M	77.801M
5690MHz_TnomVnom	Pass	80M	78.041M	77.961M
5690MHz_TnomVmin	Pass	80M	77.961M	78.121M
5690MHz_TnomVmax	Pass	80M	77.881M	77.961M
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5250MHz_TnomVnom	Pass	160M	156.882M	156.722M
5250MHz_TnomVmin	Pass	160M	156.882M	156.722M
5250MHz_TnomVmax	Pass	160M	157.041M	156.722M
5570MHz_TnomVnom	Pass	160M	157.521M	156.882M
5570MHz_TnomVmin	Pass	160M	157.681M	157.041M
5570MHz_TnomVmax	Pass	160M	157.681M	156.882M
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	19.07M	19.09M
5180MHz_TnomVmin	Pass	20M	19.05M	19.09M
5180MHz_TnomVmax	Pass	20M	19.05M	19.09M
5200MHz_TnomVnom	Pass	20M	19.05M	19.09M
5200MHz_TnomVmin	Pass	20M	19.09M	19.07M
5200MHz_TnomVmax	Pass	20M	19.05M	19.07M
5240MHz_TnomVnom	Pass	20M	19.05M	19.07M
5240MHz_TnomVmin	Pass	20M	19.05M	19.09M
5240MHz_TnomVmax	Pass	20M	19.05M	19.09M
5260MHz_TnomVnom	Pass	20M	19.07M	19.09M
5260MHz_TnomVmin	Pass	20M	19.05M	19.05M
5260MHz_TnomVmax	Pass	20M	19.07M	19.05M
5280MHz_TnomVnom	Pass	20M	19.09M	19.09M
5280MHz_TnomVmin	Pass	20M	19.07M	19.11M
5280MHz_TnomVmax	Pass	20M	19.07M	19.09M
5320MHz_TnomVnom	Pass	20M	19.05M	19.09M
5320MHz_TnomVmin	Pass	20M	19.09M	19.05M
5320MHz_TnomVmax	Pass	20M	19.09M	19.07M
5500MHz_TnomVnom	Pass	20M	19.09M	19.07M
5500MHz_TnomVmin	Pass	20M	19.07M	19.07M
5500MHz_TnomVmax	Pass	20M	19.09M	19.11M
5600MHz_TnomVnom	Pass	20M	19.13M	19.05M
5600MHz_TnomVmin	Pass	20M	19.09M	19.07M
5600MHz_TnomVmax	Pass	20M	19.09M	19.09M
5720MHz_TnomVnom	Pass	20M	19.09M	19.09M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5720MHz_TnomVmin	Pass	20M	19.07M	19.09M
5720MHz_TnomVmax	Pass	20M	19.09M	19.07M
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	37.861M	37.901M
5190MHz_TnomVmin	Pass	40M	37.901M	37.901M
5190MHz_TnomVmax	Pass	40M	37.901M	37.901M
5230MHz_TnomVnom	Pass	40M	37.901M	37.861M
5230MHz_TnomVmin	Pass	40M	37.901M	37.861M
5230MHz_TnomVmax	Pass	40M	37.861M	37.861M
5270MHz_TnomVnom	Pass	40M	37.901M	37.821M
5270MHz_TnomVmin	Pass	40M	37.941M	37.821M
5270MHz_TnomVmax	Pass	40M	37.941M	37.861M
5310MHz_TnomVnom	Pass	40M	37.941M	37.861M
5310MHz_TnomVmin	Pass	40M	37.901M	37.861M
5310MHz_TnomVmax	Pass	40M	37.901M	37.861M
5510MHz_TnomVnom	Pass	40M	37.941M	37.981M
5510MHz_TnomVmin	Pass	40M	37.981M	37.981M
5510MHz_TnomVmax	Pass	40M	37.941M	38.021M
5590MHz_TnomVnom	Pass	40M	37.941M	37.941M
5590MHz_TnomVmin	Pass	40M	37.941M	37.941M
5590MHz_TnomVmax	Pass	40M	37.981M	37.941M
5710MHz_TnomVnom	Pass	40M	37.981M	37.981M
5710MHz_TnomVmin	Pass	40M	37.941M	37.981M
5710MHz_TnomVmax	Pass	40M	37.901M	37.901M
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	80M	77.801M	77.641M
5210MHz_TnomVmin	Pass	80M	77.881M	77.721M
5210MHz_TnomVmax	Pass	80M	77.881M	77.721M
5290MHz_TnomVnom	Pass	80M	77.481M	77.401M
5290MHz_TnomVmin	Pass	80M	77.561M	77.401M
5290MHz_TnomVmax	Pass	80M	77.481M	77.401M
5530MHz_TnomVnom	Pass	80M	77.721M	77.561M
5530MHz_TnomVmin	Pass	80M	77.641M	77.561M
5530MHz_TnomVmax	Pass	80M	77.641M	77.561M
5610MHz_TnomVnom	Pass	80M	77.961M	77.641M
5610MHz_TnomVmin	Pass	80M	77.961M	77.721M
5610MHz_TnomVmax	Pass	80M	77.961M	77.721M
5690MHz_TnomVnom	Pass	80M	78.041M	78.041M
5690MHz_TnomVmin	Pass	80M	78.041M	78.041M
5690MHz_TnomVmax	Pass	80M	77.961M	77.961M
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5250MHz_TnomVnom	Pass	160M	157.041M	156.722M
5250MHz_TnomVmin	Pass	160M	157.041M	156.882M
5250MHz_TnomVmax	Pass	160M	157.041M	156.882M
5570MHz_TnomVnom	Pass	160M	157.521M	156.882M
5570MHz_TnomVmin	Pass	160M	157.521M	156.882M
5570MHz_TnomVmax	Pass	160M	157.681M	157.041M

P1-OBW = Port 1 99% occupied bandwidth; P2-OBW = Port 2 99% occupied bandwidth; Pn-OBW = Port n 99% occupied bandwidth

5.15-5.25GHz_802.11a_(6Mbps)_2TX **OBW**


5180MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.752M	5.171584G	5.188336G	20M	1
16.852M	5.171584G	5.188436G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX **OBW**


5180MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.171564G	5.188336G	20M	1
16.872M	5.171564G	5.188436G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5180MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.171564G	5.188336G	20M	1
16.872M	5.171564G	5.188436G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5200MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.191544G	5.208336G	20M	1
16.832M	5.191564G	5.208396G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5200MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.191544G	5.208336G	20M	1
16.812M	5.191584G	5.208396G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5200MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.191544G	5.208316G	20M	1
16.792M	5.191604G	5.208396G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5240MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.231544G	5.248336G	20M	1
16.812M	5.231584G	5.248396G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5240MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.231544G	5.248336G	20M	1
16.812M	5.231584G	5.248396G	20M	2

5.15-5.25GHz_802.11a_(6Mbps)_2TX OBW


5240MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.231544G	5.248336G	20M	1
16.832M	5.231564G	5.248396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5260MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.251544G	5.268336G	20M	1
16.812M	5.251584G	5.268396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5260MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.251564G	5.268336G	20M	1
16.812M	5.251584G	5.268396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5260MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.251564G	5.268336G	20M	1
16.812M	5.251584G	5.268396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5280MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.271544G	5.288336G	20M	1
16.852M	5.271544G	5.288396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5280MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.832M	5.271504G	5.288336G	20M	1
16.872M	5.271544G	5.288416G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5280MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.832M	5.271504G	5.288336G	20M	1
16.872M	5.271544G	5.288416G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5320MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.812M	5.311524G	5.328336G	20M	1
16.812M	5.311584G	5.328396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5320MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.311544G	5.328336G	20M	1
16.832M	5.311564G	5.328396G	20M	2

5.25-5.35GHz_802.11a_(6Mbps)_2TX OBW


5320MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.812M	5.311524G	5.328336G	20M	1
16.832M	5.311564G	5.328396G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5500MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.812M	5.491564G	5.508376G	20M	1
16.832M	5.491584G	5.508416G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5500MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.491584G	5.508356G	20M	1
16.812M	5.491584G	5.508396G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5500MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.491584G	5.508356G	20M	1
16.832M	5.491584G	5.508416G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5600MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.812M	5.591564G	5.608376G	20M	1
16.852M	5.591564G	5.608416G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5600MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.591584G	5.608376G	20M	1
16.852M	5.591564G	5.608416G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5600MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.812M	5.591564G	5.608376G	20M	1
16.832M	5.591564G	5.608396G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5720MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.711584G	5.728356G	20M	1
16.812M	5.711584G	5.728396G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX OBW


5720MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.772M	5.711584G	5.728356G	20M	1
16.832M	5.711584G	5.728416G	20M	2

5.47-5.73GHz_802.11a_(6Mbps)_2TX **OBW**


5720MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.711584G	5.728376G	20M	1
16.832M	5.711584G	5.728416G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.871M	5.171044G	5.188916G	20M	1
17.911M	5.171024G	5.188936G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.171024G	5.188936G	20M	1
17.931M	5.171004G	5.188936G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.171024G	5.188936G	20M	1
17.931M	5.171004G	5.188936G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.191024G	5.208936G	20M	1
17.911M	5.191004G	5.208916G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.891M	5.191044G	5.208936G	20M	1
17.931M	5.191004G	5.208936G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.191024G	5.208936G	20M	1
17.931M	5.191004G	5.208936G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.231004G	5.248936G	20M	1
17.911M	5.231004G	5.248916G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.891M	5.231024G	5.248916G	20M	1
17.931M	5.231004G	5.248936G	20M	2

5.15-5.25GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.891M	5.231024G	5.248916G	20M	1
17.891M	5.231024G	5.248916G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.891M	5.251044G	5.268936G	20M	1
17.891M	5.251024G	5.268916G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.251024G	5.268936G	20M	1
17.911M	5.251004G	5.268916G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.251024G	5.268936G	20M	1
17.891M	5.251024G	5.268916G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.271004G	5.288916G	20M	1
17.891M	5.271024G	5.288916G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX OBW


5280MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.271024G	5.288936G	20M	1
17.931M	5.271004G	5.288936G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX OBW


5280MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.271004G	5.288916G	20M	1
17.931M	5.271004G	5.288936G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.311004G	5.328936G	20M	1
17.891M	5.311024G	5.328916G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.311024G	5.328936G	20M	1
17.931M	5.311004G	5.328936G	20M	2

5.25-5.35GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.311024G	5.328936G	20M	1
17.931M	5.311004G	5.328936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.991M	5.490985G	5.508976G	20M	1
17.911M	5.491024G	5.508936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.491004G	5.508956G	20M	1
17.911M	5.491024G	5.508936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.491004G	5.508976G	20M	1
17.911M	5.491024G	5.508936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.591004G	5.608976G	20M	1
17.931M	5.591024G	5.608956G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.590985G	5.608956G	20M	1
17.911M	5.591024G	5.608936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.590985G	5.608956G	20M	1
17.911M	5.591024G	5.608936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.711024G	5.728976G	20M	1
17.891M	5.711044G	5.728936G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.711004G	5.728956G	20M	1
17.911M	5.711044G	5.728956G	20M	2

5.47-5.73GHz_802.11n HT20_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.711024G	5.728976G	20M	1
17.891M	5.711044G	5.728936G	20M	2

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.171689G	5.208231G	40M	1
36.502M	5.171729G	5.208231G	40M	2

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.171689G	5.208231G	40M	1
36.502M	5.171729G	5.208231G	40M	2

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.171649G	5.208231G	40M	1
36.422M	5.171769G	5.208191G	40M	2

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.211689G	5.248231G	40M	1
36.462M	5.211729G	5.248191G	40M	2

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.211689G	5.248231G	40M	1
36.462M	5.211729G	5.248191G	40M	2

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.211689G	5.248191G	40M	1
36.462M	5.211729G	5.248191G	40M	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.251689G	5.288191G	40M	1
36.422M	5.251769G	5.288191G	40M	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.251689G	5.288191G	40M	1
36.422M	5.251769G	5.288191G	40M	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.251689G	5.288191G	40M	1
36.462M	5.251729G	5.288191G	40M	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.291689G	5.328191G	40M	1
36.462M	5.291729G	5.328191G	40M	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.291649G	5.328191G	40M	1
36.422M	5.291729G	5.328151G	40M	2

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.291689G	5.328191G	40M	1
36.422M	5.291729G	5.328151G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX OBW


5510MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.702M	5.491649G	5.528351G	40M	1
36.542M	5.491689G	5.528231G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX OBW


5510MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.702M	5.491649G	5.528351G	40M	1
36.582M	5.491689G	5.528271G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.702M	5.491649G	5.528351G	40M	1
36.542M	5.491729G	5.528271G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.571729G	5.608311G	40M	1
36.582M	5.571729G	5.608311G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.571729G	5.608311G	40M	1
36.582M	5.571689G	5.608271G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.571689G	5.608311G	40M	1
36.622M	5.571689G	5.608311G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.691729G	5.728351G	40M	1
36.582M	5.691729G	5.728311G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.691729G	5.728351G	40M	1
36.582M	5.691729G	5.728311G	40M	2

5.47-5.73GHz_802.11n HT40_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.691769G	5.728351G	40M	1
36.542M	5.691769G	5.728311G	40M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.851M	5.171064G	5.188916G	20M	1
17.911M	5.171024G	5.188936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX OBW


5180MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.871M	5.171044G	5.188916G	20M	1
17.911M	5.171024G	5.188936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX OBW


5180MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.851M	5.171064G	5.188916G	20M	1
17.911M	5.171024G	5.188936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX OBW


5200MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.851M	5.191064G	5.208916G	20M	1
17.911M	5.191024G	5.208936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX OBW


5200MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.851M	5.191064G	5.208916G	20M	1
17.911M	5.191024G	5.208936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.851M	5.191064G	5.208916G	20M	1
17.931M	5.191004G	5.208936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.891M	5.231024G	5.248916G	20M	1
17.911M	5.231024G	5.248936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.231024G	5.248936G	20M	1
17.911M	5.231024G	5.248936G	20M	2

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.891M	5.231024G	5.248916G	20M	1
17.931M	5.231004G	5.248936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.251024G	5.268956G	20M	1
17.931M	5.251024G	5.268956G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.251024G	5.268936G	20M	1
17.911M	5.251024G	5.268936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX OBW


5260MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.251024G	5.268936G	20M	1
17.931M	5.251004G	5.268936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX OBW


5280MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.271004G	5.288936G	20M	1
17.931M	5.271004G	5.288936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.271024G	5.288936G	20M	1
17.931M	5.271004G	5.288936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.271024G	5.288956G	20M	1
17.931M	5.271004G	5.288936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.911M	5.311024G	5.328936G	20M	1
17.911M	5.311024G	5.328936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.311024G	5.328956G	20M	1
17.911M	5.311024G	5.328936G	20M	2

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.311024G	5.328956G	20M	1
17.911M	5.311024G	5.328936G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.011M	5.491004G	5.509015G	20M	1
17.911M	5.491024G	5.508936G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.011M	5.491004G	5.509015G	20M	1
17.891M	5.491044G	5.508936G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.991M	5.491004G	5.508996G	20M	1
17.891M	5.491044G	5.508936G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.591004G	5.608976G	20M	1
17.891M	5.591044G	5.608936G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.591004G	5.608976G	20M	1
17.891M	5.591044G	5.608936G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.591004G	5.608956G	20M	1
17.871M	5.591044G	5.608916G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.711024G	5.728956G	20M	1
17.911M	5.711044G	5.728956G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.711004G	5.728956G	20M	1
17.911M	5.711044G	5.728956G	20M	2

5.47-5.73GHz_802.11ac VHT20_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.711004G	5.728976G	20M	1
17.911M	5.711044G	5.728956G	20M	2

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.171649G	5.208231G	40M	1
36.422M	5.171769G	5.208191G	40M	2

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.171689G	5.208231G	40M	1
36.422M	5.171769G	5.208191G	40M	2

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.171649G	5.208231G	40M	1
36.462M	5.171769G	5.208231G	40M	2

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.211649G	5.248191G	40M	1
36.422M	5.211769G	5.248191G	40M	2

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.211649G	5.248191G	40M	1
36.422M	5.211769G	5.248191G	40M	2

5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.211649G	5.248191G	40M	1
36.422M	5.211769G	5.248191G	40M	2

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.251649G	5.288191G	40M	1
36.422M	5.251769G	5.288191G	40M	2

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.251609G	5.288191G	40M	1
36.462M	5.251729G	5.288191G	40M	2

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.502M	5.251649G	5.288151G	40M	1
36.422M	5.251729G	5.288151G	40M	2

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.542M	5.291649G	5.328191G	40M	1
36.382M	5.291769G	5.328151G	40M	2

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.291609G	5.328191G	40M	1
36.422M	5.291729G	5.328151G	40M	2

5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.582M	5.291609G	5.328191G	40M	1
36.382M	5.291769G	5.328151G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.662M	5.491649G	5.528311G	40M	1
36.582M	5.491689G	5.528271G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.702M	5.491609G	5.528311G	40M	1
36.542M	5.491729G	5.528271G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.742M	5.491609G	5.528351G	40M	1
36.582M	5.491689G	5.528271G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.571689G	5.608311G	40M	1
36.582M	5.571729G	5.608311G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.571689G	5.608311G	40M	1
36.542M	5.571729G	5.608271G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.571689G	5.608311G	40M	1
36.542M	5.571729G	5.608271G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.622M	5.691689G	5.728311G	40M	1
36.542M	5.691769G	5.728311G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.662M	5.691689G	5.728351G	40M	1
36.542M	5.691769G	5.728311G	40M	2

5.47-5.73GHz_802.11ac VHT40_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.662M	5.691689G	5.728351G	40M	1
36.582M	5.691729G	5.728311G	40M	2

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.442M	5.171779G	5.248221G	80M	1
76.282M	5.171859G	5.248141G	80M	2

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.362M	5.171779G	5.248141G	80M	1
76.362M	5.171859G	5.248221G	80M	2

5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.362M	5.171779G	5.248141G	80M	1
76.282M	5.171859G	5.248141G	80M	2

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.962M	5.251939G	5.327901G	80M	1
75.962M	5.252019G	5.327981G	80M	2

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.882M	5.251939G	5.327821G	80M	1
76.042M	5.252019G	5.328061G	80M	2

5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75.962M	5.251939G	5.327901G	80M	1
75.962M	5.252019G	5.327981G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.362M	5.491619G	5.567981G	80M	1
76.122M	5.491859G	5.567981G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.362M	5.491619G	5.567981G	80M	1
76.042M	5.491859G	5.567901G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.362M	5.491619G	5.567981G	80M	1
76.122M	5.491859G	5.567981G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.842M	5.571379G	5.648221G	80M	1
76.362M	5.571699G	5.648061G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.762M	5.571379G	5.648141G	80M	1
76.362M	5.571619G	5.647981G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.762M	5.571379G	5.648141G	80M	1
76.362M	5.571699G	5.648061G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.762M	5.651459G	5.728221G	80M	1
76.682M	5.651539G	5.728221G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.762M	5.651459G	5.728221G	80M	1
76.682M	5.651539G	5.728221G	80M	2

5.47-5.73GHz_802.11ac VHT80_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
76.762M	5.651459G	5.728221G	80M	1
76.602M	5.651539G	5.728141G	80M	2

5.15-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
155.442M	5.172279G	5.327721G	160M	1
155.282M	5.172439G	5.327721G	160M	2

5.15-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
155.442M	5.172279G	5.327721G	160M	1
155.282M	5.172439G	5.327721G	160M	2

5.15-5.35GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
155.442M	5.172279G	5.327721G	160M	1
155.282M	5.172439G	5.327721G	160M	2

5.47-5.73GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
156.562M	5.491159G	5.647721G	160M	1
155.602M	5.491639G	5.647241G	160M	2

5.47-5.73GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
156.562M	5.491159G	5.647721G	160M	1
155.442M	5.491799G	5.647241G	160M	2

5.47-5.73GHz_802.11ac VHT160_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
156.562M	5.491159G	5.647721G	160M	1
155.602M	5.491639G	5.647241G	160M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.170445G	5.189515G	20M	1
19.07M	5.170445G	5.189515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.170445G	5.189515G	20M	1
19.09M	5.170445G	5.189535G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.170445G	5.189495G	20M	1
19.07M	5.170445G	5.189515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.190445G	5.209495G	20M	1
19.07M	5.190445G	5.209515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.190445G	5.209495G	20M	1
19.07M	5.190445G	5.209515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.03M	5.190465G	5.209495G	20M	1
19.07M	5.190445G	5.209515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.230445G	5.249495G	20M	1
19.07M	5.230445G	5.249515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.230445G	5.249495G	20M	1
19.09M	5.230425G	5.249515G	20M	2

5.15-5.25GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.230445G	5.249515G	20M	1
19.09M	5.230425G	5.249515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.250445G	5.269515G	20M	1
19.09M	5.250425G	5.269515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.250445G	5.269515G	20M	1
19.07M	5.250445G	5.269515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.250465G	5.269515G	20M	1
19.09M	5.250425G	5.269515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.270445G	5.289495G	20M	1
19.07M	5.270445G	5.289515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.270445G	5.289495G	20M	1
19.07M	5.270445G	5.289515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.270445G	5.289495G	20M	1
19.07M	5.270445G	5.289515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.310445G	5.329515G	20M	1
19.07M	5.310445G	5.329515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.310465G	5.329515G	20M	1
19.09M	5.310425G	5.329515G	20M	2

5.25-5.35GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.310445G	5.329515G	20M	1
19.07M	5.310445G	5.329515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.490445G	5.509535G	20M	1
19.07M	5.490445G	5.509515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.490445G	5.509535G	20M	1
19.05M	5.490465G	5.509515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.490445G	5.509535G	20M	1
19.07M	5.490445G	5.509515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.590445G	5.609535G	20M	1
19.09M	5.590425G	5.609515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.590445G	5.609535G	20M	1
19.07M	5.590445G	5.609515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.590445G	5.609535G	20M	1
19.09M	5.590425G	5.609515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.710425G	5.729515G	20M	1
19.05M	5.710445G	5.729495G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.710425G	5.729515G	20M	1
19.07M	5.710445G	5.729515G	20M	2

5.47-5.73GHz_802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.710445G	5.729515G	20M	1
19.07M	5.710445G	5.729515G	20M	2

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.171009G	5.208911G	40M	1
37.901M	5.171249G	5.20915G	40M	2

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.17097G	5.208911G	40M	1
37.901M	5.171289G	5.20919G	40M	2

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.171009G	5.208951G	40M	1
37.901M	5.171289G	5.20919G	40M	2

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.211009G	5.248911G	40M	1
37.861M	5.211009G	5.248871G	40M	2

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.211009G	5.248911G	40M	1
37.861M	5.211049G	5.248911G	40M	2

5.15-5.25GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.211009G	5.248911G	40M	1
37.821M	5.211049G	5.248871G	40M	2

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.861M	5.251009G	5.288871G	40M	1
37.861M	5.251009G	5.288871G	40M	2

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.25097G	5.288871G	40M	1
37.821M	5.251049G	5.288871G	40M	2

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.25097G	5.288911G	40M	1
37.901M	5.251009G	5.288911G	40M	2

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.861M	5.291009G	5.328871G	40M	1
37.901M	5.291009G	5.328911G	40M	2

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.861M	5.291009G	5.328871G	40M	1
37.901M	5.291009G	5.328911G	40M	2

5.25-5.35GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.291009G	5.328911G	40M	1
37.901M	5.291009G	5.328911G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.491009G	5.528951G	40M	1
37.981M	5.49097G	5.528951G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.491009G	5.528951G	40M	1
37.941M	5.491009G	5.528951G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.491009G	5.528951G	40M	1
37.941M	5.491009G	5.528951G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.571009G	5.608951G	40M	1
37.941M	5.571009G	5.608951G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.571009G	5.608951G	40M	1
37.941M	5.571009G	5.608951G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.571009G	5.608951G	40M	1
37.941M	5.571009G	5.608951G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.691049G	5.728951G	40M	1
37.981M	5.691009G	5.728991G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.691049G	5.728951G	40M	1
37.941M	5.691049G	5.728991G	40M	2

5.47-5.73GHz_802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.691049G	5.728951G	40M	1
37.941M	5.691049G	5.728991G	40M	2

5.15-5.25GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.721M	5.171139G	5.248861G	80M	1
77.721M	5.171139G	5.248861G	80M	2

5.15-5.25GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.721M	5.171139G	5.248861G	80M	1
77.801M	5.171139G	5.248941G	80M	2

5.15-5.25GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.721M	5.171139G	5.248861G	80M	1
77.721M	5.171139G	5.248861G	80M	2

5.25-5.35GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.401M	5.251299G	5.328701G	80M	1
77.561M	5.251139G	5.328701G	80M	2

5.25-5.35GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.481M	5.251219G	5.328701G	80M	1
77.481M	5.251219G	5.328701G	80M	2

5.25-5.35GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.241M	5.251299G	5.328541G	80M	1
77.401M	5.251379G	5.328781G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.641M	5.491059G	5.568701G	80M	1
77.561M	5.491139G	5.568701G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.641M	5.491059G	5.568701G	80M	1
77.641M	5.491059G	5.568701G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX OBW


5530MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.641M	5.491059G	5.568701G	80M	1
77.401M	5.491219G	5.568621G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX OBW


5610MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.961M	5.5709G	5.648861G	80M	1
77.881M	5.5709G	5.648781G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
78.041M	5.5709G	5.648941G	80M	1
77.801M	5.57098G	5.648781G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
78.041M	5.5709G	5.648941G	80M	1
77.801M	5.57098G	5.648781G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
78.041M	5.6509G	5.728941G	80M	1
77.961M	5.6509G	5.728861G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.961M	5.65098G	5.728941G	80M	1
78.121M	5.65082G	5.728941G	80M	2

5.47-5.73GHz_802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.881M	5.65098G	5.728861G	80M	1
77.961M	5.6509G	5.728861G	80M	2

5.15-5.35GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
156.882M	5.171639G	5.328521G	160M	1
156.722M	5.171799G	5.328521G	160M	2

5.15-5.35GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
156.882M	5.171639G	5.328521G	160M	1
156.722M	5.171799G	5.328521G	160M	2

5.15-5.35GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.041M	5.171479G	5.328521G	160M	1
156.722M	5.171799G	5.328521G	160M	2

5.47-5.73GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.521M	5.49084G	5.648361G	160M	1
156.882M	5.491159G	5.648041G	160M	2

5.47-5.73GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.681M	5.49084G	5.648521G	160M	1
157.041M	5.491159G	5.648201G	160M	2

5.47-5.73GHz_802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.681M	5.49084G	5.648521G	160M	1
156.882M	5.491159G	5.648041G	160M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.170445G	5.189515G	20M	1
19.09M	5.170425G	5.189515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.170445G	5.189495G	20M	1
19.09M	5.170425G	5.189515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5180MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.170445G	5.189495G	20M	1
19.09M	5.170425G	5.189515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.190445G	5.209495G	20M	1
19.09M	5.190425G	5.209515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.190425G	5.209515G	20M	1
19.07M	5.190425G	5.209495G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5200MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.190445G	5.209495G	20M	1
19.07M	5.190445G	5.209515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.230445G	5.249495G	20M	1
19.07M	5.230445G	5.249515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.230445G	5.249495G	20M	1
19.09M	5.230425G	5.249515G	20M	2

5.15-5.25GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5240MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.230445G	5.249495G	20M	1
19.09M	5.230425G	5.249515G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.250445G	5.269515G	20M	1
19.09M	5.250425G	5.269515G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.250445G	5.269495G	20M	1
19.05M	5.250445G	5.269495G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5260MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.250445G	5.269515G	20M	1
19.05M	5.250445G	5.269495G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.270425G	5.289515G	20M	1
19.09M	5.270425G	5.289515G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.270425G	5.289495G	20M	1
19.11M	5.270425G	5.289535G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5280MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.270445G	5.289515G	20M	1
19.09M	5.270425G	5.289515G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.05M	5.310445G	5.329495G	20M	1
19.09M	5.310425G	5.329515G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.310425G	5.329515G	20M	1
19.05M	5.310445G	5.329495G	20M	2

5.25-5.35GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5320MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.310425G	5.329515G	20M	1
19.07M	5.310425G	5.329495G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.490445G	5.509535G	20M	1
19.07M	5.490445G	5.509515G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.490445G	5.509515G	20M	1
19.07M	5.490445G	5.509515G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5500MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.490445G	5.509535G	20M	1
19.11M	5.490425G	5.509535G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.13M	5.590405G	5.609535G	20M	1
19.05M	5.590445G	5.609495G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.590425G	5.609515G	20M	1
19.07M	5.590445G	5.609515G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5600MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.590425G	5.609515G	20M	1
19.09M	5.590425G	5.609515G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.710425G	5.729515G	20M	1
19.09M	5.710425G	5.729515G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.07M	5.710425G	5.729495G	20M	1
19.09M	5.710425G	5.729515G	20M	2

5.47-5.73GHz_802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX **OBW**


5720MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.09M	5.710425G	5.729515G	20M	1
19.07M	5.710445G	5.729515G	20M	2

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.861M	5.171049G	5.208911G	40M	1
37.901M	5.171009G	5.208911G	40M	2

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.171009G	5.208911G	40M	1
37.901M	5.171009G	5.208911G	40M	2

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5190MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.171009G	5.208911G	40M	1
37.901M	5.171009G	5.208911G	40M	2

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.211009G	5.248911G	40M	1
37.861M	5.211049G	5.248911G	40M	2

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.211009G	5.248911G	40M	1
37.861M	5.211009G	5.248871G	40M	2

5.15-5.25GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5230MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.861M	5.211049G	5.248911G	40M	1
37.861M	5.211049G	5.248911G	40M	2

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.25097G	5.288871G	40M	1
37.821M	5.251049G	5.288871G	40M	2

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.251009G	5.288951G	40M	1
37.821M	5.251049G	5.288871G	40M	2

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5270MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.25097G	5.288911G	40M	1
37.861M	5.251009G	5.288871G	40M	2

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.29097G	5.328911G	40M	1
37.861M	5.291009G	5.328871G	40M	2

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.29097G	5.328871G	40M	1
37.861M	5.291009G	5.328871G	40M	2

5.25-5.35GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5310MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.29097G	5.328871G	40M	1
37.861M	5.291009G	5.328871G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.491009G	5.528951G	40M	1
37.981M	5.49097G	5.528951G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.981M	5.491009G	5.528991G	40M	1
37.981M	5.49097G	5.528951G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5510MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.491009G	5.528951G	40M	1
38.021M	5.49097G	5.528991G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.571009G	5.608951G	40M	1
37.941M	5.571009G	5.608951G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.571009G	5.608951G	40M	1
37.941M	5.571009G	5.608951G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5590MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.981M	5.571009G	5.608991G	40M	1
37.941M	5.571009G	5.608951G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.981M	5.691009G	5.728991G	40M	1
37.981M	5.691009G	5.728991G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.941M	5.691009G	5.728951G	40M	1
37.981M	5.691009G	5.728991G	40M	2

5.47-5.73GHz_802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX **OBW**


5710MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.901M	5.691049G	5.728951G	40M	1
37.901M	5.691049G	5.728951G	40M	2

5.15-5.25GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.801M	5.171059G	5.248861G	80M	1
77.641M	5.171139G	5.248781G	80M	2

5.15-5.25GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.881M	5.171059G	5.248941G	80M	1
77.721M	5.171139G	5.248861G	80M	2

5.15-5.25GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5210MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.881M	5.171059G	5.248941G	80M	1
77.721M	5.171219G	5.248941G	80M	2

5.25-5.35GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.481M	5.251219G	5.328701G	80M	1
77.401M	5.251299G	5.328701G	80M	2

5.25-5.35GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.561M	5.251139G	5.328701G	80M	1
77.401M	5.251299G	5.328701G	80M	2

5.25-5.35GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5290MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.481M	5.251219G	5.328701G	80M	1
77.401M	5.251299G	5.328701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.721M	5.49098G	5.568701G	80M	1
77.561M	5.491139G	5.568701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.641M	5.491059G	5.568701G	80M	1
77.561M	5.491139G	5.568701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5530MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.641M	5.491059G	5.568701G	80M	1
77.561M	5.491139G	5.568701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.961M	5.5709G	5.648861G	80M	1
77.641M	5.571059G	5.648701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.961M	5.5709G	5.648861G	80M	1
77.721M	5.57098G	5.648701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5610MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.961M	5.57082G	5.648781G	80M	1
77.721M	5.57098G	5.648701G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
78.041M	5.6509G	5.728941G	80M	1
78.041M	5.6509G	5.728941G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
78.041M	5.6509G	5.728941G	80M	1
78.041M	5.6509G	5.728941G	80M	2

5.47-5.73GHz_802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX **OBW**


5690MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
77.961M	5.6509G	5.728861G	80M	1
77.961M	5.6509G	5.728861G	80M	2

5.15-5.35GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.041M	5.171479G	5.328521G	160M	1
156.722M	5.171799G	5.328521G	160M	2

5.15-5.35GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.041M	5.171479G	5.328521G	160M	1
156.882M	5.171639G	5.328521G	160M	2

5.15-5.35GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5250MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.041M	5.171639G	5.328681G	160M	1
156.882M	5.171639G	5.328521G	160M	2

5.47-5.73GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVnom



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.521M	5.49084G	5.648361G	160M	1
156.882M	5.491159G	5.648041G	160M	2

5.47-5.73GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **OBW**


5570MHz_TnomVmin



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.521M	5.49084G	5.648361G	160M	1
156.882M	5.491159G	5.648041G	160M	2

5.47-5.73GHz_802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX **OBW**

5570MHz_TnomVmax



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
157.681M	5.49084G	5.648521G	160M	1
157.041M	5.491G	5.648041G	160M	2

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.2667G	26G	1M	19.89923G	-41.77	-39.41	-37.42	0.18108	6.56	-30.86	0.8201	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.251G	-21.85	-24.21	-19.86	10.32446	6.56	-13.30	46.75921	-9.97	100.69
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.25098G	-21.00	-24.09	-19.27	11.8427	6.56	-12.71	53.63531	-9.79	104.95
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.2502G	1M	5.25019G	-12.59	-12.80	-9.68	107.56152	6.56	-3.12	487.1435	-1.69	677.64
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.2502G	1M	5.2502G	-12.69	-12.37	-9.52	111.76985	6.56	-2.96	506.20294	-1.92	642.69
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.89749G	-40.73	-39.62	-37.13	0.19367	6.56	-30.57	0.87714	-26.02	2.5
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.85022G	-41.51	-39.43	-37.34	0.18466	6.56	-30.78	0.83631	-26.02	2.5
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.25099G	-26.25	-27.79	-23.94	4.03479	6.56	-17.38	18.27345	-12.94	50.82
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.83597G	-40.53	-39.59	-37.02	0.19841	6.56	-30.46	0.8986	-26.02	2.5
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.25099G	-27.82	-27.61	-24.70	3.38577	6.56	-18.14	15.33405	-15.90	25.7
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.25099G	-27.09	-27.77	-24.41	3.62543	6.56	-17.85	16.41949	-15.89	25.76
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.251G	1M	5.251G	-26.84	-27.66	-24.22	3.7841	6.56	-17.66	17.13809	-15.99	25.18
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	5.4004G	26G	1M	19.83557G	-40.84	-39.82	-37.29	0.18665	6.96	-30.33	0.92687	-26.02	2.5
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	Pass	5.4004G	26G	1M	19.86325G	-39.89	-40.93	-37.37	0.18329	6.96	-30.41	0.9102	-26.02	2.5
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	Pass	5.4004G	26G	1M	19.85295G	-39.97	-40.85	-37.38	0.18292	6.96	-30.42	0.90835	-26.02	2.5
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.24G	5.249G	1M	5.24898G	-24.07	-24.21	-21.13	7.71057	6.96	-14.17	38.29009	-10.01	99.77
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.249G	-22.27	-23.45	-19.81	10.44781	6.96	-12.85	51.88304	-10.00	100
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.2491G	-22.79	-21.25	-18.94	12.75911	6.96	-11.98	63.36078	-8.99	126.18
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.2498G	5.25G	1M	5.2498G	-13.43	-13.12	-10.26	94.14701	6.96	-3.30	467.52683	-1.97	635.33
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.2498G	5.25G	1M	5.2498G	-14.18	-12.54	-10.27	93.913	6.96	-3.31	466.36476	-1.99	632.41
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.84558G	-39.78	-39.79	-36.77	0.21015	6.96	-29.81	1.04359	-26.02	2.5
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24904G	-25.32	-27.93	-23.42	4.5483	6.96	-16.46	22.58649	-12.65	54.33
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.23G	5.249G	1M	5.24898G	-25.92	-27.86	-23.77	4.1954	6.96	-16.81	20.83405	-13.02	49.89
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24901G	-26.36	-25.82	-23.07	4.93025	6.96	-16.11	24.48323	-12.94	50.82
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24901G	-28.01	-30.93	-26.22	2.38848	6.96	-19.26	11.86102	-15.91	25.64
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24901G	-29.10	-30.36	-26.67	2.15072	6.96	-19.71	10.6803	-15.95	25.41
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.249G	5.25G	1M	5.24901G	-28.64	-29.02	-25.82	2.62087	6.96	-18.86	13.01504	-15.95	25.41
5.47-5.73GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_(6Mbps)_2TX	Pass	5.765G	26G	1M	19.84666G	-41.32	-39.53	-37.32	0.18522	6.49	-30.83	0.82544	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.84982G	-40.91	-40.25	-37.56	0.1755	6.49	-31.07	0.78214	-26.02	2.5
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.85805G	-40.49	-40.35	-37.41	0.18159	6.49	-30.92	0.80926	-26.02	2.5
802.11ax HEW20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.745G	5.765G	1M	5.74527G	-29.71	-38.15	-29.13	1.22216	6.49	-22.64	5.44665	-19.03	12.5
802.11be EHT20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.745G	5.765G	1M	5.74515G	-27.84	-37.22	-27.37	1.83404	6.49	-20.88	8.17352	-19.03	12.5
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.46G	5.47G	1M	5.46982G	-30.95	-37.58	-30.10	0.97811	6.49	-23.61	4.359	-13.01	50
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.46G	5.47G	1M	5.46969G	-30.91	-38.19	-30.17	0.96267	6.49	-23.68	4.29018	-13.01	50
802.11ax HEW40_OFDMA_Nss1,(MCS0)_2TX	Pass	30M	5.46G	1M	5.45964G	-35.53	-41.62	-34.57	0.34876	6.49	-28.08	1.55429	-19.03	12.5
802.11be EHT40_OFDMA_Nss1,(MCS0)_2TX	Pass	30M	5.46G	1M	5.46G	-36.27	-37.73	-33.93	0.4047	6.49	-27.44	1.80358	-19.03	12.5
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	30M	5.46G	1M	5.43357G	-29.68	-39.97	-29.29	1.17716	6.49	-22.80	5.24608	-19.03	12.5
802.11ax HEW80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	5.78707G	-28.22	-32.88	-26.94	2.02184	6.49	-20.45	9.01044	-19.03	12.5
802.11be EHT80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	5.7877G	-30.40	-31.26	-27.80	1.66018	6.49	-21.31	7.3987	-19.03	12.5
802.11ac VHT160_Nss1,(MCS0)_2TX	Pass	30M	5.4196G	1M	5.41673G	-28.41	-34.04	-27.36	1.83657	6.49	-20.87	8.1848	-19.03	12.5
802.11ax HEW160_OFDMA_Nss1,(MCS0)_2TX	Pass	30M	5.4196G	1M	5.4178G	-28.54	-33.87	-27.42	1.80979	6.49	-20.93	8.06545	-19.03	12.5
802.11be EHT160_OFDMA_Nss1,(MCS0)_2TX	Pass	30M	5.4196G	1M	5.4178G	-29.36	-32.73	-27.72	1.69211	6.49	-21.23	7.541	-19.03	12.5

複製禁止

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
802.11a_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.08338G	-51.30	-50.50	-47.87	0.01633	6.56	-41.31	0.07394	-26.02	2.5
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14619G	-49.81	-50.78	-47.26	0.0188	6.56	-40.70	0.08516	-18.24	15
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-50.09	-50.66	-47.36	0.01839	6.56	-40.80	0.08327	-9.83	103.99
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25993G	-50.67	-50.41	-47.53	0.01767	6.56	-40.97	0.08002	-17.95	16.03
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26659G	-50.58	-50.83	-47.69	0.01701	6.56	-41.13	0.07704	-25.89	2.58
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85711G	-40.53	-40.86	-37.68	0.17055	6.56	-31.12	0.7724	-26.02	2.5
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.05203G	-50.70	-50.69	-47.68	0.01704	6.56	-41.12	0.07718	-26.02	2.5
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14806G	-49.87	-50.79	-47.30	0.01864	6.56	-40.74	0.08442	-18.24	15
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-50.71	-50.30	-47.49	0.01782	6.56	-40.93	0.08073	-9.88	102.8
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25986G	-50.18	-50.58	-47.37	0.01834	6.56	-40.81	0.08308	-17.89	16.26
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26664G	-50.52	-50.73	-47.61	0.01732	6.56	-41.05	0.07846	-25.95	2.54
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.85387G	-40.76	-40.18	-37.45	0.17989	6.56	-30.89	0.8147	-26.02	2.5
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.06873G	-50.70	-50.99	-47.83	0.01647	6.56	-41.27	0.07461	-26.02	2.5
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14807G	-50.02	-50.37	-47.18	0.01914	6.56	-40.62	0.08667	-18.24	15
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-50.61	-50.26	-47.42	0.01811	6.56	-40.86	0.08201	-9.98	100.46
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25995G	-50.75	-50.48	-47.60	0.01737	6.56	-41.04	0.07866	-17.97	15.96
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26665G	-50.26	-51.13	-47.66	0.01713	6.56	-41.10	0.07757	-25.96	2.54
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84998G	-41.43	-40.56	-37.96	0.15985	6.56	-31.40	0.72394	-26.02	2.5
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.02749G	-50.62	-51.58	-48.06	0.01562	6.56	-41.50	0.07074	-26.02	2.5
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14922G	-50.39	-50.19	-47.28	0.01871	6.56	-40.72	0.08475	-18.24	15
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-50.21	-50.07	-47.13	0.01937	6.56	-40.57	0.08772	-9.99	100.23
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25997G	-50.86	-49.64	-47.20	0.01907	6.56	-40.64	0.08636	-17.98	15.92
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26669G	-51.02	-49.99	-47.46	0.01793	6.56	-40.90	0.0812	-26.01	2.51
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85063G	-40.45	-40.60	-37.51	0.17725	6.56	-30.95	0.80278	-26.02	2.5
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.03737G	-50.29	-51.35	-47.78	0.01668	6.56	-41.22	0.07555	-26.02	2.5
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14872G	-50.35	-50.10	-47.21	0.019	6.56	-40.65	0.08604	-18.24	15
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-49.94	-50.21	-47.06	0.01967	6.56	-40.50	0.08907	-9.94	101.39
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25999G	-50.02	-50.65	-47.31	0.01856	6.56	-40.75	0.08408	-18.01	15.81
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26665G	-50.59	-50.53	-47.55	0.01758	6.56	-40.99	0.07962	-25.95	2.54
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.83055G	-39.79	-41.40	-37.51	0.1774	6.56	-30.95	0.80343	-26.02	2.5
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.03942G	-50.54	-51.44	-47.96	0.01601	6.56	-41.40	0.0725	-26.02	2.5
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14957G	-49.86	-50.96	-47.36	0.01834	6.56	-40.80	0.08308	-18.24	15
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-50.59	-49.36	-46.92	0.02032	6.56	-40.36	0.09202	-9.90	102.33
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25999G	-50.15	-50.39	-47.26	0.0188	6.56	-40.70	0.08515	-18.01	15.81
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.2667G	-50.36	-50.86	-47.59	0.01741	6.56	-41.03	0.07884	-26.02	2.5
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84804G	-41.25	-41.01	-38.12	0.15424	6.56	-31.56	0.69855	-26.02	2.5
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.04215G	-50.34	-50.98	-47.64	0.01723	6.56	-41.08	0.07802	-26.02	2.5
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14812G	-50.56	-50.90	-47.72	0.01692	6.56	-41.16	0.07662	-18.24	15
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-23.77	-25.44	-21.51	7.05518	6.56	-14.95	31.95274	-9.91	102.09
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25101G	-23.70	-25.63	-21.55	7.00106	6.56	-14.99	31.70765	-10.01	99.77
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26665G	-50.93	-49.43	-47.11	0.01947	6.56	-40.55	0.0882	-25.97	2.53
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84545G	-39.92	-42.14	-37.88	0.16295	6.56	-31.32	0.73801	-26.02	2.5
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.04215G	-51.22	-50.96	-48.08	0.01557	6.56	-41.52	0.07051	-26.02	2.5
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.1499G	-50.19	-50.58	-47.37	0.01832	6.56	-40.81	0.08298	-18.24	15
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-24.00	-24.84	-21.39	7.26202	6.56	-14.83	32.88953	-9.97	100.69
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25107G	-24.35	-25.21	-21.75	6.68583	6.56	-15.19	30.27996	-10.07	98.4
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26665G	-49.45	-50.95	-47.13	0.01939	6.56	-40.57	0.0878	-25.96	2.54
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.89923G	-41.77	-39.41	-37.42	0.18108	6.56	-30.86	0.8201	-26.02	2.5
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.03158G	-51.74	-50.20	-47.89	0.01625	6.56	-41.33	0.07359	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.1472G	-49.79	-51.54	-47.57	0.01751	6.56	-41.01	0.0793	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-23.95	-24.79	-21.34	7.34611	6.56	-14.78	33.27038	-9.88	102.8
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25101G	-24.04	-25.20	-21.57	6.96452	6.56	-15.01	31.54216	-10.01	99.77
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26663G	-49.83	-50.44	-47.11	0.01944	6.56	-40.55	0.08802	-25.93	2.55
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84675G	-40.34	-41.14	-37.71	0.16938	6.56	-31.15	0.76713	-26.02	2.5
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22948G	-49.70	-50.29	-46.97	0.02007	6.96	-40.01	0.09966	-26.02	2.5
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23335G	-49.60	-49.31	-46.44	0.02269	6.96	-39.48	0.11266	-25.97	2.53
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24898G	-24.07	-24.21	-21.13	7.71057	6.96	-14.17	38.29009	-10.01	99.77
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24902G	-24.29	-23.78	-21.02	7.91185	6.96	-14.06	39.28965	-9.83	103.99
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.85663G	-40.40	-40.31	-37.34	0.18431	6.96	-30.38	0.91528	-26.02	2.5
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22844G	-50.26	-50.03	-47.13	0.01935	6.96	-40.17	0.09609	-26.02	2.5

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.2333G	-49.71	-49.46	-46.57	0.02201	6.96	-39.61	0.10932	-26.02	2.5
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24899G	-24.18	-24.73	-21.44	7.18456	6.96	-14.48	35.67797	-10.01	99.77
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24902G	-23.81	-24.27	-21.02	7.90021	6.96	-14.06	39.23185	-9.77	105.44
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.85985G	-41.04	-40.07	-37.52	0.17711	6.96	-30.56	0.87949	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22359G	-49.67	-50.27	-46.95	0.02019	6.96	-39.99	0.10025	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23336G	-50.19	-48.95	-46.52	0.02231	6.96	-39.56	0.11077	-25.95	2.54
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24894G	-24.97	-23.93	-21.41	7.22996	6.96	-14.45	35.90341	-10.05	98.86
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-23.23	-25.34	-21.15	7.6775	6.96	-14.19	38.1259	-9.90	102.33
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.85017G	-40.93	-40.63	-37.77	0.16722	6.96	-30.81	0.8304	-26.02	2.5
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22983G	-50.15	-49.84	-46.98	0.02004	6.96	-40.02	0.0995	-26.02	2.5
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23353G	-50.71	-48.93	-46.72	0.02129	6.96	-39.76	0.1057	-25.75	2.66
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24004G	-49.90	-49.85	-46.86	0.02058	6.96	-39.90	0.10222	-17.97	15.96
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-49.50	-50.46	-46.94	0.02022	6.96	-39.98	0.10039	-9.96	100.93
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.84049G	-41.17	-40.54	-37.83	0.16469	6.96	-30.87	0.81785	-26.02	2.5
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22532G	-49.88	-50.65	-47.24	0.01889	6.96	-40.28	0.09381	-26.02	2.5
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23338G	-49.40	-50.19	-46.77	0.02105	6.96	-39.81	0.10455	-25.93	2.55
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24005G	-49.19	-50.74	-46.89	0.02048	6.96	-39.93	0.10172	-17.97	15.96
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-49.60	-50.08	-46.82	0.02078	6.96	-39.86	0.1032	-9.88	102.8
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.8534G	-41.95	-40.07	-37.90	0.16223	6.96	-30.94	0.80561	-26.02	2.5
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22948G	-49.83	-50.83	-47.29	0.01866	6.96	-40.33	0.09266	-26.02	2.5
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23343G	-50.15	-49.70	-46.91	0.02038	6.96	-39.95	0.10118	-25.87	2.59
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24022G	-49.50	-50.26	-46.85	0.02064	6.96	-39.89	0.10249	-17.81	16.56
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-50.21	-50.02	-47.10	0.01948	6.96	-40.14	0.09675	-9.95	101.16
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.87018G	-40.66	-40.79	-37.71	0.16927	6.96	-30.75	0.84058	-26.02	2.5
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22047G	-50.24	-50.63	-47.42	0.01811	6.96	-40.46	0.08994	-26.02	2.5
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23351G	-50.41	-50.10	-47.24	0.01887	6.96	-40.28	0.09371	-25.77	2.65
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24023G	-50.04	-50.24	-47.13	0.01937	6.96	-40.17	0.09619	-17.81	16.56
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24903G	-49.72	-50.55	-47.10	0.01948	6.96	-40.14	0.09672	-9.73	106.41
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.8605G	-40.36	-41.42	-37.85	0.16416	6.96	-30.89	0.81518	-26.02	2.5
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22116G	-50.52	-50.04	-47.26	0.01878	6.96	-40.30	0.09326	-26.02	2.5
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23334G	-50.03	-49.81	-46.91	0.02038	6.96	-39.95	0.1012	-25.98	2.52
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24003G	-50.66	-50.01	-47.31	0.01857	6.96	-40.35	0.0922	-17.99	15.89
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-49.87	-50.47	-47.15	0.01928	6.96	-40.19	0.09573	-9.90	102.33
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.82694G	-41.21	-39.72	-37.39	0.18234	6.96	-30.43	0.9055	-26.02	2.5
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23052G	-51.03	-50.10	-47.53	0.01766	6.96	-40.57	0.0877	-26.02	2.5
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23331G	-51.02	-49.82	-47.37	0.01833	6.96	-40.41	0.09103	-26.01	2.51
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24005G	-50.22	-50.39	-47.29	0.01865	6.96	-40.33	0.0926	-17.97	15.96
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-50.34	-50.24	-47.28	0.01871	6.96	-40.32	0.09291	-9.98	100.46
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.85533G	-40.92	-40.57	-37.73	0.16861	6.96	-30.77	0.8373	-26.02	2.5
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45964G	-46.98	-47.40	-44.17	0.03824	6.49	-37.68	0.17043	-26.02	2.5
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46981G	-40.50	-43.95	-38.88	0.1294	6.49	-32.39	0.57666	-19.03	12.5
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74892G	-50.23	-51.01	-47.59	0.01741	6.49	-41.10	0.07759	-19.03	12.5
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.82896G	-42.33	-39.92	-37.95	0.16034	6.49	-31.46	0.71456	-26.02	2.5
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-46.52	-47.99	-44.18	0.03817	6.49	-37.69	0.17011	-26.02	2.5
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46998G	-40.37	-44.93	-39.07	0.12397	6.49	-32.58	0.55248	-19.03	12.5
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.75462G	-50.74	-51.00	-47.86	0.01638	6.49	-41.37	0.07298	-19.03	12.5
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.87891G	-41.14	-40.43	-37.76	0.16749	6.49	-31.27	0.74641	-26.02	2.5
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.45964G	-46.63	-48.03	-44.26	0.03747	6.49	-37.77	0.16697	-26.02	2.5
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46984G	-40.81	-43.97	-39.10	0.12307	6.49	-32.61	0.54848	-19.03	12.5
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.76329G	-51.04	-50.49	-47.75	0.0168	6.49	-41.26	0.07489	-19.03	12.5
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.84603G	-40.14	-41.04	-37.56	0.17553	6.49	-31.07	0.78227	-26.02	2.5
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.40932G	-49.84	-50.80	-47.28	0.01869	6.49	-40.79	0.08331	-26.02	2.5
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4674G	-50.79	-50.48	-47.62	0.01729	6.49	-41.13	0.07706	-19.03	12.5
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.76397G	-50.08	-51.03	-47.52	0.01771	6.49	-41.03	0.07891	-19.03	12.5
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.84666G	-41.32	-39.53	-37.32	0.18522	6.49	-30.83	0.82544	-26.02	2.5
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.23773G	-50.30	-50.61	-47.44	0.01802	6.49	-40.95	0.08032	-26.02	2.5
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46969G	-50.37	-50.91	-47.62	0.01729	6.49	-41.13	0.07707	-19.03	12.5
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.75018G	-50.27	-50.90	-47.56	0.01753	6.49	-41.07	0.0781	-19.03	12.5
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.85299G	-40.27	-41.29	-37.74	0.16827	6.49	-31.25	0.74992	-26.02	2.5
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.23628G	-49.87	-50.80	-47.30	0.01862	6.49	-40.81	0.08299	-26.02	2.5
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46626G	-51.09	-50.68	-47.87	0.01633	6.49	-41.38	0.07278	-19.03	12.5
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74941G	-50.64	-50.43	-47.52	0.01769	6.49	-41.03	0.07882	-19.03	12.5

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.87638G	-40.26	-41.88	-37.98	0.15905	6.49	-31.49	0.70883	-26.02	2.5
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.22868G	-50.88	-50.18	-47.51	0.01776	6.49	-41.02	0.07915	-26.02	2.5
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46527G	-51.06	-50.97	-48.00	0.01583	6.49	-41.51	0.07056	-19.03	12.5
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.7451G	-44.09	-46.18	-42.00	0.06309	6.49	-35.51	0.28118	-19.03	12.5
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.83465G	-40.78	-40.72	-37.74	0.16828	6.49	-31.25	0.74996	-26.02	2.5
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.21094G	-49.98	-51.35	-47.60	0.01737	6.49	-41.11	0.07743	-26.02	2.5
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46232G	-50.67	-51.07	-47.86	0.01639	6.49	-41.37	0.07303	-19.03	12.5
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74515G	-44.72	-45.47	-42.07	0.06211	6.49	-35.58	0.27679	-19.03	12.5
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.865G	-40.33	-40.84	-37.57	0.1751	6.49	-31.08	0.78033	-26.02	2.5
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.23628G	-50.30	-50.73	-47.50	0.01779	6.49	-41.01	0.07926	-26.02	2.5
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46873G	-51.11	-50.76	-47.92	0.01614	6.49	-41.43	0.07193	-19.03	12.5
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74511G	-43.85	-47.00	-42.14	0.06116	6.49	-35.65	0.27257	-19.03	12.5
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.87196G	-40.14	-41.67	-37.83	0.1649	6.49	-31.34	0.73491	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.13825G	-50.35	-50.70	-47.51	0.01774	6.56	-40.95	0.08033	-26.02	2.5
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14821G	-50.27	-49.87	-47.06	0.0197	6.56	-40.50	0.08923	-18.24	15
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-49.90	-49.96	-46.92	0.02033	6.56	-40.36	0.09205	-9.94	101.39
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25996G	-50.02	-50.58	-47.28	0.0187	6.56	-40.72	0.08471	-17.97	15.96
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26652G	-49.87	-51.13	-47.44	0.01801	6.56	-40.88	0.08158	-25.80	2.63
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.83767G	-41.90	-40.46	-38.11	0.15452	6.56	-31.55	0.6998	-26.02	2.5
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.13109G	-51.21	-50.00	-47.55	0.01757	6.56	-40.99	0.07957	-26.02	2.5
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14959G	-49.86	-50.15	-46.99	0.01999	6.56	-40.43	0.09053	-18.24	15
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-50.45	-50.03	-47.22	0.01895	6.56	-40.66	0.08581	-9.93	101.62
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25993G	-49.91	-51.01	-47.41	0.01813	6.56	-40.85	0.08213	-17.95	16.03
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26658G	-49.57	-51.27	-47.33	0.01851	6.56	-40.77	0.08381	-25.88	2.58
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84675G	-40.72	-40.63	-37.66	0.17122	6.56	-31.10	0.77545	-26.02	2.5
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.13655G	-50.48	-50.46	-47.46	0.01795	6.56	-40.90	0.08129	-26.02	2.5
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14906G	-50.07	-49.99	-47.02	0.01986	6.56	-40.46	0.08996	-18.24	15
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25098G	-50.07	-49.96	-47.00	0.01993	6.56	-40.44	0.09027	-9.82	104.23
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25974G	-49.95	-50.26	-47.09	0.01953	6.56	-40.53	0.08847	-17.78	16.67
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26667G	-50.32	-50.11	-47.20	0.01904	6.56	-40.64	0.08623	-25.98	2.52
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85258G	-40.79	-41.06	-37.91	0.16171	6.56	-31.35	0.73239	-26.02	2.5
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.05544G	-50.41	-51.26	-47.80	0.01658	6.56	-41.24	0.07509	-26.02	2.5
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14822G	-49.64	-50.55	-47.06	0.01967	6.56	-40.50	0.08911	-18.24	15
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-49.86	-49.85	-46.84	0.02068	6.56	-40.28	0.09365	-9.81	104.47
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25985G	-50.09	-49.69	-46.88	0.02053	6.56	-40.32	0.093	-17.88	16.29
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26654G	-49.73	-50.95	-47.29	0.01868	6.56	-40.73	0.08459	-25.83	2.61
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85193G	-40.26	-41.30	-37.74	0.16832	6.56	-31.18	0.76232	-26.02	2.5
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.03022G	-50.58	-51.14	-47.84	0.01644	6.56	-41.28	0.07446	-26.02	2.5
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14865G	-49.99	-49.82	-46.89	0.02045	6.56	-40.33	0.0926	-18.24	15
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-49.82	-49.88	-46.84	0.0207	6.56	-40.28	0.09376	-9.91	102.09
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25981G	-49.51	-50.03	-46.75	0.02113	6.56	-40.19	0.09568	-17.84	16.44
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26664G	-50.77	-49.95	-47.33	0.01849	6.56	-40.77	0.08375	-25.95	2.54
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.86813G	-41.31	-40.42	-37.83	0.16474	6.56	-31.27	0.74612	-26.02	2.5
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.03635G	-51.16	-50.18	-47.63	0.01725	6.56	-41.07	0.07812	-26.02	2.5
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14289G	-50.05	-50.09	-47.06	0.01968	6.56	-40.50	0.08913	-18.24	15
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-49.59	-50.57	-47.04	0.01976	6.56	-40.48	0.08949	-9.97	100.69
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25993G	-49.49	-50.68	-47.03	0.0198	6.56	-40.47	0.08966	-17.96	16
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26662G	-49.43	-51.05	-47.15	0.01925	6.56	-40.59	0.0872	-25.92	2.56
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85776G	-40.82	-41.30	-38.04	0.15693	6.56	-31.48	0.71071	-26.02	2.5
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.0326G	-50.60	-51.43	-47.98	0.0159	6.56	-41.42	0.07203	-26.02	2.5
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14481G	-50.70	-50.02	-47.34	0.01847	6.56	-40.78	0.08363	-18.24	15
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-22.00	-23.93	-19.85	10.35533	6.56	-13.29	46.89905	-9.93	101.62
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25112G	-21.94	-25.32	-20.30	9.335	6.56	-13.74	42.27798	-10.11	97.5
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26667G	-51.19	-49.41	-47.20	0.01906	6.56	-40.64	0.08631	-25.98	2.52
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85063G	-41.34	-40.67	-37.98	0.15916	6.56	-31.42	0.72081	-26.02	2.5
5240MHz_TnomVmin	Pass	30M	5.142G	1M	4.97501G	-50.57	-51.23	-47.88	0.0163	6.56	-41.32	0.07384	-26.02	2.5
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14428G	-51.06	-49.94	-47.45	0.01797	6.56	-40.89	0.0814	-18.24	15
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-21.85	-24.21	-19.86	10.32446	6.56	-13.30	46.75921	-9.97	100.69
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.251G	-23.81	-22.22	-19.93	10.15702	6.56	-13.37	46.00088	-10.00	100
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26667G	-50.20	-49.88	-47.03	0.01983	6.56	-40.47	0.08981	-25.98	2.52
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.85452G	-40.82	-40.58	-37.69	0.17029	6.56	-31.13	0.77125	-26.02	2.5