




802.11n(HT20)_2412MHz_Ant1 (SISO)_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	2253.000	-40.04	/	-26	Pass
2387	2400	1	1	2399.987	-20.28	/	-16	Pass
2483.5	2496.5	1	1	2496.409	-41.91	/	-16	Pass
2496.5	12500	1	1	2572.500	-39.97	/	-26	Pass

802.11n(HT20)_2472MHz_Ant1 (SISO)_NTHV







802.11n(HT40)_2422MHz_Ant1 (SISO)_NTHV




802.11n(HT40)_2422MHz_Ant1 (SISO)_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	2386.500	-38.72	/	-26	Pass
2387	2400	1	1	2399.961	-25.81	/	-16	Pass
2483.5	2496.5	1	1	2485.580	-42.43	/	-16	Pass
2496.5	12500	1	1	2582.000	-39.95	/	-26	Pass




802.11ax(HEW20) 2412MHz_SU / _Ant1 (SISO)_NTHV




802.11ax(HEW20) 2412MHz_SU / _Ant1 (SISO)_NTHV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	2252.500	-38.18	/	-26	Pass
2387	2400	1	1	2399.883	-18.29	-39.92	-16	Pass
2483.5	2496.5	1	1	2487.920	-40.43	/	-16	Pass
2496.5	12500	1	1	2572.500	-38.99	/	-26	Pass





802.11ax(HEW20)_2472MHz_SU_/_Ant1 (SISO)_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	2313.000	-38.59	/	-26	Pass
2387	2400	1	1	2392.408	-40.15	/	-16	Pass
2483.5	2496.5	1	1	2483.565	-16.55	-36.91	-16	Pass
2496.5	12500	1	1	2633.000	-40.11	/	-26	Pass

802.11ax(HEW20)_2472MHz_SU_/_Ant1 (SISO)_NTHV






802.11ax(HEW40) 2462MHz_SU_ / _Ant1 (SISO)_ NTHV



802.11ax(HEW40) 2462MHz_SU_ / _Ant1 (SISO)_ NTHV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	2387	1	1	2302.500	-37.94	/	-26	Pass
2387	2400	1	1	2389.665	-40.39	/	-16	Pass
2483.5	2496.5	1	1	2483.526	-23.46	/	-16	Pass
2496.5	12500	1	1	2499.500	-37.78	/	-26	Pass

5. Secondary Radiated Emission

5.1 Test Result

5.1.1 RxSe_NTNV

NTNV														
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker				Limit (nW)	Verdict	
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)			AV Power (nW)
802.11b	SISO	2412	/	/	1	30	1000	100	-61.42	0.721	-65.21	0.301	4	Pass
								160	-62.15	0.610	-65.82	0.262	4	Pass
						500	-61.23	0.753	-63.88	0.409	4	Pass		
						1000	12500	5739.5	-61.26	0.748	/	/	20	Pass
		2472	/	/	1	30	1000	100	-61.98	0.634	-65.29	0.296	4	Pass
								160	-62.25	0.596	-65.81	0.262	4	Pass
						500	-61.09	0.778	-63.87	0.410	4	Pass		
						1000	12500	5751	-60.83	0.826	/	/	20	Pass
802.11g	SISO	2412	/	/	1	30	1000	100	-61.74	0.670	-65.35	0.292	4	Pass
								160	-62.03	0.627	-65.97	0.253	4	Pass
						500	-60.67	0.857	-63.79	0.418	4	Pass		
						1000	12500	2409.5	-45.12	30.761	-79.60	0.011	20	Pass
		2472	/	/	1	30	1000	100	-62.23	0.598	-65.36	0.291	4	Pass
								160	-62.57	0.553	-65.80	0.263	4	Pass
						500	-60.79	0.834	-77.85	0.016	4	Pass		
						1000	12500	2460	-62.58	0.552	/	/	20	Pass
802.11n (HT20)	SISO	2412	/	/	1	30	1000	100	-61.49	0.710	-65.35	0.292	4	Pass
								160	-61.61	0.690	-65.91	0.256	4	Pass
						500	-60.59	0.873	-63.82	0.415	4	Pass		
						1000	12500	2409.5	-44.88	32.509	-79.63	0.011	20	Pass
		2472	/	/	1	30	1000	100	-61.50	0.708	-65.41	0.288	4	Pass
								160	-61.73	0.671	-65.87	0.259	4	Pass
						500	-61.06	0.783	-63.83	0.414	4	Pass		
						1000	12500	5739.5	-61.60	0.692	/	/	20	Pass
802.11n (HT40)	SISO	2422	/	/	1	30	1000	100	-60.92	0.809	-65.35	0.292	4	Pass
								160	-62.01	0.630	-66.07	0.247	4	Pass
						500	-61.11	0.774	-63.88	0.409	4	Pass		
						1000	12500	2409	-45.18	30.339	-53.89	4.083	20	Pass
		2462	/	/	1	30	1000	100	-61.74	0.670	-65.29	0.296	4	Pass
								160	-61.71	0.675	-65.75	0.266	4	Pass
						500	-60.85	0.822	-63.84	0.413	4	Pass		
						1000	12500	5737.5	-59.35	1.161	/	/	20	Pass
802.11ax (HEW20)	SISO	2412	SU	/	1	30	1000	68.45	-65.14	0.306	/	/	4	Pass
						1000	12500	2412	-46.18	24.099	-79.37	0.012	20	Pass
		2472	SU	/	1	30	1000	69.05	-64.00	0.398	-74.71	0.034	4	Pass
						1000	12500	2411.5	-45.84	26.062	-79.42	0.011	20	Pass
802.11ax (HEW40)	SISO	2422	SU	/	1	30	1000	68.55	-65.37	0.290	/	/	4	Pass
						1000	12500	2411.5	-46.26	23.659	-53.88	4.093	20	Pass
		2462	SU	/	1	30	1000	68.95	-65.20	0.302	/	/	4	Pass
						1000	12500	2411.5	-46.32	23.335	-79.44	0.011	20	Pass

5.1.2 RxSe_NTLV


NTLV														
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker					Limit (nW)	Verdict
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)		
802.11b	SISO	2412	/	/	1	30	1000	100	-61.44	0.718	-65.29	0.296	4	Pass
								160	-62.05	0.624	-65.85	0.260	4	Pass
								500	-60.80	0.832	-63.99	0.399	4	Pass
		1000	12500	2410.5	-44.90	32.359	-79.47	0.011	20	Pass				
		2472	/	/	1	30	1000	100	-61.84	0.655	-65.90	0.257	4	Pass
								160	-62.31	0.587	-66.38	0.230	4	Pass
500	-61.24							0.752	-64.07	0.392	4	Pass		
1000	12500	5837.5	-63.24	0.474	/	/	20	Pass						
802.11g	SISO	2412	/	/	1	30	1000	100	-61.88	0.649	-65.41	0.288	4	Pass
								160	-62.03	0.627	-65.77	0.265	4	Pass
								500	-60.50	0.891	-63.80	0.417	4	Pass
		1000	12500	2409	-44.06	39.264	-79.54	0.011	20	Pass				
		2472	/	/	1	30	1000	100	-62.45	0.569	-65.35	0.292	4	Pass
								160	-62.26	0.594	-65.86	0.259	4	Pass
500	-61.16							0.766	-63.81	0.416	4	Pass		
1000	12500	2409	-45.05	31.261	-70.48	0.090	20	Pass						
802.11n (HT20)	SISO	2412	/	/	1	30	1000	100	-61.78	0.664	-65.46	0.284	4	Pass
								160	-62.16	0.608	-65.87	0.259	4	Pass
								500	-60.68	0.855	-63.84	0.413	4	Pass
		1000	12500	2410.5	-45.16	30.479	-67.11	0.195	20	Pass				
		2472	/	/	1	30	1000	100	-61.38	0.728	-65.34	0.292	4	Pass
								160	-62.03	0.627	-65.96	0.254	4	Pass
500	-61.00							0.794	-63.87	0.410	4	Pass		
1000	12500	2410	-46.76	21.086	-79.57	0.011	20	Pass						
802.11n (HT40)	SISO	2422	/	/	1	30	1000	100	-62.24	0.597	-65.43	0.286	4	Pass
								160	-61.88	0.649	-65.90	0.257	4	Pass
								500	-60.87	0.818	-63.91	0.406	4	Pass
		1000	12500	5738.5	-60.09	0.979	/	/	20	Pass				
		2462	/	/	1	30	1000	100	-61.22	0.755	-65.42	0.287	4	Pass
								160	-61.80	0.661	-65.81	0.262	4	Pass
500	-61.05							0.785	-63.83	0.414	4	Pass		
1000	12500	2460	-62.67	0.541	/	/	20	Pass						
802.11ax (HEW20)	SISO	2412	SU	/	1	30	1000	68.35	-64.40	0.363	/	/	4	Pass
						1000	12500	2411.5	-45.87	25.882	-79.43	0.011	20	Pass
		2472	SU	/	1	30	1000	68.35	-64.02	0.396	/	/	4	Pass
1000	12500					2411.5	-46.35	23.174	-79.38	0.012	20	Pass		
802.11ax (HEW40)	SISO	2422	SU	/	1	30	1000	68.9	-64.89	0.324	/	/	4	Pass
						1000	12500	12031	-63.07	0.493	/	/	20	Pass
		2462	SU	/	1	30	1000	68.9	-63.80	0.417	-74.78	0.033	4	Pass
						1000	12500	2412.5	-46.56	22.080	-79.44	0.011	20	Pass


5.1.3 RxSe_NTHV


NTHV																				
Mode	TX Type	Freq. (MHz)	RU	RU Pos	ANT	Freq. Range		Marker					Limit (nW)	Verdict						
						Start (MHz)	Stop (MHz)	Freq. (MHz)	PK Power (dBm)	PK Power (nW)	AV Power (dBm)	AV Power (nW)								
802.11b	SISO	2412	/	/	1	30	1000	100	-61.30	0.741	-65.27	0.297	4	Pass						
								160	-61.74	0.670	-65.85	0.260	4	Pass						
						500	-60.84	0.824	-63.85	0.412	4	Pass								
						1000	12500	2410.5	-49.17	12.106	-79.36	0.012	20	Pass						
		2472	/	/	1	30	1000	100	-61.93	0.641	-65.63	0.274	4	Pass						
								160	-62.42	0.573	-65.87	0.259	4	Pass						
						500	-61.19	0.760	-63.75	0.422	4	Pass								
						1000	12500	2411	-45.54	27.925	-79.43	0.011	20	Pass						
						802.11g	SISO	2412	/	/	1	30	1000	100	-61.88	0.649	-65.48	0.283	4	Pass
														160	-61.94	0.640	-65.89	0.258	4	Pass
500	-61.02	0.791	-63.82	0.415	4							Pass								
1000	12500	2409	-45.61	27.479	-53.33							4.645	20	Pass						
2472	/	/	1	30	1000			100	-61.13	0.771	-65.37	0.290	4	Pass						
								160	-61.89	0.647	-65.93	0.255	4	Pass						
				500	-60.62			0.867	-63.80	0.417	4	Pass								
				1000	12500			2409.5	-44.20	38.019	-79.76	0.011	20	Pass						
				802.11n (HT20)	SISO			2412	/	/	1	30	1000	100	-61.69	0.678	-65.33	0.293	4	Pass
														160	-61.66	0.682	-65.94	0.255	4	Pass
500	-60.66	0.859	-63.83			0.414	4					Pass								
1000	12500	2410	-44.85			32.734	-50.99					7.962	20	Pass						
2472	/	/	1			30	1000	100	-61.64	0.685	-65.45	0.285	4	Pass						
								160	-61.97	0.635	-65.71	0.269	4	Pass						
						500	-61.32	0.738	-63.91	0.406	4	Pass								
						1000	12500	2410.5	-45.19	30.269	-79.63	0.011	20	Pass						
						802.11n (HT40)	SISO	2422	/	/	1	30	1000	100	-62.01	0.630	-65.31	0.294	4	Pass
														160	-61.65	0.684	-65.78	0.264	4	Pass
500	-60.77	0.838	-63.91	0.406	4							Pass								
1000	12500	2410.5	-46.33	23.281	-79.47							0.011	20	Pass						
2462	/	/	1	30	1000			100	-61.27	0.746	-65.35	0.292	4	Pass						
								160	-62.05	0.624	-65.87	0.259	4	Pass						
				500	-60.72			0.847	-63.81	0.416	4	Pass								
				1000	12500			2408.5	-45.26	29.785	-51.07	7.816	20	Pass						
				802.11ax (HEW20)	SISO			2412	SU	/	1	30	1000	68.95	-64.73	0.337	/	/	4	Pass
												1000	12500	2412.5	-46.17	24.155	-53.53	4.436	20	Pass
2472	SU	/	1			30	1000	68.95	-63.71	0.426	-74.30	0.037	4	Pass						
						1000	12500	2411.5	-45.65	27.227	-53.79	4.178	20	Pass						
						30	1000	68.9	-65.73	0.267	/	/	4	Pass						
						1000	12500	2411.5	-45.55	27.861	-79.41	0.011	20	Pass						
802.11ax (HEW40)	SISO	2422	SU	/	1	30	1000	68.4	-65.26	0.298	/	/	4	Pass						
						1000	12500	2411.5	-46.97	20.091	-79.42	0.011	20	Pass						
		2462	SU	/	1	30	1000	68.4	-65.26	0.298	/	/	4	Pass						
						1000	12500	2411.5	-46.97	20.091	-79.42	0.011	20	Pass						

5.2 Test Graph


5.2.1 RxSe_NTNV









802.11b_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.98	-65.29	-54	Pass
30	1000	0.1	0.1	160.000	-62.25	-65.81	-54	Pass
30	1000	0.1	0.1	500.000	-61.09	-63.87	-54	Pass
1000	12500	1	1	5751.000	-60.83	/	-47	Pass

802.11b_2472MHz_Ant1 (SISO)_NTNV







802.11g_2412MHz_Ant1 (SISO)_NTNV




802.11g_2412MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.74	-65.35	-54	Pass
30	1000	0.1	0.1	160.000	-62.03	-65.97	-54	Pass
30	1000	0.1	0.1	500.000	-60.67	-63.79	-54	Pass
1000	12500	1	1	2409.500	-45.12	-79.60	-47	Pass







802.11g_2472MHz_Ant1 (SISO)_NTNV




802.11g_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-62.23	-65.36	-54	Pass
30	1000	0.1	0.1	160.000	-62.57	-65.80	-54	Pass
30	1000	0.1	0.1	500.000	-60.79	-77.85	-54	Pass
1000	12500	1	1	2460.000	-62.58	/	-47	Pass







802.11n(HT20)_2412MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.49	-65.35	-54	Pass
30	1000	0.1	0.1	160.000	-61.61	-65.91	-54	Pass
30	1000	0.1	0.1	500.000	-60.59	-63.82	-54	Pass
1000	12500	1	1	2409.500	-44.88	-79.63	-47	Pass


802.11n(HT20)_2412MHz_Ant1 (SISO)_NTNV









802.11n(HT20)_2472MHz_Ant1 (SISO)_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.50	-65.41	-54	Pass
30	1000	0.1	0.1	160.000	-61.73	-65.87	-54	Pass
30	1000	0.1	0.1	500.000	-61.06	-63.83	-54	Pass
1000	12500	1	1	5739.500	-61.60	/	-47	Pass

802.11n(HT20)_2472MHz_Ant1 (SISO)_NTNV








802.11n(HT40)_2422MHz_Ant1 (SISO)_NTNV





802.11n(HT40)_2422MHz_Ant1 (SISO)_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-60.92	-65.35	-54	Pass
30	1000	0.1	0.1	160.000	-62.01	-66.07	-54	Pass
30	1000	0.1	0.1	500.000	-61.11	-63.88	-54	Pass
1000	12500	1	1	2409.000	-45.18	-53.89	-47	Pass



































5.2.2 RxSe_NTLV



















802.11g_2412MHz_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.88	-65.41	-54	Pass
30	1000	0.1	0.1	160.000	-62.03	-65.77	-54	Pass
30	1000	0.1	0.1	500.000	-60.50	-63.80	-54	Pass
1000	12500	1	1	2409.000	-44.06	-79.54	-47	Pass


802.11g_2412MHz_Ant1 (SISO)_NTLV










802.11g_2472MHz_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-62.45	-65.35	-54	Pass
30	1000	0.1	0.1	160.000	-62.26	-65.86	-54	Pass
30	1000	0.1	0.1	500.000	-61.16	-63.81	-54	Pass
1000	12500	1	1	2409.000	-45.05	-70.48	-47	Pass


802.11g_2472MHz_Ant1 (SISO)_NTLV










802.11n(HT20)_2412MHz_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.78	-65.46	-54	Pass
30	1000	0.1	0.1	160.000	-62.16	-65.87	-54	Pass
30	1000	0.1	0.1	500.000	-60.68	-63.84	-54	Pass
1000	12500	1	1	2410.500	-45.16	-67.11	-47	Pass


802.11n(HT20)_2412MHz_Ant1 (SISO)_NTLV










802.11n(HT20)_2472MHz_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.38	-65.34	-54	Pass
30	1000	0.1	0.1	160.000	-62.03	-65.96	-54	Pass
30	1000	0.1	0.1	500.000	-61.00	-63.87	-54	Pass
1000	12500	1	1	2410.000	-46.76	-79.57	-47	Pass


802.11n(HT20)_2472MHz_Ant1 (SISO)_NTLV










802.11n(HT40)_2422MHz_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-62.24	-65.43	-54	Pass
30	1000	0.1	0.1	160.000	-61.88	-65.90	-54	Pass
30	1000	0.1	0.1	500.000	-60.87	-63.91	-54	Pass
1000	12500	1	1	5738.500	-60.09	/	-47	Pass

802.11n(HT40)_2422MHz_Ant1 (SISO)_NTLV







802.11n(HT40)_2462MHz_Ant1 (SISO)_NTLV





802.11n(HT40)_2462MHz_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.22	-65.42	-54	Pass
30	1000	0.1	0.1	160.000	-61.80	-65.81	-54	Pass
30	1000	0.1	0.1	500.000	-61.05	-63.83	-54	Pass
1000	12500	1	1	2460.000	-62.67	/	-47	Pass







802.11ax(HEW20)_2412MHz_SU_/_Ant1 (SISO)_NTLV




802.11ax(HEW20)_2412MHz_SU_/_Ant1 (SISO)_NTLV





802.11ax(HEW20)_2472MHz_SU_/_Ant1 (SISO)_NTLV




802.11ax(HEW20)_2472MHz_SU_/_Ant1 (SISO)_NTLV



Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	68.350	-64.02	/	-54	Pass
1000	12500	1	1	2411.500	-46.35	-79.38	-47	Pass






802.11ax(HEW40)_2422MHz_SU_/_Ant1 (SISO)_NTLV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	68.900	-64.89	/	-54	Pass
1000	12500	1	1	12031.000	-63.07	/	-47	Pass


802.11ax(HEW40)_2462MHz_SU_/_Ant1 (SISO)_NTLV












5.2.3 RxSe_NTHV




























802.11g_2472MHz_Ant1 (SISO)_NTHV





802.11g_2472MHz_Ant1 (SISO)_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.13	-65.37	-54	Pass
30	1000	0.1	0.1	160.000	-61.89	-65.93	-54	Pass
30	1000	0.1	0.1	500.000	-60.62	-63.80	-54	Pass
1000	12500	1	1	2409.500	-44.20	-79.76	-47	Pass







802.11n(HT20)_2412MHz_Ant1 (SISO)_NTHV




802.11n(HT20)_2412MHz_Ant1 (SISO)_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.69	-65.33	-54	Pass
30	1000	0.1	0.1	160.000	-61.66	-65.94	-54	Pass
30	1000	0.1	0.1	500.000	-60.66	-63.83	-54	Pass
1000	12500	1	1	2410.000	-44.85	-50.99	-47	Pass







802.11n(HT20)_2472MHz_Ant1 (SISO)_NTHV





802.11n(HT20)_2472MHz_Ant1 (SISO)_NTHV




Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-61.64	-65.45	-54	Pass
30	1000	0.1	0.1	160.000	-61.97	-65.71	-54	Pass
30	1000	0.1	0.1	500.000	-61.32	-63.91	-54	Pass
1000	12500	1	1	2410.500	-45.19	-79.63	-47	Pass








802.11n(HT40)_2422MHz_Ant1 (SISO)_NTHV






802.11n(HT40)_2422MHz_Ant1 (SISO)_NTHV






Start (MHz)	Stop (MHz)	RBW (MHz)	VBW (MHz)	Freq (MHz)	PK Power (dBm)	AV Power (dBm)	Limit (dBm)	Result
30	1000	0.1	0.1	100.000	-62.01	-65.31	-54	Pass
30	1000	0.1	0.1	160.000	-61.65	-65.78	-54	Pass
30	1000	0.1	0.1	500.000	-60.77	-63.91	-54	Pass
1000	12500	1	1	2410.500	-46.33	-79.47	-47	Pass





















802.11ax(HEW20)_2472MHz_SU_/_Ant1 (SISO)_NTHV




802.11ax(HEW20)_2472MHz_SU_/_Ant1 (SISO)_NTHV





802.11ax(HEW40)_2422MHz_SU_/_Ant1 (SISO)_NTHV



802.11ax(HEW40)_2422MHz_SU_/_Ant1 (SISO)_NTHV

