

















Antenna Power


Condition	Mode	Frequency (MHz)	Antenna	Power (dBm)	Power (mW)	Spread BW (MHz)	Power (mW/MHz)	Limit (mW/MHz)	Declared Power (mW/MHz)	Tolerance (%)	Upper Limit (%)	Verdict
NVNT	1-DH5	hopping	Ant1	3.36	2.168	71.209	0.03	3	0.03	0.00	20	Pass
NVNT	1-DH5	hopping	Ant1	3.39	2.183	71.209	0.031	3	0.03	3.33	20	Pass
NVNT	1-DH5	hopping	Ant1	3.49	2.234	71.209	0.031	3	0.03	3.33	20	Pass
NVNT	2-DH5	hopping	Ant1	1.97	1.574	71.209	0.022	3	0.03	-26.67	20	Pass
NVNT	2-DH5	hopping	Ant1	2.08	1.614	71.209	0.023	3	0.03	-23.33	20	Pass
NVNT	2-DH5	hopping	Ant1	2.22	1.667	71.209	0.023	3	0.03	-23.33	20	Pass
LVNT	1-DH5	hopping	Ant1	3.35	2.163	71.089	0.03	3	0.03	0.00	20	Pass
LVNT	1-DH5	hopping	Ant1	3.41	2.193	71.089	0.031	3	0.03	3.33	20	Pass
LVNT	1-DH5	hopping	Ant1	3.55	2.265	71.089	0.032	3	0.03	6.67	20	Pass
LVNT	2-DH5	hopping	Ant1	2.11	1.626	71.329	0.023	3	0.03	-23.33	20	Pass
LVNT	2-DH5	hopping	Ant1	2.06	1.607	71.329	0.023	3	0.03	-23.33	20	Pass
LVNT	2-DH5	hopping	Ant1	2.34	1.714	71.329	0.024	3	0.03	-20.00	20	Pass
HVNT	1-DH5	hopping	Ant1	3.3	2.138	71.089	0.03	3	0.03	0.00	20	Pass
HVNT	1-DH5	hopping	Ant1	3.41	2.193	71.089	0.031	3	0.03	3.33	20	Pass
HVNT	1-DH5	hopping	Ant1	3.55	2.265	71.089	0.032	3	0.03	6.67	20	Pass
HVNT	2-DH5	hopping	Ant1	2.01	1.589	71.209	0.022	3	0.03	-26.67	20	Pass
HVNT	2-DH5	hopping	Ant1	2.2	1.66	71.209	0.023	3	0.03	-23.33	20	Pass
HVNT	2-DH5	hopping	Ant1	2.21	1.663	71.209	0.023	3	0.03	-23.33	20	Pass


Test Graphs


Power NVNT 1-DH5 hopping Ant1





Power NVNT 1-DH5 hopping Ant1

























EIRP Power


Condition	Mode	Frequency (MHz)	Antenna	Antenna Power (mW/MHz)	Antenna Power (dBm/MHz)	Gain (dBi)	EIRP Power (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	hopping	Ant1	0.03	-15.23	2.78	-12.45	6.91	Pass
NVNT	1-DH5	hopping	Ant1	0.031	-15.09	2.78	-12.31	6.91	Pass
NVNT	1-DH5	hopping	Ant1	0.031	-15.09	2.78	-12.31	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.022	-16.58	2.78	-13.8	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.023	-16.38	2.78	-13.6	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.023	-16.38	2.78	-13.6	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.03	-15.23	2.78	-12.45	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.031	-15.09	2.78	-12.31	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.032	-14.95	2.78	-12.17	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.023	-16.38	2.78	-13.6	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.023	-16.38	2.78	-13.6	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.024	-16.2	2.78	-13.42	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.03	-15.23	2.78	-12.45	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.031	-15.09	2.78	-12.31	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.032	-14.95	2.78	-12.17	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.022	-16.58	2.78	-13.8	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.023	-16.38	2.78	-13.6	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.023	-16.38	2.78	-13.6	6.91	Pass


Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.863
NVNT	1-DH5	2441	Ant1	0.917
NVNT	1-DH5	2480	Ant1	0.904
NVNT	2-DH5	2402	Ant1	1.198
NVNT	2-DH5	2441	Ant1	1.191
NVNT	2-DH5	2480	Ant1	1.205
LVNT	1-DH5	2402	Ant1	0.898
LVNT	1-DH5	2441	Ant1	0.897
LVNT	1-DH5	2480	Ant1	0.916
LVNT	2-DH5	2402	Ant1	1.186
LVNT	2-DH5	2441	Ant1	1.185
LVNT	2-DH5	2480	Ant1	1.201
HVNT	1-DH5	2402	Ant1	0.891
HVNT	1-DH5	2441	Ant1	0.903
HVNT	1-DH5	2480	Ant1	0.914
HVNT	2-DH5	2402	Ant1	1.186
HVNT	2-DH5	2441	Ant1	1.204
HVNT	2-DH5	2480	Ant1	1.197


























Occupied Channel Bandwidth (Hopping)

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	78.162
NVNT	2-DH5	2402	Ant1	78.402
LVNT	1-DH5	2402	Ant1	78.162
LVNT	2-DH5	2402	Ant1	78.402
HVNT	1-DH5	2402	Ant1	78.162
HVNT	2-DH5	2402	Ant1	78.282










Spreading Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	71.209	0.5	Pass
NVNT	2-DH5	2402	Ant1	71.209	0.5	Pass
LVNT	1-DH5	2402	Ant1	71.089	0.5	Pass
LVNT	2-DH5	2402	Ant1	71.329	0.5	Pass
HVNT	1-DH5	2402	Ant1	71.089	0.5	Pass
HVNT	2-DH5	2402	Ant1	71.209	0.5	Pass








Tx Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (uW)	Max RMS Value (uW)	Limit Start(uW)	Limit Stop (uW)	Verdict
NVNT	1-DH5	2402	Ant1	30-1000	948.30	-50.61	NA	0.0087	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	1000-2387	2380.20	-40.90	NA	0.0813	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-35.88	NA	0.2582	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2483.5-2496.5	2483.57	-53.43	NA	0.0045	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2496.5-13000	4804.12	-41.52	NA	0.0705	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	30-1000	948.30	-50.37	NA	0.0092	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	1000-2387	1935.67	-52.90	NA	0.0051	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	2387-2400	2391.28	-54.89	NA	0.0032	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2483.5-2496.5	2492.14	-53.30	NA	0.0047	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2496.5-13000	4881.84	-39.28	NA	0.118	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	30-1000	948.30	-50.11	NA	0.0097	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	1000-2387	2384.23	-52.50	NA	0.0056	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	2387-2400	2390.07	-53.96	NA	0.004	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2483.5-2496.5	2495.48	-42.33	NA	0.0585	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2496.5-13000	4960.62	-36.87	NA	0.2056	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	30-1000	948.20	-50.45	NA	0.009	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	1000-2387	2384.92	-41.29	NA	0.0743	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-28.56	NA	1.3932	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2483.5-2496.5	2485.12	-55.21	NA	0.003	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2496.5-13000	4804.12	-40.86	NA	0.082	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	30-1000	955.19	-50.53	NA	0.0089	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	1000-2387	2141.78	-52.54	NA	0.0056	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	2387-2400	2396.48	-54.38	NA	0.0036	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2483.5-2496.5	2487.34	-54.46	NA	0.0036	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2496.5-13000	4881.84	-39.42	NA	0.1143	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	30-1000	953.54	-51.83	NA	0.0066	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	1000-2387	2205.44	-52.17	NA	0.0061	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	2387-2400	2396.67	-55.84	NA	0.0026	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2483.5-2496.5	2495.79	-41.55	NA	0.07	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2496.5-13000	3497.48	-31.25	NA	0.7499	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	30-1000	862.16	-50.96	NA	0.008	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	1000-2387	2383.39	-40.20	NA	0.0955	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-36.22	NA	0.2388	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2483.5-2496.5	2490.29	-53.06	NA	0.0049	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2496.5-13000	3477.53	-36.13	NA	0.2438	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	30-1000	944.81	-51.46	NA	0.0071	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	1000-2387	1877.42	-52.42	NA	0.0057	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	2387-2400	2392.84	-52.92	NA	0.0051	NA	25	25	Pass





LVNT	1-DH5	2441	Ant1	2483.5-2496.5	2488.88	-52.40	NA	0.0058	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2496.5-13000	3402.95	-37.96	NA	0.16	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	30-1000	795.23	-52.26	NA	0.0059	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	1000-2387	1689.48	-52.53	NA	0.0056	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	2387-2400	2392.38	-54.05	NA	0.0039	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2483.5-2496.5	2494.71	-41.81	NA	0.0659	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2496.5-13000	4959.57	-36.70	NA	0.2138	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	30-1000	859.74	-51.32	NA	0.0074	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	1000-2387	2382.84	-40.11	NA	0.0975	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-27.25	NA	1.8836	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2483.5-2496.5	2491.95	-54.13	NA	0.0039	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2496.5-13000	4804.12	-41.10	NA	0.0776	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	30-1000	944.61	-51.04	NA	0.0079	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	1000-2387	2365.92	-52.16	NA	0.0061	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	2387-2400	2392.59	-53.36	NA	0.0046	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2483.5-2496.5	2488.66	-53.15	NA	0.0048	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2496.5-13000	4881.84	-38.80	NA	0.1318	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	30-1000	865.46	-51.71	NA	0.0067	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	1000-2387	1517.49	-52.56	NA	0.0055	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	2387-2400	2391.63	-54.79	NA	0.0033	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2483.5-2496.5	2494.43	-41.33	NA	0.0736	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2496.5-13000	4960.62	-36.37	NA	0.2307	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	30-1000	925.02	-51.57	NA	0.007	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	1000-2387	2382.42	-41.09	NA	0.0778	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-36.18	NA	0.241	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2483.5-2496.5	2490.25	-53.16	NA	0.0048	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2496.5-13000	3501.68	-37.59	NA	0.1742	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	30-1000	947.62	-51.60	NA	0.0069	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	1000-2387	2344.84	-51.89	NA	0.0065	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	2387-2400	2392.79	-53.76	NA	0.0042	NA	25	25	Pass
HVNT	1-DH5	2441	Ant1	2483.5-2496.5	2488.92	-53.32	NA	0.0047	NA	25	25	Pass
HVNT	1-DH5	2441	Ant1	2496.5-13000	4881.84	-38.76	NA	0.133	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	30-1000	999.13	-51.40	NA	0.0072	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	1000-2387	2288.25	-52.09	NA	0.0062	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	2387-2400	2396.35	-54.27	NA	0.0037	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2483.5-2496.5	2494.53	-39.46	NA	0.1132	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2496.5-13000	4959.57	-36.46	NA	0.2259	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	30-1000	572.13	-51.96	NA	0.0064	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	1000-2387	2386.86	-39.80	NA	0.1047	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-29.08	NA	1.2359	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2483.5-2496.5	2485.00	-54.38	NA	0.0036	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2496.5-13000	4804.12	-41.37	NA	0.0729	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	30-1000	814.44	-51.33	NA	0.0074	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	1000-2387	2372.02	-51.62	NA	0.0069	NA	2.5	2.5	Pass


HVNT	2-DH5	2441	Ant1	2387-2400	2393.37	-53.40	NA	0.0046	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2483.5-2496.5	2488.77	-52.37	NA	0.0058	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2496.5-13000	4881.84	-38.72	NA	0.1343	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	30-1000	905.04	-51.38	NA	0.0073	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	1000-2387	2289.63	-52.12	NA	0.0061	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	2387-2400	2396.87	-53.72	NA	0.0042	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2483.5-2496.5	2495.32	-40.63	NA	0.0865	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2496.5-13000	4960.62	-37.06	NA	0.1968	NA	2.5	2.5	Pass










































































































































Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (s)	Burst Count	Period Time (ms)	Limit (s)	Verdict
NVNT	1-DH5	2402	Ant1	2.887	0.280039	97	28483.6	0.4	Pass
NVNT	1-DH5	2441	Ant1	2.886	0.268398	93	28483.6	0.4	Pass
NVNT	1-DH5	2480	Ant1	2.887	0.274265	95	28483.6	0.4	Pass
NVNT	2-DH5	2402	Ant1	2.891	0.294882	102	28483.6	0.4	Pass
NVNT	2-DH5	2441	Ant1	2.891	0.297773	103	28483.6	0.4	Pass
NVNT	2-DH5	2480	Ant1	2.892	0.240036	83	28483.6	0.4	Pass
LVNT	1-DH5	2402	Ant1	2.886	0.277056	96	28435.6	0.4	Pass
LVNT	1-DH5	2441	Ant1	2.887	0.2887	100	28435.6	0.4	Pass
LVNT	1-DH5	2480	Ant1	2.886	0.282828	98	28435.6	0.4	Pass
LVNT	2-DH5	2402	Ant1	2.892	0.277632	96	28531.6	0.4	Pass
LVNT	2-DH5	2441	Ant1	2.89	0.23987	83	28531.6	0.4	Pass
LVNT	2-DH5	2480	Ant1	2.892	0.26028	90	28531.6	0.4	Pass
HVNT	1-DH5	2402	Ant1	2.887	0.25983	90	28435.6	0.4	Pass
HVNT	1-DH5	2441	Ant1	2.887	0.271378	94	28435.6	0.4	Pass
HVNT	1-DH5	2480	Ant1	2.887	0.277152	96	28435.6	0.4	Pass
HVNT	2-DH5	2402	Ant1	2.891	0.265972	92	28483.6	0.4	Pass
HVNT	2-DH5	2441	Ant1	2.892	0.263172	91	28483.6	0.4	Pass
HVNT	2-DH5	2480	Ant1	2.892	0.300768	104	28483.6	0.4	Pass




















































Rx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (nW)	Max RMS Value (nW)	Limit (nW)	Verdict
NVNT	1-DH5	2402	Ant1	30-1000	722.85	-81.23	NA	0.0075	NA	4	Pass
NVNT	1-DH5	2402	Ant1	1000-13000	6998.80	-64.15	NA	0.3846	NA	20	Pass
NVNT	2-DH5	2402	Ant1	30-1000	942.15	-81.99	NA	0.0063	NA	4	Pass
NVNT	2-DH5	2402	Ant1	1000-13000	11222.40	-64.09	NA	0.3899	NA	20	Pass
LVNT	1-DH5	2402	Ant1	30-1000	934.58	-69.49	NA	0.1125	NA	4	Pass
LVNT	1-DH5	2402	Ant1	1000-13000	2606.00	-58.16	NA	1.5276	NA	20	Pass
LVNT	2-DH5	2402	Ant1	30-1000	948.16	-69.67	NA	0.1079	NA	4	Pass
LVNT	2-DH5	2402	Ant1	1000-13000	12622.60	-64.16	NA	0.3837	NA	20	Pass
HVNT	1-DH5	2402	Ant1	30-1000	935.16	-67.84	NA	0.1644	NA	4	Pass
HVNT	1-DH5	2402	Ant1	1000-13000	11181.60	-64.07	NA	0.3917	NA	20	Pass
HVNT	2-DH5	2402	Ant1	30-1000	948.16	-65.34	NA	0.2924	NA	4	Pass
HVNT	2-DH5	2402	Ant1	1000-13000	12639.40	-64.13	NA	0.3864	NA	20	Pass

