






## Appendix B

### Frequency Error

| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT      | b    | 2412            | Ant1    | 2411.999                 | -1000                | -0.41           | 50          | Pass    |
| NVNT      | b    | 2442            | Ant1    | 2441.999                 | -1000                | -0.41           | 50          | Pass    |
| NVNT      | b    | 2472            | Ant1    | 2471.999                 | -1000                | -0.4            | 50          | Pass    |
| NVNT      | n40  | 2422            | Ant1    | 2421.999                 | -1000                | -0.41           | 50          | Pass    |
| NVNT      | n40  | 2442            | Ant1    | 2441.999                 | -1000                | -0.41           | 50          | Pass    |
| NVNT      | n40  | 2462            | Ant1    | 2461.999                 | -1000                | -0.41           | 50          | Pass    |







## Antenna Power


| Condition | Mode | Frequency<br>(MHz) | Antenna | Power<br>(dBm/MHz) | Power<br>(mW/MHz) | Limit<br>(mW/MHz) | Declared<br>Power<br>(mW/MHz) | Tolerance<br>(%) | Lower<br>Limit<br>(%) | Upper<br>Limit<br>(%) | Verdict |
|-----------|------|--------------------|---------|--------------------|-------------------|-------------------|-------------------------------|------------------|-----------------------|-----------------------|---------|
| NVNT      | b    | 2412               | Ant1    | 5.84               | 3.837             | 10                | 4                             | -4.07            | -                     | 20                    | Pass    |
| NVNT      | b    | 2442               | Ant1    | 5.62               | 3.648             | 10                | 4                             | -8.81            | -                     | 20                    | Pass    |
| NVNT      | b    | 2472               | Ant1    | 5.74               | 3.75              | 10                | 4                             | -6.26            | -                     | 20                    | Pass    |
| NVNT      | g    | 2412               | Ant1    | 0.85               | 1.216             | 10                | 2                             | -39.19           | -                     | 20                    | Pass    |
| NVNT      | g    | 2442               | Ant1    | 0.89               | 1.227             | 10                | 2                             | -38.63           | -                     | 20                    | Pass    |
| NVNT      | g    | 2472               | Ant1    | 0.94               | 1.242             | 10                | 2                             | -37.92           | -                     | 20                    | Pass    |
| NVNT      | n20  | 2412               | Ant1    | 0.87               | 1.222             | 10                | 2                             | -38.91           | -                     | 20                    | Pass    |
| NVNT      | n20  | 2442               | Ant1    | 0.58               | 1.143             | 10                | 2                             | -42.86           | -                     | 20                    | Pass    |
| NVNT      | n20  | 2472               | Ant1    | 0.4                | 1.096             | 10                | 2                             | -45.18           | -                     | 20                    | Pass    |
| NVNT      | n40  | 2422               | Ant1    | -3.3               | 0.468             | 5                 | 1                             | -53.23           | -                     | 20                    | Pass    |
| NVNT      | n40  | 2442               | Ant1    | -4.03              | 0.395             | 5                 | 1                             | -60.46           | -                     | 20                    | Pass    |
| NVNT      | n40  | 2462               | Ant1    | -3.01              | 0.5               | 5                 | 1                             | -50              | -                     | 20                    | Pass    |



## EIRP Power



| Condition | Mode | Frequency (MHz) | Antenna | Power (dBm/MHz) | Power (mW/MHz) | Gain (dBi) | EIRP (dBm/MHz) | EIRP (mW/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------|----------------|------------|----------------|---------------|-----------------|---------|
| NVNT      | b    | 2412            | Ant1    | 5.84            | 3.837          | 1.87       | -7.71          | 5.902         | 12.14           | Pass    |
| NVNT      | b    | 2442            | Ant1    | 5.62            | 3.648          | 1.87       | -7.49          | 5.61          | 12.14           | Pass    |
| NVNT      | b    | 2472            | Ant1    | 5.74            | 3.75           | 1.87       | -7.61          | 5.768         | 12.14           | Pass    |
| NVNT      | g    | 2412            | Ant1    | 0.85            | 1.216          | 1.87       | -2.72          | 1.871         | 12.14           | Pass    |
| NVNT      | g    | 2442            | Ant1    | 0.89            | 1.227          | 1.87       | -2.76          | 1.888         | 12.14           | Pass    |
| NVNT      | g    | 2472            | Ant1    | 0.94            | 1.242          | 1.87       | -2.81          | 1.91          | 12.14           | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 0.87            | 1.222          | 1.87       | -2.74          | 1.879         | 12.14           | Pass    |
| NVNT      | n20  | 2442            | Ant1    | 0.58            | 1.143          | 1.87       | -2.45          | 1.758         | 12.14           | Pass    |
| NVNT      | n20  | 2472            | Ant1    | 0.4             | 1.096          | 1.87       | -2.27          | 1.687         | 12.14           | Pass    |
| NVNT      | n40  | 2422            | Ant1    | -3.3            | 0.468          | 1.87       | -1.43          | 0.719         | 9.13            | Pass    |
| NVNT      | n40  | 2442            | Ant1    | -4.03           | 0.395          | 1.87       | -2.16          | 0.608         | 9.13            | Pass    |
| NVNT      | n40  | 2462            | Ant1    | -3.01           | 0.5            | 1.87       | -1.14          | 0.769         | 9.13            | Pass    |



## Occupied Channel Bandwidth



| Condition | Mode | Frequency (MHz) | Antenna | 99% OBW (MHz) |
|-----------|------|-----------------|---------|---------------|
| NVNT      | b    | 2412            | Ant1    | 12.268        |
| NVNT      | b    | 2442            | Ant1    | 12.228        |
| NVNT      | b    | 2472            | Ant1    | 12.228        |
| NVNT      | g    | 2412            | Ant1    | 17.023        |
| NVNT      | g    | 2442            | Ant1    | 17.183        |
| NVNT      | g    | 2472            | Ant1    | 16.863        |
| NVNT      | n20  | 2412            | Ant1    | 17.822        |
| NVNT      | n20  | 2442            | Ant1    | 17.982        |
| NVNT      | n20  | 2472            | Ant1    | 17.902        |
| NVNT      | n40  | 2422            | Ant1    | 36.124        |
| NVNT      | n40  | 2442            | Ant1    | 36.124        |
| NVNT      | n40  | 2462            | Ant1    | 36.124        |
















## Spreading Bandwidth


| Condition | Mode | Frequency (MHz) | Antenna | 90% OBW (MHz) | Limit (MHz) | Verdict |
|-----------|------|-----------------|---------|---------------|-------------|---------|
| NVNT      | b    | 2412            | Ant1    | 8.671         | 0.5         | Pass    |
| NVNT      | b    | 2442            | Ant1    | 8.751         | 0.5         | Pass    |
| NVNT      | b    | 2472            | Ant1    | 8.711         | 0.5         | Pass    |
| NVNT      | g    | 2412            | Ant1    | 14.985        | 0.5         | Pass    |
| NVNT      | g    | 2442            | Ant1    | 14.865        | 0.5         | Pass    |
| NVNT      | g    | 2472            | Ant1    | 14.905        | 0.5         | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 15.904        | 0.5         | Pass    |
| NVNT      | n20  | 2442            | Ant1    | 15.864        | 0.5         | Pass    |
| NVNT      | n20  | 2472            | Ant1    | 15.944        | 0.5         | Pass    |
| NVNT      | n40  | 2422            | Ant1    | 32.048        | 0.5         | Pass    |
| NVNT      | n40  | 2442            | Ant1    | 32.527        | 0.5         | Pass    |
| NVNT      | n40  | 2462            | Ant1    | 32.527        | 0.5         | Pass    |



## Test Graphs



## Spreading Bandwidth NVNT b 2412MHz Ant1







## Spreading Bandwidth NVNT b 2442MHz Ant1




















## Tx Spurious Emission


| Condition | Mode | Frequency (MHz) | Antenna | Range (MHz)   | Emission Frequency (MHz) | Max Peak Value (dBm) | Max RMS Value (dBm) | Max Peak Value (uW) | Max RMS Value (uW) | Limit Start(uW) | Limit Stop (uW) | Verdict |
|-----------|------|-----------------|---------|---------------|--------------------------|----------------------|---------------------|---------------------|--------------------|-----------------|-----------------|---------|
| NVNT      | b    | 2412            | Ant1    | 30-1000       | 794.84                   | -50.67               | NA                  | 0.0086              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2412            | Ant1    | 1000-2387     | 2386.91                  | -47.29               | NA                  | 0.0187              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2412            | Ant1    | 2387-2400     | 2400.00                  | -41.10               | NA                  | 0.0776              | NA                 | 25              | 25              | Pass    |
| NVNT      | b    | 2412            | Ant1    | 2483.5-2496.5 | 2491.04                  | -47.93               | NA                  | 0.0161              | NA                 | 25              | 25              | Pass    |
| NVNT      | b    | 2412            | Ant1    | 2496.5-13000  | 2570.02                  | -40.26               | NA                  | 0.0942              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2442            | Ant1    | 30-1000       | 810.20                   | -51.72               | NA                  | 0.0067              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2442            | Ant1    | 1000-2387     | 2279.65                  | -46.06               | NA                  | 0.0248              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2442            | Ant1    | 2387-2400     | 2387.13                  | -47.02               | NA                  | 0.0199              | NA                 | 25              | 25              | Pass    |
| NVNT      | b    | 2442            | Ant1    | 2483.5-2496.5 | 2490.02                  | -44.65               | NA                  | 0.0343              | NA                 | 25              | 25              | Pass    |
| NVNT      | b    | 2442            | Ant1    | 2496.5-13000  | 2598.38                  | -40.83               | NA                  | 0.0826              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2472            | Ant1    | 30-1000       | 951.08                   | -50.51               | NA                  | 0.0089              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2472            | Ant1    | 1000-2387     | 2314.18                  | -46.20               | NA                  | 0.024               | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | b    | 2472            | Ant1    | 2387-2400     | 2399.99                  | -51.91               | NA                  | 0.0064              | NA                 | 25              | 25              | Pass    |
| NVNT      | b    | 2472            | Ant1    | 2483.5-2496.5 | 2483.50                  | -40.73               | NA                  | 0.0845              | NA                 | 25              | 25              | Pass    |
| NVNT      | b    | 2472            | Ant1    | 2496.5-13000  | 6977.99                  | -44.12               | NA                  | 0.0387              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2412            | Ant1    | 30-1000       | 812.43                   | -50.77               | NA                  | 0.0084              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2412            | Ant1    | 1000-2387     | 2250.70                  | -39.89               | NA                  | 0.1026              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2412            | Ant1    | 2387-2400     | 2398.62                  | -28.94               | NA                  | 1.2764              | NA                 | 25              | 25              | Pass    |
| NVNT      | g    | 2412            | Ant1    | 2483.5-2496.5 | 2483.50                  | -41.04               | NA                  | 0.0787              | NA                 | 25              | 25              | Pass    |
| NVNT      | g    | 2412            | Ant1    | 2496.5-13000  | 2569.32                  | -36.49               | NA                  | 0.2244              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2442            | Ant1    | 30-1000       | 709.00                   | -50.98               | NA                  | 0.008               | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2442            | Ant1    | 1000-2387     | 2280.20                  | -42.33               | NA                  | 0.0585              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2442            | Ant1    | 2387-2400     | 2390.75                  | -44.06               | NA                  | 0.0393              | NA                 | 25              | 25              | Pass    |
| NVNT      | g    | 2442            | Ant1    | 2483.5-2496.5 | 2490.15                  | -42.20               | NA                  | 0.0603              | NA                 | 25              | 25              | Pass    |
| NVNT      | g    | 2442            | Ant1    | 2496.5-13000  | 2600.13                  | -35.77               | NA                  | 0.2649              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2472            | Ant1    | 30-1000       | 792.87                   | -50.94               | NA                  | 0.0081              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2472            | Ant1    | 1000-2387     | 2312.24                  | -40.98               | NA                  | 0.0798              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | g    | 2472            | Ant1    | 2387-2400     | 2397.06                  | -47.18               | NA                  | 0.0191              | NA                 | 25              | 25              | Pass    |
| NVNT      | g    | 2472            | Ant1    | 2483.5-2496.5 | 2483.87                  | -26.32               | NA                  | 2.3335              | NA                 | 25              | 25              | Pass    |
| NVNT      | g    | 2472            | Ant1    | 2496.5-13000  | 2632.35                  | -38.86               | NA                  | 0.13                | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 30-1000       | 793.81                   | -50.11               | NA                  | 0.0097              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 1000-2387     | 2252.88                  | -40.21               | NA                  | 0.0953              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 2387-2400     | 2400.00                  | -25.74               | NA                  | 2.6669              | NA                 | 25              | 25              | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 2483.5-2496.5 | 2484.30                  | -43.32               | NA                  | 0.0466              | NA                 | 25              | 25              | Pass    |
| NVNT      | n20  | 2412            | Ant1    | 2496.5-13000  | 2570.37                  | -34.87               | NA                  | 0.3258              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | n20  | 2442            | Ant1    | 30-1000       | 810.40                   | -51.35               | NA                  | 0.0073              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | n20  | 2442            | Ant1    | 1000-2387     | 2285.84                  | -42.47               | NA                  | 0.0566              | NA                 | 2.5             | 2.5             | Pass    |
| NVNT      | n20  | 2442            | Ant1    | 2387-2400     | 2394.25                  | -43.54               | NA                  | 0.0443              | NA                 | 25              | 25              | Pass    |



|      |     |      |      |               |         |        |    |        |    |     |     |      |
|------|-----|------|------|---------------|---------|--------|----|--------|----|-----|-----|------|
| NVNT | n20 | 2442 | Ant1 | 2483.5-2496.5 | 2492.14 | -38.50 | NA | 0.1413 | NA | 25  | 25  | Pass |
| NVNT | n20 | 2442 | Ant1 | 2496.5-13000  | 2601.18 | -37.26 | NA | 0.1879 | NA | 2.5 | 2.5 | Pass |
| NVNT | n20 | 2472 | Ant1 | 30-1000       | 950.85  | -51.32 | NA | 0.0074 | NA | 2.5 | 2.5 | Pass |
| NVNT | n20 | 2472 | Ant1 | 1000-2387     | 2316.12 | -41.44 | NA | 0.0718 | NA | 2.5 | 2.5 | Pass |
| NVNT | n20 | 2472 | Ant1 | 2387-2400     | 2392.21 | -46.19 | NA | 0.024  | NA | 25  | 25  | Pass |
| NVNT | n20 | 2472 | Ant1 | 2483.5-2496.5 | 2483.50 | -27.10 | NA | 1.9498 | NA | 25  | 25  | Pass |
| NVNT | n20 | 2472 | Ant1 | 2496.5-13000  | 2634.10 | -36.08 | NA | 0.2466 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2422 | Ant1 | 30-1000       | 793.91  | -51.43 | NA | 0.0072 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2422 | Ant1 | 1000-2387     | 2386.86 | -29.23 | NA | 1.194  | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2422 | Ant1 | 2387-2400     | 2388.51 | -28.06 | NA | 1.5631 | NA | 25  | 25  | Pass |
| NVNT | n40 | 2422 | Ant1 | 2483.5-2496.5 | 2492.84 | -44.82 | NA | 0.033  | NA | 25  | 25  | Pass |
| NVNT | n40 | 2422 | Ant1 | 2496.5-13000  | 2582.98 | -39.27 | NA | 0.1183 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2442 | Ant1 | 30-1000       | 813.11  | -51.06 | NA | 0.0078 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2442 | Ant1 | 1000-2387     | 2283.81 | -42.13 | NA | 0.0612 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2442 | Ant1 | 2387-2400     | 2389.75 | -43.94 | NA | 0.0404 | NA | 25  | 25  | Pass |
| NVNT | n40 | 2442 | Ant1 | 2483.5-2496.5 | 2484.87 | -41.89 | NA | 0.0647 | NA | 25  | 25  | Pass |
| NVNT | n40 | 2442 | Ant1 | 2496.5-13000  | 2602.59 | -36.74 | NA | 0.2118 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2462 | Ant1 | 30-1000       | 810.40  | -50.63 | NA | 0.0086 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2462 | Ant1 | 1000-2387     | 2304.84 | -44.14 | NA | 0.0385 | NA | 2.5 | 2.5 | Pass |
| NVNT | n40 | 2462 | Ant1 | 2387-2400     | 2397.07 | -47.92 | NA | 0.0161 | NA | 25  | 25  | Pass |
| NVNT | n40 | 2462 | Ant1 | 2483.5-2496.5 | 2483.50 | -32.96 | NA | 0.5058 | NA | 25  | 25  | Pass |
| NVNT | n40 | 2462 | Ant1 | 2496.5-13000  | 2499.30 | -29.33 | NA | 1.1668 | NA | 2.5 | 2.5 | Pass |








































































































## Rx Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Range (MHz) | Emission Frequency (MHz) | Max Peak Value (dBm) | Max RMS Value (dBm) | Max Peak Value (nW) | Max RMS Value (nW) | Limit (nW) | Verdict |
|-----------|------|-----------------|---------|-------------|--------------------------|----------------------|---------------------|---------------------|--------------------|------------|---------|
| NVNT      | b    | 2412            | Ant1    | 30-1000     | 792.70                   | -80.55               | NA                  | 0.0088              | NA                 | 4          | Pass    |
| NVNT      | b    | 2412            | Ant1    | 1000-13000  | 6994.40                  | -65.32               | NA                  | 0.2938              | NA                 | 20         | Pass    |
| NVNT      | b    | 2442            | Ant1    | 30-1000     | 793.45                   | -81.14               | NA                  | 0.0077              | NA                 | 4          | Pass    |
| NVNT      | b    | 2442            | Ant1    | 1000-13000  | 6999.60                  | -65.22               | NA                  | 0.3006              | NA                 | 20         | Pass    |
| NVNT      | b    | 2472            | Ant1    | 30-1000     | 810.81                   | -81.33               | NA                  | 0.0074              | NA                 | 4          | Pass    |
| NVNT      | b    | 2472            | Ant1    | 1000-13000  | 12668.61                 | -65.55               | NA                  | 0.2786              | NA                 | 20         | Pass    |
| NVNT      | n40  | 2422            | Ant1    | 30-1000     | 953.26                   | -80.87               | NA                  | 0.0082              | NA                 | 4          | Pass    |
| NVNT      | n40  | 2422            | Ant1    | 1000-13000  | 2413.75                  | -65.35               | NA                  | 0.2917              | NA                 | 20         | Pass    |
| NVNT      | n40  | 2442            | Ant1    | 30-1000     | 811.23                   | -80.20               | NA                  | 0.0095              | NA                 | 4          | Pass    |
| NVNT      | n40  | 2442            | Ant1    | 1000-13000  | 6973.60                  | -65.62               | NA                  | 0.2742              | NA                 | 20         | Pass    |
| NVNT      | n40  | 2462            | Ant1    | 30-1000     | 795.55                   | -80.32               | NA                  | 0.0093              | NA                 | 4          | Pass    |
| NVNT      | n40  | 2462            | Ant1    | 1000-13000  | 10580.28                 | -65.40               | NA                  | 0.2884              | NA                 | 20         | Pass    |

## Test Graphs

Rx. Spurious NVNT b 2412MHz Ant1 @ 30MHz-1000MHz



Rx. Spurious NVNT b 2412MHz Ant1 @ 1000MHz-13000MHz

