



**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## **Appendix RF Test Data for BR-EDR**

**Company : JIAHANG TECHNOLOGY (HONG KONG) CO.,LIMITED**

**EUT : Tablet PC**

**Model Number : T70**

**Report No. : CTA26041100802**

**Reviewed By : Eric Wang**



**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix A: Frequency\_Error

### Test Result


| Test Condition | Test Mode | Antenna | Freq(MHz) | Result[ppm] | Limit[ppm] | Verdict |
|----------------|-----------|---------|-----------|-------------|------------|---------|
| NTNV           | DH5       | Ant1    | 2402      | 5.49126     | ±50        | PASS    |
|                |           |         | 2441      | 4.91192     | ±50        | PASS    |
|                |           |         | 2480      | 4.83468     | ±50        | PASS    |
|                | 2DH5      | Ant1    | 2402      | 4.74188     | ±50        | PASS    |
|                |           |         | 2441      | 4.78902     | ±50        | PASS    |
|                |           |         | 2480      | 4.83468     | ±50        | PASS    |
|                | 3DH5      | Ant1    | 2402      | 4.74188     | ±50        | PASS    |
|                |           |         | 2441      | 4.78902     | ±50        | PASS    |
|                |           |         | 2480      | 4.83468     | ±50        | PASS    |



Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


## Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix B: Occupied Bandwidth

### Test Result


| Test Condition | Test Mode | Antenna | Freq(MHz) | Result [MHz] | Limit [MHz] | Verdict |
|----------------|-----------|---------|-----------|--------------|-------------|---------|
| NTNV           | DH5       | Ant1    | Hop       | 78.122       | ≤83.5       | PASS    |
|                | 2DH5      | Ant1    | Hop       | 78.521       | ≤83.5       | PASS    |
|                | 3DH5      | Ant1    | Hop       | 78.122       | ≤83.5       | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix C: Spread Bandwidth

### Test Result


| Test Condition | Test Mode | Antenna | Freq(MHz) | Result [MHz] | Limit [MHz] | Spread Factor | Limit | Verdict |
|----------------|-----------|---------|-----------|--------------|-------------|---------------|-------|---------|
| NTNV           | DH5       | Ant1    | Hop       | 71.029       | $\geq 0.5$  | 71.029        | $> 5$ | PASS    |
|                | 2DH5      | Ant1    | Hop       | 70.629       | $\geq 0.5$  | 70.629        | $> 5$ | PASS    |
|                | 3DH5      | Ant1    | Hop       | 70.829       | $\geq 0.5$  | 70.829        | $> 5$ | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





# Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix D: Spurious Emission of TX

### Test Result

| Test Condition | Test Mode | Antenna | Freq(M Hz) | Freq.Range [MHz] | Freq. [MHz] | Result [dBm] | Limit [dBm] | Result [μW] | Limit [μW] | Verdict |
|----------------|-----------|---------|------------|------------------|-------------|--------------|-------------|-------------|------------|---------|
| NTNV           | DH5       | Ant1    | 2402       | 30~1000          | 239.52      | -53.84       | ≤-26        | 0.00413     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 1658.13     | -52.81       | ≤-26        | 0.00524     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2399.99     | -28.20       | ≤-16        | 1.51356     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2486.93     | -43.27       | ≤-16        | 0.04710     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 6936.85     | -43.97       | ≤-26        | 0.04009     | ≤2.5       | PASS    |
|                |           |         | 2441       | 30~1000          | 959.02      | -54.37       | ≤-26        | 0.00366     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 1770.83     | -53.17       | ≤-26        | 0.00482     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2388.13     | -43.01       | ≤-16        | 0.05000     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2491.07     | -43.08       | ≤-16        | 0.04920     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 6902.19     | -43.59       | ≤-26        | 0.04375     | ≤2.5       | PASS    |
|                |           |         | 2480       | 30~1000          | 243.64      | -53.39       | ≤-26        | 0.00458     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 2089.14     | -52.93       | ≤-26        | 0.00509     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2396.46     | -43.69       | ≤-16        | 0.04276     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2483.79     | -39.83       | ≤-16        | 0.10399     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 6288.79     | -43.92       | ≤-26        | 0.04055     | ≤2.5       | PASS    |
|                | 2DH5      | Ant1    | 2402       | 30~1000          | 914.40      | -54.65       | ≤-26        | 0.00343     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 2265.98     | -53.34       | ≤-26        | 0.00463     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2400.00     | -23.71       | ≤-16        | 4.25598     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2483.55     | -42.75       | ≤-16        | 0.05309     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 6986.75     | -43.52       | ≤-26        | 0.04446     | ≤2.5       | PASS    |
|                |           |         | 2441       | 30~1000          | 238.79      | -54.41       | ≤-26        | 0.00362     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 2227.50     | -53.66       | ≤-26        | 0.00431     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2390.54     | -43.87       | ≤-16        | 0.04102     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2487.04     | -42.74       | ≤-16        | 0.05321     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 5940.07     | -43.44       | ≤-26        | 0.04529     | ≤2.5       | PASS    |
|                |           |         | 2480       | 30~1000          | 969.93      | -54.24       | ≤-26        | 0.00377     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 2110.99     | -53.73       | ≤-26        | 0.00424     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2398.08     | -43.59       | ≤-16        | 0.04375     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2483.55     | -38.89       | ≤-16        | 0.12912     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 6987.27     | -42.81       | ≤-26        | 0.05236     | ≤2.5       | PASS    |
|                | 3DH5      | Ant1    | 2402       | 30~1000          | 942.29      | -53.72       | ≤-26        | 0.00425     | ≤2.5       | PASS    |
|                |           |         |            | 1000~2387        | 2353.37     | -53.71       | ≤-26        | 0.00426     | ≤2.5       | PASS    |
|                |           |         |            | 2387~2400        | 2400.00     | -23.88       | ≤-16        | 4.09261     | ≤25        | PASS    |
|                |           |         |            | 2483.5~2496.5    | 2488.99     | -43.06       | ≤-16        | 0.04943     | ≤25        | PASS    |
|                |           |         |            | 2496.5~13000     | 6943.16     | -43.75       | ≤-26        | 0.04217     | ≤2.5       | PASS    |



# Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


|  |  |      |               |         |        |            |         |            |      |
|--|--|------|---------------|---------|--------|------------|---------|------------|------|
|  |  | 2441 | 30~1000       | 240.25  | -53.76 | $\leq -26$ | 0.00421 | $\leq 2.5$ | PASS |
|  |  |      | 1000~2387     | 1954.26 | -53.47 | $\leq -26$ | 0.00450 | $\leq 2.5$ | PASS |
|  |  |      | 2387~2400     | 2398.72 | -42.99 | $\leq -16$ | 0.05023 | $\leq 25$  | PASS |
|  |  |      | 2483.5~2496.5 | 2490.58 | -43.14 | $\leq -16$ | 0.04853 | $\leq 25$  | PASS |
|  |  |      | 2496.5~13000  | 6954.19 | -43.32 | $\leq -26$ | 0.04656 | $\leq 2.5$ | PASS |
|  |  | 2480 | 30~1000       | 926.52  | -54.29 | $\leq -26$ | 0.00372 | $\leq 2.5$ | PASS |
|  |  |      | 1000~2387     | 1513.88 | -53.41 | $\leq -26$ | 0.00456 | $\leq 2.5$ | PASS |
|  |  |      | 2387~2400     | 2395.20 | -43.41 | $\leq -16$ | 0.04560 | $\leq 25$  | PASS |
|  |  |      | 2483.5~2496.5 | 2483.92 | -39.95 | $\leq -16$ | 0.10116 | $\leq 25$  | PASS |
|  |  |      | 2496.5~13000  | 6873.83 | -43.46 | $\leq -26$ | 0.04508 | $\leq 2.5$ | PASS |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





# Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix E: Spurious Emission of RX

### Test Result


| Test Condition | Test Mode | Antenna | Freq(M Hz) | Freq.Range [MHz] | Freq. [MHz] | Result [dBm] | Limit [dBm] | Result [nW] | Limit [nW] | Verdict |
|----------------|-----------|---------|------------|------------------|-------------|--------------|-------------|-------------|------------|---------|
| NTNV           | DH5       | Ant1    | 2402       | 30~1000          | 966.31      | -82.96       | ≤-54        | 0.00506     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 6988.04     | -68.92       | ≤-47        | 0.12823     | ≤20        | PASS    |
|                |           |         | 2441       | 30~1000          | 242.57      | -83.45       | ≤-54        | 0.00452     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 6921.92     | -68.96       | ≤-47        | 0.12706     | ≤20        | PASS    |
|                |           |         | 2480       | 30~1000          | 225.11      | -83.12       | ≤-54        | 0.00488     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 5805.90     | -69.42       | ≤-47        | 0.11429     | ≤20        | PASS    |
|                | 2DH5      | Ant1    | 2402       | 30~1000          | 863.54      | -83.12       | ≤-54        | 0.00488     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 6687.90     | -68.74       | ≤-47        | 0.13366     | ≤20        | PASS    |
|                |           |         | 2441       | 30~1000          | 239.66      | -83.20       | ≤-54        | 0.00479     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 5796.12     | -69.02       | ≤-47        | 0.12531     | ≤20        | PASS    |
|                |           |         | 2480       | 30~1000          | 695.81      | -84.00       | ≤-54        | 0.00398     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 5953.09     | -68.44       | ≤-47        | 0.14322     | ≤20        | PASS    |
|                | 3DH5      | Ant1    | 2402       | 30~1000          | 686.12      | -84.04       | ≤-54        | 0.00394     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 6886.84     | -68.47       | ≤-47        | 0.14223     | ≤20        | PASS    |
|                |           |         | 2441       | 30~1000          | 235.29      | -83.45       | ≤-54        | 0.00452     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 6879.37     | -69.07       | ≤-47        | 0.12388     | ≤20        | PASS    |
|                |           |         | 2480       | 30~1000          | 238.20      | -83.62       | ≤-54        | 0.00435     | ≤4         | PASS    |
|                |           |         |            | 1000~12500       | 6451.01     | -69.07       | ≤-47        | 0.12388     | ≤20        | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





**Shenzhen CTA Testing Technology Co., Ltd.**

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

## Appendix F: Dwell Time

### Test Result


| Test Condition | Test Mode | Antenna | Freq(M Hz) | BurstWidth [ms] | TotalHops [Num] | Result[s] | Limit [s] | Verdict |
|----------------|-----------|---------|------------|-----------------|-----------------|-----------|-----------|---------|
| NTNV           | DH1       | Ant1    | Hop        | 0.38            | 300             | 0.114     | ≤0.4      | PASS    |
|                | DH3       | Ant1    | Hop        | 1.65            | 180             | 0.297     | ≤0.4      | PASS    |
|                | DH5       | Ant1    | Hop        | 2.90            | 120             | 0.348     | ≤0.4      | PASS    |
|                | 2DH1      | Ant1    | Hop        | 0.38            | 310             | 0.118     | ≤0.4      | PASS    |
|                | 2DH3      | Ant1    | Hop        | 1.63            | 150             | 0.245     | ≤0.4      | PASS    |
|                | 2DH5      | Ant1    | Hop        | 2.88            | 80              | 0.23      | ≤0.4      | PASS    |
|                | 3DH1      | Ant1    | Hop        | 0.38            | 300             | 0.114     | ≤0.4      | PASS    |
|                | 3DH3      | Ant1    | Hop        | 1.63            | 190             | 0.31      | ≤0.4      | PASS    |
|                | 3DH5      | Ant1    | Hop        | 2.88            | 110             | 0.317     | ≤0.4      | PASS    |



## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China


### Test Graphs







## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China






52



## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China







## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China








## Shenzhen CTA Testing Technology Co., Ltd.


Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China





## Shenzhen CTA Testing Technology Co., Ltd.

Room 106, Building 1, Yibaolai Industrial Park, Qiaotou Community,  
Fuhai Street, Bao'an District, Shenzhen, China

