


測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	53.36	7.17	60.53	74.00	-13.47	peak	
2		2390.000	42.05	7.17	49.22	54.00	-4.78	AVG	
3	*	2408.800	86.88	7.23	94.11	54.00	40.11	AVG	主波訊號不予判定
4	X	2410.300	94.97	7.24	102.21	74.00	28.21	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7237.600	25.33	9.51	34.84	54.00	-19.16	AVG	
2		7244.300	35.98	9.51	45.49	74.00	-28.51	peak	

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2389.800	56.32	7.17	63.49	74.00	-10.51	peak	
2		2389.800	44.39	7.17	51.56	54.00	-2.44	AVG	
3		2390.000	55.16	7.17	62.33	74.00	-11.67	peak	
4		2390.000	44.43	7.17	51.60	54.00	-2.40	AVG	
5 *		2408.700	91.99	7.23	99.22	54.00	45.22	AVG	主波訊號不予判定
6 X		2410.200	100.66	7.24	107.90	74.00	33.90	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7233.375	38.13	9.49	47.62	74.00	-26.38	peak	
2	*	7235.775	26.96	9.50	36.46	54.00	-17.54	AVG	

測試頻道: IEEE 802.11g / 2437 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV
環境溫度: 24°C

測試模式: 發射_Ant. 1
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 108/06/15
環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2430.250	96.87	7.30	104.17	74.00	30.17	peak	主波訊號不予判定
2	*	2430.850	89.42	7.29	96.71	54.00	42.71	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g / 2437 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV
環境溫度: 24°C

測試模式: 發射_Ant. 1
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 108/06/15
環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7308.225	28.69	9.68	38.37	54.00	-15.63	AVG	
2		7309.450	38.93	9.69	48.62	74.00	-25.38	peak	

測試頻道: IEEE 802.11g / 2437 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV
環境溫度: 24°C

測試模式: 發射_Ant. 1
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 108/06/15
環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2430.450	94.52	7.30	101.82	54.00	47.82	AVG	主波訊號不予判定
2	X	2435.400	102.50	7.31	109.81	74.00	35.81	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2437 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7308.350	29.29	9.68	38.97	54.00	-15.03	AVG	
2		7308.775	39.57	9.68	49.25	74.00	-24.75	peak	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2464.700	86.76	7.40	94.16	74.00	20.16	peak	主波訊號不予判定
2	*	2466.450	79.12	7.40	86.52	54.00	32.52	AVG	主波訊號不予判定
3		2483.500	42.51	7.47	49.98	74.00	-24.02	peak	
4		2483.500	34.14	7.47	41.61	54.00	-12.39	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7385.850	23.94	9.89	33.83	54.00	-20.17	AVG	
2		7388.900	34.79	9.90	44.69	74.00	-29.31	peak	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2466.500	91.32	7.40	98.72	54.00	44.72	AVG	主波訊號不予判定
2	X	2468.700	99.31	7.41	106.72	74.00	32.72	peak	主波訊號不予判定
3		2483.500	53.13	7.47	60.60	74.00	-13.40	peak	
4		2483.500	42.20	7.47	49.67	54.00	-4.33	AVG	
5		2488.100	54.48	7.47	61.95	74.00	-12.05	peak	
6		2488.100	40.04	7.47	47.51	54.00	-6.49	AVG	

測試頻道: IEEE 802.11g / 2462 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7385.950	24.90	9.89	34.79	54.00	-19.21	AVG	
2		7389.475	35.48	9.90	45.38	74.00	-28.62	peak	

測試頻道: IEEE 802.11g / 2467 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2465.150	87.35	7.40	94.75	74.00	20.75	peak	主波訊號不予判定
2	*	2473.350	79.43	7.43	86.86	54.00	32.86	AVG	主波訊號不予判定
3		2483.500	41.31	7.47	48.78	74.00	-25.22	peak	
4		2483.500	32.99	7.47	40.46	54.00	-13.54	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7423.450	34.98	10.00	44.98	74.00	-29.02	peak	
2	*	7424.725	23.95	10.00	33.95	54.00	-20.05	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV
環境溫度: 24°C

測試模式: 發射_Ant. 1
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 108/06/15
環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2465.300	98.64	7.40	106.04	74.00	32.04	peak	主波訊號不予判定
2	*	2471.500	90.28	7.43	97.71	54.00	43.71	AVG	主波訊號不予判定
3		2483.500	51.15	7.47	58.62	74.00	-15.38	peak	
4		2483.500	40.31	7.47	47.78	54.00	-6.22	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7400.900	24.21	9.93	34.14	54.00	-19.86	AVG	
2		7423.325	35.22	10.00	45.22	74.00	-28.78	peak	

測試頻道: IEEE 802.11g / 2472 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV
環境溫度: 24°C

測試模式: 發射_Ant. 1
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 108/06/15
環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2476.450	75.24	7.44	82.68	54.00	28.68	AVG	主波訊號不予判定
2	X	2478.650	83.21	7.44	90.65	74.00	16.65	peak	主波訊號不予判定
3		2483.500	38.61	7.47	46.08	74.00	-27.92	peak	
4		2483.500	31.42	7.47	38.89	54.00	-15.11	AVG	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7411.690	23.68	9.95	33.63	54.00	-20.37	AVG	
2		7421.000	34.44	9.99	44.43	74.00	-29.57	peak	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2467.700	88.14	7.41	95.55	74.00	21.55	peak	主波訊號不予判定
2	*	2468.800	80.25	7.41	87.66	54.00	33.66	AVG	主波訊號不予判定
3		2483.500	47.06	7.47	54.53	74.00	-19.47	peak	
4		2483.500	36.03	7.47	43.50	54.00	-10.50	AVG	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 1
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7411.590	35.08	9.95	45.03	74.00	-28.97	peak	
2	*	7422.200	23.62	9.99	33.61	54.00	-20.39	AVG	

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	45.33	7.17	52.50	74.00	-21.50	peak	
2		2390.000	35.98	7.17	43.15	54.00	-10.85	AVG	
3	*	2408.700	85.25	7.23	92.48	54.00	38.48	AVG	主波訊號不予判定
4	X	2414.300	92.93	7.25	100.18	74.00	26.18	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7238.350	24.46	9.51	33.97	54.00	-20.03	AVG	
2	7238.925	35.99	9.51	45.50	74.00	-28.50	peak	

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	53.91	7.17	61.08	74.00	-12.92	peak	
2		2390.000	44.19	7.17	51.36	54.00	-2.64	AVG	
3	X	2410.450	100.92	7.24	108.16	74.00	34.16	peak	主波訊號不予判定
4	*	2416.400	92.81	7.25	100.06	54.00	46.06	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g / 2412 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7234.200	35.70	9.50	45.20	74.00	-28.80	peak	
2	*	7235.875	25.55	9.50	35.05	54.00	-18.95	AVG	

測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2435.250	95.77	7.31	103.08	74.00	29.08	peak	主波訊號不予判定
2	*	2441.550	87.67	7.33	95.00	54.00	41.00	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7308.400	27.63	9.68	37.31	54.00	-16.69	AVG	
2	7314.350	39.33	9.70	49.03	74.00	-24.97	peak	

測試頻道: IEEE 802.11g / 2437 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2390.000	56.27	7.17	63.44	74.00	-10.56	peak	
2		2390.000	45.32	7.17	52.49	54.00	-1.51	AVG	
3	*	2430.350	94.81	7.30	102.11	54.00	48.11	AVG	主波訊號不予判定
4	X	2435.050	106.07	7.31	113.38	74.00	39.38	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2437 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7305.000	42.75	9.67	52.42	74.00	-21.58	peak	
2	*	7308.100	31.48	9.68	41.16	54.00	-12.84	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2460.400	91.17	7.39	98.56	74.00	24.56	peak	主波訊號不予判定
2	*	2466.500	83.46	7.40	90.86	54.00	36.86	AVG	主波訊號不予判定
3		2483.500	42.59	7.47	50.06	74.00	-23.94	peak	
4		2483.500	32.47	7.47	39.94	54.00	-14.06	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7386.900	37.12	9.89	47.01	74.00	-26.99	peak	
2	*	7390.125	24.21	9.90	34.11	54.00	-19.89	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2468.250	92.48	7.41	99.89	54.00	45.89	AVG	主波訊號不予判定
2	X	2468.700	100.13	7.41	107.54	74.00	33.54	peak	主波訊號不予判定
3		2483.500	48.95	7.47	56.42	74.00	-17.58	peak	
4		2483.500	39.84	7.47	47.31	54.00	-6.69	AVG	

測試頻道: IEEE 802.11g / 2462 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7382.050	35.05	9.88	44.93	74.00	-29.07	peak	
2	*	7383.200	25.00	9.88	34.88	54.00	-19.12	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2465.550	92.01	7.40	99.41	74.00	25.41	peak	主波訊號不予判定
2	*	2466.200	84.02	7.40	91.42	54.00	37.42	AVG	主波訊號不予判定
3		2483.500	44.31	7.47	51.78	74.00	-22.22	peak	
4		2483.500	35.89	7.47	43.36	54.00	-10.64	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7391.225	34.91	9.91	44.82	74.00	-29.18	peak	
2	*	7423.700	23.64	10.00	33.64	54.00	-20.36	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢 測 器: Peak/AV
環境溫度: 24°C

測試模式: 發射_Ant. 2
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 108/06/15
環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2465.250	99.09	7.40	106.49	74.00	32.49	peak	主波訊號不予判定
2	*	2471.450	90.96	7.43	98.39	54.00	44.39	AVG	主波訊號不予判定
3		2483.500	53.10	7.47	60.57	74.00	-13.43	peak	
4		2483.500	42.31	7.47	49.78	54.00	-4.22	AVG	

測試頻道: IEEE 802.11g / 2467 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7397.075	34.82	9.92	44.74	74.00	-29.26	peak	
2	*	7401.975	24.57	9.94	34.51	54.00	-19.49	AVG	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2465.950	70.63	7.40	78.03	54.00	24.03	AVG	主波訊號不予判定
2	X	2467.850	78.14	7.41	85.55	74.00	11.55	peak	主波訊號不予判定
3		2483.500	39.09	7.47	46.56	74.00	-27.44	peak	
4		2483.500	29.36	7.47	36.83	54.00	-17.17	AVG	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7413.970	34.64	9.96	44.60	74.00	-29.40	peak	
2 *	7423.790	23.54	10.00	33.54	54.00	-20.46	AVG	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2467.300	85.44	7.40	92.84	74.00	18.84	peak	主波訊號不予判定
2	*	2468.500	77.76	7.41	85.17	54.00	31.17	AVG	主波訊號不予判定
3		2483.500	39.55	7.47	47.02	74.00	-26.98	peak	
4		2483.500	31.91	7.47	39.38	54.00	-14.62	AVG	

測試頻道: IEEE 802.11g / 2472 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢 測 器: Peak/AV
 環境溫度: 24°C

測試模式: 發射_Ant. 2
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 108/06/15
 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7411.140	23.56	9.95	33.51	54.00	-20.49	AVG	
2		7425.860	34.71	10.00	44.71	74.00	-29.29	peak	

測試頻道: IEEE 802.11n (HT20) /
2412 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		2390.000	45.33	7.17	52.50	74.00	-21.50	peak	
2		2390.000	37.44	7.17	44.61	54.00	-9.39	AVG	
3	X	2410.800	95.56	7.24	102.80	74.00	28.80	peak	主波訊號不予判定
4	*	2413.050	88.33	7.24	95.57	54.00	41.57	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2412 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7235.400	24.15	9.50	33.65	54.00	-20.35	AVG	
2		7239.200	35.19	9.51	44.70	74.00	-29.30	peak	

測試頻道: IEEE 802.11n (HT20) /
2412 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2388.300	53.40	7.17	60.57	74.00	-13.43	peak	
2		2388.300	40.15	7.17	47.32	54.00	-6.68	AVG	
3		2390.000	52.03	7.17	59.20	74.00	-14.80	peak	
4		2390.000	41.36	7.17	48.53	54.00	-5.47	AVG	
5	X	2410.800	100.58	7.24	107.82	74.00	33.82	peak	主波訊號不予判定
6	*	2410.800	92.44	7.24	99.68	54.00	45.68	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2412 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7236.675	26.22	9.50	35.72	54.00	-18.28	AVG	
2		7241.725	36.42	9.51	45.93	74.00	-28.07	peak	

測試頻道: IEEE 802.11n (HT20) /
2437 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2432.800	99.03	7.30	106.33	74.00	32.33	peak	主波訊號不予判定
2	*	2435.600	91.39	7.31	98.70	54.00	44.70	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2437 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7310.050	26.07	9.69	35.76	54.00	-18.24	AVG	
2		7312.475	36.32	9.69	46.01	74.00	-27.99	peak	

測試頻道: IEEE 802.11n (HT20) /
2437 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2430.650	94.38	7.29	101.67	54.00	47.67	AVG	主波訊號不予判定
2	X	2439.450	101.50	7.32	108.82	74.00	34.82	peak	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2437 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	7310.025	30.34	9.69	40.03	54.00	-13.97	AVG	
2		7312.825	41.03	9.70	50.73	74.00	-23.27	peak	

測試頻道: IEEE 802.11n (HT20) /
2462 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2460.800	96.49	7.39	103.88	74.00	29.88	peak	主波訊號不予判定
2	*	2468.100	89.30	7.41	96.71	54.00	42.71	AVG	主波訊號不予判定
3		2483.500	45.73	7.47	53.20	74.00	-20.80	peak	
4		2483.500	37.33	7.47	44.80	54.00	-9.20	AVG	

測試頻道: IEEE 802.11n (HT20) /
2462 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	7383.175	34.42	9.88	44.30	74.00	-29.70	peak	
2 *	7386.050	23.77	9.89	33.66	54.00	-20.34	AVG	

測試頻道: IEEE 802.11n (HT20) /
2462 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2459.600	100.30	7.38	107.68	74.00	33.68	peak	主波訊號不予判定
2	*	2467.000	91.72	7.40	99.12	54.00	45.12	AVG	主波訊號不予判定
3		2483.500	52.21	7.47	59.68	74.00	-14.32	peak	
4		2483.500	40.37	7.47	47.84	54.00	-6.16	AVG	
5		2483.700	52.75	7.47	60.22	74.00	-13.78	peak	
6		2483.700	40.16	7.47	47.63	54.00	-6.37	AVG	

測試頻道: IEEE 802.11n (HT20) /
2462 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7385.050	24.76	9.90	34.66	54.00	-19.34	AVG	
2		7385.225	35.74	9.90	45.64	74.00	-28.36	peak	

測試頻道: IEEE 802.11n (HT20) /
2467 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2468.100	88.44	7.41	95.85	54.00	41.85	AVG	主波訊號不予判定
2	X	2470.150	96.18	7.42	103.60	74.00	29.60	peak	主波訊號不予判定
3		2483.500	51.06	7.47	58.53	74.00	-15.47	peak	
4		2483.500	42.46	7.47	49.93	54.00	-4.07	AVG	

測試頻道: IEEE 802.11n (HT20) /
2467 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		7392.925	34.10	9.91	44.01	74.00	-29.99	peak	
2	*	7410.650	23.70	9.95	33.65	54.00	-20.35	AVG	

測試頻道: IEEE 802.11n (HT20) /
2467 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2464.500	90.32	7.40	97.72	54.00	43.72	AVG	主波訊號不予判定
2	X	2469.600	98.82	7.42	106.24	74.00	32.24	peak	主波訊號不予判定
3		2483.500	52.01	7.47	59.48	74.00	-14.52	peak	
4		2483.500	41.49	7.47	48.96	54.00	-5.04	AVG	
5		2483.900	52.14	7.47	59.61	74.00	-14.39	peak	
6		2483.900	41.01	7.47	48.48	54.00	-5.52	AVG	

測試頻道: IEEE 802.11n (HT20) /
2467 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	7407.775	24.18	9.94	34.12	54.00	-19.88	AVG	
2	7411.400	34.32	9.95	44.27	74.00	-29.73	peak	

測試頻道: IEEE 802.11n (HT20) /
2472 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2468.350	83.52	7.41	90.93	74.00	16.93	peak	主波訊號不予判定
2	*	2470.650	75.70	7.42	83.12	54.00	29.12	AVG	主波訊號不予判定
3		2483.500	39.55	7.47	47.02	74.00	-26.98	peak	
4		2483.500	31.28	7.47	38.75	54.00	-15.25	AVG	

測試頻道: IEEE 802.11n (HT20) /
2472 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7412.290	23.40	9.95	33.35	54.00	-20.65	AVG	
2		7414.520	34.10	9.96	44.06	74.00	-29.94	peak	

測試頻道: IEEE 802.11n (HT20) /
2472 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2468.100	87.09	7.41	94.50	74.00	20.50	peak	主波訊號不予判定
2	*	2468.400	79.47	7.41	86.88	54.00	32.88	AVG	主波訊號不予判定
3		2483.500	48.04	7.47	55.51	74.00	-18.49	peak	
4		2483.500	32.91	7.47	40.38	54.00	-13.62	AVG	

測試頻道: IEEE 802.11n (HT20) /
2472 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

測試模式: 發射_Ant. 1+Ant. 2

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	7412.195	23.55	9.95	33.50	54.00	-20.50	AVG	
2		7420.720	34.54	9.99	44.53	74.00	-29.47	peak	

16.4.3 禁用頻帶內之混附發射

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
2310 - 2390 MHz

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢測器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2389.600	44.10	7.17	51.27	74.00	-22.73	peak	
2		2389.600	34.38	7.17	41.55	54.00	-12.45	AVG	
3		2390.000	44.09	7.17	51.26	74.00	-22.74	peak	
4		2390.000	35.02	7.17	42.19	54.00	-11.81	AVG	
5	X	2411.200	93.35	7.24	100.59	74.00	26.59	peak	主波訊號不予判定
6	*	2411.200	91.33	7.24	98.57	54.00	44.57	AVG	主波訊號不予判定

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
2310 - 2390 MHz

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2387.100	49.60	7.17	56.77	74.00	-17.23	peak	
2		2387.100	39.78	7.17	46.95	54.00	-7.05	AVG	
3		2390.000	49.04	7.17	56.21	74.00	-17.79	peak	
4		2390.000	40.65	7.17	47.82	54.00	-6.18	AVG	
5	X	2411.200	98.68	7.24	105.92	74.00	31.92	peak	主波訊號不予判定
6	*	2411.200	96.28	7.24	103.52	54.00	49.52	AVG	主波訊號不予判定

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
2483.5 - 2900 MHz

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2471.200	88.90	7.43	96.33	74.00	22.33	peak	主波訊號不予判定
2	*	2471.250	86.90	7.43	94.33	54.00	40.33	AVG	主波訊號不予判定
3		2483.500	42.55	7.47	50.02	74.00	-23.98	peak	
4		2483.500	34.01	7.47	41.48	54.00	-12.52	AVG	
5		2485.850	44.37	7.47	51.84	74.00	-22.16	peak	
6		2485.850	38.23	7.47	45.70	54.00	-8.30	AVG	

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
2483.5 - 2900 MHz

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2471.200	94.69	7.43	102.12	74.00	28.12	peak	主波訊號不予判定
2	*	2471.200	92.74	7.43	100.17	54.00	46.17	AVG	主波訊號不予判定
3		2483.500	51.09	7.47	58.56	74.00	-15.44	peak	
4		2483.500	40.41	7.47	47.88	54.00	-6.12	AVG	
5		2485.800	52.81	7.47	60.28	74.00	-13.72	peak	
6		2485.800	43.59	7.47	51.06	54.00	-2.94	AVG	

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2
 2310 - 2390 MHz
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢 測 器: Peak/AV 測試日期: 108/06/15
 環境溫度: 24°C 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	40.44	7.17	47.61	74.00	-26.39	peak	
2		2390.000	33.48	7.17	40.65	54.00	-13.35	AVG	
3	*	2412.900	89.28	7.24	96.52	54.00	42.52	AVG	主波訊號不予判定
4	X	2412.950	91.17	7.24	98.41	74.00	24.41	peak	主波訊號不予判定

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2
 2310 - 2390 MHz
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢 測 器: Peak/AV 測試日期: 108/06/15
 環境溫度: 24°C 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	46.03	7.17	53.20	74.00	-20.80	peak	
2		2390.000	37.01	7.17	44.18	54.00	-9.82	AVG	
3	X	2411.200	97.78	7.24	105.02	74.00	31.02	peak	主波訊號不予判定
4	*	2411.200	95.44	7.24	102.68	54.00	48.68	AVG	主波訊號不予判定

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2
2483.5 - 2900 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2471.050	86.21	7.42	93.63	54.00	39.63	AVG	主波訊號不予判定
2	X	2471.200	88.13	7.43	95.56	74.00	21.56	peak	主波訊號不予判定
3		2483.500	42.33	7.47	49.80	74.00	-24.20	peak	
4		2483.500	36.50	7.47	43.97	54.00	-10.03	AVG	

測試頻道: IEEE 802.11b / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2
 2483.5 - 2900 MHz
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢 測 器: Peak/AV 測試日期: 108/06/15
 環境溫度: 24°C 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2471.200	94.05	7.43	101.48	74.00	27.48	peak	主波訊號不予判定
2	*	2471.200	92.04	7.43	99.47	54.00	45.47	AVG	主波訊號不予判定
3		2483.500	47.65	7.47	55.12	74.00	-18.88	peak	
4		2483.500	41.41	7.47	48.88	54.00	-5.12	AVG	
5		2485.400	48.98	7.47	56.45	74.00	-17.55	peak	
6		2485.400	39.73	7.47	47.20	54.00	-6.80	AVG	

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
 2310 - 2390 MHz
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢 測 器: Peak/AV 測試日期: 108/06/15
 環境溫度: 24°C 環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	53.36	7.17	60.53	74.00	-13.47	peak	
2		2390.000	42.05	7.17	49.22	54.00	-4.78	AVG	
3	*	2408.800	86.88	7.23	94.11	54.00	40.11	AVG	主波訊號不予判定
4	X	2410.300	94.97	7.24	102.21	74.00	28.21	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
2310 - 2390 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2389.800	56.32	7.17	63.49	74.00	-10.51	peak	
2		2389.800	44.39	7.17	51.56	54.00	-2.44	AVG	
3		2390.000	55.16	7.17	62.33	74.00	-11.67	peak	
4		2390.000	44.43	7.17	51.60	54.00	-2.40	AVG	
5	*	2408.700	91.99	7.23	99.22	54.00	45.22	AVG	主波訊號不予判定
6	X	2410.200	100.66	7.24	107.90	74.00	33.90	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
2483.5 - 2900 MHz

解析頻寬: 1000 kHz / 1000 kHz

量測天線: Horn Antenna

檢 測 器: Peak/AV

環境溫度: 24°C

視頻頻寬: 1000 kHz / 10 Hz


測試距離: 3 米

測試日期: 108/06/15

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2476.450	75.24	7.44	82.68	54.00	28.68	AVG	主波訊號不予判定
2	X	2478.650	83.21	7.44	90.65	74.00	16.65	peak	主波訊號不予判定
3		2483.500	38.61	7.47	46.08	74.00	-27.92	peak	
4		2483.500	31.42	7.47	38.89	54.00	-15.11	AVG	

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 1
 2483.5 - 2900 MHz
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢 測 器: Peak/AV 測試日期: 108/06/15
 環境溫度: 24°C 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2467.700	88.14	7.41	95.55	74.00	21.55	peak	主波訊號不予判定
2	*	2468.800	80.25	7.41	87.66	54.00	33.66	AVG	主波訊號不予判定
3		2483.500	47.06	7.47	54.53	74.00	-19.47	peak	
4		2483.500	36.03	7.47	43.50	54.00	-10.50	AVG	

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2
2310 - 2390 MHz

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	45.33	7.17	52.50	74.00	-21.50	peak	
2		2390.000	35.98	7.17	43.15	54.00	-10.85	AVG	
3	*	2408.700	85.25	7.23	92.48	54.00	38.48	AVG	主波訊號不予判定
4	X	2414.300	92.93	7.25	100.18	74.00	26.18	peak	主波訊號不予判定

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2
 2310 - 2390 MHz
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢 測 器: Peak/AV 測試日期: 108/06/15
 環境溫度: 24°C 環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	53.91	7.17	61.08	74.00	-12.92	peak	
2		2390.000	44.19	7.17	51.36	54.00	-2.64	AVG	
3	X	2410.450	100.92	7.24	108.16	74.00	34.16	peak	主波訊號不予判定
4	*	2416.400	92.81	7.25	100.06	54.00	46.06	AVG	主波訊號不予判定

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 / 測試模式: 發射_Ant. 2

2483.5 - 2900 MHz

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2465.950	70.63	7.40	78.03	54.00	24.03	AVG	主波訊號不予判定
2 X	2467.850	78.14	7.41	85.55	74.00	11.55	peak	主波訊號不予判定
3	2483.500	39.09	7.47	46.56	74.00	-27.44	peak	
4	2483.500	29.36	7.47	36.83	54.00	-17.17	AVG	

測試頻道: IEEE 802.11g / 2.4 GHz 頻帶 /	測試模式: 發射_Ant. 2
2483.5 - 2900 MHz	
解析頻寬: 1000 kHz / 1000 kHz	視頻頻寬: 1000 kHz / 10 Hz
量測天線: Horn Antenna	測試距離: 3 米
檢 測 器: Peak/AV	測試日期: 108/06/15
環境溫度: 24°C	環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2467.300	85.44	7.40	92.84	74.00	18.84	peak	主波訊號不予判定
2	*	2468.500	77.76	7.41	85.17	54.00	31.17	AVG	主波訊號不予判定
3		2483.500	39.55	7.47	47.02	74.00	-26.98	peak	
4		2483.500	31.91	7.47	39.38	54.00	-14.62	AVG	

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射_Ant. 1+Ant. 2

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2390.000	45.33	7.17	52.50	74.00	-21.50	peak	
2		2390.000	37.44	7.17	44.61	54.00	-9.39	AVG	
3	X	2410.800	95.56	7.24	102.80	74.00	28.80	peak	主波訊號不予判定
4	*	2413.050	88.33	7.24	95.57	54.00	41.57	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶 / 2310 - 2390 MHz

測試模式: 發射_Ant. 1+Ant. 2

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		2388.300	53.40	7.17	60.57	74.00	-13.43	peak	
2		2388.300	40.15	7.17	47.32	54.00	-6.68	AVG	
3		2390.000	52.03	7.17	59.20	74.00	-14.80	peak	
4		2390.000	41.36	7.17	48.53	54.00	-5.47	AVG	
5	X	2410.800	100.58	7.24	107.82	74.00	33.82	peak	主波訊號不予判定
6	*	2410.800	92.44	7.24	99.68	54.00	45.68	AVG	主波訊號不予判定

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射_Ant. 1+Ant. 2

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2468.350	83.52	7.41	90.93	74.00	16.93	peak	主波訊號不予判定
2	*	2470.650	75.70	7.42	83.12	54.00	29.12	AVG	主波訊號不予判定
3		2483.500	39.55	7.47	47.02	74.00	-26.98	peak	
4		2483.500	31.28	7.47	38.75	54.00	-15.25	AVG	

測試頻道: IEEE 802.11n (HT20) /
2.4 GHz 頻帶/2483.5 - 2900 MHz

測試模式: 發射_Ant. 1+Ant. 2

解析頻寬: 1000 kHz / 1000 kHz

視頻頻寬: 1000 kHz / 10 Hz

量測天線: Horn Antenna

測試距離: 3 米

檢 測 器: Peak/AV


測試日期: 108/06/15

環境溫度: 24°C

環境濕度: 52%

Orthogonal Axis: X

Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2468.100	87.09	7.41	94.50	74.00	20.50	peak	主波訊號不予判定
2	*	2468.400	79.47	7.41	86.88	54.00	32.88	AVG	主波訊號不予判定
3		2483.500	48.04	7.47	55.51	74.00	-18.49	peak	
4		2483.500	32.91	7.47	40.38	54.00	-13.62	AVG	

結束