



Report No.: TW2603005-01E

Applicant: Jinhua Hi Wave Boat Equipment Manufacture Co., Ltd.

Product: Luxury Electric Outboard Motor

Model No.: S3000, S1500, S6000, S6000S, S11000, S11000S

Trade Mark: SEA WALKER

Test Standards: Article 2 paragraph 1 item (19)
MIC Notice No.88 Appendix No.43

Test Result: It is herewith confirmed and found to comply with the requirements set up by MIC Notice No.88 Appendix No.43 regulations for the evaluation of electromagnetic compatibility

Approved By

Terry Tang



Terry Tang

Manager

Dated: March 31, 2026

Results appearing herein relate only to the sample tested
The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West,
Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

ISED —Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of ISED for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

FCC Designation Number: CN1251

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion

Content

1.0	General Details	4
2.0	List of Measurement Equipment.....	5
3.0	Summary of Test.....	6
4.0	Test Facility.....	7
5.0	General Information.....	8
6.0	RF Shielding Method.....	12
7.0	Frequency Error.....	13
8.0	Antenna Power.....	17
9.0	Occupied Bandwidth (99%).....	20
10.0	Unwanted Emission Strength.....	25
11.0	Secondary Radiated Emission Strength.....	39
12.0	Interference prevention function.....	47
	Test Setup Photos.....	48

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.
Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road
West, Tong Le Village, Nanshan District, Shenzhen, China
Telephone: (755) 83448688
Fax: (755) 83442996

1.2 Applicant Details

Applicant: Jinhua Hi Wave Boat Equipment Manufacture Co., Ltd.
Address: No.71 Sanjian Avenue, Lanxi City, Jinhua City, Zhejiang Province

1.3 Description of EUT

Product: Luxury Electric Outboard Motor
Manufacturer: Jinhua Hi Wave Boat Equipment Manufacture Co., Ltd.
Address: No.71 Sanjian Avenue, Lanxi City, Jinhua City, Zhejiang Province
Factory: Jinhua Hi Wave Boat Equipment Manufacture Co., Ltd.
Address: No.71 Sanjian Avenue, Lanxi City, Jinhua City, Zhejiang Province
Trade Mark: SEA WALKER
Model Number: S3000
Additional Model Number: S3000, S1500, S6000, S6000S, S11000, S11000S
Hardware version: 0.01
Software version: 0.01
Rating: DC36V

1.4 Submitted Sample: 2 Samples

1.5 Test Duration: 2026-03-05 to 2026-03-30

1.6 Test Engineer

The sample tested by

Print Name: Andy Xing



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



2. List of Measurement Equipment

Name	Model No.	Serial No.	Manufacturer	Calibration Date	Calibration Cycle
Spectrum	FSP	100836	RS	2025-07-11	1Year
Power Meter	ML2487A	6K00003613	Anritsu	2025-07-11	1Year
Power Sensor	MA2491A	32263	Anritsu	2025-07-11	1Year
Signal Generator	N5182A	MY47431282	Agilent	2025-07-11	1Year
DC Power Supply	QJ3005T	--	Harrison	2025-07-11	1Year

Remark: 1. Calibration conducted in countries except Japan, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).
2. Calibration provided: Guangzhou Lisai Calibration and Testing Co.,Ltd
3. Calibration by: Hui Xiao

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



3. SUMMARY OF TEST

Test procedures according to the technical standards:

Article 2 Paragraph 1 of Item 19 of the certification Measurement Project			
Ordinance Regulating Radion Equipment	Test Item	Judgment	Remark
Article 5	Frequency Error	Pass	
Article 14&49-20	Antenna Power and Tolerance	Pass	
Article 6	Occupied Bandwidth (99%)	Pass	
Article 7	Unwanted Emission Strength	Pass	
Article 49-20	Carrier Sensing Function (1)	N/A ^{Note2}	
Article 49-20	Carrier Sensing Function (2)	N/A ^{Note3}	
Article 9-4.5	Interference prevention function	Pass	
Article 24.2	Secondary Radiated Emission Strength	Pass	
Article 49-20	Transmitting Antenna Absolute Gain	N/A ^{Note1}	
Article 49-20	Half Power Beam Angle (Radiation angle of antenna)	N/A ^{Note1}	

NOTE:

N/A^{Note1}: It is unnecessary to testing, when a E.I.R.P. is less than the variable E.I.R.P. limit of minimum (DSSS: 12.14dBm/MHz or less, FHSS (2427 - 2470.75 MHz) :6.91dBm/MHz or less, etc.)"

N/A^{Note 2}: Application to transmitting devices which EIRP is less than (2.14dBi+ antenna power limit) and the shortage of EIRP is compensated by the antenna power. Not applicable to this product

N/A^{Note3}: Application to transmitting devices which OFDM modulation occupied bandwidth greater than 26MHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4 Test Facility

4.1 Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95 %.

No.	Item	Uncertainty
1	Conducted Emission Test	$\pm 3.6\text{dB}$
2	RF power, conducted	$\pm 0.16\text{dB}$
3	Spurious emissions, conducted	$\pm 0.21\text{dB}$
4	All emissions, radiated(<1G)	$\pm 4.7\text{dB}$
5	All emissions, radiated(>1G)	$\pm 5.2\text{dB}$

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5. General Information

5.1 General Description of EUT

Equipment	Luxury Electric Outboard Motor	
Model Name	S3000, S1500, S6000, S6000S, S11000, S11000S	
Trade Mark	SEA WALKER	
Product Description	The EUT is Luxury Electric Outboard Motor	
	Operation Frequency:	2402~2480 MHz
	Modulation Type:	GFSK
	Number Of Channel	40
	Channel Spacing	2MHz
	Antenna Designation:	FPC Antenna
	Antenna Gain (Peak)	3.89dBi (Maximum)
Input Voltage:	DC36V	
Adapter	N/A	
Battery	N/A	
Hardware Version	0.01	
Software Version	0.01	

Note:

- For a more detailed features description, please refer to the manufacturer’s specifications or the User's Manual.
-

Table for Filed Antenna

Ant	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	NOTE
1	N/A	FW3710-113B-IX1 75	FPC Antenna	N/A	3.89 (Max.)	N/A

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.2 Description of Test Modes


To investigate the maximum EMI emission characteristics generates from EUT, the test system was pre-scanning tested base on the consideration of following EUT operation mode or test configuration mode which possible have effect on EMI emission level. Each of these EUT operation mode(s) or test configuration mode(s) mentioned above was evaluated respectively.

Test Items	Mode	Data Rate	Channel
Frequency Error	Un-nodulation	--	All
Occupied Bandwidth	Keep Transmitting	--	All
Unwanted Emission Intensity	Keep Transmitting	--	All
Antenna Power Error	Keep Transmitting	--	All
Transmission Antenna Gain	Keep Transmitting	--	All
Transmission Radiation Angle Width	Keep Transmitting	--	All
Radio Interference Prevention Capability	Keep Transmitting	--	All
Carrier Sense Capability	Keep Transmitting	--	All
Secondary Radiated Emission Strength	Keep Receiving	--	All

5.3 Test Conditions

Power supply:

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.



Test below:

1: The fluctuation of C point is under $\pm 1\%$, when input voltage from A point to the test equipment is fluctuated by $\pm 10\%$.

The measurement result of the voltage fluctuation at RF circuit when DC36V $\pm 10\%$

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



DC36V	3.33V
DC32.4V	3.33V
DC39.6V	3.33V

Pre-test the EUT in all voltage mode at the DC36V, DC32.4V and DC39.6V and conducted to determine the worst-case mode, only the worst-case results (DC36V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.

Temperature: 25.0°C

Humidity: 56 % RH

Atmospheric Pressure: 101kPa

Test frequencies: If the EUT can be set to 3 of more different (carrier) frequencies in 1 allocated band, testing shall be performed using the Lowest, Middle and the Highest frequency (L, M and H). If there are 2 or fewer frequencies, testing shall be performed with the available frequencies.

Voltage Fluctuation Test	Normal Voltage	High Voltage	Low Voltage
DC Power	DC36V	DC39.6V	DC32.4V

Note: 1. During the test, the input supply voltage to the EUT from the external power source is varied.

5.4 Table of Parameters of Text Software Setting

During testing channel & power controlling software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product power parameters of FHSS

Test software Version	EspRFTTestTool V1.0		
Frequency	2402 MHz	2440 MHz	2480 MHz
Parameters	DEF	DEF	DEF

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.5 Block Diagram Showing the Configuration of System Tested

Mode:



5.6 Description of Support Units (Conducted Mode)

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Item	Equipment	Brand	Model/Type No.	Series No.	Note
E-1	Luxury Electric Outboard Motor	SEA WALKER	S3000	N/A	EUT
E-2	Luxury Electric Outboard Motor	SEA WALKER	S1500	N/A	EUT
E-3	Luxury Electric Outboard Motor	SEA WALKER	S6000	N/A	EUT
E-4	Luxury Electric Outboard Motor	SEA WALKER	S6000S	N/A	EUT
E-5	Luxury Electric Outboard Motor	SEA WALKER	S11000	N/A	EUT
E-6	Luxury Electric Outboard Motor	SEA WALKER	S11000S	N/A	EUT

Item	Shielded Type	Ferrite Core	Length	Note

Note:

- (1) The support equipment was authorized by Declaration of Confirmation.
- (2) For detachable type I/O cable should be specified the length in cm in 『Length』 column.
- (3) “YES” is means “shielded” “with core”; “NO” is means “unshielded” “without core”.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



6. RF Shielding Method

We apply the product for Japan RF certification. RF and Modulation components are located inside the enclosure and are shielded by a cover that is soldered in the PCB. It is not easily removed. Please refer to following for photo for details.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



7. Frequency Error

7.1 Limit

Item	Limits
Frequency Error	$\pm 50\text{ppm}$

7.2 Measuring Instrument and Setting

The following table is the setting of Spectrum Analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
RB / VB	10kHz/10kHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto
Span	75kHz

7.3 Test Procedures

- (1) In the case of unmodulated signal (continuous or continuous burst), measure the frequency directly by a frequency meter.
 - (2) In the case of burst waves, the measurement shall be done for enough time in order to obtain the enough measuring accuracy, and the average of the measured values becomes the final value.
 - (3) In the case of a test mode with a specific frequency spectrum, measure the frequency of the specific spectrum by a spectrum analyzer.
 - (4) In the cases above, if the frequency equivalent to the test frequency is not directly measured in principle, it shall be obtained by necessary calculation.
- In the case of modulated signal, if there is no specific spectrum measurable by a spectrum analyzer but a specific dip is observed, it is allowed to measure the frequency with the signal generator (synthesized). That is, observe a signal of the signal generator concurrently (or alternately) with the tested signal using the

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



spectrum analyzer while setting the frequency of the signal generator to the position of the dip on the screen of the spectrum analyzer, and determine the frequency of the signal generator at the time as a measured value.

7.4 Test Setup Layout



Note: Pre-test the EUT in all voltage mode at the DC36V, DC32.4V and DC39.6V and conducted to determine the worst-case mode, only the worst-case results (DC36V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.

Temperature: 25°C

Humidity: 56 % RH

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




7.5 Test Result

Frequency	Reading	Tolerance	Limit	Remark
MHz	MHz	ppm	(ppm)	
2402	2401.9892	-4.496	±50	
2440	2439.99295	-2.889	±50	
2480	2479.98845	-4.657	±50	Normal Voltage: DC36V




Date: 19.MAR.2026 19:58:23

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Date: 19.MAR.2026 19:59:53



Date: 19.MAR.2026 20:02:08

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8. Antenna Power


8.1 Limit

Item	Limits
Antenna Power	$\leq 3\text{mW/MHz}$ (FHSS form 2427 - 2470.75 MHz) $\leq 10\text{mW/MHz}$ (OFDM,DSSS from 2400~2483.5MHz) $\leq 10\text{mW}$ (Other from 2400~2483.5MHz)
Antenna Power Tolerance	+20%, No lower limit (Base on manufacturer declare antenna power)
EIRP	6.91-16.91dBm/MHz (FHSS form 2427 - 2470.75 MHz) 12.14-22.14/MHz (OFDM, DSSS from 2400~2483.5MHz, for OBW with 26MHz;) 9.13-19.13dBm/MHz (OFDM, for OBW 26-40MHz;) 12.14-22.14dBm (Other from 2400~2483.5MHz)

8.2 Test Procedures

1. EUT turn to test frequency channel and keep continuous transmitting.
2. Reading the output power from the Power sensor as PEUT.
3. Turn the Signal generator to frequency channel the same as the EUT.
4. Turn the level of Signal generator, scan with the power meter until the power equal to PEUT, the level of Signal generator recorded as "P".
5. The antenna power of EUT is "P".
6. EIRP power= "P" + antenna gain.

8.3 Test Setup Layout



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



8.4 Test Deviation

There is no deviation with the original standard.

Note: Pre-test the EUT in all voltage mode at the DC36V, DC32.4V and DC39.6V and conducted to determine the worst-case mode, only the worst-case results (DC36V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.

8.5 Test Result

LE-1M

EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25 ⁰ C	Tested by:	Andy
Humidity:	56% RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting		

Manufacturer declared the conducted power =0.8mW

Channel	Frequency (MHz)	Antenna Power (dBm)	Antenna Power (mW)	Antenna Power Error	Verdict	EIRP (dBm)	EIRP Limit (dBm)
Low	2402	-2.18	0.61	-23.8%	Pass	1.71	12.14
Mid	2440	-2.30	0.59	-26.3%	Pass	1.59	12.14
High	2480	-2.54	0.56	-30.0%	Pass	1.35	12.14

Note: EIRP= Antenna Power + Antenna Gain

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



LE-2M

EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25 ⁰ C	Tested by:	Andy
Humidity:	56% RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting		

Manufacturer declared the conducted power =0.8mW

Channel	Frequency (MHz)	Antenna Power (dBm)	Antenna Power (mW)	Antenna Power Error	Verdict	EIRP (dBm)	EIRP Limit (dBm)
Low	2402	-2.60	0.55	-31.3%	Pass	1.29	12.14
Mid	2440	-2.64	0.54	-32.5%	Pass	1.25	12.14
High	2480	-2.76	0.53	-33.8%	Pass	1.13	12.14

Note: EIRP= Antenna Power + Antenna Gain

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



9. Occupied Bandwidth (99%)

Limit:

- Occupied bandwidth: FH $\leq$ 83.5 MHz; OFDM: 26-40MHz, DS $\leq$ 26MHz;
Other method (Except SS & OFDM) $\leq$ 26MHz

Test Configure



Test Procedure:

1. Setting of SA is following as fellow:
RBW: 30kHz
VBW: 30kHz
Sweep time: Auto
Sweep Mode: Continuous sweep
Detect mode: Positive peak
Trace mode: Max hold
2. EUT have transmitted the maximum modulation signal and fixed channelize. SA set to 99% of occupied bandwidth to measure occupied bandwidth.
3. EUT have transmitted the maximum modulation signal and fixed channelize. SA set to 90% of occupied bandwidth to measure spread bandwidth.

Note: Pre-test the EUT in all voltage mode at the DC36V, DC32.4V and DC39.6V and conducted to determine the worst-case mode, only the worst-case results (DC36V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.

Temperature: 25°C

Humidity: 56 % RH

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report. In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



9.1 Test Result

LE-1M


Test voltage(V)	Channel (MHz)	Occupy Bandwidth (MHz)	Limit (MHz)	Result
DC36V	2402	1.020	≤26MHz	Pass
	2440	1.026		
	2480	1.032		

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


Normal Voltage



Date: 19.MAR.2026 19:57:57



Date: 19.MAR.2026 19:57:13



Date: 19.MAR.2026 19:56:28

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



LE-2M


Test voltage(V)	Channel (MHz)	Occupy Bandwidth (MHz)	Limit (MHz)	Result
DC36V	2402	2.010	≤26MHz	Pass
	2440	2.010		
	2480	2.010		

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test Figure:


Normal Voltage



Date: 19.MAR.2026 20:04:03



Date: 19.MAR.2026 20:05:33



Date: 19.MAR.2026 20:06:07

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



10. Unwanted Emission Strength

10.1 Limit

Item	Limits
TX Spurious Emission	$\leq 2.5 \mu\text{W}$ (-26dBm) ($30\text{MHz} \leq f \leq 1000\text{MHz}$)
	$\leq 2.5 \mu\text{W}$ (-26dBm) ($1000\text{MHz} < f \leq 2387\text{MHz}$)
	$\leq 25 \mu\text{W}$ (-16dBm) ($2387\text{MHz} < f \leq 2400\text{MHz}$)
	$\leq 25 \mu\text{W}$ (-16dBm) ($2483.5\text{MHz} \leq f < 2496.5\text{MHz}$)
	$\leq 2.5 \mu\text{W}$ (-26dBm) ($2496.5\text{MHz} \leq f < 12500\text{MHz}$)

10.2. Measuring Instrument and Setting

Please refer to section 5 in this report. The following table is the setting of Spectrum Analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
RB / VB	1 MHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

10.3. Test Procedures

1. EUT have transmitted the maximum modulation signal and fixed channelize.
2. Setting of SA is following as:
RB: 1MHz / VB: 1MHz / AT: 20dB Ref: 10dBm / Sweep time: Auto
Sweep Mode: Continuous sweep / Detect mode: Positive peak
Trace mode: Max hold
3. Setting of SA is following as 30MHz and stop frequency 2387MHz Then to mark peak reading value + cable loss shall be less than 2.5μW.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



4. SA adjusted to start frequency 2387MHz and stop frequency 2400MHz. Then to mark peak reading value + cable loss shall be less than 25 μ W.
5. SA adjusted to start frequency 2483.5MHz and stop frequency 2496.5MHz Then to mark peak reading value + cable loss shall be less than 25 μ W
6. SA adjusted to start frequency 2496.5MHz and stop frequency 12500MHz Then to mark peak reading value + cable loss shall be less than 2.5 μ W
7. Measure side band spurious as follows: For 2.4GHz band: 2374MHz~2400MHz and 2483.5MHz~2509.5MHz RBW = VBW = 30kHz, Result_Value = Measured_Value + 15.2 [dBm]
8. If the Result_Value is over the requirement, take total sum of 1MHz band centered at the spur frequency like ACLP measurement as Result_Value.

10.4. Test Setup Layout



10.5. Test Deviation

There is no deviation with the original standard.

Note: Pre-test the EUT in all voltage mode at the DC36V, DC32.4V and DC39.6V and conducted to determine the worst-case mode, only the worst-case results (DC36V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



10.6. Test Result

LE-1M

EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting at 2402MHz		


Test Data:

Test Data of Unwanted Emissions Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μ W/MHz)	Limit (μ W/MHz)	P/F
NV	2402	30-2387	2339.860000	-51.83	0.00656	2.5	Pass
NV	2402	30-2387	661.6760000	-46.85	0.02065	2.5	Pass
NV	2402	2387-2400	2400.000000	-24.62	3.45144	25	Pass
NV	2402	2483.5-2496.5	2489.064000	-52.81	0.00524	25	Pass
NV	2402	2496.5-12500	2756.59100	-53.29	0.00469	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertng. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




2402MHz (30 MHz ≤ f ≤ 2387 MHz)




Date: 13.MAR.2026 20:00:43

2402MHz (2387 MHz < f ≤ 2400 MHz)




Date: 13.MAR.2026 20:06:55

2402MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 13.MAR.2026 20:18:25

2402MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 13.MAR.2026 20:19:40

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting at 2440MHz		


Test Data:

Test Data of Unwanted Emissions Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	2440	30-2387	2377.572000	-51.67	0.00681	2.5	Pass
NV	2440	30-2387	704.1020000	-46.86	0.02061	2.5	Pass
NV	2440	2387-2400	2388.950000	-50.77	0.00838	25	Pass
NV	2440	2483.5-2496.5	2493.458000	-53.49	0.00448	25	Pass
NV	2440	2496.5-12500	4877.333000	-52.32	0.00586	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




2440MHz (30 MHz $\leq$ f $\leq$ 2387 MHz)




Date: 13.MAR.2026 19:59:51

2440MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 13.MAR.2026 20:08:18

2440MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 13.MAR.2026 20:15:10

2440MHz (2496.5 MHz $\leq$ f < 12.5GHz)



Date: 13.MAR.2026 20:21:13

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting at 2480MHz		


Test Data:

Test Data of Unwanted Emissions Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	2480	30-2387	1859.032000	-54.53	0.00352	2.5	Pass
NV	2480	30-2387	741.8140000	-47.41	0.01816	2.5	Pass
NV	2480	2387-2400	2398.700000	-51.98	0.00634	25	Pass
NV	2480	2483.5-2496.5	2483.500000	-40.83	0.08260	25	Pass
NV	2480	2496.5-12500	2796.605000	-52.27	0.00593	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertng. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




2480MHz (30 MHz $\leq f \leq$ 2387 MHz)




Date: 13.MAR.2026 19:57:17

2480MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 13.MAR.2026 20:09:57

2480MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 13.MAR.2026 20:14:03

2480MHz (2496.5 MHz $\leq f <$ 12.5GHz)



Date: 13.MAR.2026 20:25:23

Note: the maximum cable loss is 0.5dBi. The test level (reading level + cable loss) is less than the limit.

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



LE-2M

EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25℃	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting at 2402MHz		


Test Data:

Test Data of Unwanted Emissions Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μ W/MHz)	Limit (μ W/MHz)	P/F
NV	2402	30-2387	2354.002000	-52.39	0.00577	2.5	Pass
NV	2402	30-2387	661.6760000	-48.90	0.01288	2.5	Pass
NV	2402	2387-2400	2400.000000	-20.88	8.16582	25	Pass
NV	2402	2483.5-2496.5	2486.724000	-53.49	0.00448	25	Pass
NV	2402	2496.5-12500	2756.591000	-52.99	0.00502	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




2402MHz (30 MHz $\leq$ f $\leq$ 2387 MHz)




Date: 24.MAR.2026 18:11:32

2402MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 24.MAR.2026 18:13:33

2402MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 24.MAR.2026 18:27:31

2402MHz (2496.5 MHz $\leq$ f < 12.5GHz)



Date: 24.MAR.2026 18:29:49

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting at 2440MHz		


Test Data:

Test Data of Unwanted Emissions Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	2440	30-2387	704.1020000	-48.91	0.01285	2.5	Pass
NV	2440	30-2387	2363.430000	-52.86	0.00518	2.5	Pass
NV	2440	2387-2400	2392.980000	-50.13	0.00971	25	Pass
NV	2440	2483.5-2496.5	2496.344000	-53.94	0.00404	25	Pass
NV	2440	2496.5-12500	4877.33300	-52.55	0.00556	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertng. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




2440MHz (30 MHz ≤ f ≤ 2387 MHz)




Date: 24.MAR.2026 18:09:05

2440MHz (2387 MHz < f ≤ 2400 MHz)




Date: 24.MAR.2026 18:16:35

2440MHz (2483.5 MHz < f ≤ 2496.5 MHz)



Date: 24.MAR.2026 18:23:58

2440MHz (2496.5 MHz ≤ f < 12.5GHz)



Date: 24.MAR.2026 18:31:55

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Keep Transmitting at 2480MHz		


Test Data:

Test Data of Unwanted Emissions Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm/MHz)	Result (μW/MHz)	Limit (μW/MHz)	P/F
NV	2480	30-2387	2363.430000	-54.35	0.00367	2.5	Pass
NV	2480	30-2387	741.8140000	-50.48	0.00895	2.5	Pass
NV	2480	2387-2400	2398.232000	-51.69	0.00678	25	Pass
NV	2480	2483.5-2496.5	2483.500000	-38.77	0.13274	25	Pass
NV	2480	2496.5-12500	3156.731000	-52.46	0.00568	2.5	Pass

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




2480MHz (30 MHz $\leq$ f $\leq$ 2387 MHz)




Date: 24.MAR.2026 18:06:39

2480MHz (2387 MHz < f $\leq$ 2400 MHz)




Date: 24.MAR.2026 18:19:13

2480MHz (2483.5 MHz < f $\leq$ 2496.5 MHz)



Date: 24.MAR.2026 18:23:30

2480MHz (2496.5 MHz $\leq$ f < 12.5GHz)



Date: 24.MAR.2026 18:36:23

Note: the maximum cable loss is 0.5dBi. The test level (reading level + cable loss) is less than the limit.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



11. Secondary Radiated Emission Strength

11.1 Limit

Item	Limits
RX Spurious Emission:	$\leq 4\text{nW}(-54\text{dBm}) (f<1\text{GHz})$
	$\leq 20\text{nW} (-47\text{dBm}) (1\text{GHz}\leq f)$

11.2 Measuring Instrument and Setting

Please refer to section 5 in this report. The following table is the setting of Spectrum Analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
RB	100 kHz (below 1GHz emissions) 1 MHz (above 1GHz emissions)
VB	100 kHz (below 1GHz emissions) 1 MHz (above 1GHz emissions)
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



11.3 Test Procedures

1. EUT have the continuous reception mode and fixed only one channelize.
2. Setting of SA is following as RB / VB: 100 kHz (below 1GHz emissions) / 1 MHz (above 1GHz emissions) / AT: 20dB / Ref: 10dBm / Sweep time: Auto / Sweep Mode: Continuous sweep / Detect mode: Positive peak / Trace mode: Max hold
3. SA set RB: 100kHz and VB: 100kHz. Then adjust to start frequency 30MHz and stop frequency 1000MHz. Search to mark peak reading value + cable loss shall be less than 4nW
4. SA set RB: 1MHz and VB: 1MHz. Then adjust to start frequency 1000MHz and stop frequency 12500MHz. Search to mark peak reading value + cable loss shall be less than 20nW
5. If power level of lower emissions are more than 1/10 of limit (0.4nW for $f < 1\text{GHz}$, 2nW for $f \geq 1\text{GHz}$), all those are to be indicated in the 2nd and 3rd lines. If others are 1/10 or less more of the limit, no necessary to be indicated.

Note: Pre-test the EUT in all voltage mode at the DC36V, DC32.4V and DC39.6V and conducted to determine the worst-case mode, only the worst-case results (DC36V) are recorded in this report.

The EUT has the input voltage to the circuit of RF unit complies with output voltage limitation ($\pm 1\%$) against input voltage fluctuation ($\pm 10\%$). So, all measurements were conducted at only rated voltage DC36V.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



11.4 Test Result


LE-1M

EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Receiving Mode at 2402MHz		

Test Data:


Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2402	30-1000	68.800000000	-57.73	1.6866	4nW	Pass
NV	2402	1000-12500	2771.0000000	-54.28	3.7325	20nW	Pass

2402MHz (30 MHz ≤ f < 1000 MHz)



Date: 13.MAR.2026 19:09:53

2402MHz (1000 MHz ≤ f < 12500 MHz)



Date: 13.MAR.2026 19:21:22

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56% RH	Test Voltage	DC36V(Normal)
Operation Mode:	Receiving Mode at 2440MHz		

Test Data:


Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2440	30-1000	901.060000	-57.84	1.6444	4nW	Pass
NV	2440	1000-12500	2771.00000	-53.31	4.6666	20nW	Pass

2440MHz (30 MHz ≤ f < 1000 MHz)



Date: 13.MAR.2026 19:12:10

2440MHz (1000 MHz ≤ f < 12500 MHz)



Date: 13.MAR.2026 19:18:42

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




EUT:	Luxury Electric Outboard Motor	Test Date:	March 13, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Receiving Mode at 2480MHz		

Test Data:


Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2480	30-1000	945.6800000	-57.49	1.7824	4nW	Pass
NV	2480	1000-12500	2771.000000	-53.32	4.6559	20nW	Pass

2480MHz (30 MHz ≤ f < 1000 MHz)



Date: 13.MAR.2026 19:15:49

2480MHz (1000 MHz ≤ f < 12500 MHz)



Date: 13.MAR.2026 19:20:35

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




LE-2M

EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Receiving Mode at 2402MHz		

Test Data:


Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2402	30-1000	573.2000000	-57.56	1.7539	4nW	Pass
NV	2402	1000-12500	2748.000000	-53.33	4.6452	20nW	Pass

2402MHz (30 MHz ≤ f < 1000 MHz)



Date: 24.MAR.2026 18:44:40

2402MHz (1000 MHz ≤ f < 12500 MHz)



Date: 24.MAR.2026 18:42:59

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56% RH	Test Voltage	DC36V(Normal)
Operation Mode:	Receiving Mode at 2440MHz		

Test Data:


Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2440	30-1000	200.7200000	-57.92	1.6144	4nW	Pass
NV	2440	1000-12500	2771.000000	-52.75	5.3088	20nW	Pass

2440MHz (30 MHz ≤ f < 1000 MHz)



Date: 24.MAR.2026 18:45:33

2440MHz (1000 MHz ≤ f < 12500 MHz)



Date: 24.MAR.2026 18:41:47

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




EUT:	Luxury Electric Outboard Motor	Test Date:	March 24, 2026
Temperature:	25°C	Tested by:	Andy
Humidity:	56 % RH	Test Voltage	DC36V(Normal)
Operation Mode:	Receiving Mode at 2480MHz		

Test Data:


Test Data of Secondary Radiated Emission Strength							
Volage	Channel	Frequency Range (MHz)	Frequency (MHz)	Result (dBm)	Result (nW)	Limit	P/F
NV	2480	30-1000	311.3000000	-57.61	1.7338	4nW	Pass
NV	2480	1000-12500	2771.000000	-52.49	5.6364	20nW	Pass

2480MHz (30 MHz ≤ f < 1000 MHz)



Date: 24.MAR.2026 18:47:26

2480MHz (1000 MHz ≤ f < 12500 MHz)



Date: 24.MAR.2026 18:37:59

The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



12. Interference prevention function

Radio interface prevention function

	Normal voltage	Low voltage	High voltage
Result	Good	Good	Good

Test Result: OK

12.1 Limit

item	Limits
identification Code	≥ 48 bits

Measuring ID code Software

MAC IP List: MAC Scan

12.2 Test Procedure

1. In the case that the EUT has the function of automatically transmitting the identification code: a. Transmit the predetermined identification codes from EUT. b. Check the transmitted identification codes with the demodulator.
2. In the case of receiving the identification code: a. Transmit the predetermined identification codes from the counterpart. b. Check if communication is normal. c. Transmit the signals other than predetermined ID codes from the counterpart. d. check if the EUT stops the transmission, or if it displays that identification codes are different from the predetermined ones.

12.3 Conditions of Equipment under Test

Required normal mode of the applicable equipment (EUT)

12.4 Test Result

The radio equipment has an identification code. A verification of this code is done before a communication channel is established

MAC Address: BB: CA: 0C:D1: F3: BE

Result: OK


The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Setup Photos



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Photographs – EUT

Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, the SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside View




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, the SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Outside View




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View



The report refers only to the sample tested and does not apply to the bulk.
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Inside View



--End of Report--

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.