


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5270MHz_TX




EUT Y_4TX
Setting 67
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.135G	58.91	74.00	-15.09	8.02	3	Horizontal	39	1.03	-
AV	5.1344G	46.16	54.00	-7.84	8.02	3	Horizontal	39	1.03	-
PK	5.252G	105.88	Inf	-Inf	8.24	3	Horizontal	39	1.03	-
AV	5.255G	94.00	Inf	-Inf	8.25	3	Horizontal	39	1.03	-
PK	5.366G	59.38	74.00	-14.62	8.39	3	Horizontal	39	1.03	-
AV	5.3534G	46.98	54.00	-7.02	8.38	3	Horizontal	39	1.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5310MHz_TX




EUT_Y_4TX
Setting 51
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2992G	114.98	Inf	-Inf	8.31	3	Vertical	331	2.26	-
AV	5.2986G	103.33	Inf	-Inf	8.31	3	Vertical	331	2.26	-
PK	5.3532G	71.33	74.00	-2.67	8.38	3	Vertical	331	2.26	-
AV	5.3532G	53.89	54.00	-0.11	8.38	3	Vertical	331	2.26	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5310MHz_TX




EUT_Y_4TX
Setting 51
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3208G	104.72	Inf	-Inf	8.33	3	Horizontal	302	2.14	-
AV	5.3178G	92.12	Inf	-Inf	8.33	3	Horizontal	302	2.14	-
PK	5.3538G	62.17	74.00	-11.83	8.38	3	Horizontal	302	2.14	-
AV	5.3532G	47.31	54.00	-6.69	8.38	3	Horizontal	302	2.14	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5510MHz_TX




EUT Y_4TX
Setting 45
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4566G	65.26	74.00	-8.74	8.54	3	Vertical	336	2.25	-
AV	5.459G	50.61	54.00	-3.39	8.55	3	Vertical	336	2.25	-
PK	5.4656G	68.04	68.20	-0.16	8.56	3	Vertical	336	2.25	-
PK	5.501G	114.25	Inf	-Inf	8.62	3	Vertical	336	2.25	-
AV	5.5226G	100.06	Inf	-Inf	8.62	3	Vertical	336	2.25	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5510MHz_TX




EUT Y_4TX
Setting 45
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4272G	59.58	74.00	-14.42	8.50	3	Horizontal	320	1.93	-
AV	5.46G	47.08	54.00	-6.92	8.55	3	Horizontal	320	1.93	-
PK	5.4638G	59.74	68.20	-8.46	8.55	3	Horizontal	320	1.93	-
PK	5.4992G	100.15	Inf	-Inf	8.62	3	Horizontal	320	1.93	-
AV	5.4938G	88.53	Inf	-Inf	8.61	3	Horizontal	320	1.93	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5550MHz_TX




EUT Y_4TX
Setting 60
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4436G	63.30	74.00	-10.70	8.52	3	Vertical	357	2.33	-
PK	5.4652G	68.11	68.20	-0.09	8.55	3	Vertical	357	2.33	-
AV	5.4572G	50.75	54.00	-3.25	8.54	3	Vertical	357	2.33	-
PK	5.5604G	120.48	Inf	-Inf	8.63	3	Vertical	357	2.33	-
AV	5.5644G	108.20	Inf	-Inf	8.63	3	Vertical	357	2.33	-
PK	5.726G	62.52	68.20	-5.68	8.80	3	Vertical	357	2.33	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5550MHz_TX




EUT Y_4TX
Setting 60
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4396G	59.23	74.00	-14.77	8.51	3	Horizontal	319	2.07	-
PK	5.4636G	58.55	68.20	-9.65	8.55	3	Horizontal	319	2.07	-
AV	5.4532G	47.03	54.00	-6.97	8.54	3	Horizontal	319	2.07	-
PK	5.5644G	105.64	Inf	-Inf	8.63	3	Horizontal	319	2.07	-
AV	5.562G	93.12	Inf	-Inf	8.63	3	Horizontal	319	2.07	-
PK	5.7316G	58.63	68.20	-9.57	8.81	3	Horizontal	319	2.07	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5670MHz_TX




EUT Y_4TX
Setting 48
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6766G	116.10	Inf	-Inf	8.75	3	Vertical	345	1.02	-
AV	5.6526G	100.37	Inf	-Inf	8.70	3	Vertical	345	1.02	-
PK	5.727G	68.13	68.20	-0.07	8.81	3	Vertical	345	1.02	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5670MHz_TX




EUT Y_4TX
Setting 48
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6862G	95.85	Inf	-Inf	8.75	3	Horizontal	307	1.50	-
AV	5.6868G	82.55	Inf	-Inf	8.75	3	Horizontal	307	1.50	-
PK	5.7966G	59.51	68.20	-8.69	8.88	3	Horizontal	307	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 83
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.434G	62.53	74.00	-11.47	8.50	3	Vertical	7	1.02	-
AV	5.4472G	49.77	54.00	-4.23	8.52	3	Vertical	7	1.02	-
PK	5.4676G	62.07	68.20	-6.13	8.56	3	Vertical	7	1.02	-
PK	5.7136G	121.52	Inf	-Inf	8.78	3	Vertical	7	1.02	-
AV	5.7232G	108.94	Inf	-Inf	8.79	3	Vertical	7	1.02	-
PK	5.8684G	67.94	68.20	-0.26	8.86	3	Vertical	7	1.02	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/03/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 83
02-M-1-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4328G	58.85	74.00	-15.15	8.50	3	Horizontal	39	1.30	-
AV	5.4484G	46.86	54.00	-7.14	8.52	3	Horizontal	39	1.30	-
PK	5.4652G	58.19	68.20	-10.01	8.55	3	Horizontal	39	1.30	-
PK	5.716G	108.53	Inf	-Inf	8.78	3	Horizontal	39	1.30	-
AV	5.716G	96.80	Inf	-Inf	8.78	3	Horizontal	39	1.30	-
PK	5.9272G	59.38	68.20	-8.82	8.86	3	Horizontal	39	1.30	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5290MHz_TX




EUT_Y_4TX
Setting 45
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1484G	61.22	74.00	-12.78	8.04	3	Vertical	331	2.21	-
AV	5.1484G	48.76	54.00	-5.24	8.04	3	Vertical	331	2.21	-
PK	5.2972G	112.61	Inf	-Inf	8.31	3	Vertical	331	2.21	-
AV	5.302G	100.53	Inf	-Inf	8.31	3	Vertical	331	2.21	-
PK	5.3505G	71.13	74.00	-2.87	8.38	3	Vertical	331	2.21	-
AV	5.3501G	53.80	54.00	-0.20	8.38	3	Vertical	331	2.21	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5290MHz_TX




EUT Y_4TX
Setting 45
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1284G	59.00	74.00	-15.00	8.01	3	Horizontal	300	1.71	-
AV	5.1236G	46.53	54.00	-7.47	7.99	3	Horizontal	300	1.71	-
PK	5.2972G	99.65	Inf	-Inf	8.31	3	Horizontal	300	1.71	-
AV	5.2956G	87.57	Inf	-Inf	8.30	3	Horizontal	300	1.71	-
PK	5.3756G	59.67	74.00	-14.33	8.41	3	Horizontal	300	1.71	-
AV	5.4444G	47.20	54.00	-6.80	8.52	3	Horizontal	300	1.71	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5530MHz_TX




EUT Y_4TX
Setting 46
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	65.47	74.00	-8.53	8.54	3	Vertical	3	2.36	-
AV	5.459G	51.22	54.00	-2.78	8.55	3	Vertical	3	2.36	-
PK	5.465G	68.03	68.20	-0.17	8.55	3	Vertical	3	2.36	-
PK	5.561G	114.83	Inf	-Inf	8.63	3	Vertical	3	2.36	-
AV	5.559G	101.04	Inf	-Inf	8.63	3	Vertical	3	2.36	-
PK	5.735G	60.81	68.20	-7.39	8.82	3	Vertical	3	2.36	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5530MHz_TX




EUT Y_4TX
Setting 46
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.426G	59.69	74.00	-14.31	8.49	3	Horizontal	311	1.98	-
AV	5.456G	47.13	54.00	-6.87	8.54	3	Horizontal	311	1.98	-
PK	5.464G	59.14	68.20	-9.06	8.55	3	Horizontal	311	1.98	-
PK	5.561G	100.64	Inf	-Inf	8.63	3	Horizontal	311	1.98	-
AV	5.567G	87.78	Inf	-Inf	8.63	3	Horizontal	311	1.98	-
PK	5.737G	60.17	68.20	-8.03	8.82	3	Horizontal	311	1.98	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5610MHz_TX




EUT Y_4TX
Setting 57
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4597G	64.90	74.00	-9.10	8.55	3	Vertical	19	2.24	-
AV	5.4599G	51.00	54.00	-3.00	8.55	3	Vertical	19	2.24	-
PK	5.4612G	66.70	68.20	-1.50	8.55	3	Vertical	19	2.24	-
PK	5.5788G	116.25	Inf	-Inf	8.64	3	Vertical	19	2.24	-
AV	5.5788G	103.19	Inf	-Inf	8.64	3	Vertical	19	2.24	-
PK	5.7288G	68.11	68.20	-0.09	8.81	3	Vertical	19	2.24	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5610MHz_TX




EUT Y_4TX
Setting 57
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.412G	59.84	74.00	-14.16	8.46	3	Horizontal	305	1.55	-
AV	5.4504G	46.90	54.00	-7.10	8.54	3	Horizontal	305	1.55	-
PK	5.4612G	58.77	68.20	-9.43	8.55	3	Horizontal	305	1.55	-
PK	5.6088G	100.16	Inf	-Inf	8.65	3	Horizontal	305	1.55	-
AV	5.6064G	88.18	Inf	-Inf	8.65	3	Horizontal	305	1.55	-
PK	5.8896G	60.41	68.20	-7.79	8.86	3	Horizontal	305	1.55	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 70
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	61.28	74.00	-12.72	8.54	3	Vertical	19	2.98	-
PK	5.4656G	62.20	68.20	-6.00	8.56	3	Vertical	19	2.98	-
AV	5.4596G	48.84	54.00	-5.16	8.55	3	Vertical	19	2.98	-
PK	5.7212G	118.31	Inf	-Inf	8.79	3	Vertical	19	2.98	-
AV	5.72G	104.60	Inf	-Inf	8.79	3	Vertical	19	2.98	-
PK	5.8501G	68.06	68.20	-0.14	8.86	3	Vertical	19	2.98	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

01/03/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 70
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4224G	60.01	74.00	-13.99	8.48	3	Horizontal	297	1.99	-
AV	5.42G	46.94	54.00	-7.06	8.48	3	Horizontal	297	1.99	-
PK	5.4632G	58.49	68.20	-9.71	8.55	3	Horizontal	297	1.99	-
PK	5.7008G	105.93	Inf	-Inf	8.77	3	Horizontal	297	1.99	-
AV	5.7008G	93.57	Inf	-Inf	8.77	3	Horizontal	297	1.99	-
PK	5.8904G	59.42	68.20	-8.78	8.86	3	Horizontal	297	1.99	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

01/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 40
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1316G	68.57	74.00	-5.43	8.01	3	Vertical	343	1.01	-
AV	5.114G	49.80	54.00	-4.20	7.97	3	Vertical	343	1.01	-
PK	5.2092G	110.56	Inf	-Inf	8.17	3	Vertical	343	1.01	-
AV	5.2076G	92.45	Inf	-Inf	8.17	3	Vertical	343	1.01	-
PK	5.374G	73.82	74.00	-0.18	8.40	3	Vertical	343	1.01	-
AV	5.3532G	49.58	54.00	-4.42	8.38	3	Vertical	343	1.01	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

01/03/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 40
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1092G	58.72	74.00	-15.28	7.96	3	Horizontal	295	2.01	-
AV	5.0988G	46.05	54.00	-7.95	7.94	3	Horizontal	295	2.01	-
PK	5.218G	96.43	Inf	-Inf	8.19	3	Horizontal	295	2.01	-
AV	5.2236G	80.27	Inf	-Inf	8.20	3	Horizontal	295	2.01	-
PK	5.4092G	59.00	74.00	-15.00	8.45	3	Horizontal	295	2.01	-
AV	5.3868G	46.36	54.00	-7.64	8.43	3	Horizontal	295	2.01	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

01/03/2019

5570MHz_TX




EUT Y_4TX
Setting 25
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.447G	62.17	74.00	-11.83	8.52	3	Vertical	352	2.18	-
AV	5.448G	48.82	54.00	-5.18	8.52	3	Vertical	352	2.18	-
PK	5.468G	68.13	68.20	-0.07	8.56	3	Vertical	352	2.18	-
PK	5.557G	106.18	Inf	-Inf	8.63	3	Vertical	352	2.18	-
AV	5.557G	88.26	Inf	-Inf	8.63	3	Vertical	352	2.18	-
PK	5.727G	63.63	68.20	-4.57	8.81	3	Vertical	352	2.18	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

01/03/2019

5570MHz_TX



EUT Y_4TX
Setting 25
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	59.65	74.00	-14.35	8.54	3	Horizontal	317	2.33	-
AV	5.456G	46.72	54.00	-7.28	8.54	3	Horizontal	317	2.33	-
PK	5.465G	58.89	68.20	-9.31	8.55	3	Horizontal	317	2.33	-
PK	5.564G	92.83	Inf	-Inf	8.63	3	Horizontal	317	2.33	-
AV	5.562G	77.58	Inf	-Inf	8.63	3	Horizontal	317	2.33	-
PK	5.802G	59.72	68.20	-8.48	8.88	3	Horizontal	317	2.33	-



RSE TX above 1GHz Result_Radio 2_Bandedge

Appendix E.37


For Non-beamforming / 4T4S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.456G	53.98	54.00	-0.02	8.54	3	Vertical	343	2.37	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5260MHz_TX




EUT Y_4TX
Setting 70
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	63.48	74.00	-10.52	8.02	3	Vertical	346	2.44	-
AV	5.1202G	50.93	54.00	-3.07	7.98	3	Vertical	346	2.44	-
PK	5.257G	123.47	Inf	-Inf	8.25	3	Vertical	346	2.44	-
AV	5.257G	112.05	Inf	-Inf	8.25	3	Vertical	346	2.44	-
PK	5.371G	63.51	74.00	-10.49	8.40	3	Vertical	346	2.44	-
AV	5.3662G	51.09	54.00	-2.91	8.39	3	Vertical	346	2.44	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5260MHz_TX




EUT_Y_4TX
Setting 70
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1352G	59.49	74.00	-14.51	8.02	3	Horizontal	311	2.29	-
AV	5.1202G	46.98	54.00	-7.02	7.98	3	Horizontal	311	2.29	-
PK	5.2528G	109.10	Inf	-Inf	8.24	3	Horizontal	311	2.29	-
AV	5.2678G	97.60	Inf	-Inf	8.26	3	Horizontal	311	2.29	-
PK	5.3914G	59.19	74.00	-14.81	8.43	3	Horizontal	311	2.29	-
AV	5.3986G	47.81	54.00	-6.19	8.44	3	Horizontal	311	2.29	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5300MHz_TX




EUT_Y_4TX
Setting 71
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3052G	124.54	Inf	-Inf	8.32	3	Vertical	351	2.42	-
AV	5.296G	111.71	Inf	-Inf	8.31	3	Vertical	351	2.42	-
PK	5.3508G	69.70	74.00	-4.30	8.38	3	Vertical	351	2.42	-
AV	5.352G	53.83	54.00	-0.17	8.38	3	Vertical	351	2.42	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5300MHz_TX




EUT_Y_4TX
Setting 71
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3012G	108.17	Inf	-Inf	8.31	3	Horizontal	69	1.30	-
AV	5.302G	96.08	Inf	-Inf	8.31	3	Horizontal	69	1.30	-
PK	5.3708G	59.39	74.00	-14.61	8.40	3	Horizontal	69	1.30	-
AV	5.354G	47.52	54.00	-6.48	8.38	3	Horizontal	69	1.30	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5320MHz_TX




EUT_Y_4TX
Setting 54
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3254G	119.09	Inf	-Inf	8.35	3	Vertical	348	2.29	-
AV	5.3164G	107.29	Inf	-Inf	8.33	3	Vertical	348	2.29	-
PK	5.3506G	69.24	74.00	-4.76	8.38	3	Vertical	348	2.29	-
AV	5.3502G	53.88	54.00	-0.12	8.38	3	Vertical	348	2.29	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5320MHz_TX




EUT_Y_4TX
Setting 54
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3126G	106.04	Inf	-Inf	8.32	3	Horizontal	316	2.14	-
AV	5.3218G	93.23	Inf	-Inf	8.33	3	Horizontal	316	2.14	-
PK	5.3506G	60.88	74.00	-13.12	8.38	3	Horizontal	316	2.14	-
AV	5.3502G	47.72	54.00	-6.28	8.38	3	Horizontal	316	2.14	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5500MHz_TX




EUT_Y_4TX
Setting 50
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4504G	61.84	74.00	-12.16	8.54	3	Vertical	353	2.37	-
AV	5.4584G	50.44	54.00	-3.56	8.55	3	Vertical	353	2.37	-
PK	5.5052G	118.46	Inf	-Inf	8.62	3	Vertical	353	2.37	-
AV	5.496G	106.72	Inf	-Inf	8.61	3	Vertical	353	2.37	-
PK	5.4696G	68.01	68.20	-0.19	8.56	3	Vertical	353	2.37	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5500MHz_TX




EUT Y_4TX
Setting 50
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4312G	59.60	74.00	-14.40	8.50	3	Horizontal	37	1.19	-
AV	5.452G	47.54	54.00	-6.46	8.54	3	Horizontal	37	1.19	-
PK	5.4672G	59.60	68.20	-8.60	8.56	3	Horizontal	37	1.19	-
PK	5.5064G	104.73	Inf	-Inf	8.62	3	Horizontal	37	1.19	-
AV	5.4968G	92.05	Inf	-Inf	8.62	3	Horizontal	37	1.19	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5580MHz_TX




EUT Y_4TX
Setting 88
02-C-5-13
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4376G	63.63	74.00	-10.37	8.51	3	Vertical	357	2.24	-
AV	5.4152G	52.13	54.00	-1.87	8.46	3	Vertical	357	2.24	-
PK	5.4688G	63.44	68.20	-4.76	8.56	3	Vertical	357	2.24	-
PK	5.5856G	126.18	Inf	-Inf	8.64	3	Vertical	357	2.24	-
AV	5.5712G	114.39	Inf	-Inf	8.63	3	Vertical	357	2.24	-
PK	5.7384G	63.67	68.20	-4.53	8.81	3	Vertical	357	2.24	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5580MHz_TX




EUT Y_4TX
Setting 88
02-C-5-13
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.452G	62.67	74.00	-11.33	8.54	3	Horizontal	322	2.35	-
AV	5.4408G	50.46	54.00	-3.54	8.51	3	Horizontal	322	2.35	-
PK	5.4632G	62.24	68.20	-5.96	8.55	3	Horizontal	322	2.35	-
PK	5.5864G	112.14	Inf	-Inf	8.64	3	Horizontal	322	2.35	-
AV	5.584G	100.49	Inf	-Inf	8.64	3	Horizontal	322	2.35	-
PK	5.7488G	62.88	68.20	-5.32	8.82	3	Horizontal	322	2.35	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5700MHz_TX




EUT Y_4TX
Setting 44
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.697G	116.73	Inf	-Inf	8.77	3	Vertical	348	2.34	-
AV	5.6968G	105.20	Inf	-Inf	8.77	3	Vertical	348	2.34	-
PK	5.7256G	68.05	68.20	-0.15	8.80	3	Vertical	348	2.34	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5700MHz_TX




EUT Y_4TX
Setting 44
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6962G	102.34	Inf	-Inf	8.76	3	Horizontal	323	2.22	-
AV	5.697G	90.99	Inf	-Inf	8.77	3	Horizontal	323	2.22	-
PK	5.7426G	59.57	68.20	-8.63	8.82	3	Horizontal	323	2.22	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 85
02-C-5-13
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4296G	63.63	74.00	-10.37	8.50	3	Vertical	344	2.23	-
AV	5.4524G	52.42	54.00	-1.58	8.54	3	Vertical	344	2.23	-
PK	5.4698G	62.96	68.20	-5.24	8.56	3	Vertical	344	2.23	-
PK	5.7296G	125.19	Inf	-Inf	8.81	3	Vertical	344	2.23	-
AV	5.7164G	114.29	Inf	-Inf	8.78	3	Vertical	344	2.23	-
PK	5.8856G	65.45	68.20	-2.75	8.86	3	Vertical	344	2.23	-

802.11ax HEW20_Nss4,(MCS0)_4TX

26/02/2019

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 85
02-C-5-13
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4512G	62.34	74.00	-11.66	8.54	3	Horizontal	328	2.30	-
AV	5.444G	50.53	54.00	-3.47	8.52	3	Horizontal	328	2.30	-
PK	5.4668G	61.72	68.20	-6.48	8.56	3	Horizontal	328	2.30	-
PK	5.7224G	112.92	Inf	-Inf	8.79	3	Horizontal	328	2.30	-
AV	5.7164G	100.02	Inf	-Inf	8.78	3	Horizontal	328	2.30	-
PK	5.9276G	63.27	68.20	-4.93	8.86	3	Horizontal	328	2.30	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5270MHz_TX




EUT_Y_4TX
Setting 60
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1392G	62.89	74.00	-11.11	8.03	3	Vertical	349	2.31	-
AV	5.1428G	52.50	54.00	-1.50	8.04	3	Vertical	349	2.31	-
PK	5.2772G	119.95	Inf	-Inf	8.27	3	Vertical	349	2.31	-
AV	5.2766G	109.04	Inf	-Inf	8.27	3	Vertical	349	2.31	-
PK	5.3552G	66.72	74.00	-7.28	8.38	3	Vertical	349	2.31	-
AV	5.3552G	53.78	54.00	-0.22	8.38	3	Vertical	349	2.31	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5270MHz_TX




EUT Y_4TX
Setting 60
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1368G	58.69	74.00	-15.31	8.02	3	Horizontal	73	1.31	-
AV	5.1482G	48.40	54.00	-5.60	8.04	3	Horizontal	73	1.31	-
PK	5.2748G	102.99	Inf	-Inf	8.27	3	Horizontal	73	1.31	-
AV	5.2652G	92.78	Inf	-Inf	8.26	3	Horizontal	73	1.31	-
PK	5.3738G	59.14	74.00	-14.86	8.40	3	Horizontal	73	1.31	-
AV	5.3852G	48.94	54.00	-5.06	8.42	3	Horizontal	73	1.31	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5310MHz_TX




EUT Y_4TX
Setting 45
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2996G	114.50	Inf	-Inf	8.31	3	Vertical	349	2.20	-
AV	5.3044G	103.71	Inf	-Inf	8.31	3	Vertical	349	2.20	-
PK	5.3504G	66.89	74.00	-7.11	8.38	3	Vertical	349	2.20	-
AV	5.3508G	53.81	54.00	-0.19	8.38	3	Vertical	349	2.20	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5310MHz_TX




EUT Y_4TX
Setting 45
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.292G	97.28	Inf	-Inf	8.30	3	Horizontal	72	1.29	-
AV	5.2928G	87.93	Inf	-Inf	8.30	3	Horizontal	72	1.29	-
PK	5.36G	59.26	74.00	-14.74	8.39	3	Horizontal	72	1.29	-
AV	5.3716G	48.98	54.00	-5.02	8.40	3	Horizontal	72	1.29	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5510MHz_TX




EUT Y_4TX
Setting 46
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4556G	66.05	74.00	-7.95	8.54	3	Vertical	343	2.37	-
AV	5.456G	53.98	54.00	-0.02	8.54	3	Vertical	343	2.37	-
PK	5.468G	66.77	68.20	-1.43	8.56	3	Vertical	343	2.37	-
PK	5.5168G	115.00	Inf	-Inf	8.62	3	Vertical	343	2.37	-
AV	5.4944G	103.86	Inf	-Inf	8.61	3	Vertical	343	2.37	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5510MHz_TX




EUT Y_4TX
Setting 46
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4312G	59.25	74.00	-14.75	8.50	3	Horizontal	46	1.23	-
AV	5.4584G	48.64	54.00	-5.36	8.55	3	Horizontal	46	1.23	-
PK	5.464G	59.15	68.20	-9.05	8.55	3	Horizontal	46	1.23	-
PK	5.5168G	98.92	Inf	-Inf	8.62	3	Horizontal	46	1.23	-
AV	5.4988G	88.87	Inf	-Inf	8.62	3	Horizontal	46	1.23	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5550MHz_TX




EUT_Y_4TX
Setting 63
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4582G	64.39	74.00	-9.61	8.55	3	Vertical	343	2.14	-
AV	5.4597G	52.77	54.00	-1.23	8.55	3	Vertical	343	2.14	-
PK	5.4697G	68.12	68.20	-0.08	8.56	3	Vertical	343	2.14	-
PK	5.5398G	119.13	Inf	-Inf	8.63	3	Vertical	343	2.14	-
AV	5.5566G	108.32	Inf	-Inf	8.63	3	Vertical	343	2.14	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5550MHz_TX




EUT Y_4TX
Setting 63
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4138G	59.76	74.00	-14.24	8.46	3	Horizontal	40	2.20	-
AV	5.4276G	48.79	54.00	-5.21	8.50	3	Horizontal	40	2.20	-
PK	5.4654G	59.46	68.20	-8.74	8.56	3	Horizontal	40	2.20	-
PK	5.5572G	103.48	Inf	-Inf	8.63	3	Horizontal	40	2.20	-
AV	5.5566G	92.81	Inf	-Inf	8.63	3	Horizontal	40	2.20	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5670MHz_TX




EUT Y_4TX
Setting 49
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.6772G	115.31	Inf	-Inf	8.75	3	Vertical	348	2.36	-						
AV	5.6748G	104.84	Inf	-Inf	8.73	3	Vertical	348	2.36	-						
PK	5.7354G	68.00	68.20	-0.20	8.82	3	Vertical	348	2.36	-						

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5670MHz_TX




EUT Y_4TX
Setting 49
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6634G	99.10	Inf	-Inf	8.72	3	Horizontal	314	2.18	-
AV	5.6586G	90.17	Inf	-Inf	8.71	3	Horizontal	314	2.18	-
PK	5.7768G	59.61	68.20	-8.59	8.86	3	Horizontal	314	2.18	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 76
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4292G	62.35	74.00	-11.65	8.50	3	Vertical	7	2.34	-
AV	5.4508G	51.81	54.00	-2.19	8.54	3	Vertical	7	2.34	-
PK	5.4664G	61.37	68.20	-6.83	8.56	3	Vertical	7	2.34	-
PK	5.6992G	121.57	Inf	-Inf	8.77	3	Vertical	7	2.34	-
AV	5.7076G	111.93	Inf	-Inf	8.78	3	Vertical	7	2.34	-
PK	5.8516G	68.10	68.20	-0.10	8.86	3	Vertical	7	2.34	-

802.11ax HEW40_Nss4,(MCS0)_4TX

26/02/2019

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 76
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4184G	58.63	74.00	-15.37	8.47	3	Horizontal	319	2.87	-
AV	5.4256G	48.74	54.00	-5.26	8.49	3	Horizontal	319	2.87	-
PK	5.464G	58.31	68.20	-9.89	8.55	3	Horizontal	319	2.87	-
PK	5.7028G	106.93	Inf	-Inf	8.77	3	Horizontal	319	2.87	-
AV	5.6944G	95.07	Inf	-Inf	8.76	3	Horizontal	319	2.87	-
PK	5.8912G	59.17	68.20	-9.03	8.86	3	Horizontal	319	2.87	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5290MHz_TX




EUT Y_4TX
Setting 48
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	60.71	74.00	-13.29	8.04	3	Vertical	358	2.21	-
AV	5.1412G	50.37	54.00	-3.63	8.04	3	Vertical	358	2.21	-
PK	5.2612G	111.74	Inf	-Inf	8.25	3	Vertical	358	2.21	-
AV	5.306G	100.97	Inf	-Inf	8.32	3	Vertical	358	2.21	-
PK	5.3548G	65.58	74.00	-8.42	8.38	3	Vertical	358	2.21	-
AV	5.35G	53.94	54.00	-0.06	8.38	3	Vertical	358	2.21	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5290MHz_TX




EUT Y_4TX
Setting 48
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1028G	58.62	74.00	-15.38	7.94	3	Horizontal	315	2.29	-
AV	5.1172G	47.90	54.00	-6.10	7.98	3	Horizontal	315	2.29	-
PK	5.2812G	98.35	Inf	-Inf	8.28	3	Horizontal	315	2.29	-
AV	5.3028G	87.49	Inf	-Inf	8.31	3	Horizontal	315	2.29	-
PK	5.382G	59.05	74.00	-14.95	8.42	3	Horizontal	315	2.29	-
AV	5.3996G	49.03	54.00	-4.97	8.44	3	Horizontal	315	2.29	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5530MHz_TX




EUT Y_4TX
Setting 43
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4568G	64.05	74.00	-9.95	8.54	3	Vertical	351	2.36	-
AV	5.458G	53.78	54.00	-0.22	8.55	3	Vertical	351	2.36	-
PK	5.4652G	64.33	68.20	-3.87	8.55	3	Vertical	351	2.36	-
PK	5.5204G	110.38	Inf	-Inf	8.62	3	Vertical	351	2.36	-
AV	5.5468G	100.01	Inf	-Inf	8.63	3	Vertical	351	2.36	-
PK	5.7448G	60.30	68.20	-7.90	8.82	3	Vertical	351	2.36	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5530MHz_TX




EUT Y_4TX
Setting 43
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	59.35	74.00	-14.65	8.55	3	Horizontal	38	1.13	-
AV	5.4544G	48.89	54.00	-5.11	8.54	3	Horizontal	38	1.13	-
PK	5.4616G	58.68	68.20	-9.52	8.55	3	Horizontal	38	1.13	-
PK	5.5156G	97.50	Inf	-Inf	8.62	3	Horizontal	38	1.13	-
AV	5.5192G	86.56	Inf	-Inf	8.62	3	Horizontal	38	1.13	-
PK	5.8024G	59.16	68.20	-9.04	8.88	3	Horizontal	38	1.13	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5610MHz_TX




EUT Y_4TX
Setting 56
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.454G	64.09	74.00	-9.91	8.54	3	Vertical	357	2.22	-
AV	5.454G	53.66	54.00	-0.34	8.54	3	Vertical	357	2.22	-
PK	5.466G	64.97	68.20	-3.23	8.56	3	Vertical	357	2.22	-
PK	5.6G	115.95	Inf	-Inf	8.64	3	Vertical	357	2.22	-
AV	5.595G	104.72	Inf	-Inf	8.64	3	Vertical	357	2.22	-
PK	5.729G	67.99	68.20	-0.21	8.81	3	Vertical	357	2.22	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5610MHz_TX




EUT Y_4TX
Setting 56
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.45G	58.90	74.00	-15.10	8.54	3	Horizontal	319	2.36	-
AV	5.459G	49.17	54.00	-4.83	8.55	3	Horizontal	319	2.36	-
PK	5.468G	58.79	68.20	-9.41	8.56	3	Horizontal	319	2.36	-
PK	5.596G	100.64	Inf	-Inf	8.64	3	Horizontal	319	2.36	-
AV	5.599G	90.99	Inf	-Inf	8.64	3	Horizontal	319	2.36	-
PK	5.776G	59.72	68.20	-8.48	8.86	3	Horizontal	319	2.36	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 63
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	62.53	74.00	-11.47	8.55	3	Vertical	5	2.35	-
AV	5.432G	51.35	54.00	-2.65	8.50	3	Vertical	5	2.35	-
PK	5.4692G	61.98	68.20	-6.22	8.56	3	Vertical	5	2.35	-
PK	5.7068G	116.82	Inf	-Inf	8.78	3	Vertical	5	2.35	-
AV	5.6996G	105.43	Inf	-Inf	8.77	3	Vertical	5	2.35	-
PK	5.8501G	68.01	68.20	-0.19	8.86	3	Vertical	5	2.35	-

802.11ax HEW80_Nss4,(MCS0)_4TX

26/02/2019

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 63
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.402G	58.86	74.00	-15.14	8.44	3	Horizontal	327	2.33	-
AV	5.4584G	48.82	54.00	-5.18	8.55	3	Horizontal	327	2.33	-
PK	5.4692G	58.25	68.20	-9.95	8.56	3	Horizontal	327	2.33	-
PK	5.7008G	103.38	Inf	-Inf	8.77	3	Horizontal	327	2.33	-
AV	5.6816G	91.66	Inf	-Inf	8.75	3	Horizontal	327	2.33	-
PK	5.8556G	58.79	68.20	-9.41	8.86	3	Horizontal	327	2.33	-

802.11ax HEW160_Nss4,(MCS0)_4TX

26/02/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 39
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1044G	64.99	74.00	-9.01	7.94	3	Vertical	1	2.47	-
AV	5.1244G	52.99	54.00	-1.01	7.99	3	Vertical	1	2.47	-
PK	5.2324G	107.47	Inf	-Inf	8.21	3	Vertical	1	2.47	-
AV	5.2268G	96.63	Inf	-Inf	8.20	3	Vertical	1	2.47	-
PK	5.3828G	64.23	74.00	-9.77	8.42	3	Vertical	1	2.47	-
AV	5.382G	53.79	54.00	-0.21	8.42	3	Vertical	1	2.47	-

802.11ax HEW160_Nss4,(MCS0)_4TX

26/02/2019

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 39
02-C-5-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.0596G	58.75	74.00	-15.25	7.84	3	Horizontal	303	2.11	-
AV	5.0932G	48.50	54.00	-5.50	7.92	3	Horizontal	303	2.11	-
PK	5.2332G	93.08	Inf	-Inf	8.21	3	Horizontal	303	2.11	-
AV	5.2572G	83.19	Inf	-Inf	8.25	3	Horizontal	303	2.11	-
PK	5.3732G	59.77	74.00	-14.23	8.40	3	Horizontal	303	2.11	-
AV	5.3996G	48.57	54.00	-5.43	8.44	3	Horizontal	303	2.11	-

802.11ax HEW160_Nss4,(MCS0)_4TX

26/02/2019

5570MHz_TX




EUT Y_4TX
Setting 36
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.456G	64.02	74.00	-9.98	8.54	3	Vertical	343	2.33	-
AV	5.456G	53.76	54.00	-0.24	8.54	3	Vertical	343	2.33	-
PK	5.466G	63.62	68.20	-4.58	8.56	3	Vertical	343	2.33	-
PK	5.586G	107.35	Inf	-Inf	8.64	3	Vertical	343	2.33	-
AV	5.575G	96.41	Inf	-Inf	8.64	3	Vertical	343	2.33	-
PK	5.726G	62.72	68.20	-5.48	8.80	3	Vertical	343	2.33	-

802.11ax HEW160_Nss4,(MCS0)_4TX

26/02/2019

5570MHz_TX



EUT Y_4TX
Setting 36
02-C-9-10
FSP
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.427G	59.30	74.00	-14.70	8.50	3	Horizontal	39	2.29	-
AV	5.428G	49.07	54.00	-4.93	8.50	3	Horizontal	39	2.29	-
PK	5.467G	59.18	68.20	-9.02	8.56	3	Horizontal	39	2.29	-
PK	5.552G	91.10	Inf	-Inf	8.63	3	Horizontal	39	2.29	-
AV	5.565G	81.36	Inf	-Inf	8.63	3	Horizontal	39	2.29	-
PK	5.744G	59.62	68.20	-8.58	8.82	3	Horizontal	39	2.29	-