


測試頻道: IEEE 802.11a / 5200 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5193.300	93.72	-1.68	92.04	68.30	23.74	AVG	主波訊號不予判定
2	*	5194.300	102.38	-1.68	100.70	68.30	32.40	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5200 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10399.82	48.17	1.62	49.79	68.30	-18.51	peak	

測試頻道: IEEE 802.11a / 5240 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5233.300	99.07	-1.65	97.42	68.30	29.12	AVG	主波訊號不予判定
2	*	5244.400	107.57	-1.65	105.92	68.30	37.62	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5240 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.30	53.36	1.69	55.05	68.30	-13.25	peak	

測試頻道: IEEE 802.11a / 5240 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5244.800	93.50	-1.65	91.85	68.30	23.55	AVG	主波訊號不予判定
2	*	5245.300	102.86	-1.65	101.21	68.30	32.91	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5240 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10479.72	51.18	1.69	52.87	68.30	-15.43	peak	

測試頻道: IEEE 802.11a / 5260 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5265.900	108.13	-1.64	106.49	68.30	38.19	peak	主波訊號不予判定
2	X	5265.900	99.32	-1.64	97.68	68.30	29.38	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5260 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10520.42	52.01	1.75	53.76	68.30	-14.54	peak	

測試頻道: IEEE 802.11a / 5260 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5253.300	93.42	-1.64	91.78	68.30	23.48	AVG	主波訊號不予判定
2	*	5255.700	103.04	-1.64	101.40	68.30	33.10	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5260 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10519.90	50.66	1.75	52.41	68.30	-15.89	peak	

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5293.400	97.18	-1.61	95.57	68.30	27.27	AVG	主波訊號不予判定
2	*	5306.500	106.27	-1.61	104.66	68.30	36.36	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10600.05	43.04	1.87	44.91	54.00	-9.09	AVG	
2		10600.60	50.79	1.87	52.66	74.00	-21.34	peak	

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5293.500	94.84	-1.61	93.23	68.30	24.93	AVG	主波訊號不予判定
2	*	5294.400	104.15	-1.61	102.54	68.30	34.24	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5300 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10600.10	41.01	1.87	42.88	54.00	-11.12	AVG	
2		10600.62	48.79	1.87	50.66	74.00	-23.34	peak	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5313.300	98.59	-1.59	97.00	68.30	28.70	AVG	主波訊號不予判定
2	*	5314.900	107.56	-1.59	105.97	68.30	37.67	peak	主波訊號不予判定
3		5350.000	56.30	-1.57	54.73	74.00	-19.27	peak	
4		5350.000	48.07	-1.57	46.50	54.00	-7.50	AVG	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10639.82	43.82	1.94	45.76	54.00	-8.24	AVG	
2		10640.67	56.53	1.94	58.47	74.00	-15.53	peak	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5313.400	102.75	-1.59	101.16	68.30	32.86	peak	主波訊號不予判定
2	X	5325.700	93.92	-1.59	92.33	68.30	24.03	AVG	主波訊號不予判定
3		5350.000	55.52	-1.57	53.95	74.00	-20.05	peak	
4		5350.000	47.70	-1.57	46.13	54.00	-7.87	AVG	

測試頻道: IEEE 802.11a / 5320 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10639.72	42.91	1.94	44.85	54.00	-9.15	AVG	
2		10641.27	55.44	1.94	57.38	74.00	-16.62	peak	

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	53.39	-1.49	51.90	74.00	-22.10	peak	
2		5460.000	48.11	-1.49	46.62	54.00	-7.38	AVG	
3		5470.000	56.23	-1.48	54.75	68.30	-13.55	peak	
4	*	5504.800	107.84	-1.45	106.39	68.30	38.09	peak	主波訊號不予判定
5	X	5505.800	99.08	-1.45	97.63	68.30	29.33	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10999.62	42.59	2.49	45.08	54.00	-8.92	AVG	
2		11003.57	55.67	2.49	58.16	74.00	-15.84	peak	

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	54.79	-1.49	53.30	74.00	-20.70	peak	
2		5460.000	47.71	-1.49	46.22	54.00	-7.78	AVG	
3		5470.000	55.52	-1.48	54.04	68.30	-14.26	peak	
4	X	5505.700	90.84	-1.45	89.39	68.30	21.09	AVG	主波訊號不予判定
5	*	5506.200	99.88	-1.45	98.43	68.30	30.13	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5500 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10998.92	53.89	2.49	56.38	74.00	-17.62	peak	
2	*	10999.95	41.48	2.49	43.97	54.00	-10.03	AVG	

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5573.300	98.73	-1.27	97.46	68.30	29.16	AVG	主波訊號不予判定
2	*	5586.300	108.04	-1.24	106.80	68.30	38.50	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.12	50.41	2.63	53.04	74.00	-20.96	peak	
2	*	11159.80	40.25	2.63	42.88	54.00	-11.12	AVG	

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5585.800	99.27	-1.24	98.03	68.30	29.73	peak	主波訊號不予判定
2	X	5585.900	90.58	-1.24	89.34	68.30	21.04	AVG	主波訊號不予判定

測試頻道: IEEE 802.11a / 5580 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.77	49.36	2.63	51.99	74.00	-22.01	peak	
2	*	11160.07	38.05	2.63	40.68	54.00	-13.32	AVG	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5697.000	105.63	-0.96	104.67	68.30	36.37	peak	主波訊號不予判定
2	X	5705.700	97.98	-0.94	97.04	68.30	28.74	AVG	主波訊號不予判定
3		5725.000	54.56	-0.89	53.67	68.30	-14.63	peak	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11394.07	51.72	2.82	54.54	74.00	-19.46	peak	
2	*	11399.87	39.05	2.82	41.87	54.00	-12.13	AVG	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5694.100	99.99	-0.97	99.02	68.30	30.72	peak	主波訊號不予判定
2	X	5705.700	91.33	-0.94	90.39	68.30	22.09	AVG	主波訊號不予判定
3		5725.000	52.32	-0.89	51.43	68.30	-16.87	peak	

測試頻道: IEEE 802.11a / 5700 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11398.67	49.13	2.82	51.95	74.00	-22.05	peak	
2	*	11399.90	36.97	2.82	39.79	54.00	-14.21	AVG	

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	55.99	-0.92	55.07	109.40	-54.33	peak	
2		5725.000	62.70	-0.89	61.81	122.20	-60.39	peak	
3	*	5739.800	108.48	-0.85	107.63	122.20	-14.57	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11481.70	53.41	2.90	56.31	74.00	-17.69	peak	
2	*	11490.02	45.02	2.89	47.91	54.00	-6.09	AVG	

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	55.26	-0.92	54.34	109.40	-55.06	peak	
2		5725.000	57.78	-0.89	56.89	122.20	-65.31	peak	
3	*	5751.600	99.54	-0.82	98.72	122.20	-23.48	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5745 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11481.75	51.69	2.90	54.59	74.00	-19.41	peak	
2	*	11489.95	42.21	2.89	45.10	54.00	-8.90	AVG	

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5779.400	106.83	-0.75	106.08	122.20	-16.12	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11563.55	49.87	2.74	52.61	74.00	-21.39	peak	
2	*	11570.00	38.62	2.72	41.34	54.00	-12.66	AVG	

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5781.000	97.61	-0.75	96.86	122.20	-25.34	peak	主波訊號不予判定

測試頻道: IEEE 802.11a / 5785 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11569.60	48.51	2.72	51.23	74.00	-22.77	peak	
2	*	11570.02	36.49	2.72	39.21	54.00	-14.79	AVG	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5819.600	107.65	-0.65	107.00	122.20	-15.20	peak	主波訊號不予判定
2		5850.000	56.06	-0.57	55.49	122.20	-66.71	peak	
3		5860.000	55.14	-0.54	54.60	109.40	-54.80	peak	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11648.67	48.63	2.50	51.13	74.00	-22.87	peak	
2	*	11650.55	38.69	2.50	41.19	54.00	-12.81	AVG	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5830.900	100.18	-0.62	99.56	122.20	-22.64	peak	主波訊號不予判定
2		5850.000	54.13	-0.57	53.56	122.20	-68.64	peak	
3		5860.000	53.93	-0.54	53.39	109.40	-56.01	peak	

測試頻道: IEEE 802.11a / 5825 MHz
 解析頻寬: 1000 kHz / 1000 kHz
 量測天線: Horn Antenna
 檢測器: Peak/AV

測試模式: 發射
 視頻頻寬: 1000 kHz / 10 Hz
 測試距離: 3 米
 測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11649.50	36.66	2.50	39.16	54.00	-14.84	AVG	
2		11651.97	47.46	2.50	49.96	74.00	-24.04	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5180 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	56.96	-1.71	55.25	74.00	-18.75	peak	
2		5150.000	50.93	-1.71	49.22	54.00	-4.78	AVG	
3	X	5184.600	102.84	-1.70	101.14	68.30	32.84	AVG	主波訊號不予判定
4	*	5185.500	112.25	-1.70	110.55	68.30	42.25	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5180 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10360.25	55.99	1.57	57.56	68.30	-10.74	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5180 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	55.55	-1.71	53.84	74.00	-20.16	peak	
2		5150.000	49.29	-1.71	47.58	54.00	-6.42	AVG	
3	X	5184.400	98.08	-1.70	96.38	68.30	28.08	AVG	主波訊號不予判定
4	*	5187.800	106.39	-1.70	104.69	68.30	36.39	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5180 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10359.17	54.34	1.57	55.91	68.30	-12.39	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5200 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5196.800	112.05	-1.68	110.37	68.30	42.07	peak	主波訊號不予判定
2	X	5206.900	102.97	-1.68	101.29	68.30	32.99	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5200 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10399.50	56.40	1.62	58.02	68.30	-10.28	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5200 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5194.800	98.88	-1.68	97.20	68.30	28.90	AVG	主波訊號不予判定
2	*	5195.100	107.12	-1.68	105.44	68.30	37.14	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5200 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10402.35	54.69	1.61	56.30	68.30	-12.00	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5240 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5234.500	112.62	-1.65	110.97	68.30	42.67	peak	主波訊號不予判定
2	X	5247.000	103.75	-1.65	102.10	68.30	33.80	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5240 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10481.47	61.71	1.69	63.40	68.30	-4.90	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5240 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5234.800	98.12	-1.65	96.47	68.30	28.17	AVG	主波訊號不予判定
2	*	5242.200	107.49	-1.65	105.84	68.30	37.54	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5240 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10478.77	57.74	1.69	59.43	68.30	-8.87	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5190 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	65.61	-1.71	63.90	74.00	-10.10	peak	
2		5150.000	54.80	-1.71	53.09	54.00	-0.91	AVG	
3	X	5174.900	99.48	-1.70	97.78	68.30	29.48	AVG	主波訊號不予判定
4	*	5176.000	109.47	-1.69	107.78	68.30	39.48	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5190 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10381.50	55.47	1.59	57.06	68.30	-11.24	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5190 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	54.75	-1.71	53.04	74.00	-20.96	peak	
2		5150.000	49.77	-1.71	48.06	54.00	-5.94	AVG	
3	X	5173.900	90.66	-1.70	88.96	68.30	20.66	AVG	主波訊號不予判定
4	*	5175.500	99.65	-1.69	97.96	68.30	29.66	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5190 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10381.30	54.56	1.59	56.15	68.30	-12.15	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5230 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5214.900	102.17	-1.67	100.50	68.30	32.20	AVG	主波訊號不予判定
2	*	5228.600	112.50	-1.66	110.84	68.30	42.54	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5230 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10467.40	60.87	1.68	62.55	68.30	-5.75	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5230 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5217.400	105.45	-1.67	103.78	68.30	35.48	peak	主波訊號不予判定
2	X	5246.100	95.80	-1.65	94.15	68.30	25.85	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5230 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10468.10	60.35	1.69	62.04	68.30	-6.26	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	64.31	-1.71	62.60	74.00	-11.40	peak	
2		5150.000	54.37	-1.71	52.66	54.00	-1.34	AVG	
3	*	5235.600	105.57	-1.65	103.92	68.30	35.62	peak	主波訊號不予判定
4	X	5245.600	95.85	-1.65	94.20	68.30	25.90	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10441.20	58.33	1.66	59.99	68.30	-8.31	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	58.65	-1.71	56.94	74.00	-17.06	peak	
2		5150.000	52.06	-1.71	50.35	54.00	-3.65	AVG	
3	X	5183.600	90.32	-1.70	88.62	68.30	20.32	AVG	主波訊號不予判定
4	*	5227.800	99.64	-1.66	97.98	68.30	29.68	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5210 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10442.30	57.34	1.66	59.00	68.30	-9.30	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5260 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5255.300	112.04	-1.64	110.40	68.30	42.10	peak	主波訊號不予判定
2	X	5267.100	103.74	-1.64	102.10	68.30	33.80	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5260 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10521.45	61.44	1.75	63.19	68.30	-5.11	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5260 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5254.900	98.48	-1.64	96.84	68.30	28.54	AVG	主波訊號不予判定
2	*	5265.600	106.73	-1.64	105.09	68.30	36.79	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5260 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10519.90	58.85	1.75	60.60	68.30	-7.70	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5300 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5292.400	112.00	-1.61	110.39	68.30	42.09	peak	主波訊號不予判定
2	X	5294.800	103.19	-1.61	101.58	68.30	33.28	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5300 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10600.45	48.72	1.87	50.59	54.00	-3.41	AVG	
2		10609.45	60.70	1.88	62.58	74.00	-11.42	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5300 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5293.000	98.83	-1.61	97.22	68.30	28.92	AVG	主波訊號不予判定
2	*	5293.500	107.55	-1.61	105.94	68.30	37.64	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5300 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		10600.47	56.69	1.87	58.56	74.00	-15.44	peak	
2	*	10600.50	46.72	1.87	48.59	54.00	-5.41	AVG	

測試頻道: IEEE 802.11ac (VHT20) /
5320 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5314.900	102.39	-1.59	100.80	68.30	32.50	AVG	主波訊號不予判定
2	*	5326.500	109.82	-1.59	108.23	68.30	39.93	peak	主波訊號不予判定
3		5350.000	57.00	-1.57	55.43	74.00	-18.57	peak	
4		5350.000	48.98	-1.57	47.41	54.00	-6.59	AVG	

測試頻道: IEEE 802.11ac (VHT20) /
5320 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10639.87	62.64	1.94	64.58	74.00	-9.42	peak	
2	*	10640.17	49.69	1.94	51.63	54.00	-2.37	AVG	

測試頻道: IEEE 802.11ac (VHT20) /
5320 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5313.100	107.00	-1.59	105.41	68.30	37.11	peak	主波訊號不予判定
2	X	5327.100	97.52	-1.59	95.93	68.30	27.63	AVG	主波訊號不予判定
3		5350.000	57.63	-1.57	56.06	74.00	-17.94	peak	
4		5350.000	47.96	-1.57	46.39	54.00	-7.61	AVG	

測試頻道: IEEE 802.11ac (VHT20) /
5320 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10638.17	60.70	1.94	62.64	74.00	-11.36	peak	
2	*	10640.47	48.21	1.94	50.15	54.00	-3.85	AVG	

測試頻道: IEEE 802.11ac (VHT40) /
5270 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5254.800	99.66	-1.64	98.02	68.30	29.72	AVG	主波訊號不予判定
2	*	5268.400	108.41	-1.64	106.77	68.30	38.47	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5270 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10548.05	57.55	1.79	59.34	68.30	-8.96	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5270 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5284.700	104.45	-1.62	102.83	68.30	34.53	peak	主波訊號不予判定
2	X	5286.100	95.17	-1.62	93.55	68.30	25.25	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5270 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10541.05	57.07	1.78	58.85	68.30	-9.45	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5310 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5294.800	98.62	-1.61	97.01	68.30	28.71	AVG	主波訊號不予判定
2	*	5298.900	107.58	-1.61	105.97	68.30	37.67	peak	主波訊號不予判定
3		5350.000	61.69	-1.57	60.12	74.00	-13.88	peak	
4		5350.000	53.70	-1.57	52.13	54.00	-1.87	AVG	

測試頻道: IEEE 802.11ac (VHT40) /
5310 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10612.85	46.48	1.89	48.37	54.00	-5.63	AVG	
2		10614.40	57.68	1.89	59.57	74.00	-14.43	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5310 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5295.800	94.83	-1.61	93.22	68.30	24.92	AVG	主波訊號不予判定
2	*	5308.600	103.48	-1.60	101.88	68.30	33.58	peak	主波訊號不予判定
3		5350.000	56.67	-1.57	55.10	74.00	-18.90	peak	
4		5350.000	50.44	-1.57	48.87	54.00	-5.13	AVG	

測試頻道: IEEE 802.11ac (VHT40) /
5310 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10621.65	44.65	1.90	46.55	54.00	-7.45	AVG	
2		10622.70	55.34	1.90	57.24	74.00	-16.76	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5280.800	95.60	-1.62	93.98	68.30	25.68	AVG	主波訊號不予判定
2	*	5300.200	106.91	-1.61	105.30	68.30	37.00	peak	主波訊號不予判定
3		5350.000	60.72	-1.57	59.15	74.00	-14.85	peak	
4		5350.000	54.93	-1.57	53.36	54.00	-0.64	AVG	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10596.90	56.20	1.87	58.07	68.30	-10.23	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5263.600	90.57	-1.63	88.94	68.30	20.64	AVG	主波訊號不予判定
2	*	5300.000	101.44	-1.61	99.83	68.30	31.53	peak	主波訊號不予判定
3		5350.000	62.78	-1.57	61.21	74.00	-12.79	peak	
4		5350.000	51.32	-1.57	49.75	54.00	-4.25	AVG	

測試頻道: IEEE 802.11ac (VHT80) /
5290 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10580.30	53.66	1.84	55.50	68.30	-12.80	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5500 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	56.25	-1.49	54.76	74.00	-19.24	peak	
2		5460.000	48.48	-1.49	46.99	54.00	-7.01	AVG	
3		5470.000	58.39	-1.48	56.91	68.30	-11.39	peak	
4	*	5494.900	111.91	-1.46	110.45	68.30	42.15	peak	主波訊號不予判定
5	X	5507.200	103.40	-1.45	101.95	68.30	33.65	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5500 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11000.32	48.15	2.49	50.64	54.00	-3.36	AVG	
2		11002.40	58.98	2.49	61.47	74.00	-12.53	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5500 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5494.800	97.27	-1.46	95.81	68.30	27.51	AVG	主波訊號不予判定
2	*	5506.900	107.63	-1.45	106.18	68.30	37.88	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5500 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11000.15	46.35	2.49	48.84	54.00	-5.16	AVG	
2		11000.25	57.99	2.49	60.48	74.00	-13.52	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5580 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5572.900	103.46	-1.28	102.18	68.30	33.88	AVG	主波訊號不予判定
2	*	5586.800	111.76	-1.24	110.52	68.30	42.22	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5580 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11156.35	56.43	2.63	59.06	74.00	-14.94	peak	
2	*	11159.92	46.38	2.63	49.01	54.00	-4.99	AVG	

測試頻道: IEEE 802.11ac (VHT20) /
5580 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5576.800	104.21	-1.26	102.95	68.30	34.65	peak	主波訊號不予判定
2	X	5584.400	97.73	-1.24	96.49	68.30	28.19	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT20) /
5580 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11159.77	55.00	2.63	57.63	74.00	-16.37	peak	
2	*	11160.35	42.64	2.63	45.27	54.00	-8.73	AVG	

測試頻道: IEEE 802.11ac (VHT20) /
5700 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5696.300	110.70	-0.97	109.73	68.30	41.43	peak	主波訊號不予判定
2	X	5707.100	101.48	-0.93	100.55	68.30	32.25	AVG	主波訊號不予判定
3		5725.000	61.58	-0.89	60.69	68.30	-7.61	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5700 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11400.72	42.99	2.82	45.81	54.00	-8.19	AVG	
2		11407.45	54.38	2.84	57.22	74.00	-16.78	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5700 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5706.500	104.42	-0.94	103.48	68.30	35.18	peak	主波訊號不予判定
2	X	5707.100	95.32	-0.93	94.39	68.30	26.09	AVG	主波訊號不予判定
3		5725.000	58.04	-0.89	57.15	68.30	-11.15	peak	

測試頻道: IEEE 802.11ac (VHT20) /
5700 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11400.30	41.09	2.82	43.91	54.00	-10.09	AVG	
2		11401.90	52.61	2.83	55.44	74.00	-18.56	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5510 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	58.26	-1.49	56.77	74.00	-17.23	peak	
2		5460.000	51.49	-1.49	50.00	54.00	-4.00	AVG	
3	X	5524.400	100.67	-1.40	99.27	68.30	30.97	AVG	主波訊號不予判定
4	*	5527.000	110.20	-1.40	108.80	68.30	40.50	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5510 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11021.70	42.20	2.50	44.70	54.00	-9.30	AVG	
2		11021.85	52.76	2.50	55.26	74.00	-18.74	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5510 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	55.40	-1.49	53.91	74.00	-20.09	peak	
2		5460.000	49.56	-1.49	48.07	54.00	-5.93	AVG	
3		5470.000	60.35	-1.48	58.87	68.30	-9.43	peak	
4	*	5495.200	105.45	-1.46	103.99	68.30	35.69	peak	主波訊號不予判定
5	X	5526.200	96.55	-1.40	95.15	68.30	26.85	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5510 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11021.35	51.83	2.50	54.33	74.00	-19.67	peak	
2	*	11022.35	40.72	2.51	43.23	54.00	-10.77	AVG	

測試頻道: IEEE 802.11ac (VHT40) /
5550 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5536.300	111.22	-1.36	109.86	68.30	41.56	peak	主波訊號不予判定
2	X	5564.600	101.33	-1.30	100.03	68.30	31.73	AVG	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5550 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11091.80	54.18	2.56	56.74	74.00	-17.26	peak	
2	*	11101.55	44.72	2.58	47.30	54.00	-6.70	AVG	

測試頻道: IEEE 802.11ac (VHT40) /
5550 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5534.400	96.63	-1.36	95.27	68.30	26.97	AVG	主波訊號不予判定
2	*	5547.300	105.70	-1.34	104.36	68.30	36.06	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT40) /
5550 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11099.45	53.40	2.58	55.98	74.00	-18.02	peak	
2	*	11102.00	42.12	2.58	44.70	54.00	-9.30	AVG	

測試頻道: IEEE 802.11ac (VHT40) /
5670 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5685.600	101.95	-0.98	100.97	68.30	32.67	AVG	No Limit
2	*	5686.500	112.00	-0.98	111.02	68.30	42.72	peak	No Limit
3		5725.000	59.08	-0.89	58.19	68.30	-10.11	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5670 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11340.45	41.49	2.77	44.26	54.00	-9.74	AVG	
2		11345.90	52.35	2.78	55.13	74.00	-18.87	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5670 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5654.000	106.69	-1.07	105.62	68.30	37.32	peak	主波訊號不予判定
2	X	5685.800	96.81	-0.98	95.83	68.30	27.53	AVG	主波訊號不予判定
3		5725.000	55.22	-0.89	54.33	68.30	-13.97	peak	

測試頻道: IEEE 802.11ac (VHT40) /
5670 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11342.05	38.70	2.77	41.47	54.00	-12.53	AVG	
2		11346.95	48.80	2.78	51.58	74.00	-22.42	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	61.68	-1.49	60.19	74.00	-13.81	peak	
2		5460.000	55.07	-1.49	53.58	54.00	-0.42	AVG	
3		5470.000	67.45	-1.48	65.97	68.30	-2.33	peak	
4	X	5503.400	94.96	-1.45	93.51	68.30	25.21	AVG	主波訊號不予判定
5	*	5513.600	105.20	-1.42	103.78	68.30	35.48	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11060.60	40.11	2.54	42.65	54.00	-11.35	AVG	
2		11085.00	49.39	2.57	51.96	74.00	-22.04	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5460.000	57.38	-1.49	55.89	74.00	-18.11	peak	
2		5460.000	51.11	-1.49	49.62	54.00	-4.38	AVG	
3		5470.000	59.70	-1.48	58.22	68.30	-10.08	peak	
4	X	5503.400	89.86	-1.45	88.41	68.30	20.11	AVG	主波訊號不予判定
5	*	5556.800	101.00	-1.31	99.69	68.30	31.39	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac (VHT80) /
5530 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	1106.40	38.79	2.54	41.33	54.00	-12.67	AVG	
2		1107.10	48.34	2.55	50.89	74.00	-23.11	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5574.600	106.79	-1.27	105.52	68.30	37.22	peak	主波訊號不予判定
2	X	5575.000	96.47	-1.27	95.20	68.30	26.90	AVG	主波訊號不予判定
3		5725.000	57.57	-0.89	56.68	68.30	-11.62	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11220.70	38.53	2.67	41.20	54.00	-12.80	AVG	
2		11228.80	49.08	2.69	51.77	74.00	-22.23	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	5645.600	102.70	-1.09	101.61	68.30	33.31	peak	主波訊號不予判定
2	X	5646.400	91.68	-1.09	90.59	68.30	22.29	AVG	主波訊號不予判定
3		5725.000	57.58	-0.89	56.69	68.30	-11.61	peak	

測試頻道: IEEE 802.11ac (VHT80) /
5610 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11218.50	47.51	2.67	50.18	74.00	-23.82	peak	
2	*	11220.90	36.09	2.67	38.76	54.00	-15.24	AVG	

測試頻道: IEEE 802.11ac(VHT20) /
5745 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	55.10	-0.92	54.18	109.40	-55.22	peak	
2		5725.000	69.93	-0.89	69.04	122.20	-53.16	peak	
3	*	5742.800	114.48	-0.84	113.64	122.20	-8.56	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac(VHT20) /
5745 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11489.50	56.09	2.89	58.98	74.00	-15.02	peak	
2	*	11490.22	44.13	2.89	47.02	54.00	-6.98	AVG	

測試頻道: IEEE 802.11ac(VHT20) /
5745 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	55.94	-0.92	55.02	109.40	-54.38	peak	
2		5725.000	58.25	-0.89	57.36	122.20	-64.84	peak	
3	*	5753.300	105.90	-0.81	105.09	122.20	-17.11	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac(VHT20) /
5745 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11490.32	54.94	2.89	57.83	74.00	-16.17	peak	
2	*	11490.42	42.30	2.89	45.19	54.00	-8.81	AVG	

測試頻道: IEEE 802.11ac(VHT20) /
5785 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5790.000	114.44	-0.73	113.71	122.20	-8.49	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac(VHT20) /
5785 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11567.82	52.98	2.73	55.71	74.00	-18.29	peak	
2	*	11570.42	42.89	2.72	45.61	54.00	-8.39	AVG	

測試頻道: IEEE 802.11ac(VHT20) /
5785 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5790.600	107.59	-0.73	106.86	122.20	-15.34	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac(VHT20) /
5785 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11570.80	40.21	2.71	42.92	54.00	-11.08	AVG	
2		11576.67	51.20	2.70	53.90	74.00	-20.10	peak	

測試頻道: IEEE 802.11ac(VHT20) /
5825 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5827.400	113.01	-0.63	112.38	122.20	-9.82	peak	主波訊號不予判定
2		5850.000	59.26	-0.57	58.69	122.20	-63.51	peak	
3		5860.000	57.09	-0.54	56.55	109.40	-52.85	peak	

測試頻道: IEEE 802.11ac(VHT20) /
5825 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11649.25	50.03	2.50	52.53	74.00	-21.47	peak	
2	*	11651.53	40.01	2.50	42.51	54.00	-11.49	AVG	

測試頻道: IEEE 802.11ac(VHT20) /
5825 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.700	106.21	-0.63	105.58	122.20	-16.62	peak	主波訊號不予判定
2		5850.000	58.47	-0.57	57.90	122.20	-64.30	peak	
3		5860.000	54.65	-0.54	54.11	109.40	-55.29	peak	

測試頻道: IEEE 802.11ac(VHT20) /
5825 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11650.28	38.14	2.50	40.64	54.00	-13.36	AVG	
2		11650.75	48.10	2.50	50.60	74.00	-23.40	peak	

測試頻道: IEEE 802.11ac(VHT40) /
5755 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5715.000	63.58	-0.92	62.66	109.40	-46.74	peak	
2		5725.000	69.85	-0.89	68.96	122.20	-53.24	peak	
3	*	5742.300	111.29	-0.84	110.45	122.20	-11.75	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac(VHT40) /
5755 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11509.10	42.31	2.88	45.19	54.00	-8.81	AVG	
2		11516.00	52.51	2.86	55.37	74.00	-18.63	peak	

測試頻道: IEEE 802.11ac(VHT40) /
5755 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	58.68	-0.92	57.76	109.40	-51.64	peak	
2		5725.000	61.78	-0.89	60.89	122.20	-61.31	peak	
3	*	5751.500	106.20	-0.82	105.38	122.20	-16.82	peak	主波訊號不予判定

測試頻道: IEEE 802.11ac(VHT40) /
5755 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11505.25	50.40	2.90	53.30	74.00	-20.70	peak	
2	*	11511.70	39.86	2.87	42.73	54.00	-11.27	AVG	

測試頻道: IEEE 802.11ac(VHT40) /
5795 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5810.700	109.58	-0.67	108.91	122.20	-13.29	peak	主波訊號不予判定
2		5850.000	57.20	-0.57	56.63	122.20	-65.57	peak	
3		5860.000	56.03	-0.54	55.49	109.40	-53.91	peak	

測試頻道: IEEE 802.11ac(VHT40) /
5795 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11590.80	40.81	2.66	43.47	54.00	-10.53	AVG	
2		11595.60	51.46	2.65	54.11	74.00	-19.89	peak	

測試頻道: IEEE 802.11ac(VHT40) /
5795 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5808.400	105.00	-0.68	104.32	122.20	-17.88	peak	主波訊號不予判定
2		5850.000	59.37	-0.57	58.80	122.20	-63.40	peak	
3		5860.000	55.87	-0.54	55.33	109.40	-54.07	peak	

測試頻道: IEEE 802.11ac(VHT40) /
5795 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X


Polarization: Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		11588.15	50.97	2.68	53.65	74.00	-20.35	peak	
2	*	11589.40	38.72	2.67	41.39	54.00	-12.61	AVG	

測試頻道: IEEE 802.11ac(VHT80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	65.41	-0.92	64.49	109.40	-44.91	peak	
2		5725.000	69.53	-0.89	68.64	122.20	-53.56	peak	
3	*	5748.200	109.64	-0.83	108.81	122.20	-13.39	peak	主波訊號不予判定
4		5850.000	70.75	-0.57	70.18	122.20	-52.02	peak	
5		5860.000	70.78	-0.54	70.24	109.40	-39.16	peak	

測試頻道: IEEE 802.11ac(VHT80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11548.65	50.49	2.77	53.26	74.00	-20.74	peak	
2	*	11550.65	40.43	2.77	43.20	54.00	-10.80	AVG	

測試頻道: IEEE 802.11ac(VHT80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12

Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	59.80	-0.92	58.88	109.40	-50.52	peak	
2		5725.000	58.11	-0.89	57.22	122.20	-64.98	peak	
3	*	5784.600	103.91	-0.73	103.18	122.20	-19.02	peak	主波訊號不予判定
4		5850.000	62.17	-0.57	61.60	122.20	-60.60	peak	
5		5860.000	64.85	-0.54	64.31	109.40	-45.09	peak	

測試頻道: IEEE 802.11ac(VHT80) /
5775 MHz
解析頻寬: 1000 kHz / 1000 kHz
量測天線: Horn Antenna
檢測器: Peak/AV

測試模式: 發射
視頻頻寬: 1000 kHz / 10 Hz
測試距離: 3 米
測試日期: 109/02/12


Orthogonal Axis: X

Polarization: Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	11550.75	38.75	2.77	41.52	54.00	-12.48	AVG	
2		11555.85	48.66	2.76	51.42	74.00	-22.58	peak	

測試頻道: IEEE 802.11ac (VHT80) / 5610 MHz 測試模式: 接收
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢測器: Peak/AV 測試日期: 109/02/12



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10360.40	45.63	1.57	47.20	68.30	-21.10	peak	

測試頻道: IEEE 802.11ac (VHT80) / 5610 MHz 測試模式: 接收
 解析頻寬: 1000 kHz / 1000 kHz 視頻頻寬: 1000 kHz / 10 Hz
 量測天線: Horn Antenna 測試距離: 3 米
 檢測器: Peak/AV 測試日期: 109/02/12



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10358.75	48.17	1.57	49.74	68.30	-18.56	peak	