

```
#
iwg34m_8mm:/ #
iwg34m_8mm:/ # getprop init.svc.ril-daemon
running
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ # cat /vendor/etc/init/*rild.rc | grep ril-daemon
service vendor.ril-daemon /vendor/bin/hw/rild
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ # ls -l /dev/ttyUSB*
crw----- 1 root root 188, 0 2021-10-14 18:52 /dev/ttyUSB0
crw----- 1 root root 188, 1 2021-10-14 18:52 /dev/ttyUSB1
crw----- 1 root root 188, 2 2021-10-14 18:52 /dev/ttyUSB2
crw----- 1 root root 188, 3 2021-10-14 18:52 /dev/ttyUSB3
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ # getenforce
Permissive
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ # getprop gsm.version.ril-impl
android.reference-ril 1.0
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ #
iwg34m_8mm:/ # logcat -b radio -v time
10-14 18:52:27.978 D/RILD ( 3294): **RIL Daemon Started**
10-14 18:52:27.978 D/RILD ( 3294): **RILd param count=3**
10-14 18:52:27.980 W/RILD ( 3294): RIL_SAP_Init not defined or exported in
/vendor/lib64/libreference-ril.so: undefined symbol: RIL_SAP_Init
10-14 18:52:27.980 D/RILD ( 3294): RIL_Init argc = 4 clientId = 0
10-14 18:52:27.980 I/RIL ( 3294): Opening tty device /dev/ttyUSB2
10-14 18:52:27.980 I/RIL ( 3294): Client id received 0
10-14 18:52:27.981 D/RILD ( 3294): RIL_Init rilInit completed
10-14 18:52:27.981 I/RILC ( 3294): SIM_COUNT: 1
10-14 18:52:27.981 E/RILC ( 3294): RIL_register: RIL version 12
10-14 18:52:27.981 I/RILC ( 3294): s_registerCalled flag set, 1
10-14 18:52:27.981 D/RILC ( 3294): registerService: starting
android::hardware::radio::V1_1::IRadio slot1
```

10-14 18:52:27.983 I/RILC (3294): RILHIDL called registerService
10-14 18:52:27.983 D/RILD (3294): RIL_Init RIL_register completed
10-14 18:52:27.983 D/RILD (3294): RIL_register_socket completed
10-14 18:52:28.008 D/RIL (3294): setRadioState(0)
10-14 18:52:28.009 E/RILC (3294): radioStateChangedInd: radioService[0]->mRadioIndication
== NULL
10-14 18:52:28.009 E/RILC (3294): simStatusChangedInd: radioService[0]->mRadioIndication
== NULL
10-14 18:52:28.009 D/AT (3294): AT> ATE0Q0V1
10-14 18:52:28.019 D/AT (3294): AT< +CPIN: READY
10-14 18:52:28.019 D/AT (3294): AT< +QUSIM: 1
10-14 18:52:28.019 D/AT (3294): AT< ATE0Q0V1
10-14 18:52:28.019 D/AT (3294): AT< OK
10-14 18:52:28.019 D/AT (3294): AT< OK
10-14 18:52:28.272 D/RIL (3294): query_ctec. current: 0xf1e0b61492d8, preferred:
0xf1e0b61492e4
10-14 18:52:28.272 D/AT (3294): AT> AT+CTEC?
10-14 18:52:28.273 D/AT (3294): AT< ERROR
10-14 18:52:28.273 E/RIL (3294): Error executing command: 0. response: 0xf1e0b5c2d480.
status: 0
10-14 18:52:28.273 D/AT (3294): AT> AT+WNAM
10-14 18:52:28.274 D/AT (3294): AT< ERROR
10-14 18:52:28.274 I/RIL (3294): Found GSM Modem
10-14 18:52:28.274 D/AT (3294): AT> ATE0Q0V1
10-14 18:52:28.275 D/AT (3294): AT< OK
10-14 18:52:28.275 D/AT (3294): AT> AT+SQ=0
10-14 18:52:28.276 D/AT (3294): AT< OK
10-14 18:52:28.276 D/AT (3294): AT> AT+CMEE=1
10-14 18:52:28.277 D/AT (3294): AT< OK
10-14 18:52:28.279 D/AT (3294): AT> AT+CREG=2
10-14 18:52:28.280 D/AT (3294): AT< OK
10-14 18:52:28.280 D/AT (3294): AT> AT+CGREG=1
10-14 18:52:28.286 D/AT (3294): AT< OK
10-14 18:52:28.286 D/AT (3294): AT> AT+CCWA=1
10-14 18:52:28.288 D/AT (3294): AT< OK
10-14 18:52:28.289 D/AT (3294): AT> AT+CMOD=0
10-14 18:52:28.291 D/AT (3294): AT< OK
10-14 18:52:28.292 D/AT (3294): AT> AT+CMUT=0
10-14 18:52:28.292 D/AT (3294): AT< ERROR
10-14 18:52:28.292 D/AT (3294): AT> AT+CSSN=0,1
10-14 18:52:28.298 D/AT (3294): AT< OK
10-14 18:52:28.298 D/AT (3294): AT> AT+COLP=0
10-14 18:52:28.302 D/AT (3294): AT< OK
10-14 18:52:28.302 D/AT (3294): AT> AT+CSCS="HEX"
10-14 18:52:28.307 D/AT (3294): AT< ERROR
10-14 18:52:28.307 D/AT (3294): AT> AT+CUSD=1
10-14 18:52:28.311 D/AT (3294): AT< OK
10-14 18:52:28.311 D/AT (3294): AT> AT+CGEREP=1,0
10-14 18:52:28.313 D/AT (3294): AT< OK
10-14 18:52:28.313 D/AT (3294): AT> AT+CMGF=0
10-14 18:52:28.327 D/AT (3294): AT< OK
10-14 18:52:28.328 D/AT (3294): AT> AT+CFUN?

10-14 18:52:28.328 D/AT (3294): AT< +CFUN: 1
10-14 18:52:28.328 D/AT (3294): AT< OK
10-14 18:52:28.328 D/RIL (3294): setRadioState(10)
10-14 18:52:28.328 E/RILC (3294): radioStateChangedInd: radioService[0]->mRadioIndication
== NULL
10-14 18:52:28.328 E/RILC (3294): simStatusChangedInd: radioService[0]->mRadioIndication
== NULL
10-14 18:52:28.693 D/AT (3294): AT< +CREG: 0
10-14 18:52:28.693 E/RILC (3294): networkStateChangedInd: radioService[0]-
>mRadioIndication == NULL
10-14 18:52:28.693 D/AT (3294): AT< +CGREG: 1
10-14 18:52:28.693 E/RILC (3294): networkStateChangedInd: radioService[0]-
>mRadioIndication == NULL
10-14 18:52:29.385 D/TelephonyManager(3243): No /proc/cmdline
exception=java.io.FileNotFoundException: /proc/cmdline (Permission denied)
10-14 18:52:29.385 D/TelephonyManager(3243): /proc/cmdline=
10-14 18:52:30.320 D/AT (3294): AT< +QIND: SMS DONE
10-14 18:52:31.815 D/TelephonyManager(3244): No /proc/cmdline
exception=java.io.FileNotFoundException: /proc/cmdline (Permission denied)
10-14 18:52:31.815 D/TelephonyManager(3244): /proc/cmdline=
10-14 18:52:31.820 E/TelephonyManager(3446): IMSI error: Subscriber Info is null
10-14 18:52:33.162 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:33.235 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:33.289 D/TelephonyRegistry(3446): systemRunning register for intents
10-14 18:52:33.457 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:34.216 I/chatty (3761): uid=1001(radio) com.android.phone expire 40 lines
10-14 18:52:34.248 D/RILC (3294): setResponseFunctions
10-14 18:52:34.249 D/RILC (3294): rilConnectedInd
10-14 18:52:34.250 I/chatty (3761): uid=1001(radio) HwBinder:3761_1 expire 16 lines
10-14 18:52:34.250 D/RILC (3294): radioStateChangedInd: radioState 10
10-14 18:52:34.250 I/RILC (3294): RIL Daemon version: android reference-ril 1.0
10-14 18:52:34.252 D/RILC (3294): setRadioPower: serial 0 on 0
10-14 18:52:34.252 D/RIL (3294): onRequest: RADIO_POWER
10-14 18:52:34.252 D/AT (3294): AT> AT+CFUN=0
10-14 18:52:34.312 D/TelephonyRegistry(3446): notifyCellLocationForSubscriber: subId=0
cellLocation=Bundle[{cid=-1, lac=-1, psc=-1}]
10-14 18:52:34.407 W/CarrierConfigManager(3606): Error getting config for subId -1
ICarrierConfigLoader is null
10-14 18:52:34.443 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:34.829 D/AT (3294): AT< OK
10-14 18:52:34.829 D/RIL (3294): setRadioState(0)
10-14 18:52:34.829 D/RILC (3294): radioStateChangedInd: radioState 0
10-14 18:52:34.830 D/AT (3294): AT< +CGREG: 0
10-14 18:52:34.838 D/AT (3294): AT< +CGEV: ME DETACH
10-14 18:52:34.838 D/AT (3294): AT> AT+CGACT?
10-14 18:52:34.838 D/RILC (3294): setRadioPowerResponse: serial 0
10-14 18:52:34.840 D/RIL (3294): onRequest: GET_HARDWARE_CONFIG
10-14 18:52:34.842 D/RIL (3294): onRequest: CDMA_SET_SUBSCRIPTION_SOURCE

10-14 18:52:34.842 D/RIL (3294): onRequest: SET_UN SOL_CELL_INFO_LIST_RATE
10-14 18:52:34.843 D/AT (3294): AT< ERROR
10-14 18:52:34.885 D/RIL (3294): onRequest: START_LCE
10-14 18:52:34.885 E/RILC (3294): Invalid response: NULL
10-14 18:52:34.902 I/chatty (3761): uid=1001(radio) GsmInboundSmsHa expire 6 lines
10-14 18:52:34.908 I/chatty (3761): uid=1001(radio) CdmaInboundSmsH expire 6 lines
10-14 18:52:34.922 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:34.932 I/chatty (3761): uid=1001(radio) com.android.phone expire 67 lines
10-14 18:52:34.933 D/RIL (3294): onRequest: SIGNAL_STRENGTH
10-14 18:52:34.933 E/RILC (3294): getSignalStrengthResponse: Invalid response
10-14 18:52:34.934 I/chatty (3761): uid=1001(radio) HwBinder:3761_1 expire 14 lines
10-14 18:52:34.936 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:34.948 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:34.990 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:35.024 I/chatty (3761): uid=1001(radio) Binder:3761_2 expire 3 lines
10-14 18:52:35.095 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:35.099 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:35.147 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:35.160 D/RIL (3294): onRequest: SET_TTY_MODE
10-14 18:52:35.162 D/TelephonyRegistry(3446): listen oscl:
hasNotifySubscriptionInfoChangedOccurred==false no callback
10-14 18:52:35.174 D/RIL (3294): onRequest: GET_SIM_STATUS
10-14 18:52:35.174 D/RIL (3294): getSIMStatus(). sState: 0
10-14 18:52:35.174 D/AT (3294): AT> AT+CPIN?
10-14 18:52:35.176 D/AT (3294): AT< +CME ERROR: 13
10-14 18:52:35.178 D/RIL (3294): onRequest: BASEBAND_VERSION
10-14 18:52:35.179 D/RIL (3294): onRequest: DEVICE_IDENTITY
10-14 18:52:35.179 D/AT (3294): AT> AT+CGSN
10-14 18:52:35.181 D/AT (3294): AT< 866680041548605
10-14 18:52:35.181 D/AT (3294): AT< OK
10-14 18:52:35.181 D/RIL (3294): onRequest: GET_RADIO_CAPABILITY
10-14 18:52:35.183 D/RIL (3294): onRequest: START_LCE
10-14 18:52:35.183 E/RILC (3294): Invalid response: NULL
10-14 18:52:35.186 I/chatty (3761): uid=1001(radio) com.android.phone expire 79 lines
10-14 18:52:35.186 D/RILC (3294): setRadioPower: serial 12 on 1
10-14 18:52:35.186 D/RIL (3294): onRequest: RADIO_POWER
10-14 18:52:35.186 D/AT (3294): AT> AT+CFUN=1
10-14 18:52:35.548 D/AT (3294): AT< OK
10-14 18:52:35.548 D/RIL (3294): setRadioState(10)
10-14 18:52:35.548 D/RILC (3294): radioStateChangedInd: radioState 10
10-14 18:52:35.548 D/RILC (3294): setRadioPowerResponse: serial 12
10-14 18:52:35.549 D/RIL (3294): onRequest: OPERATOR
10-14 18:52:35.549 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
+COPS=3,2;+COPS?
10-14 18:52:35.549 I/chatty (3761): uid=1001(radio) HwBinder:3761_1 expire 27 lines

10-14 18:52:35.551 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.552 I/chatty (3294): uid=0(root) /vendor/bin/hw/rild identical 2 lines
 10-14 18:52:35.552 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.552 D/AT (3294): AT< OK
 10-14 18:52:35.552 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:35.552 D/AT (3294): AT> AT+COPS?
 10-14 18:52:35.553 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.553 D/AT (3294): AT< OK
 10-14 18:52:35.554 D/RILC (3294): setRadioPower: serial 15 on 1
 10-14 18:52:35.554 D/RIL (3294): onRequest: RADIO_POWER
 10-14 18:52:35.554 D/RILC (3294): setRadioPowerResponse: serial 15
 10-14 18:52:35.554 D/RIL (3294): onRequest: OPERATOR
 10-14 18:52:35.554 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
 +COPS=3,2;+COPS?
 10-14 18:52:35.556 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.556 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.556 D/AT (3294): AT< OK
 10-14 18:52:35.556 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:35.556 D/AT (3294): AT> AT+COPS?
 10-14 18:52:35.557 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.557 D/AT (3294): AT< OK
 10-14 18:52:35.558 D/RILC (3294): sendDeviceState: calling screen state 1
 10-14 18:52:35.558 D/RIL (3294): onRequest: SCREEN_STATE
 10-14 18:52:35.558 D/RIL (3294): Request not supported. Tech: 1
 10-14 18:52:35.558 I/chatty (3761): uid=1001(radio) com.android.phone expire 111 lines
 10-14 18:52:35.562 D/RILC (3294): sendDeviceState: calling screen state 1
 10-14 18:52:35.562 D/RIL (3294): onRequest: SCREEN_STATE
 10-14 18:52:35.562 D/RIL (3294): Request not supported. Tech: 1
 10-14 18:52:35.575 D/RIL (3294): onRequest: QUERY_TTY_MODE
 10-14 18:52:35.575 D/RIL (3294): getSIMStatus(). sState: 10
 10-14 18:52:35.575 D/AT (3294): AT> AT+CPIN?
 10-14 18:52:35.577 D/AT (3294): AT< +CME ERROR: 14
 10-14 18:52:35.587 D/RIL (3294): onRequest: SIM_OPEN_CHANNEL
 10-14 18:52:35.587 D/AT (3294): AT> AT+CCHO=A00000015144414300
 10-14 18:52:35.589 D/AT (3294): AT< ERROR
 10-14 18:52:35.589 E/use-Rlog/RLOG-RIL(3294): Error 0 opening logical channel: 0
 10-14 18:52:35.589 E/RILC (3294): iccOpenLogicalChannelResponse Invalid response: NULL
 10-14 18:52:35.591 I/chatty (3761): uid=1001(radio) DataService expire 1 line
 10-14 18:52:35.595 D/RIL (3294): onRequest: OPERATOR
 10-14 18:52:35.595 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
 +COPS=3,2;+COPS?
 10-14 18:52:35.597 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.597 I/chatty (3294): uid=0(root) /vendor/bin/hw/rild identical 1 line
 10-14 18:52:35.597 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.597 D/AT (3294): AT< OK
 10-14 18:52:35.597 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:35.597 D/AT (3294): AT> AT+COPS?
 10-14 18:52:35.598 I/chatty (3761): uid=1001(radio) HwBinder:3761_1 expire 16 lines
 10-14 18:52:35.598 I/chatty (3761): uid=1001(radio) NetworkService expire 2 lines
 10-14 18:52:35.598 D/AT (3294): AT< +COPS: 2
 10-14 18:52:35.598 D/AT (3294): AT< OK
 10-14 18:52:35.598 D/RIL (3294): onRequest: GET_CURRENT_CALLS

10-14 18:52:35.598 D/AT (3294): AT> AT+CLCC
 10-14 18:52:35.600 D/AT (3294): AT< OK
 10-14 18:52:35.600 D/RIL (3294): onRequest: IMS_REGISTRATION_STATE
 10-14 18:52:35.600 D/RIL (3294): IMS_REGISTRATION=0, format=1
 10-14 18:52:35.601 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
 10-14 18:52:35.601 D/RIL (3294): requestRegistrationState
 10-14 18:52:35.601 D/AT (3294): AT> AT+CGREG?
 10-14 18:52:35.601 D/AT (3294): AT< +CGREG: 1,0
 10-14 18:52:35.601 D/AT (3294): AT< OK
 10-14 18:52:35.602 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,0
 10-14 18:52:35.602 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:35.602 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE
 10-14 18:52:35.602 D/RIL (3294): requestRegistrationState
 10-14 18:52:35.602 D/AT (3294): AT> AT+CREG?
 10-14 18:52:35.602 I/chatty (3761): uid=1001(radio) CellularNetwork expire 2 lines
 10-14 18:52:35.603 D/AT (3294): AT< +CREG: 2,0
 10-14 18:52:35.603 D/AT (3294): AT< OK
 10-14 18:52:35.603 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,0
 10-14 18:52:35.603 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:35.603 D/RIL (3294): onRequest: VOICE_RADIO_TECH
 10-14 18:52:35.603 D/RIL (3294): onRequest: CDMA_GET_SUBSCRIPTION_SOURCE
 10-14 18:52:35.603 D/AT (3294): AT> AT+CCSS?
 10-14 18:52:35.604 D/AT (3294): AT< ERROR
 10-14 18:52:35.604 E/RILC (3294): responseInt: Invalid response
 10-14 18:52:35.605 D/RIL (3294): onRequest: GET_SIM_STATUS
 10-14 18:52:35.605 D/RIL (3294): getSIMStatus(). sState: 10
 10-14 18:52:35.605 D/AT (3294): AT> AT+CPIN?
 10-14 18:52:35.607 D/AT (3294): AT< +CME ERROR: 14
 10-14 18:52:35.608 D/RIL (3294): onRequest: REPORT_STK_SERVICE_IS_RUNNING
 10-14 18:52:35.608 D/RIL (3294): Request not supported. Tech: 1
 10-14 18:52:35.615 D/TelephonyRegistry(3446): notifySubscriptionInfoChanged: first invocation
 mRecords.size=18
 10-14 18:52:35.616 I/chatty (3761): uid=1001(radio) Binder:3761_5 expire 2 lines
 10-14 18:52:35.621 I/chatty (3761): uid=1001(radio) DcHandlerThread expire 1 line
 10-14 18:52:35.622 I/chatty (3761): uid=1001(radio) com.android.phone expire 60 lines
 10-14 18:52:35.631 I/chatty (3761): uid=1001(radio) LocaleTracker expire 7 lines
 10-14 18:52:35.633 D/RIL (3294): onRequest: GET_CELL_INFO_LIST
 10-14 18:52:35.638 I/chatty (3761): uid=1001(radio) HwBinder:3761_1 expire 5 lines
 10-14 18:52:35.646 D/RIL (3294): onRequest: SIM_OPEN_CHANNEL
 10-14 18:52:35.646 D/AT (3294): AT> AT+CCHO=A00000015141434C00
 10-14 18:52:35.647 D/AT (3294): AT< ERROR
 10-14 18:52:35.647 E/use-Rlog/RLOG-RIL(3294): Error 0 opening logical channel: 0
 10-14 18:52:35.647 E/RILC (3294): iccOpenLogicalChannelResponse Invalid response: NULL
 10-14 18:52:35.698 D/ImsManager(3761): Connector: getImsService
 10-14 18:52:35.698 I/ImsManager(3761): Creating ImsService
 10-14 18:52:35.699 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
 10-14 18:52:35.699 E/ImsManager(3761): Connector: Retrying getting ImsService...
 10-14 18:52:35.701 D/LocaleTracker(3761): Service state OUT_OF_SERVICE. Get cell info now.
 10-14 18:52:35.702 D/SST (3761): [0] SST.getAllCellInfo(): return last, back to back calls
 10-14 18:52:35.702 D/LocaleTracker(3761): getCellInfo: cell info=[CellInfoGsm:
 {mRegistered=YES mTimeStampType=modem mTimeStamp=14062268875ns
 mCellConnectionStatus=2147483647 CellIdentityGsm:{ mLac=-1 mCid=-1 mArfcn=0 mBsic=0xff

mMcc=null mMnc=null mAlphaLong= mAlphaShort=} CellSignalStrengthGsm: ss=10 ber=0
mTa=2147483647}}
10-14 18:52:35.702 D/LocaleTracker(3761): updateLocale: mcc = null, country =
10-14 18:52:35.705 I/ImsManager(3761): Creating ImsService
10-14 18:52:35.706 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
10-14 18:52:35.719 D/UiccPkcs15(3761): Creating UiccPkcs15
10-14 18:52:35.721 D/RILJ (3761): [3688]> RIL_REQUEST_SIM_OPEN_CHANNEL aid =
A000000063504B43532D3135 p2 = 4 [SUB0]
10-14 18:52:35.721 D/RIL (3294): onRequest: SIM_OPEN_CHANNEL
10-14 18:52:35.721 D/AT (3294): AT> AT+CCHO=A000000063504B43532D313
10-14 18:52:35.723 D/AT (3294): AT< ERROR
10-14 18:52:35.723 E/use-Rlog/RLOG-RIL(3294): Error 0 opening logical channel: 0
10-14 18:52:35.723 E/RILC (3294): iccOpenLogicalChannelResponse Invalid response: NULL
10-14 18:52:35.723 D/RILJ (3761): [3688]< RIL_REQUEST_SIM_OPEN_CHANNEL error 2
[SUB0]
10-14 18:52:35.724 D/RilRequest(3761): [3688]< RIL_REQUEST_SIM_OPEN_CHANNEL
error: com.android.internal.telephony.CommandException: GENERIC_FAILURE ret=
10-14 18:52:35.725 D/UiccProfile(3761): handleMessage: Error in SIM access with
exception com.android.internal.telephony.CommandException: GENERIC_FAILURE
10-14 18:52:35.725 D/UiccPkcs15(3761): handleMessage: 201
10-14 18:52:35.725 D/UiccPkcs15(3761): error:
com.android.internal.telephony.CommandException: GENERIC_FAILURE
10-14 18:52:35.725 D/UiccPkcs15(3761): handleMessage: 1
10-14 18:52:35.725 D/UiccPkcs15(3761): select pkcs15 failed:
com.android.internal.telephony.CommandException: GENERIC_FAILURE
10-14 18:52:35.857 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:35.898 I/chatty (3761): uid=1001(radio) Binder:3761_1 identical 2 lines
10-14 18:52:36.362 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:36.700 D/ImsManager(3761): Connector: getImsService
10-14 18:52:36.700 I/ImsManager(3761): Creating ImsService
10-14 18:52:36.702 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
10-14 18:52:36.703 E/ImsManager(3761): Connector: Retrying getting ImsService...
10-14 18:52:36.923 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:36.953 I/chatty (3761): uid=1001(radio) Binder:3761_1 identical 2 lines
10-14 18:52:36.956 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:37.214 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not
ready
10-14 18:52:37.515 D/AT (3294): AT< +CPIN: READY
10-14 18:52:37.519 D/AT (3294): AT< +QUSIM: 1
10-14 18:52:37.616 D/AT (3294): AT< +CREG: 2
10-14 18:52:37.616 D/AT (3294): AT< +CGREG: 0
10-14 18:52:37.618 D/RILJ (3761): [UNSL]<
UNSOL_RESPONSE_NETWORK_STATE_CHANGED [SUB0]
10-14 18:52:37.618 D/RILJ (3761): [UNSL]<
UNSOL_RESPONSE_NETWORK_STATE_CHANGED [SUB0]
10-14 18:52:37.618 D/NetworkRegistrationManager(3761): onNetworkStateChanged
10-14 18:52:37.618 D/NetworkRegistrationManager(3761): onNetworkStateChanged
10-14 18:52:37.618 D/SST (3761): [0] pollState: modemTriggered=true
10-14 18:52:37.619 D/RILJ (3761): [3689]> OPERATOR [SUB0]
10-14 18:52:37.620 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 2
10-14 18:52:37.620 D/RIL (3294): onRequest: OPERATOR

10-14 18:52:37.620 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
 +COPS=3,2;+COPS?
 10-14 18:52:37.620 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 1
 10-14 18:52:37.621 D/RILJ (3761): [3690]> QUERY_NETWORK_SELECTION_MODE
 [SUB0]
 10-14 18:52:37.621 D/SST (3761): [0] pollState: modemTriggered=true
 10-14 18:52:37.622 D/RILJ (3761): [3691]> DATA_REGISTRATION_STATE [SUB0]
 10-14 18:52:37.623 D/RILJ (3761): [3692]> OPERATOR [SUB0]
 10-14 18:52:37.623 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 2
 10-14 18:52:37.623 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 1
 10-14 18:52:37.624 D/RILJ (3761): [3693]> VOICE_REGISTRATION_STATE [SUB0]
 10-14 18:52:37.625 D/RILJ (3761): [3694]> QUERY_NETWORK_SELECTION_MODE
 [SUB0]
 10-14 18:52:37.625 D/AT (3294): AT< +COPS: 0
 10-14 18:52:37.625 I/chatty (3294): uid=0(root) /vendor/bin/hw/rild identical 1 line
 10-14 18:52:37.625 D/AT (3294): AT< +COPS: 0
 10-14 18:52:37.625 D/AT (3294): AT< OK
 10-14 18:52:37.626 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:37.626 D/AT (3294): AT> AT+COPS?
 10-14 18:52:37.626 D/RILJ (3761): [3695]> DATA_REGISTRATION_STATE [SUB0]
 10-14 18:52:37.627 D/AT (3294): AT< +COPS: 0
 10-14 18:52:37.627 D/AT (3294): AT< OK
 10-14 18:52:37.628 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
 10-14 18:52:37.628 D/RIL (3294): requestRegistrationState
 10-14 18:52:37.628 D/AT (3294): AT> AT+CGREG?
 10-14 18:52:37.628 D/RILJ (3761): [3689]< OPERATOR {, , } [SUB0]
 10-14 18:52:37.628 D/RILJ (3761): [3690]< QUERY_NETWORK_SELECTION_MODE {0}
 [SUB0]
 10-14 18:52:37.629 D/SST (3761): [0]
 EVENT_POLL_STATE_NETWORK_SELECTION_MODE
 10-14 18:52:37.629 D/RILJ (3761): [3696]> VOICE_REGISTRATION_STATE [SUB0]
 10-14 18:52:37.629 D/AT (3294): AT< +CGREG: 1,0
 10-14 18:52:37.629 D/AT (3294): AT< OK
 10-14 18:52:37.629 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,0
 10-14 18:52:37.629 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:37.630 D/RIL (3294): onRequest: OPERATOR
 10-14 18:52:37.630 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
 +COPS=3,2;+COPS?
 10-14 18:52:37.631 D/RILJ (3761): [3691]< DATA_REGISTRATION_STATE { .regState =
 NOT_REG_MT_NOT_SEARCHING_OP, .rat = 0, .reasonDataDenied = -1, .maxDataCalls = 1,
 .cellIdentity = { .cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [],
 .cellIdentityCdma = [], .cellIdentityLte = [], .cellIdentityTdsdma = [] } } [SUB0]
 10-14 18:52:37.631 D/NetworkRegistrationManager(3761):
 onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
 domain=PS regState=NOT_REG_MT_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
 reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
 voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 } }
 10-14 18:52:37.632 D/AT (3294): AT< +COPS: 0
 10-14 18:52:37.632 I/chatty (3294): uid=0(root) /vendor/bin/hw/rild identical 1 line
 10-14 18:52:37.632 D/AT (3294): AT< +COPS: 0
 10-14 18:52:37.632 D/AT (3294): AT< OK
 10-14 18:52:37.632 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE

10-14 18:52:37.632 D/RIL (3294): requestRegistrationState
 10-14 18:52:37.632 D/AT (3294): AT> AT+CREG?
 10-14 18:52:37.633 D/RILJ (3761): [3692]< OPERATOR {, , } [SUB0]
 10-14 18:52:37.633 D/AT (3294): AT< +CREG: 2,2
 10-14 18:52:37.633 D/AT (3294): AT< OK
 10-14 18:52:37.633 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,2
 10-14 18:52:37.633 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:37.634 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:37.634 D/AT (3294): AT> AT+COPS?
 10-14 18:52:37.634 D/RILJ (3761): [3693]< VOICE_REGISTRATION_STATE {.regState = NOT_REG_MT_SEARCHING_OP, .rat = -1, .cssSupported = false, .roamingIndicator = -1, .systemIsInPrl = 0, .defaultRoamingIndicator = 0, .reasonForDenial = 0, .cellIdentity = {.cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [], .cellIdentityLte = [], .cellIdentityTdsdma = []}} [SUB0]
 10-14 18:52:37.634 D/NetworkRegistrationManager(3761):
 onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0} dataSpecificStates=null}
 10-14 18:52:37.635 D/AT (3294): AT< +COPS: 0
 10-14 18:52:37.635 D/AT (3294): AT< OK
 10-14 18:52:37.635 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
 10-14 18:52:37.635 D/RIL (3294): requestRegistrationState
 10-14 18:52:37.635 D/AT (3294): AT> AT+CGREG?
 10-14 18:52:37.635 D/RILJ (3761): [3694]< QUERY_NETWORK_SELECTION_MODE {0} [SUB0]
 10-14 18:52:37.635 D/SST (3761): [0]
 EVENT_POLL_STATE_NETWORK_SELECTION_MODE
 10-14 18:52:37.636 D/AT (3294): AT< +CGREG: 1,0
 10-14 18:52:37.636 D/AT (3294): AT< OK
 10-14 18:52:37.637 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,0
 10-14 18:52:37.637 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:37.637 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE
 10-14 18:52:37.637 D/RIL (3294): requestRegistrationState
 10-14 18:52:37.637 D/AT (3294): AT> AT+CREG?
 10-14 18:52:37.637 D/RILJ (3761): [3695]< DATA_REGISTRATION_STATE {.regState = NOT_REG_MT_NOT_SEARCHING_OP, .rat = 0, .reasonDataDenied = -1, .maxDataCalls = 1, .cellIdentity = {.cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [], .cellIdentityLte = [], .cellIdentityTdsdma = []}} [SUB0]
 10-14 18:52:37.638 D/NetworkRegistrationManager(3761):
 onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1 domain=PS regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1}}
 10-14 18:52:37.638 D/SST (3761): [0] Could not set ServiceState channel number. CellIdentity null
 10-14 18:52:37.638 D/SST (3761): [0] handlPollStateResultMessage: GsmSST
 dataServiceState=1 regState=0 dataRadioTechnology=0
 10-14 18:52:37.638 D/AT (3294): AT< +CREG: 2,2
 10-14 18:52:37.638 D/AT (3294): AT< OK

10-14 18:52:37.638 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,2
10-14 18:52:37.638 D/RIL (3294): registration state type: 3GPP
10-14 18:52:37.639 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=CS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}
10-14 18:52:37.639 D/RILJ (3761): [3696]< VOICE_REGISTRATION_STATE { .regState =
NOT_REG_MT_SEARCHING_OP, .rat = -1, .cssSupported = false, .roamingIndicator = -1,
.systemIsInPrI = 0, .defaultRoamingIndicator = 0, .reasonForDenial = 0, .cellIdentity =
{.cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [],
.cellIdentityLte = [], .cellIdentityTdsdma = []} } [SUB0]
10-14 18:52:37.639 D/SST (3761): [0] Could not set ServiceState channel number. CellIdentity
null
10-14 18:52:37.639 D/SST (3761): [0] handlPollVoiceRegResultMessage: regState=2
radioTechnology=0
10-14 18:52:37.641 D/SST (3761): [0] Poll ServiceState done:
oldSS=[{mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE),
mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=,
mDataOperatorAlphaLong=, mDataOperatorAlphaShort=,
isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown),
mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1,
mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1,
mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false,
mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates
{ mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS
regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}]] newSS=[{mVoiceRegState=1(OUT_OF_SERVICE),
mDataRegState=1(OUT_OF_SERVICE), mChannelNumber=-1, duplexMode()=0,
mCellBandwidths=[], mVoiceRoamingType=home, mDataRoamingType=home,
mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=, mDataOperatorAlphaLong=,
mDataOperatorAlphaShort=, isManualNetworkSelection=false(automatic),
mRilVoiceRadioTechnology=0(Unknown), mRilDataRadioTechnology=0(Unknown),
mCssIndicator=unsupported, mNetworkId=-1, mSystemId=-1, mCdmaRoamingIndicator=-1,
mCdmaDefaultRoamingIndicator=-1, mIsEmergencyOnly=false,
mIsDataRoamingFromRegistration=false, mIsUsingCarrierAggregation=false,
mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates
{ mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS

regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0
 emergencyEnabled=false supportedServices=null cellIdentity=null
 voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
 mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
 dataSpecificStates=null}}] oldMaxDataCalls=1 mNewMaxDataCalls=1 oldReasonDataDenied=-1
 mNewReasonDataDenied=-1
 10-14 18:52:37.642 D/SST (3761): [0] pollStateDone: hasRegistered=false
 hasDeregistered=false hasDataAttached=false hasDataDetached=false
 hasDataRegStateChanged=false hasRilVoiceRadioTechnologyChanged= false
 hasRilDataRadioTechnologyChanged=false hasChanged=true hasVoiceRoamingOn=false
 hasVoiceRoamingOff=false hasDataRoamingOn=false hasDataRoamingOff=false
 hasLocationChanged=false has4gHandoff = false hasMultiApnSupport=false
 hasLostMultiApnSupport=false hasCssIndicatorChanged=false
 10-14 18:52:37.642 D/SIMRecords(3761): [SIMRecords] getServiceProviderName: no
 brandOverride, providerName=null
 10-14 18:52:37.642 D/SST (3761): [0] updateSpnDisplay: radio is on but out of service, set
 plmn='No service'
 10-14 18:52:37.642 D/SIMRecords(3761): [SIMRecords] getServiceProviderName: no
 brandOverride, providerName=null
 10-14 18:52:37.644 D/SubscriptionController(3761): [getPhoneId]- no sims, returning default
 phoneId=2147483647
 10-14 18:52:37.645 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
 10-14 18:52:37.645 D/SubscriptionController(3761): [getSubId]- invalid slotIndex=-1
 10-14 18:52:37.646 D/SST (3761): [0] operatorNumeric is invalid
 10-14 18:52:37.646 D/LocaleTracker(3761): updateOperatorNumericAsync. mcc/mnc=
 10-14 18:52:37.646 D/SST (3761): handleNetworkUnavailable
 10-14 18:52:37.646 D/LocaleTracker(3761): updateOperatorNumericSync. mcc/mnc=
 10-14 18:52:37.647 D/SST (3761): [0] Broadcasting ServiceState :
 {mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE),
 mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
 mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=,
 mDataOperatorAlphaLong=, mDataOperatorAlphaShort=,
 isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown),
 mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1,
 mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1,
 mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false,
 mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0,
 mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
 regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
 reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
 voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates
 { mMaxDataCalls=1}}, NetworkRegistrationState{transportType=1 domain=CS
 regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0
 emergencyEnabled=false supportedServices=null cellIdentity=null
 voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
 mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
 dataSpecificStates=null}}]
 10-14 18:52:37.647 D/DefaultPhoneNotifier(3761): notifyServiceState:
 mRegistry=com.android.internal.telephony.ITelephonyRegistry\$Stub\$Proxy@58f793
 ss={mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE),
 mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
 mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=,

```

mDataOperatorAlphaLong=, mDataOperatorAlphaShort=,
isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown),
mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1,
mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1,
mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false,
mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates
{ mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS
regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0
emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}} sender=Handler (com.android.internal.telephony.GsmCdmaPhone)
{a77591f} phondId=0 subId=-2
10-14 18:52:37.650 D/SubscriptionController( 3761): [getSlotIndex]- subId invalid
10-14 18:52:37.896 D/GsmCellBroadcastHandler( 3761): mWakeLock released
10-14 18:52:37.904 D/CellBroadcastHandler( 3761): mWakeLock released
10-14 18:52:37.911 D/CdmaServiceCategoryProgramHandler( 3761): mWakeLock released
10-14 18:52:38.158 D/RILJ ( 3761): [3697]>
RIL_REQUEST_SET_UNSOLICITED_RESPONSE_FILTER 31 [SUB0]
10-14 18:52:38.160 D/RILJ ( 3761): [3697]<
RIL_REQUEST_SET_UNSOLICITED_RESPONSE_FILTER error 6 [SUB0]
10-14 18:52:38.160 D/RilRequest( 3761): [3697]<
RIL_REQUEST_SET_UNSOLICITED_RESPONSE_FILTER error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:52:38.196 D/DCT ( 3761): [0]screen on
10-14 18:52:38.196 D/DCT ( 3761): [0]stopNetStatPoll
10-14 18:52:38.212 D/AT ( 3294): AT< +CGREG: 0
10-14 18:52:38.212 D/RILJ ( 3761): [UNSL]<
UNSOL_RESPONSE_NETWORK_STATE_CHANGED [SUB0]
10-14 18:52:38.213 D/NetworkRegistrationManager( 3761): onNetworkStateChanged
10-14 18:52:38.213 D/SST ( 3761): [0] pollState: modemTriggered=true
10-14 18:52:38.213 D/AT ( 3294): AT< +CGREG: 2
10-14 18:52:38.213 D/RILJ ( 3761): [UNSL]<
UNSOL_RESPONSE_NETWORK_STATE_CHANGED [SUB0]
10-14 18:52:38.214 D/NetworkRegistrationManager( 3761): onNetworkStateChanged
10-14 18:52:38.214 D/RILJ ( 3761): [3698]> OPERATOR [SUB0]
10-14 18:52:38.214 D/NetworkRegistrationManager( 3761): getNetworkRegistrationState domain 2
10-14 18:52:38.214 D/NetworkRegistrationManager( 3761): getNetworkRegistrationState domain 1
10-14 18:52:38.214 D/RIL ( 3294): onRequest: OPERATOR
10-14 18:52:38.214 D/AT ( 3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
+COPS=3,2;+COPS?
10-14 18:52:38.215 D/RILJ ( 3761): [3700]> DATA_REGISTRATION_STATE [SUB0]
10-14 18:52:38.216 D/RILJ ( 3761): [3699]> QUERY_NETWORK_SELECTION_MODE
[SUB0]
10-14 18:52:38.216 D/SST ( 3761): [0] pollState: modemTriggered=true
10-14 18:52:38.217 D/RILJ ( 3761): [3701]> VOICE_REGISTRATION_STATE [SUB0]
10-14 18:52:38.218 D/RILJ ( 3761): [3702]> OPERATOR [SUB0]
10-14 18:52:38.218 D/NetworkRegistrationManager( 3761): getNetworkRegistrationState domain 2

```

10-14 18:52:38.218 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 1
 10-14 18:52:38.219 D/AT (3294): AT< +COPS: 0
 10-14 18:52:38.219 I/chatty (3294): uid=0(root) /vendor/bin/hw/rild identical 1 line
 10-14 18:52:38.219 D/AT (3294): AT< +COPS: 0
 10-14 18:52:38.219 D/AT (3294): AT< OK
 10-14 18:52:38.219 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
 10-14 18:52:38.219 D/RIL (3294): requestRegistrationState
 10-14 18:52:38.219 D/AT (3294): AT> AT+CGREG?
 10-14 18:52:38.220 D/RILJ (3761): [3698]< OPERATOR {, , } [SUB0]
 10-14 18:52:38.220 D/RILJ (3761): [3704]> DATA_REGISTRATION_STATE [SUB0]
 10-14 18:52:38.220 D/AT (3294): AT< +CGREG: 1,2
 10-14 18:52:38.220 D/AT (3294): AT< OK
 10-14 18:52:38.221 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,2
 10-14 18:52:38.221 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:38.221 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:38.221 D/AT (3294): AT> AT+COPS?
 10-14 18:52:38.221 D/RILJ (3761): [3705]> VOICE_REGISTRATION_STATE [SUB0]
 10-14 18:52:38.222 D/RILJ (3761): [3700]< DATA_REGISTRATION_STATE { .regState =
 NOT_REG_MT_SEARCHING_OP, .rat = 0, .reasonDataDenied = -1, .maxDataCalls = 1,
 .cellIdentity = { .cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [],
 .cellIdentityCdma = [], .cellIdentityLte = [], .cellIdentityTdsdcdma = [] } } [SUB0]
 10-14 18:52:38.222 D/NetworkRegistrationManager(3761):
 onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
 domain=PS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN
 reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
 voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 } }
 10-14 18:52:38.222 D/AT (3294): AT< +COPS: 0
 10-14 18:52:38.222 D/AT (3294): AT< OK
 10-14 18:52:38.222 D/RILJ (3761): [3703]> QUERY_NETWORK_SELECTION_MODE
 [SUB0]
 10-14 18:52:38.222 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE
 10-14 18:52:38.222 D/RIL (3294): requestRegistrationState
 10-14 18:52:38.222 D/AT (3294): AT> AT+CREG?
 10-14 18:52:38.223 D/RILJ (3761): [3699]< QUERY_NETWORK_SELECTION_MODE {0}
 [SUB0]
 10-14 18:52:38.223 D/SST (3761): [0]
 EVENT_POLL_STATE_NETWORK_SELECTION_MODE
 10-14 18:52:38.223 D/AT (3294): AT< +CREG: 2,2
 10-14 18:52:38.223 D/AT (3294): AT< OK
 10-14 18:52:38.223 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,2
 10-14 18:52:38.223 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:38.224 D/RIL (3294): onRequest: OPERATOR
 10-14 18:52:38.224 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
 +COPS=3,2;+COPS?
 10-14 18:52:38.224 D/RILJ (3761): [3701]< VOICE_REGISTRATION_STATE { .regState =
 NOT_REG_MT_SEARCHING_OP, .rat = -1, .cssSupported = false, .roamingIndicator = -1,
 .systemIsInPr1 = 0, .defaultRoamingIndicator = 0, .reasonForDenial = 0, .cellIdentity =
 { .cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [],
 .cellIdentityLte = [], .cellIdentityTdsdcdma = [] } } [SUB0]
 10-14 18:52:38.225 D/AT (3294): AT< +COPS: 0
 10-14 18:52:38.226 I/chatty (3294): uid=0(root) /vendor/bin/hw/rild identical 1 line

10-14 18:52:38.226 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=CS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}
10-14 18:52:38.226 D/AT (3294): AT< +COPS: 0
10-14 18:52:38.226 D/AT (3294): AT< OK
10-14 18:52:38.226 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
10-14 18:52:38.226 D/RIL (3294): requestRegistrationState
10-14 18:52:38.226 D/AT (3294): AT> AT+CGREG?
10-14 18:52:38.227 D/RILJ (3761): [3702]< OPERATOR {, , } [SUB0]
10-14 18:52:38.227 D/AT (3294): AT< +CGREG: 1,2
10-14 18:52:38.227 D/AT (3294): AT< OK
10-14 18:52:38.228 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,2
10-14 18:52:38.228 D/RIL (3294): registration state type: 3GPP
10-14 18:52:38.228 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE
10-14 18:52:38.228 D/RIL (3294): requestRegistrationState
10-14 18:52:38.228 D/AT (3294): AT> AT+CREG?
10-14 18:52:38.229 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=PS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1}}
10-14 18:52:38.229 D/RILJ (3761): [3704]< DATA_REGISTRATION_STATE {.regState =
NOT_REG_MT_SEARCHING_OP, .rat = 0, .reasonDataDenied = -1, .maxDataCalls = 1,
.cellIdentity = {.cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [],
.cellIdentityCdma = [], .cellIdentityLte = [], .cellIdentityTdsdma = []} [SUB0]
10-14 18:52:38.229 D/AT (3294): AT< +CREG: 2,2
10-14 18:52:38.229 D/AT (3294): AT< OK
10-14 18:52:38.229 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,2
10-14 18:52:38.229 D/RIL (3294): registration state type: 3GPP
10-14 18:52:38.229 D/SST (3761): [0] Could not set ServiceState channel number. CellIdentity
null
10-14 18:52:38.229 D/SST (3761): [0] handlPollStateResultMessage: GsmSST
dataServiceState=1 regState=2 dataRadioTechnology=0
10-14 18:52:38.229 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
10-14 18:52:38.229 D/AT (3294): AT> AT+COPS?
10-14 18:52:38.230 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=CS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}
10-14 18:52:38.230 D/RILJ (3761): [3705]< VOICE_REGISTRATION_STATE {.regState =
NOT_REG_MT_SEARCHING_OP, .rat = -1, .cssSupported = false, .roamingIndicator = -1,
.systemIsInPrI = 0, .defaultRoamingIndicator = 0, .reasonForDenial = 0, .cellIdentity =
{.cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [],
.cellIdentityLte = [], .cellIdentityTdsdma = []} [SUB0]

10-14 18:52:38.230 D/SST (3761): [0] Could not set ServiceState channel number. CellIdentity null

10-14 18:52:38.230 D/SST (3761): [0] handlPollVoiceRegResultMessage: regState=2
radioTechnology=0

10-14 18:52:38.230 D/AT (3294): AT< +COPS: 0

10-14 18:52:38.230 D/AT (3294): AT< OK

10-14 18:52:38.231 D/RILJ (3761): [3703]< QUERY_NETWORK_SELECTION_MODE {0} [SUB0]

10-14 18:52:38.232 D/SST (3761): [0]
EVENT_POLL_STATE_NETWORK_SELECTION_MODE

10-14 18:52:38.236 D/SST (3761): [0] Poll ServiceState done:
oldSS=[{mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE), mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home, mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=, mDataOperatorAlphaLong=, mDataOperatorAlphaShort=, isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown), mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1, mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1, mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false, mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0, mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0} dataSpecificStates=null}]] newSS=[{mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE), mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home, mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=, mDataOperatorAlphaLong=, mDataOperatorAlphaShort=, isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown), mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1, mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1, mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false, mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0, mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=-1 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0} dataSpecificStates=null}]] oldMaxDataCalls=1 mNewMaxDataCalls=1 oldReasonDataDenied=-1 mNewReasonDataDenied=-1

10-14 18:52:38.236 D/SST (3761): [0] pollStateDone: hasRegistered=false
hasDeregistered=false hasDataAttached=false hasDataDetached=false
hasDataRegStateChanged=false hasRilVoiceRadioTechnologyChanged= false

hasRilDataRadioTechnologyChanged=false hasChanged=true hasVoiceRoamingOn=false
hasVoiceRoamingOff=false hasDataRoamingOn=false hasDataRoamingOff=false
hasLocationChanged=false has4gHandoff = false hasMultiApnSupport=false
hasLostMultiApnSupport=false hasCssIndicatorChanged=false
10-14 18:52:38.237 D/SIMRecords(3761): [SIMRecords] getServiceProviderName: no
brandOverride, providerName=null
10-14 18:52:38.237 D/SST (3761): [0] updateSpnDisplay: radio is on but out of service, set
plmn='No service'
10-14 18:52:38.237 D/SIMRecords(3761): [SIMRecords] getServiceProviderName: no
brandOverride, providerName=null
10-14 18:52:38.239 D/SubscriptionController(3761): [getPhoneId]- no sims, returning default
phoneId=2147483647
10-14 18:52:38.240 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:38.240 D/SubscriptionController(3761): [getSubId]- invalid slotIndex=-1
10-14 18:52:38.242 D/SST (3761): [0] operatorNumeric is invalid
10-14 18:52:38.242 D/LocaleTracker(3761): updateOperatorNumericAsync. mcc/mnc=
10-14 18:52:38.242 D/SST (3761): handleNetworkUnavailable
10-14 18:52:38.242 D/LocaleTracker(3761): updateOperatorNumericSync. mcc/mnc=
10-14 18:52:38.243 D/SST (3761): [0] Broadcasting ServiceState :
{mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE),
mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=,
mDataOperatorAlphaLong=, mDataOperatorAlphaShort=,
isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown),
mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1,
mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1,
mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false,
mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=-1
emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=null
dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 }},
NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_SEARCHING
accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false
supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates
{ mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}}}
10-14 18:52:38.243 D/DefaultPhoneNotifier(3761): notifyServiceState:
mRegistry=com.android.internal.telephony.ITelephonyRegistry\$Stub\$Proxy@58f793
ss={mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE),
mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=,
mDataOperatorAlphaLong=, mDataOperatorAlphaShort=,
isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown),
mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1,
mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1,
mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false,
mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=-1
emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=null
dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 }},

NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_SEARCHING
accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false
supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates
{ mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}} sender=Handler (com.android.internal.telephony.GsmCdmaPhone)
{a77591f} phondId=0 subId=-2
10-14 18:52:38.246 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:38.335 D/DCT (3761): [0]screen off
10-14 18:52:38.335 D/DCT (3761): [0]stopNetStatPoll
10-14 18:52:38.701 D/AT (3294): AT< +CREG: 0
10-14 18:52:38.702 D/AT (3294): AT< +CGREG: 1
10-14 18:52:38.702 D/RILJ (3761): [UNSL]<
UNSOL_RESPONSE_NETWORK_STATE_CHANGED [SUB0]
10-14 18:52:38.702 D/RILJ (3761): [UNSL]<
UNSOL_RESPONSE_NETWORK_STATE_CHANGED [SUB0]
10-14 18:52:38.702 D/NetworkRegistrationManager(3761): onNetworkStateChanged
10-14 18:52:38.702 D/NetworkRegistrationManager(3761): onNetworkStateChanged
10-14 18:52:38.703 D/ImsManager(3761): Connector: getImsService
10-14 18:52:38.703 I/ImsManager(3761): Creating ImsService
10-14 18:52:38.704 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
10-14 18:52:38.704 E/ImsManager(3761): Connector: Retrying getting ImsService...
10-14 18:52:38.704 D/SST (3761): [0] pollState: modemTriggered=true
10-14 18:52:38.705 D/RILJ (3761): [3706]> OPERATOR [SUB0]
10-14 18:52:38.705 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 2
10-14 18:52:38.705 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 1
10-14 18:52:38.705 D/RIL (3294): onRequest: OPERATOR
10-14 18:52:38.705 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
+COPS=3,2;+COPS?
10-14 18:52:38.706 D/RILJ (3761): [3707]> QUERY_NETWORK_SELECTION_MODE
[SUB0]
10-14 18:52:38.706 D/SST (3761): [0] pollState: modemTriggered=true
10-14 18:52:38.707 D/RILJ (3761): [3709]> OPERATOR [SUB0]
10-14 18:52:38.707 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 2
10-14 18:52:38.707 D/NetworkRegistrationManager(3761): getNetworkRegistrationState domain 1
10-14 18:52:38.708 D/RILJ (3761): [3710]> QUERY_NETWORK_SELECTION_MODE
[SUB0]
10-14 18:52:38.708 D/RILJ (3761): [3708]> DATA_REGISTRATION_STATE [SUB0]
10-14 18:52:38.709 D/RILJ (3761): [3711]> VOICE_REGISTRATION_STATE [SUB0]
10-14 18:52:38.709 D/RILJ (3761): [3712]> DATA_REGISTRATION_STATE [SUB0]
10-14 18:52:38.710 D/RILJ (3761): [3713]> VOICE_REGISTRATION_STATE [SUB0]
10-14 18:52:38.710 D/AT (3294): AT< +COPS: 0,0,"IND airtel airtel",7
10-14 18:52:38.710 D/AT (3294): AT< +COPS: 0,1,"airtel airtel",7
10-14 18:52:38.710 D/AT (3294): AT< +COPS: 0,2,"40445",7
10-14 18:52:38.710 D/AT (3294): AT< OK
10-14 18:52:38.710 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
10-14 18:52:38.710 D/AT (3294): AT> AT+COPS?
10-14 18:52:38.711 D/RILJ (3761): [3706]< OPERATOR {IND airtel airtel, airtel airtel, 40445}
[SUB0]
10-14 18:52:38.711 D/AT (3294): AT< +COPS: 0,2,"40445",7
10-14 18:52:38.711 D/AT (3294): AT< OK
10-14 18:52:38.711 D/RIL (3294): onRequest: OPERATOR

10-14 18:52:38.711 D/AT (3294): AT> AT+COPS=3,0;+COPS?;+COPS=3,1;+COPS?;
 +COPS=3,2;+COPS?
 10-14 18:52:38.712 D/RILJ (3761): [3707]< QUERY_NETWORK_SELECTION_MODE {0}
 [SUB0]
 10-14 18:52:38.712 D/SST (3761): [0]
 EVENT_POLL_STATE_NETWORK_SELECTION_MODE
 10-14 18:52:38.714 D/AT (3294): AT< +COPS: 0,0,"IND airtel airtel",7
 10-14 18:52:38.714 D/AT (3294): AT< +COPS: 0,1,"airtel airtel",7
 10-14 18:52:38.714 D/AT (3294): AT< +COPS: 0,2,"40445",7
 10-14 18:52:38.714 D/AT (3294): AT< OK
 10-14 18:52:38.714 D/RIL (3294): onRequest: QUERY_NETWORK_SELECTION_MODE
 10-14 18:52:38.714 D/AT (3294): AT> AT+COPS?
 10-14 18:52:38.714 D/RILJ (3761): [3709]< OPERATOR {IND airtel airtel, airtel airtel, 40445}
 [SUB0]
 10-14 18:52:38.715 D/AT (3294): AT< +COPS: 0,2,"40445",7
 10-14 18:52:38.715 D/AT (3294): AT< OK
 10-14 18:52:38.716 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
 10-14 18:52:38.716 D/RIL (3294): requestRegistrationState
 10-14 18:52:38.716 D/AT (3294): AT> AT+CGREG?
 10-14 18:52:38.716 D/RILJ (3761): [3710]< QUERY_NETWORK_SELECTION_MODE {0}
 [SUB0]
 10-14 18:52:38.716 D/SST (3761): [0]
 EVENT_POLL_STATE_NETWORK_SELECTION_MODE
 10-14 18:52:38.716 D/AT (3294): AT< +CGREG: 1,1
 10-14 18:52:38.716 D/AT (3294): AT< OK
 10-14 18:52:38.716 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,1
 10-14 18:52:38.717 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:38.717 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE
 10-14 18:52:38.717 D/RIL (3294): requestRegistrationState
 10-14 18:52:38.717 D/AT (3294): AT> AT+CREG?
 10-14 18:52:38.717 D/RILJ (3761): [3708]< DATA_REGISTRATION_STATE {.regState =
 REG_HOME, .rat = 0, .reasonDataDenied = -1, .maxDataCalls = 1, .cellIdentity = {.cellInfoType =
 NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [], .cellIdentityLte =
 [], .cellIdentityTdsdma = []} [SUB0]
 10-14 18:52:38.717 D/NetworkRegistrationManager(3761):
 onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
 domain=PS regState=HOME accessNetworkTechnology=UNKNOWN reasonForDenial=-1
 emergencyEnabled=false supportedServices=[I@5142be2 cellIdentity=null
 voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1} }
 10-14 18:52:38.718 D/AT (3294): AT< +CREG: 2,0
 10-14 18:52:38.718 D/AT (3294): AT< OK
 10-14 18:52:38.718 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,0
 10-14 18:52:38.718 D/RIL (3294): registration state type: 3GPP
 10-14 18:52:38.718 D/RIL (3294): onRequest: DATA_REGISTRATION_STATE
 10-14 18:52:38.718 D/RIL (3294): requestRegistrationState
 10-14 18:52:38.718 D/AT (3294): AT> AT+CGREG?
 10-14 18:52:38.718 D/RILJ (3761): [3711]< VOICE_REGISTRATION_STATE {.regState =
 NOT_REG_MT_NOT_SEARCHING_OP, .rat = -1, .cssSupported = false, .roamingIndicator =
 -1, .systemIsInPrI = 0, .defaultRoamingIndicator = 0, .reasonForDenial = 0, .cellIdentity =
 {.cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [],
 .cellIdentityLte = [], .cellIdentityTdsdma = []} [SUB0]

10-14 18:52:38.719 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=CS regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}

10-14 18:52:38.719 D/AT (3294): AT< +CGREG: 1,1
10-14 18:52:38.719 D/AT (3294): AT< OK
10-14 18:52:38.719 D/RIL (3294): parseRegistrationState. Parsing: +CGREG: 1,1
10-14 18:52:38.719 D/RIL (3294): registration state type: 3GPP
10-14 18:52:38.719 D/RIL (3294): onRequest: VOICE_REGISTRATION_STATE
10-14 18:52:38.719 D/RIL (3294): requestRegistrationState
10-14 18:52:38.719 D/AT (3294): AT> AT+CREG?
10-14 18:52:38.720 D/RILJ (3761): [3712]< DATA_REGISTRATION_STATE { .regState =
REG_HOME, .rat = 0, .reasonDataDenied = -1, .maxDataCalls = 1, .cellIdentity = { .cellInfoType =
NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [], .cellIdentityLte =
[], .cellIdentityTdsdma = [] } } [SUB0]

10-14 18:52:38.720 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=PS regState=HOME accessNetworkTechnology=UNKNOWN reasonForDenial=-1
emergencyEnabled=false supportedServices=[I@1c1bb73 cellIdentity=null
voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 } }

10-14 18:52:38.720 D/SST (3761): [0] Could not set ServiceState channel number. CellIdentity
null
10-14 18:52:38.720 D/SST (3761): [0] handlPollStateResultMessage: GsmSST
dataServiceState=0 regState=1 dataRadioTechnology=0
10-14 18:52:38.720 D/AT (3294): AT< +CREG: 2,0
10-14 18:52:38.720 D/AT (3294): AT< OK
10-14 18:52:38.720 D/RIL (3294): parseRegistrationState. Parsing: +CREG: 2,0
10-14 18:52:38.721 D/RIL (3294): registration state type: 3GPP
10-14 18:52:38.721 D/RILJ (3761): [3713]< VOICE_REGISTRATION_STATE { .regState =
NOT_REG_MT_NOT_SEARCHING_OP, .rat = -1, .cssSupported = false, .roamingIndicator =
-1, .systemIsInPrI = 0, .defaultRoamingIndicator = 0, .reasonForDenial = 0, .cellIdentity =
{ .cellInfoType = NONE, .cellIdentityGsm = [], .cellIdentityWcdma = [], .cellIdentityCdma = [],
.cellIdentityLte = [], .cellIdentityTdsdma = [] } } [SUB0]
10-14 18:52:38.721 D/NetworkRegistrationManager(3761):
onGetNetworkRegistrationStateComplete result 0 state NetworkRegistrationState{transportType=1
domain=CS regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}

10-14 18:52:38.722 D/SST (3761): [0] Could not set ServiceState channel number. CellIdentity
null
10-14 18:52:38.722 D/SST (3761): [0] handlPollVoiceRegResultMessage: regState=0
radioTechnology=0
10-14 18:52:38.723 D/SST (3761): [0] Poll ServiceState done:
oldSS=[{mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=1(OUT_OF_SERVICE),
mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
mDataRoamingType=home, mVoiceOperatorAlphaLong=, mVoiceOperatorAlphaShort=,
mDataOperatorAlphaLong=, mDataOperatorAlphaShort=,

```

isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown),
mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1,
mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1,
mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false,
mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=NOT_REG_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=-1
emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=null
dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 }},
NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_SEARCHING
accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false
supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates
{ mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}}] newSS=[{mVoiceRegState=1(OUT_OF_SERVICE),
mDataRegState=0(IN_SERVICE), mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[],
mVoiceRoamingType=home, mDataRoamingType=home, mVoiceOperatorAlphaLong=IND airtel
airtel, mVoiceOperatorAlphaShort=airtel airtel, mDataOperatorAlphaLong=IND airtel airtel,
mDataOperatorAlphaShort=airtel airtel, isManualNetworkSelection=false(automatic),
mRilVoiceRadioTechnology=0(Unknown), mRilDataRadioTechnology=0(Unknown),
mCssIndicator=unsupported, mNetworkId=-1, mSystemId=-1, mCdmaRoamingIndicator=-1,
mCdmaDefaultRoamingIndicator=-1, mIsEmergencyOnly=false,
mIsDataRoamingFromRegistration=false, mIsUsingCarrierAggregation=false,
mLteEarfcnRsrpBoost=0,
mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
regState=HOME accessNetworkTechnology=UNKNOWN reasonForDenial=-1
emergencyEnabled=false supportedServices=[I@1c1bb73 cellIdentity=null
voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates
{ mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS
regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
dataSpecificStates=null}}] oldMaxDataCalls=1 mNewMaxDataCalls=1 oldReasonDataDenied=-1
mNewReasonDataDenied=-1
10-14 18:52:38.724 D/SST ( 3761): [0] pollStateDone: hasRegistered=false
hasDeregistered=false hasDataAttached=true hasDataDetached=false
hasDataRegStateChanged=true hasRilVoiceRadioTechnologyChanged=false
hasRilDataRadioTechnologyChanged=false hasChanged=true hasVoiceRoamingOn=false
hasVoiceRoamingOff=false hasDataRoamingOn=false hasDataRoamingOff=false
hasLocationChanged=false has4gHandoff = false hasMultiApnSupport=false
hasLostMultiApnSupport=false hasCssIndicatorChanged=false
10-14 18:52:38.724 D/SST ( 3761): [0] getCombinedRegState: return STATE_IN_SERVICE as
Data is in service
10-14 18:52:38.724 D/SIMRecords( 3761): [SIMRecords] getServiceProviderName: no
brandOverride, providerName=null
10-14 18:52:38.724 D/SIMRecords( 3761): [SIMRecords] getServiceProviderName: no
brandOverride, providerName=null
10-14 18:52:38.724 D/SST ( 3761): [0] updateSpnDisplay: changed sending intent rule=2
showPlmn='true' plmn='IND airtel airtel' showSpn='false' spn='null' dataSpn='null' subId='-2'
10-14 18:52:38.726 D/SubscriptionController( 3761): [setPlmnSpn] No valid subscription to store
info
10-14 18:52:38.727 D/SubscriptionController( 3761): notifySubscriptionInfoChanged:

```

10-14 18:52:38.728 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:52:38.729 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:52:38.729 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:52:38.735 D/SubscriptionController(3761): [getPhoneId]- no sims, returning default phoneId=2147483647
10-14 18:52:38.739 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:38.740 D/SubscriptionController(3761): [getSubId]- invalid slotIndex=-1
10-14 18:52:38.741 D/LocaleTracker(3761): updateOperatorNumericSync. mcc/mnc=40445
10-14 18:52:38.741 D/LocaleTracker(3761): Operator numeric changes to 40445
10-14 18:52:38.741 D/LocaleTracker(3761): updateLocale: mcc = 404, country = in
10-14 18:52:38.741 D/LocaleTracker(3761): updateLocale: Change the current country to in
10-14 18:52:38.744 D/SST (3761): [0] countryIsoChanged: no previous country ISO code
10-14 18:52:38.745 D/SST (3761): [0] Before handleNetworkCountryCodeKnown: countryChanged=true iccCardExist=true countryIsoChanged=true operatorNumeric=40445 prevOperatorNumeric= countryIsoCode=in prevCountryIsoCode= ltod=10-14 18:52:38.744
10-14 18:52:38.788 D/SST (3761): updateTimeZoneByNetworkCountryCode: set time lookupResult=CountryResult{zoneId='Asia/Kolkata', allZonesHaveSameOffset=true, whenMillis=1634217758746} iso=in
10-14 18:52:38.789 D/SST (3761): setAndBroadcastNetworkSetTimeZone: zoneId=Asia/Kolkata
10-14 18:52:38.793 D/SST (3761): setAndBroadcastNetworkSetTimeZone: called setDeviceTimeZone() zoneId=Asia/Kolkata
10-14 18:52:38.793 D/SST (3761): handleNetworkCountryCodeSet: isTimeZoneSettingInitialized=true mLatestNitzSignal=null isoCountryCode=in
10-14 18:52:38.793 D/SST (3761): handleNetworkCountryCodeSet: No cached NITZ data available, not setting zone
10-14 18:52:38.793 D/SST (3761): handleNetworkCountryCodeSet: lookupResult == null, do nothing
10-14 18:52:38.794 D/SST (3761): [0] Broadcasting ServiceState : {mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=0(IN_SERVICE), mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home, mDataRoamingType=home, mVoiceOperatorAlphaLong=IND airtel airtel, mVoiceOperatorAlphaShort=airtel airtel, mDataOperatorAlphaLong=IND airtel airtel, mDataOperatorAlphaShort=airtel airtel, isManualNetworkSelection=false(automatic), mRilVoiceRadioTechnology=0(Unknown), mRilDataRadioTechnology=0(Unknown), mCssIndicator=unsupported, mNetworkId=-1, mSystemId=-1, mCdmaRoamingIndicator=-1, mCdmaDefaultRoamingIndicator=-1, mIsEmergencyOnly=false, mIsDataRoamingFromRegistration=false, mIsUsingCarrierAggregation=false, mLteEarfcnRsrpBoost=0, mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS regState=HOME accessNetworkTechnology=UNKNOWN reasonForDenial=-1 emergencyEnabled=false supportedServices=[I@1c1bb73 cellIdentity=null voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates { mMaxDataCalls=1 }}, NetworkRegistrationState{transportType=1 domain=CS regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false mRoamingIndicator=-1 mSystemIsInPrI=0 mDefaultRoamingIndicator=0} dataSpecificStates=null}}]
dataSpecificStates=null}}}

10-14 18:52:38.795 D/DefaultPhoneNotifier(3761): notifyServiceState:
 mRegistry=com.android.internal.telephony.ITelephonyRegistry\$Stub\$Proxy@58f793
 ss={mVoiceRegState=1(OUT_OF_SERVICE), mDataRegState=0(IN_SERVICE),
 mChannelNumber=-1, duplexMode()=0, mCellBandwidths=[], mVoiceRoamingType=home,
 mDataRoamingType=home, mVoiceOperatorAlphaLong=IND airtel airtel,
 mVoiceOperatorAlphaShort=airtel airtel, mDataOperatorAlphaLong=IND airtel airtel,
 mDataOperatorAlphaShort=airtel airtel, isManualNetworkSelection=false(automatic),
 mRilVoiceRadioTechnology=0(Unknown), mRilDataRadioTechnology=0(Unknown),
 mCssIndicator=unsupported, mNetworkId=-1, mSystemId=-1, mCdmaRoamingIndicator=-1,
 mCdmaDefaultRoamingIndicator=-1, mIsEmergencyOnly=false,
 mIsDataRoamingFromRegistration=false, mIsUsingCarrierAggregation=false,
 mLteEarfcnRsrpBoost=0,
 mNetworkRegistrationStates=[NetworkRegistrationState{transportType=1 domain=PS
 regState=HOME accessNetworkTechnology=UNKNOWN reasonForDenial=-1
 emergencyEnabled=false supportedServices=[I@1c1bb73 cellIdentity=null
 voiceSpecificStates=null dataSpecificStates=DataSpecificRegistrationStates
 { mMaxDataCalls=1}}, NetworkRegistrationState{transportType=1 domain=CS
 regState=NOT_REG_NOT_SEARCHING accessNetworkTechnology=UNKNOWN
 reasonForDenial=0 emergencyEnabled=false supportedServices=null cellIdentity=null
 voiceSpecificStates=VoiceSpecificRegistrationStates { mCssSupported=false
 mRoamingIndicator=-1 mSystemIsInPrl=0 mDefaultRoamingIndicator=0}
 dataSpecificStates=null}}] sender=Handler (com.android.internal.telephony.GsmCdmaPhone)
 {a77591f} phondId=0 subId=-2
 10-14 18:52:38.797 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
 10-14 18:52:38.804 D/SST (3761): [0] notifyDataRegStateRilRadioTechnologyChanged: drs=0
 rat=0
 10-14 18:52:38.805 D/DCT (3761): [0]get all active apn types
 10-14 18:52:38.805 D/SST (3761): [0] SubscriptionListener.onSubscriptionInfoChanged
 10-14 18:52:38.805 D/DCT (3761): [0]SubscriptionListener.onSubscriptionInfoChanged
 10-14 18:52:38.806 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not
 ready
 10-14 18:52:38.811 I/ImsManager(3761): Creating ImsService
 10-14 18:52:38.812 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
 10-14 18:52:38.828 I/CSST (3761): PrefNetworkNotification: sendMessage() w/values: ,true,-
 1,true,true
 10-14 18:52:38.829 I/CSST (3761): canceling notifications: 1000
 10-14 18:52:38.829 D/Phone (3761): isWifiCallingEnabled =false
 10-14 18:52:38.829 D/CSST (3761): isPhoneRegisteredForWifiCalling: false
 10-14 18:52:38.829 D/Phone (3761): isWifiCallingEnabled =false
 10-14 18:52:38.829 I/CSST (3761): EmergencyNetworkNotification: sendMessage() w/values:
 ,false,-1,false,true
 10-14 18:52:38.829 I/CSST (3761): canceling notifications: 1001
 10-14 18:52:38.829 D/DCT (3761): [0]onDataConnectionAttached
 10-14 18:52:38.830 D/DCT (3761): [0]isEmergency: result=false
 10-14 18:52:38.835 I/chatty (3761): uid=1001(radio) com.android.phone identical 2 lines
 10-14 18:52:38.837 D/DCT (3761): [0]isEmergency: result=false
 10-14 18:52:38.839 D/DCT (3761): [0]setupDataOnConnectableApns: dataAttached mms:
 [state=IDLE,enabled=false] dun:[state=IDLE,enabled=false] supl:[state=IDLE,enabled=false]
 default:[state=IDLE,enabled=false]
 10-14 18:52:38.841 I/ImsManager(3761): Creating ImsService
 10-14 18:52:38.842 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
 10-14 18:52:38.886 D/DCT (3761): [0]screen on

10-14 18:52:38.886 D/DCT (3761): [0]stopNetStatPoll
10-14 18:52:40.492 D/AT (3294): AT< +QIND: SMS DONE
10-14 18:52:42.027 D/WAP PUSH(3761): Received broadcast
android.intent.action.USER_UNLOCKED
10-14 18:52:42.036 D/WAP PUSH(3761): Received broadcast
android.intent.action.USER_UNLOCKED
10-14 18:52:42.036 D/SmsBroadcastUndelivered(3761): Received broadcast
android.intent.action.USER_UNLOCKED
10-14 18:52:42.040 D/SmsBroadcastUndelivered(3761): scanning raw table for undelivered
messages
10-14 18:52:42.061 E/WAP PUSH(3761): bindService() for wappush manager failed
10-14 18:52:42.063 E/WAP PUSH(3761): bindService() for wappush manager failed
10-14 18:52:42.210 D/SmsBroadcastUndelivered(3761): finished scanning raw table in 169 ms
10-14 18:52:42.706 D/ImsManager(3761): Connector: getImsService
10-14 18:52:42.706 I/ImsManager(3761): Creating ImsService
10-14 18:52:42.711 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
10-14 18:52:42.711 E/ImsManager(3761): Connector: Retrying getting ImsService...
10-14 18:52:43.087 D/SubscriptionController(3761): [getSlotIndex]- subId invalid
10-14 18:52:43.087 D/SubscriptionController(3761): [getSubId]- invalid slotIndex=-1
10-14 18:52:45.365 D/AT (3294): AT< +QIND: PB DONE
10-14 18:52:48.495 D/SipService(3761): SipService: started!
10-14 18:52:48.499 D/SipService(3761): start:
10-14 18:52:50.714 D/ImsManager(3761): Connector: getImsService
10-14 18:52:50.714 I/ImsManager(3761): Creating ImsService
10-14 18:52:50.715 W/MmTelFeatureConnection(3761): create: binder is null! Slot Id: 0
10-14 18:52:50.715 E/ImsManager(3761): Connector: Retrying getting ImsService...
10-14 18:53:03.745 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not
ready
10-14 18:53:03.753 D/RILJ (3761): [3714]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.753 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4370,4370] Code [0,255]
ENABLED [SUB0]
10-14 18:53:03.754 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.754 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.754 D/RILJ (3761): [3714]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.754 D/RilRequest(3761): [3714]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.756 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not
ready
10-14 18:53:03.758 D/RILJ (3761): [3715]>
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.758 D/RILJ (3761): {.serviceCategory = 4096, .language = 1, .selected = true}
[SUB0]
10-14 18:53:03.758 D/RIL (3294): onRequest: CDMA_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.758 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.758 D/RILJ (3761): [3715]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.758 D/RilRequest(3761): [3715]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=

10-14 18:53:03.760 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.762 D/RILJ (3761): [3716]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.762 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4383,4383] Code [0,255] ENABLED [SUB0]
10-14 18:53:03.762 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.762 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.763 D/RILJ (3761): [3716]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.763 D/RilRequest(3761): [3716]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.765 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.767 D/RILJ (3761): [3717]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.767 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4371,4372] Code [0,255] ENABLED [SUB0]
10-14 18:53:03.767 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.767 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.767 D/RILJ (3761): [3717]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.767 D/RilRequest(3761): [3717]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.769 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.771 D/RILJ (3761): [3718]>
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.771 D/RILJ (3761): {.serviceCategory = 4097, .language = 1, .selected = true} [SUB0]
10-14 18:53:03.771 D/RIL (3294): onRequest: CDMA_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.771 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.771 D/RILJ (3761): [3718]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.771 D/RilRequest(3761): [3718]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.773 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.774 D/RILJ (3761): [3719]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.774 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4384,4385] Code [0,255] ENABLED [SUB0]
10-14 18:53:03.775 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.775 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.775 D/RILJ (3761): [3719]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.775 D/RilRequest(3761): [3719]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=

10-14 18:53:03.777 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.778 D/RILJ (3761): [3720]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.778 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4373,4378] Code [0,255] ENABLED [SUB0]
10-14 18:53:03.778 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.778 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.779 D/RILJ (3761): [3720]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.779 D/RilRequest(3761): [3720]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.780 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.782 D/RILJ (3761): [3721]>
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.782 D/RILJ (3761): {.serviceCategory = 4098, .language = 1, .selected = true} [SUB0]
10-14 18:53:03.782 D/RIL (3294): onRequest: CDMA_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.782 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.782 D/RILJ (3761): [3721]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.782 D/RilRequest(3761): [3721]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.784 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.786 D/RILJ (3761): [3722]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.786 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4386,4391] Code [0,255] ENABLED [SUB0]
10-14 18:53:03.786 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.786 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.786 D/RILJ (3761): [3722]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.786 D/RilRequest(3761): [3722]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.788 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.789 D/RILJ (3761): [3723]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.790 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4379,4379] Code [0,255] ENABLED [SUB0]
10-14 18:53:03.790 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.790 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.790 D/RILJ (3761): [3723]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.790 D/RilRequest(3761): [3723]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=

10-14 18:53:03.792 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.793 D/RILJ (3761): [3724]>
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.793 D/RILJ (3761): {.serviceCategory = 4099, .language = 1, .selected = true}
[SUB0]
10-14 18:53:03.793 D/RIL (3294): onRequest: CDMA_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.793 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.794 D/RILJ (3761): [3724]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.794 D/RilRequest(3761): [3724]<
RIL_REQUEST_CDMA_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.795 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.797 D/RILJ (3761): [3725]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.797 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4392,4392] Code [0,255]
ENABLED [SUB0]
10-14 18:53:03.797 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.797 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.797 D/RILJ (3761): [3725]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.797 D/RilRequest(3761): [3725]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.799 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.812 I/chatty (3761): uid=1001(radio) Binder:3761_1 identical 6 lines
10-14 18:53:03.814 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.815 D/RILJ (3761): [3726]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.816 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4352,4354] Code [0,255]
ENABLED [SUB0]
10-14 18:53:03.816 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.816 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.816 D/RILJ (3761): [3726]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]
10-14 18:53:03.816 D/RilRequest(3761): [3726]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.818 D/SubscriptionController(3761): [getActiveSubInfoList] Sub Controller not ready
10-14 18:53:03.819 D/RILJ (3761): [3727]>
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG with 1 configs : [SUB0]
10-14 18:53:03.819 D/RILJ (3761): SmsBroadcastConfigInfo: Id [4356,4356] Code [0,255]
ENABLED [SUB0]
10-14 18:53:03.820 D/RIL (3294): onRequest: GSM_SET_BROADCAST_SMS_CONFIG
10-14 18:53:03.820 D/RIL (3294): Request not supported. Tech: 1
10-14 18:53:03.820 D/RILJ (3761): [3727]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error 6 [SUB0]

```
10-14 18:53:03.820 D/RilRequest( 3761): [3727]<
RIL_REQUEST_GSM_SET_BROADCAST_CONFIG error:
com.android.internal.telephony.CommandException: REQUEST_NOT_SUPPORTED ret=
10-14 18:53:03.822 D/SubscriptionController( 3761): [getActiveSubInfoList] Sub Controller not
ready
10-14 18:53:06.715 D/ImsManager( 3761): Connector: getImsService
10-14 18:53:06.715 I/ImsManager( 3761): Creating ImsService
10-14 18:53:06.717 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:53:06.717 E/ImsManager( 3761): Connector: Retrying getting ImsService...
10-14 18:53:38.743 D/ImsManager( 3761): Connector: getImsService
10-14 18:53:38.743 I/ImsManager( 3761): Creating ImsService
10-14 18:53:38.745 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:53:38.745 E/ImsManager( 3761): Connector: Retrying getting ImsService...
10-14 18:54:42.809 D/ImsManager( 3761): Connector: getImsService
10-14 18:54:42.809 I/ImsManager( 3761): Creating ImsService
10-14 18:54:42.810 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:54:42.810 E/ImsManager( 3761): Connector: Retrying getting ImsService...
10-14 18:55:46.875 D/ImsManager( 3761): Connector: getImsService
10-14 18:55:46.875 I/ImsManager( 3761): Creating ImsService
10-14 18:55:46.876 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:55:46.876 E/ImsManager( 3761): Connector: Retrying getting ImsService...
10-14 18:56:50.941 D/ImsManager( 3761): Connector: getImsService
10-14 18:56:50.941 I/ImsManager( 3761): Creating ImsService
10-14 18:56:50.942 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:56:50.942 E/ImsManager( 3761): Connector: Retrying getting ImsService...
10-14 18:57:54.951 D/ImsManager( 3761): Connector: getImsService
10-14 18:57:54.952 I/ImsManager( 3761): Creating ImsService
10-14 18:57:54.953 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:57:54.953 E/ImsManager( 3761): Connector: Retrying getting ImsService...
10-14 18:58:58.999 D/ImsManager( 3761): Connector: getImsService
10-14 18:58:58.999 I/ImsManager( 3761): Creating ImsService
10-14 18:58:59.000 W/MmTelFeatureConnection( 3761): create: binder is null! Slot Id: 0
10-14 18:58:59.001 E/ImsManager( 3761): Connector: Retrying getting ImsService...
```

 $\wedge C$ [illegible]

130|iwg34m_8mm:/ #
130|iwg34m_8mm:/ #
130|iwg34m_8mm:/ #
130|iwg34m_8mm:/ # #
130|iwg34m_8mm:/ # .