


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63977G	41.20	54.00	-12.80	-2.39	3	Horizontal	304	2.02	-	43.59	39.73	12.32	54.44
AV	15.9585G	50.57	54.00	-3.43	-1.49	3	Horizontal	65	1.48	-	52.06	37.25	14.71	53.45
PK	10.6414G	55.56	74.00	-18.44	-2.39	3	Horizontal	304	2.02	-	57.95	39.73	12.32	54.44
PK	15.9589G	66.45	74.00	-7.55	-1.49	3	Horizontal	65	1.48	-	67.94	37.25	14.71	53.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.85	54.00	-8.15	6.67	3	Vertical	0	1.36	-	39.18	31.88	8.70	33.91
AV	5.502G	102.98	Inf	-Inf	6.74	3	Vertical	0	1.36	-	96.24	31.90	8.76	33.92
PK	5.454G	58.08	74.00	-15.92	6.66	3	Vertical	0	1.36	-	51.42	31.88	8.69	33.91
PK	5.4698G	65.70	68.20	-2.50	6.69	3	Vertical	0	1.36	-	59.01	31.89	8.71	33.91
PK	5.503G	114.71	Inf	-Inf	6.74	3	Vertical	0	1.36	-	107.97	31.90	8.76	33.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.62	54.00	-5.38	6.67	3	Horizontal	300	1.79	-	41.95	31.88	8.70	33.91
AV	5.498G	110.69	Inf	-Inf	6.73	3	Horizontal	300	1.79	-	103.96	31.90	8.75	33.92
PK	5.4576G	63.88	74.00	-10.12	6.66	3	Horizontal	300	1.79	-	57.22	31.88	8.69	33.91
PK	5.4696G	67.76	68.20	-0.44	6.69	3	Horizontal	300	1.79	-	61.07	31.89	8.71	33.91
PK	5.4986G	122.66	Inf	-Inf	6.73	3	Horizontal	300	1.79	-	115.93	31.90	8.75	33.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	41.63	54.00	-12.37	-1.81	3	Vertical	103	1.49	-	43.44	40.20	12.50	54.51
PK	10.99856G	54.73	74.00	-19.27	-1.81	3	Vertical	103	1.49	-	56.54	40.20	12.50	54.51
PK	16.4984G	62.05	68.20	-6.15	1.17	3	Vertical	33	1.48	-	60.88	38.55	14.85	52.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	43.72	54.00	-10.28	-1.81	3	Horizontal	89	2.03	-	45.53	40.20	12.50	54.51
PK	10.99992G	56.59	74.00	-17.41	-1.81	3	Horizontal	89	2.03	-	58.40	40.20	12.50	54.51
PK	16.4988G	67.57	68.20	-0.63	1.17	3	Horizontal	309	1.49	-	66.40	38.55	14.85	52.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	44.92	54.00	-9.08	6.65	3	Vertical	7	2.10	-	38.27	31.88	8.68	33.91
AV	5.5776G	103.89	Inf	-Inf	6.94	3	Vertical	7	2.10	-	96.95	32.01	8.87	33.94
PK	5.4684G	57.98	68.20	-10.22	6.69	3	Vertical	7	2.10	-	51.29	31.89	8.71	33.91
PK	5.577G	115.05	Inf	-Inf	6.94	3	Vertical	7	2.10	-	108.11	32.01	8.87	33.94
PK	5.7258G	57.67	68.20	-10.53	7.27	3	Vertical	7	2.10	-	50.40	32.22	9.01	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4336G	45.71	54.00	-8.29	6.62	3	Horizontal	316	1.88	-	39.09	31.87	8.66	33.91
AV	5.5878G	109.30	Inf	-Inf	6.96	3	Horizontal	316	1.88	-	102.34	32.02	8.88	33.94
PK	5.4618G	57.45	68.20	-10.75	6.67	3	Horizontal	316	1.88	-	50.78	31.88	8.70	33.91
PK	5.5878G	121.07	Inf	-Inf	6.96	3	Horizontal	316	1.88	-	114.11	32.02	8.88	33.94
PK	5.73G	58.21	68.20	-9.99	7.28	3	Horizontal	316	1.88	-	50.93	32.22	9.02	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15983G	41.12	54.00	-12.88	-1.82	3	Vertical	329	1.75	-	42.94	40.01	12.59	54.42
PK	11.16085G	55.90	74.00	-18.10	-1.82	3	Vertical	329	1.75	-	57.72	40.01	12.59	54.42
PK	16.7407G	62.06	68.20	-6.14	1.78	3	Vertical	314	1.66	-	60.28	39.25	14.91	52.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16015G	41.26	54.00	-12.74	-1.82	3	Horizontal	157	2.48	-	43.08	40.01	12.59	54.42
PK	11.15814G	54.40	74.00	-19.60	-1.83	3	Horizontal	157	2.48	-	56.23	40.01	12.58	54.42
PK	16.735G	64.52	68.20	-3.68	1.76	3	Horizontal	311	1.44	-	62.76	39.23	14.91	52.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	102.65	Inf	-Inf	7.22	3	Vertical	342	1.01	-	95.43	32.18	8.99	33.95
PK	5.7036G	113.96	Inf	-Inf	7.23	3	Vertical	342	1.01	-	106.73	32.19	8.99	33.95
PK	5.728G	62.86	68.20	-5.34	7.28	3	Vertical	342	1.01	-	55.58	32.22	9.02	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	108.80	Inf	-Inf	7.20	3	Horizontal	302	1.00	-	101.60	32.17	8.98	33.95
PK	5.6932G	120.61	Inf	-Inf	7.20	3	Horizontal	302	1.00	-	113.41	32.17	8.98	33.95
PK	5.732G	64.86	68.20	-3.34	7.28	3	Horizontal	302	1.00	-	57.58	32.22	9.02	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39813G	42.79	54.00	-11.21	-1.85	3	Vertical	41	1.13	-	44.64	39.72	12.71	54.28
PK	11.39867G	54.72	74.00	-19.28	-1.85	3	Vertical	41	1.13	-	56.57	39.72	12.71	54.28
PK	17.09946G	62.72	68.20	-5.48	3.06	3	Vertical	50	2.27	-	59.66	40.66	15.00	52.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39958G	45.86	54.00	-8.14	-1.85	3	Horizontal	310	1.61	-	47.71	39.72	12.71	54.28
PK	11.39962G	56.61	74.00	-17.39	-1.85	3	Horizontal	310	1.61	-	58.46	39.72	12.71	54.28
PK	17.0988G	60.47	68.20	-7.73	3.05	3	Horizontal	305	2.87	-	57.42	40.65	15.00	52.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.724G	103.10	Inf	-Inf	7.27	3	Vertical	46	1.34	-	95.83	32.21	9.01	33.95
PK	5.724G	114.22	Inf	-Inf	7.27	3	Vertical	46	1.34	-	106.95	32.21	9.01	33.95
PK	5.879G	58.84	68.20	-9.36	7.57	3	Vertical	46	1.34	-	51.27	32.43	9.12	33.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.728G	109.08	Inf	-Inf	7.28	3	Horizontal	303	1.63	-	101.80	32.22	9.02	33.96
PK	5.728G	120.16	Inf	-Inf	7.28	3	Horizontal	303	1.63	-	112.88	32.22	9.02	33.96
PK	5.869G	59.20	68.20	-9.00	7.55	3	Horizontal	303	1.63	-	51.65	32.42	9.11	33.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43934G	44.42	54.00	-9.58	-1.86	3	Vertical	27	2.24	-	46.28	39.67	12.73	54.26
PK	11.43776G	57.87	74.00	-16.13	-1.86	3	Vertical	27	2.24	-	59.73	39.67	12.73	54.26
PK	17.15876G	64.58	68.20	-3.62	3.43	3	Vertical	158	1.70	-	61.15	41.05	15.02	52.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4366G	46.01	54.00	-7.99	-1.85	3	Horizontal	281	1.51	-	47.86	39.68	12.73	54.26
PK	11.4367G	59.31	74.00	-14.69	-1.85	3	Horizontal	281	1.51	-	61.16	39.68	12.73	54.26
PK	17.1587G	66.22	68.20	-1.98	3.43	3	Horizontal	298	2.56	-	62.79	41.05	15.02	52.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.89	Inf	-Inf	7.32	3	Vertical	357	1.01	-	96.57	32.25	9.03	33.96
PK	5.559G	57.96	68.20	-10.24	6.89	3	Vertical	357	1.01	-	51.07	31.98	8.84	33.93
PK	5.7486G	115.30	Inf	-Inf	7.32	3	Vertical	357	1.01	-	107.98	32.25	9.03	33.96
PK	5.9382G	59.18	68.20	-9.02	7.66	3	Vertical	357	1.01	-	51.52	32.51	9.14	33.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	109.43	Inf	-Inf	7.32	3	Horizontal	310	1.65	-	102.11	32.25	9.03	33.96
PK	5.5374G	59.93	68.20	-8.27	6.83	3	Horizontal	310	1.65	-	53.10	31.95	8.81	33.93
PK	5.7486G	121.09	Inf	-Inf	7.32	3	Horizontal	310	1.65	-	113.77	32.25	9.03	33.96
PK	5.9538G	58.69	68.20	-9.51	7.70	3	Horizontal	310	1.65	-	50.99	32.54	9.15	33.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48838G	46.16	54.00	-7.84	-1.87	3	Vertical	226	1.57	-	48.03	39.61	12.75	54.23
PK	11.48892G	60.49	74.00	-13.51	-1.87	3	Vertical	226	1.57	-	62.36	39.61	12.75	54.23
PK	17.23626G	65.11	68.20	-3.09	3.91	3	Vertical	333	1.48	-	61.20	41.56	15.04	52.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48682G	45.57	54.00	-8.43	-1.86	3	Horizontal	282	1.52	-	47.43	39.62	12.75	54.23
PK	11.48646G	59.84	74.00	-14.16	-1.86	3	Horizontal	282	1.52	-	61.70	39.62	12.75	54.23
PK	17.23716G	66.09	68.20	-2.11	3.92	3	Horizontal	7	1.00	-	62.17	41.57	15.04	52.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	103.02	Inf	-Inf	7.41	3	Vertical	358	1.00	-	95.61	32.31	9.07	33.97
PK	5.5678G	58.24	68.20	-9.96	6.91	3	Vertical	358	1.00	-	51.33	31.99	8.85	33.93
PK	5.7814G	114.45	Inf	-Inf	7.38	3	Vertical	358	1.00	-	107.07	32.29	9.06	33.97
PK	5.959G	58.24	68.20	-9.96	7.70	3	Vertical	358	1.00	-	50.54	32.54	9.15	33.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	107.63	Inf	-Inf	7.38	3	Horizontal	284	1.48	-	100.25	32.29	9.06	33.97
PK	5.647G	58.66	68.20	-9.54	7.11	3	Horizontal	284	1.48	-	51.55	32.11	8.94	33.94
PK	5.7802G	118.68	Inf	-Inf	7.38	3	Horizontal	284	1.48	-	111.30	32.29	9.06	33.97
PK	5.9266G	58.34	68.20	-9.86	7.65	3	Horizontal	284	1.48	-	50.69	32.50	9.14	33.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56844G	47.66	54.00	-6.34	-1.84	3	Vertical	226	1.48	-	49.50	39.52	12.79	54.15
PK	11.5685G	61.54	74.00	-12.46	-1.84	3	Vertical	226	1.48	-	63.38	39.52	12.79	54.15
PK	17.36112G	65.51	68.20	-2.69	4.68	3	Vertical	355	1.48	-	60.83	42.38	15.07	52.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.567G	47.56	54.00	-6.44	-1.84	3	Horizontal	279	1.49	-	49.40	39.52	12.79	54.15
PK	11.56778G	61.93	74.00	-12.07	-1.84	3	Horizontal	279	1.49	-	63.77	39.52	12.79	54.15
PK	17.36112G	67.32	68.20	-0.88	4.68	3	Horizontal	6	1.00	-	62.64	42.38	15.07	52.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	103.44	Inf	-Inf	7.48	3	Vertical	51	1.47	-	95.96	32.36	9.09	33.97
PK	5.6126G	57.97	68.20	-10.23	7.03	3	Vertical	51	1.47	-	50.94	32.06	8.91	33.94
PK	5.8286G	113.74	Inf	-Inf	7.48	3	Vertical	51	1.47	-	106.26	32.36	9.09	33.97
PK	5.9822G	58.59	68.20	-9.61	7.74	3	Vertical	51	1.47	-	50.85	32.58	9.16	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	110.52	Inf	-Inf	7.48	3	Horizontal	307	2.14	-	103.04	32.36	9.09	33.97
PK	5.6378G	59.76	68.20	-8.44	7.08	3	Horizontal	307	2.14	-	52.68	32.09	8.93	33.94
PK	5.8286G	121.18	Inf	-Inf	7.48	3	Horizontal	307	2.14	-	113.70	32.36	9.09	33.97
PK	5.927G	59.43	68.20	-8.77	7.65	3	Horizontal	307	2.14	-	51.78	32.50	9.14	33.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64886G	48.88	54.00	-5.12	-1.81	3	Vertical	225	1.49	-	50.69	39.42	12.83	54.06
PK	11.64916G	62.87	74.00	-11.13	-1.81	3	Vertical	225	1.49	-	64.68	39.42	12.83	54.06
PK	17.47944G	67.31	68.20	-0.89	5.41	3	Vertical	313	2.11	-	61.90	43.16	15.10	52.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64748G	48.06	54.00	-5.94	-1.81	3	Horizontal	281	1.49	-	49.87	39.42	12.83	54.06
PK	11.6464G	61.76	74.00	-12.24	-1.81	3	Horizontal	281	1.49	-	63.57	39.42	12.83	54.06
PK	17.4714G	65.67	68.20	-2.53	5.37	3	Horizontal	6	1.43	-	60.30	43.11	15.10	52.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.23	54.00	-5.77	5.34	3	Vertical	358	1.00	-	42.89	31.82	7.57	34.05
AV	5.1868G	96.65	Inf	-Inf	5.19	3	Vertical	358	1.00	-	91.46	31.65	7.59	34.05
PK	5.1464G	60.20	74.00	-13.80	5.33	3	Vertical	358	1.00	-	54.87	31.81	7.57	34.05
PK	5.2016G	106.87	Inf	-Inf	5.14	3	Vertical	358	1.00	-	101.73	31.59	7.60	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.44	54.00	-1.56	5.32	3	Horizontal	299	2.11	-	47.12	31.80	7.57	34.05
AV	5.204G	102.65	Inf	-Inf	5.13	3	Horizontal	299	2.11	-	97.52	31.58	7.60	34.05
PK	5.148G	65.88	74.00	-8.12	5.33	3	Horizontal	299	2.11	-	60.55	31.81	7.57	34.05
PK	5.1988G	111.83	Inf	-Inf	5.15	3	Horizontal	299	2.11	-	106.68	31.60	7.60	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56202G	43.98	54.00	-10.02	15.74	3	Vertical	314	3.00	-	28.24	38.86	10.91	34.03
PK	10.3833G	56.20	68.20	-12.00	14.57	3	Vertical	3	1.50	-	41.63	39.40	9.70	34.53
PK	15.56262G	56.37	74.00	-17.63	15.74	3	Vertical	314	3.00	-	40.63	38.86	10.91	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56688G	44.14	54.00	-9.86	15.71	3	Horizontal	293	1.49	-	28.43	38.84	10.91	34.04
PK	10.389G	55.43	68.20	-12.77	14.58	3	Horizontal	66	1.50	-	40.85	39.41	9.70	34.53
PK	15.57168G	57.26	74.00	-16.74	15.70	3	Horizontal	293	1.49	-	41.56	38.83	10.91	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	47.05	54.00	-6.95	6.45	3	Vertical	22	1.49	-	40.60	31.76	8.52	33.83
AV	5.2268G	101.64	Inf	-Inf	6.51	3	Vertical	22	1.49	-	95.13	31.79	8.58	33.86
PK	5.142G	59.59	74.00	-14.41	6.44	3	Vertical	22	1.49	-	53.15	31.76	8.51	33.83
PK	5.2236G	111.87	Inf	-Inf	6.51	3	Vertical	22	1.49	-	105.36	31.79	8.57	33.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.94	54.00	-1.06	6.45	3	Horizontal	313	2.34	-	46.49	31.76	8.52	33.83
AV	5.2212G	110.13	Inf	-Inf	6.51	3	Horizontal	313	2.34	-	103.62	31.79	8.57	33.85
PK	5.1488G	66.18	74.00	-7.82	6.45	3	Horizontal	313	2.34	-	59.73	31.76	8.52	33.83
PK	5.2316G	120.41	Inf	-Inf	6.51	3	Horizontal	313	2.34	-	113.90	31.79	8.58	33.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6934G	49.79	54.00	-4.21	-0.29	3	Vertical	21	1.49	-	50.08	38.23	14.64	53.16
PK	10.4238G	53.77	68.20	-14.43	-2.78	3	Vertical	109	2.37	-	56.55	39.45	12.21	54.44
PK	15.6938G	63.36	74.00	-10.64	-0.29	3	Vertical	21	1.49	-	63.65	38.23	14.64	53.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6866G	50.05	54.00	-3.95	-0.25	3	Horizontal	78	1.55	-	50.30	38.26	14.64	53.15
PK	10.463G	53.97	68.20	-14.23	-2.70	3	Horizontal	13	2.31	-	56.67	39.50	12.23	54.43
PK	15.687G	63.47	74.00	-10.53	-0.25	3	Horizontal	78	1.55	-	63.72	38.26	14.64	53.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2752G	103.15	Inf	-Inf	6.53	3	Vertical	356	1.01	-	96.62	31.81	8.59	33.87
AV	5.3552G	48.02	54.00	-5.98	6.55	3	Vertical	356	1.01	-	41.47	31.84	8.60	33.89
PK	5.2752G	113.84	Inf	-Inf	6.53	3	Vertical	356	1.01	-	107.31	31.81	8.59	33.87
PK	5.3544G	60.48	74.00	-13.52	6.55	3	Vertical	356	1.01	-	53.93	31.84	8.60	33.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	109.98	Inf	-Inf	6.53	3	Horizontal	301	1.86	-	103.45	31.81	8.58	33.86
AV	5.35G	51.61	54.00	-2.39	6.55	3	Horizontal	301	1.86	-	45.06	31.84	8.60	33.89
PK	5.2684G	121.32	Inf	-Inf	6.53	3	Horizontal	301	1.86	-	114.79	31.81	8.58	33.86
PK	5.3504G	64.37	74.00	-9.63	6.55	3	Horizontal	301	1.86	-	57.82	31.84	8.60	33.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.787G	48.12	54.00	-5.88	-0.70	3	Vertical	343	1.49	-	48.82	37.89	14.67	53.26
PK	10.4948G	53.36	68.20	-14.84	-2.62	3	Vertical	359	2.07	-	55.98	39.54	12.25	54.41
PK	15.8046G	61.61	74.00	-12.39	-0.79	3	Vertical	343	1.49	-	62.40	37.82	14.67	53.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8062G	49.44	54.00	-4.56	-0.79	3	Horizontal	69	1.57	-	50.23	37.82	14.67	53.28
PK	10.5216G	53.28	68.20	-14.92	-2.57	3	Horizontal	233	1.40	-	55.85	39.58	12.26	54.41
PK	15.8054G	63.79	74.00	-10.21	-0.79	3	Horizontal	69	1.57	-	64.58	37.82	14.67	53.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	98.68	Inf	-Inf	4.79	3	Vertical	4	1.57	-	93.89	31.20	7.65	34.06
AV	5.3528G	51.36	54.00	-2.64	4.98	3	Vertical	4	1.57	-	46.38	31.36	7.68	34.06
PK	5.2968G	108.23	Inf	-Inf	4.80	3	Vertical	4	1.57	-	103.43	31.21	7.65	34.06
PK	5.3516G	64.17	74.00	-9.83	4.97	3	Vertical	4	1.57	-	59.20	31.35	7.68	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	102.45	Inf	-Inf	4.81	3	Horizontal	300	2.24	-	97.64	31.22	7.65	34.06
AV	5.35G	53.92	54.00	-0.08	4.97	3	Horizontal	300	2.24	-	48.95	31.35	7.68	34.06
PK	5.3172G	113.20	Inf	-Inf	4.85	3	Horizontal	300	2.24	-	108.35	31.25	7.66	34.06
PK	5.35G	67.78	74.00	-6.22	4.97	3	Horizontal	300	2.24	-	62.81	31.35	7.68	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.92584G	43.79	54.00	-10.21	14.32	3	Vertical	335	1.50	-	29.47	37.73	10.99	34.40
PK	10.62016G	55.67	74.00	-18.33	15.08	3	Vertical	288	1.09	-	40.59	39.71	9.76	34.39
PK	15.89688G	56.07	74.00	-17.93	14.43	3	Vertical	335	1.50	-	41.64	37.82	10.98	34.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

06/05/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.92008G	43.45	54.00	-10.55	14.33	3	Horizontal	79	1.50	-	29.12	37.75	10.98	34.40
PK	10.62112G	55.62	74.00	-18.38	15.08	3	Horizontal	78	1.50	-	40.54	39.71	9.76	34.39
PK	15.93768G	55.62	74.00	-18.38	14.26	3	Horizontal	79	1.50	-	41.36	37.69	10.99	34.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.75	54.00	-6.25	5.33	3	Vertical	356	1.45	-	42.42	31.67	7.73	34.07
AV	5.5064G	98.00	Inf	-Inf	5.47	3	Vertical	356	1.45	-	92.53	31.79	7.75	34.07
PK	5.466G	64.51	68.20	-3.69	5.36	3	Vertical	356	1.45	-	59.15	31.70	7.73	34.07
PK	5.5064G	108.42	Inf	-Inf	5.47	3	Vertical	356	1.45	-	102.95	31.79	7.75	34.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	49.52	54.00	-4.48	5.32	3	Horizontal	299	1.89	-	44.20	31.66	7.73	34.07
AV	5.5024G	103.25	Inf	-Inf	5.48	3	Horizontal	299	1.89	-	97.77	31.80	7.75	34.07
PK	5.4636G	66.05	68.20	-2.15	5.35	3	Horizontal	299	1.89	-	60.70	31.69	7.73	34.07
PK	5.5136G	113.38	Inf	-Inf	5.46	3	Horizontal	299	1.89	-	107.92	31.77	7.76	34.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02016G	44.31	54.00	-9.69	15.87	3	Vertical	359	1.50	-	28.44	40.17	9.86	34.16
PK	11.04336G	57.06	74.00	-16.94	15.84	3	Vertical	359	1.50	-	41.22	40.14	9.86	34.16
PK	16.52184G	58.29	68.20	-9.91	16.21	3	Vertical	354	1.45	-	42.08	38.91	11.23	33.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0416G	44.07	54.00	-9.93	15.85	3	Horizontal	107	1.50	-	28.22	40.15	9.86	34.16
PK	11.04336G	57.45	74.00	-16.55	15.84	3	Horizontal	107	1.50	-	41.61	40.14	9.86	34.16
PK	16.55432G	57.74	68.20	-10.46	16.35	3	Horizontal	65	2.13	-	41.39	39.00	11.25	33.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.27	54.00	-7.73	6.67	3	Vertical	6	1.62	-	39.60	31.88	8.70	33.91
AV	5.5516G	102.84	Inf	-Inf	6.87	3	Vertical	6	1.62	-	95.97	31.97	8.83	33.93
PK	5.4696G	59.92	68.20	-8.28	6.69	3	Vertical	6	1.62	-	53.23	31.89	8.71	33.91
PK	5.5516G	113.46	Inf	-Inf	6.87	3	Vertical	6	1.62	-	106.59	31.97	8.83	33.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.43	54.00	-4.57	6.67	3	Horizontal	306	1.76	-	42.76	31.88	8.70	33.91
AV	5.548G	110.19	Inf	-Inf	6.86	3	Horizontal	306	1.76	-	103.33	31.97	8.82	33.93
PK	5.4696G	67.58	68.20	-0.62	6.69	3	Horizontal	306	1.76	-	60.89	31.89	8.71	33.91
PK	5.5476G	121.16	Inf	-Inf	6.86	3	Horizontal	306	1.76	-	114.30	31.97	8.82	33.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0998G	41.67	54.00	-12.33	-1.81	3	Vertical	103	1.44	-	43.48	40.08	12.56	54.45
PK	11.1158G	53.90	74.00	-20.10	-1.82	3	Vertical	103	1.44	-	55.72	40.06	12.56	54.44
PK	16.6546G	59.53	68.20	-8.67	1.56	3	Vertical	360	2.01	-	57.97	39.00	14.89	52.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.113G	41.01	54.00	-12.99	-1.82	3	Horizontal	279	1.45	-	42.83	40.06	12.56	54.44
PK	11.14G	53.85	74.00	-20.15	-1.82	3	Horizontal	279	1.45	-	55.67	40.03	12.58	54.43
PK	16.6548G	63.90	68.20	-4.30	1.56	3	Horizontal	313	1.99	-	62.34	39.00	14.89	52.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	101.70	Inf	-Inf	7.14	3	Vertical	353	1.49	-	94.56	32.13	8.96	33.95
PK	5.6616G	112.26	Inf	-Inf	7.14	3	Vertical	353	1.49	-	105.12	32.13	8.96	33.95
PK	5.7888G	59.52	68.20	-8.68	7.40	3	Vertical	353	1.49	-	52.12	32.30	9.07	33.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6778G	107.38	Inf	-Inf	7.17	3	Horizontal	297	1.80	-	100.21	32.15	8.97	33.95
PK	5.6778G	118.42	Inf	-Inf	7.17	3	Horizontal	297	1.80	-	111.25	32.15	8.97	33.95
PK	5.7372G	62.00	68.20	-6.20	7.29	3	Horizontal	297	1.80	-	54.71	32.23	9.02	33.96

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3188G	42.38	54.00	-11.62	-1.84	3	Vertical	311	1.48	-	44.22	39.82	12.67	54.33
PK	11.34G	54.95	74.00	-19.05	-1.84	3	Vertical	311	1.48	-	56.79	39.79	12.68	54.31
PK	16.9824G	59.10	68.20	-9.10	2.39	3	Vertical	319	1.49	-	56.71	39.95	14.97	52.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.336G	42.78	54.00	-11.22	-1.85	3	Horizontal	273	1.59	-	44.63	39.80	12.67	54.32
PK	11.3354G	55.71	74.00	-18.29	-1.85	3	Horizontal	273	1.59	-	57.56	39.80	12.67	54.32
PK	17.0062G	58.07	68.20	-10.13	2.48	3	Horizontal	310	1.49	-	55.59	40.04	14.98	52.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	45.56	54.00	-8.44	6.66	3	Vertical	349	1.01	-	38.90	31.88	8.69	33.91
AV	5.7172G	102.86	Inf	-Inf	7.26	3	Vertical	349	1.01	-	95.60	32.20	9.01	33.95
PK	5.4676G	57.15	68.20	-11.05	6.69	3	Vertical	349	1.01	-	50.46	31.89	8.71	33.91
PK	5.698G	113.61	Inf	-Inf	7.22	3	Vertical	349	1.01	-	106.39	32.18	8.99	33.95
PK	5.8612G	59.09	68.20	-9.11	7.54	3	Vertical	349	1.01	-	51.55	32.41	9.11	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4172G	46.06	54.00	-7.94	6.60	3	Horizontal	311	2.31	-	39.46	31.87	8.63	33.90
AV	5.7088G	108.36	Inf	-Inf	7.24	3	Horizontal	311	2.31	-	101.12	32.19	9.00	33.95
PK	5.4628G	57.65	68.20	-10.55	6.68	3	Horizontal	311	2.31	-	50.97	31.89	8.70	33.91
PK	5.7088G	118.33	Inf	-Inf	7.24	3	Horizontal	311	2.31	-	111.09	32.19	9.00	33.95
PK	5.8588G	59.09	68.20	-9.11	7.53	3	Horizontal	311	2.31	-	51.56	32.40	9.11	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4002G	43.69	54.00	-10.31	-1.85	3	Vertical	307	1.49	-	45.54	39.72	12.71	54.28
PK	11.418G	55.62	74.00	-18.38	-1.85	3	Vertical	307	1.49	-	57.47	39.70	12.72	54.27
PK	17.096G	60.72	68.20	-7.48	3.03	3	Vertical	321	1.47	-	57.69	40.63	15.00	52.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4158G	43.92	54.00	-10.08	-1.86	3	Horizontal	277	1.45	-	45.78	39.70	12.71	54.27
PK	11.417G	57.13	74.00	-16.87	-1.85	3	Horizontal	277	1.45	-	58.98	39.70	12.72	54.27
PK	17.1008G	64.53	68.20	-3.67	3.07	3	Horizontal	304	2.66	-	61.46	40.67	15.00	52.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	102.62	Inf	-Inf	7.31	3	Vertical	355	1.00	-	95.31	32.24	9.03	33.96
PK	5.5438G	58.31	68.20	-9.89	6.85	3	Vertical	355	1.00	-	51.46	31.96	8.82	33.93
PK	5.7418G	114.16	Inf	-Inf	7.31	3	Vertical	355	1.00	-	106.85	32.24	9.03	33.96
PK	5.9818G	58.64	68.20	-9.56	7.73	3	Vertical	355	1.00	-	50.91	32.57	9.16	34.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	109.07	Inf	-Inf	7.32	3	Horizontal	310	2.14	-	101.75	32.25	9.03	33.96
PK	5.5258G	59.57	68.20	-8.63	6.80	3	Horizontal	310	2.14	-	52.77	31.94	8.79	33.93
PK	5.7442G	119.41	Inf	-Inf	7.31	3	Horizontal	310	2.14	-	112.10	32.24	9.03	33.96
PK	5.9758G	58.55	68.20	-9.65	7.73	3	Horizontal	310	2.14	-	50.82	32.57	9.16	34.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5092G	44.74	54.00	-9.26	-1.86	3	Vertical	225	1.06	-	46.60	39.59	12.76	54.21
PK	11.5084G	58.43	74.00	-15.57	-1.86	3	Vertical	225	1.06	-	60.29	39.59	12.76	54.21
PK	17.2882G	62.28	68.20	-5.92	4.23	3	Vertical	306	1.48	-	58.05	41.90	15.05	52.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5068G	45.27	54.00	-8.73	-1.86	3	Horizontal	283	1.49	-	47.13	39.59	12.76	54.21
PK	11.505G	58.44	74.00	-15.56	-1.86	3	Horizontal	283	1.49	-	60.30	39.59	12.76	54.21
PK	17.2722G	62.57	68.20	-5.63	4.13	3	Horizontal	66	1.49	-	58.44	41.80	15.04	52.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	103.42	Inf	-Inf	7.38	3	Vertical	354	1.01	-	96.04	32.29	9.06	33.97
PK	5.6114G	58.31	68.20	-9.89	7.03	3	Vertical	354	1.01	-	51.28	32.06	8.91	33.94
PK	5.8046G	114.24	Inf	-Inf	7.44	3	Vertical	354	1.01	-	106.80	32.33	9.08	33.97
PK	5.9354G	58.97	68.20	-9.23	7.66	3	Vertical	354	1.01	-	51.31	32.51	9.14	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	105.91	Inf	-Inf	7.40	3	Horizontal	296	1.68	-	98.51	32.30	9.07	33.97
PK	5.5994G	59.04	68.20	-9.16	7.00	3	Horizontal	296	1.68	-	52.04	32.04	8.90	33.94
PK	5.7902G	116.97	Inf	-Inf	7.41	3	Horizontal	296	1.68	-	109.56	32.31	9.07	33.97
PK	5.9654G	59.42	68.20	-8.78	7.71	3	Horizontal	296	1.68	-	51.71	32.55	9.15	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5696G	47.68	54.00	-6.32	-1.83	3	Vertical	223	1.11	-	49.51	39.52	12.79	54.14
PK	11.5886G	60.41	74.00	-13.59	-1.83	3	Vertical	223	1.11	-	62.24	39.49	12.80	54.12
PK	17.3878G	65.13	68.20	-3.07	4.84	3	Vertical	307	1.43	-	60.29	42.56	15.07	52.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/05/2020

5795MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5874G	46.42	54.00	-7.58	-1.83	3	Horizontal	278	1.48	-	48.25	39.50	12.80	54.13
PK	11.5866G	59.51	74.00	-14.49	-1.83	3	Horizontal	278	1.48	-	61.34	39.50	12.80	54.13
PK	17.3864G	64.72	68.20	-3.48	4.83	3	Horizontal	8	1.00	-	59.89	42.55	15.07	52.79

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	49.04	54.00	-4.96	5.34	3	Vertical	360	1.12	-	43.70	31.82	7.57	34.05
AV	5.196G	91.82	Inf	-Inf	5.17	3	Vertical	360	1.12	-	86.65	31.62	7.60	34.05
AV	5.452G	44.35	54.00	-9.65	5.32	3	Vertical	360	1.12	-	39.03	31.66	7.73	34.07
PK	5.147G	63.16	74.00	-10.84	5.33	3	Vertical	360	1.12	-	57.83	31.81	7.57	34.05
PK	5.206G	101.66	Inf	-Inf	5.13	3	Vertical	360	1.12	-	96.53	31.58	7.60	34.05
PK	5.416G	57.24	74.00	-16.76	5.20	3	Vertical	360	1.12	-	52.04	31.55	7.71	34.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	5.32	3	Horizontal	297	1.98	-	48.00	31.80	7.57	34.05
AV	5.219G	97.30	Inf	-Inf	5.08	3	Horizontal	297	1.98	-	92.22	31.52	7.61	34.05
AV	5.457G	44.97	54.00	-9.03	5.33	3	Horizontal	297	1.98	-	39.64	31.67	7.73	34.07
PK	5.149G	64.93	74.00	-9.07	5.32	3	Horizontal	297	1.98	-	59.61	31.80	7.57	34.05
PK	5.209G	108.43	Inf	-Inf	5.11	3	Horizontal	297	1.98	-	103.32	31.56	7.60	34.05
PK	5.46G	57.10	74.00	-16.90	5.34	3	Horizontal	297	1.98	-	51.76	31.68	7.73	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65144G	43.86	54.00	-10.14	15.39	3	Vertical	234	1.11	-	28.47	38.58	10.93	34.12
PK	10.45232G	55.56	68.20	-12.64	14.71	3	Vertical	19	1.46	-	40.85	39.49	9.71	34.49
PK	15.63896G	56.13	74.00	-17.87	15.44	3	Vertical	234	1.11	-	40.69	38.62	10.93	34.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6388G	43.85	54.00	-10.15	15.44	3	Horizontal	51	1.44	-	28.41	38.62	10.93	34.11
PK	10.40896G	55.52	68.20	-12.68	14.62	3	Horizontal	163	1.47	-	40.90	39.43	9.70	34.51
PK	15.59736G	56.28	74.00	-17.72	15.60	3	Horizontal	51	1.44	-	40.68	38.75	10.92	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.11G	45.19	54.00	-8.81	5.46	3	Vertical	0	1.50	-	39.73	31.96	7.55	34.05
AV	5.268G	91.54	Inf	-Inf	4.90	3	Vertical	0	1.50	-	86.64	31.33	7.63	34.06
AV	5.353G	47.45	54.00	-6.55	4.98	3	Vertical	0	1.50	-	42.47	31.36	7.68	34.06
PK	5.079G	57.63	74.00	-16.37	5.38	3	Vertical	0	1.50	-	52.25	31.89	7.54	34.05
PK	5.293G	101.12	Inf	-Inf	4.82	3	Vertical	0	1.50	-	96.30	31.23	7.65	34.06
PK	5.536G	57.19	68.20	-11.01	5.43	3	Vertical	0	1.50	-	51.76	31.73	7.77	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.265G	102.07	Inf	-Inf	4.91	3	Horizontal	305	2.13	-	97.16	31.34	7.63	34.06
AV	5.265G	102.07	Inf	-Inf	4.91	3	Horizontal	305	2.13	-	97.16	31.34	7.63	34.06
AV	5.357G	53.41	54.00	-0.59	4.99	3	Horizontal	305	2.13	-	48.42	31.37	7.68	34.06
PK	5.096G	59.05	74.00	-14.95	5.48	3	Horizontal	305	2.13	-	53.57	31.98	7.55	34.05
PK	5.298G	106.82	Inf	-Inf	4.80	3	Horizontal	305	2.13	-	102.02	31.21	7.65	34.06
PK	5.481G	57.75	68.20	-10.45	5.41	3	Horizontal	305	2.13	-	52.34	31.74	7.74	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84536G	43.30	54.00	-10.70	14.63	3	Vertical	291	2.48	-	28.67	37.98	10.97	34.32
PK	10.5992G	55.48	68.20	-12.72	15.03	3	Vertical	124	1.58	-	40.45	39.68	9.75	34.40
PK	15.83992G	56.12	74.00	-17.88	14.65	3	Vertical	291	2.48	-	41.47	38.00	10.97	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83992G	43.67	54.00	-10.33	14.65	3	Horizontal	230	1.02	-	29.02	38.00	10.97	34.32
PK	10.56656G	56.12	68.20	-12.08	14.96	3	Horizontal	216	1.50	-	41.16	39.64	9.74	34.42
PK	15.8412G	55.85	74.00	-18.15	14.64	3	Horizontal	230	1.02	-	41.21	37.99	10.97	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.33	54.00	-4.67	5.34	3	Vertical	360	1.61	-	43.99	31.68	7.73	34.07
AV	5.541G	93.51	Inf	-Inf	5.42	3	Vertical	360	1.61	-	88.09	31.72	7.77	34.07
PK	5.462G	61.81	68.20	-6.39	5.35	3	Vertical	360	1.61	-	56.46	31.69	7.73	34.07
PK	5.512G	103.41	Inf	-Inf	5.47	3	Vertical	360	1.61	-	97.94	31.78	7.76	34.07
PK	5.77G	57.26	68.20	-10.94	5.82	3	Vertical	360	1.61	-	51.44	32.01	7.89	34.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	53.16	54.00	-0.84	5.33	3	Horizontal	300	2.27	-	47.83	31.67	7.73	34.07
AV	5.508G	101.62	Inf	-Inf	5.46	3	Horizontal	300	2.27	-	96.16	31.78	7.75	34.07
PK	5.466G	66.21	68.20	-1.99	5.36	3	Horizontal	300	2.27	-	60.85	31.70	7.73	34.07
PK	5.546G	109.08	Inf	-Inf	5.41	3	Horizontal	300	2.27	-	103.67	31.71	7.77	34.07
PK	5.742G	57.14	68.20	-11.06	5.73	3	Horizontal	300	2.27	-	51.41	31.93	7.87	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06016G	43.63	54.00	-10.37	15.83	3	Vertical	144	1.81	-	27.80	40.12	9.87	34.16
PK	11.0864G	56.42	74.00	-17.58	15.79	3	Vertical	144	1.81	-	40.63	40.09	9.87	34.17
PK	16.61384G	57.56	68.20	-10.64	16.60	3	Vertical	218	2.09	-	40.96	39.16	11.28	33.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

05/05/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06528G	43.61	54.00	-10.39	15.83	3	Horizontal	80	1.94	-	27.78	40.12	9.87	34.16
PK	11.02768G	56.37	74.00	-17.63	15.86	3	Horizontal	80	1.94	-	40.51	40.16	9.86	34.16
PK	16.62344G	58.02	68.20	-10.18	16.63	3	Horizontal	171	1.92	-	41.39	39.18	11.28	33.83

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	45.81	54.00	-8.19	6.66	3	Vertical	353	1.49	-	39.15	31.88	8.69	33.91
AV	5.621G	98.38	Inf	-Inf	7.05	3	Vertical	353	1.49	-	91.33	32.07	8.92	33.94
PK	5.461G	61.35	68.20	-6.85	6.67	3	Vertical	353	1.49	-	54.68	31.88	8.70	33.91
PK	5.621G	109.00	Inf	-Inf	7.05	3	Vertical	353	1.49	-	101.95	32.07	8.92	33.94
PK	5.742G	61.41	68.20	-6.79	7.31	3	Vertical	353	1.49	-	54.10	32.24	9.03	33.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.90	54.00	-5.10	6.67	3	Horizontal	301	1.79	-	42.23	31.88	8.70	33.91
AV	5.598G	105.45	Inf	-Inf	7.00	3	Horizontal	301	1.79	-	98.45	32.04	8.90	33.94
PK	5.4636G	61.07	68.20	-7.13	6.68	3	Horizontal	301	1.79	-	54.39	31.89	8.70	33.91
PK	5.598G	117.26	Inf	-Inf	7.00	3	Horizontal	301	1.79	-	110.26	32.04	8.90	33.94
PK	5.7372G	68.05	68.20	-0.15	7.29	3	Horizontal	301	1.79	-	60.76	32.23	9.02	33.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21993G	42.09	54.00	-11.91	-1.82	3	Vertical	226	2.32	-	43.91	39.94	12.62	54.38
PK	11.21828G	54.77	74.00	-19.23	-1.82	3	Vertical	226	2.32	-	56.59	39.94	12.62	54.38
PK	16.83107G	57.81	68.20	-10.39	2.00	3	Vertical	259	1.89	-	55.81	39.51	14.93	52.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	42.95	54.00	-11.05	-1.82	3	Horizontal	198	1.49	-	44.77	39.94	12.62	54.38
PK	11.2212G	54.85	74.00	-19.15	-1.83	3	Horizontal	198	1.49	-	56.68	39.93	12.62	54.38
PK	16.8358G	58.92	68.20	-9.28	2.01	3	Horizontal	312	1.48	-	56.91	39.52	14.93	52.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	45.70	54.00	-8.30	6.64	3	Vertical	350	1.00	-	39.06	31.88	8.67	33.91
AV	5.6564G	102.49	Inf	-Inf	7.12	3	Vertical	350	1.00	-	95.37	32.12	8.95	33.95
PK	5.4668G	56.68	68.20	-11.52	6.69	3	Vertical	350	1.00	-	49.99	31.89	8.71	33.91
PK	5.678G	110.99	Inf	-Inf	7.17	3	Vertical	350	1.00	-	103.82	32.15	8.97	33.95
PK	5.8556G	59.56	68.20	-8.64	7.53	3	Vertical	350	1.00	-	52.03	32.40	9.11	33.98

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	46.09	54.00	-7.91	6.65	3	Horizontal	300	1.47	-	39.44	31.88	8.68	33.91
AV	5.6672G	107.25	Inf	-Inf	7.14	3	Horizontal	300	1.47	-	100.11	32.13	8.96	33.95
PK	5.4608G	58.41	68.20	-9.79	6.67	3	Horizontal	300	1.47	-	51.74	31.88	8.70	33.91
PK	5.7056G	114.94	Inf	-Inf	7.24	3	Horizontal	300	1.47	-	107.70	32.19	9.00	33.95
PK	5.8508G	60.66	68.20	-7.54	7.51	3	Horizontal	300	1.47	-	53.15	32.39	9.10	33.98

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3779G	43.64	54.00	-10.36	-1.84	3	Vertical	195	1.79	-	45.48	39.75	12.70	54.29
PK	11.38134G	55.80	74.00	-18.20	-1.85	3	Vertical	195	1.79	-	57.65	39.74	12.70	54.29
PK	17.0719G	59.67	68.20	-8.53	2.87	3	Vertical	281	1.13	-	56.80	40.47	14.99	52.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37755G	43.19	54.00	-10.81	-1.84	3	Horizontal	201	1.94	-	45.03	39.75	12.70	54.29
PK	11.3819G	56.72	74.00	-17.28	-1.85	3	Horizontal	201	1.94	-	58.57	39.74	12.70	54.29
PK	17.053G	60.85	68.20	-7.35	2.77	3	Horizontal	312	1.48	-	58.08	40.35	14.99	52.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	102.26	Inf	-Inf	7.31	3	Vertical	358	1.00	-	94.95	32.24	9.03	33.96
PK	5.643G	63.37	68.20	-4.83	7.10	3	Vertical	358	1.00	-	56.27	32.10	8.94	33.94
PK	5.7834G	109.66	Inf	-Inf	7.40	3	Vertical	358	1.00	-	102.26	32.30	9.07	33.97
PK	5.9442G	59.23	68.20	-8.97	7.67	3	Vertical	358	1.00	-	51.56	32.52	9.14	33.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	103.91	Inf	-Inf	7.30	3	Horizontal	285	1.49	-	96.61	32.23	9.03	33.96
PK	5.649G	67.88	68.20	-0.32	7.11	3	Horizontal	285	1.49	-	60.77	32.11	8.94	33.94
PK	5.7894G	113.69	Inf	-Inf	7.41	3	Horizontal	285	1.49	-	106.28	32.31	9.07	33.97
PK	5.9322G	60.57	68.20	-7.63	7.66	3	Horizontal	285	1.49	-	52.91	32.51	9.14	33.99

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.548G	43.90	54.00	-10.10	-1.85	3	Vertical	227	1.49	-	45.75	39.54	12.78	54.17
PK	11.5688G	56.83	74.00	-17.17	-1.84	3	Vertical	227	1.49	-	58.67	39.52	12.79	54.15
PK	17.2892G	60.16	68.20	-8.04	4.23	3	Vertical	310	1.49	-	55.93	41.91	15.05	52.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/05/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5468G	43.43	54.00	-10.57	-1.85	3	Horizontal	279	1.47	-	45.28	39.54	12.78	54.17
PK	11.527G	57.12	74.00	-16.88	-1.85	3	Horizontal	279	1.47	-	58.97	39.57	12.77	54.19
PK	17.2954G	61.51	68.20	-6.69	4.27	3	Horizontal	6	1.00	-	57.24	41.95	15.05	52.73

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	59.1M	35.67	40.00	-4.33	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	59.1M	35.67	40.00	-4.33	3	Vertical	0	1.00	-
5775MHz	Pass	PK	90.14M	29.10	43.50	-14.40	3	Vertical	0	1.00	-
5775MHz	Pass	PK	282.2M	26.90	46.00	-19.10	3	Vertical	0	1.00	-
5775MHz	Pass	PK	359.8M	26.91	46.00	-19.09	3	Vertical	0	1.00	-
5775MHz	Pass	PK	433.52M	32.88	46.00	-13.12	3	Vertical	0	1.00	-
5775MHz	Pass	PK	600.36M	31.20	46.00	-14.80	3	Vertical	0	1.00	-
5775MHz	Pass	PK	39.7M	29.06	40.00	-10.94	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	90.14M	27.93	43.50	-15.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	284.14M	32.18	46.00	-13.82	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	340.4M	27.45	46.00	-18.55	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	435.46M	34.15	46.00	-11.85	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	800.18M	36.58	46.00	-9.42	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4RX

30/06/2020

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	59.1M	35.67	40.00	-4.33	-14.92	3	Vertical	0	1.00	-	50.59	11.65	1.13	27.70
PK	90.14M	29.10	43.50	-14.40	-12.32	3	Vertical	0	1.00	-	41.42	14.02	1.41	27.75
PK	282.2M	26.90	46.00	-19.10	-6.47	3	Vertical	0	1.00	-	33.37	18.13	2.57	27.17
PK	359.8M	26.91	46.00	-19.09	-4.79	3	Vertical	0	1.00	-	31.70	19.87	2.91	27.57
PK	433.52M	32.88	46.00	-13.12	-3.26	3	Vertical	0	1.00	-	36.14	21.69	3.21	28.16
PK	600.36M	31.20	46.00	-14.80	-0.85	3	Vertical	0	1.00	-	32.05	23.77	3.89	28.51

802.11ax HEW80_Nss1,(MCS0)_4RX

30/06/2020

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	29.06	40.00	-10.94	-8.75	3	Horizontal	360	1.00	-	37.81	18.01	0.92	27.68
PK	90.14M	27.93	43.50	-15.57	-12.32	3	Horizontal	360	1.00	-	40.25	14.02	1.41	27.75
PK	284.14M	32.18	46.00	-13.82	-6.43	3	Horizontal	360	1.00	-	38.61	18.16	2.58	27.17
PK	340.4M	27.45	46.00	-18.55	-5.48	3	Horizontal	360	1.00	-	32.93	19.12	2.83	27.43
PK	435.46M	34.15	46.00	-11.85	-3.28	3	Horizontal	360	1.00	-	37.43	21.68	3.22	28.18
PK	800.18M	36.58	46.00	-9.42	1.27	3	Horizontal	360	1.00	-	35.31	24.88	4.54	28.15

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	1.20003G	41.87	54.00	-12.13	3	Horizontal	215	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.20003G	37.97	54.00	-16.03	3	Vertical	172	1.48	-
5775MHz	Pass	AV	1.782G	25.98	54.00	-28.02	3	Vertical	0	1.00	-
5775MHz	Pass	AV	4.094G	30.85	54.00	-23.15	3	Vertical	0	1.00	-
5775MHz	Pass	PK	1.19991G	49.00	74.00	-25.00	3	Vertical	172	1.48	-
5775MHz	Pass	PK	1.782G	48.88	74.00	-25.12	3	Vertical	0	1.00	-
5775MHz	Pass	PK	4.094G	41.49	74.00	-32.51	3	Vertical	0	1.00	-
5775MHz	Pass	AV	1.20003G	41.87	54.00	-12.13	3	Horizontal	215	1.00	-
5775MHz	Pass	AV	2.428G	28.52	54.00	-25.48	3	Horizontal	360	1.00	-
5775MHz	Pass	AV	4.638G	32.08	54.00	-21.92	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	1.19985G	58.93	74.00	-15.07	3	Horizontal	215	1.00	-
5775MHz	Pass	PK	2.428G	42.26	74.00	-31.74	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	4.638G	43.60	74.00	-30.40	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4RX

30/06/2020

5775MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.20003G	37.97	54.00	-16.03	-6.28	3	Vertical	172	1.48	-	44.25	24.92	3.37	34.57
AV	1.782G	25.98	54.00	-28.02	-4.14	3	Vertical	0	1.00	-	30.12	25.98	4.06	34.18
AV	4.094G	30.85	54.00	-23.15	2.69	3	Vertical	0	1.00	-	28.16	29.91	6.78	34.00
PK	1.19991G	49.00	74.00	-25.00	-6.28	3	Vertical	172	1.48	-	55.28	24.92	3.37	34.57
PK	1.782G	48.88	74.00	-25.12	-4.14	3	Vertical	0	1.00	-	53.02	25.98	4.06	34.18
PK	4.094G	41.49	74.00	-32.51	2.69	3	Vertical	0	1.00	-	38.80	29.91	6.78	34.00

802.11ax HEW80_Nss1,(MCS0)_4RX

30/06/2020

5775MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.20003G	41.87	54.00	-12.13	-6.28	3	Horizontal	215	1.00	-	48.15	24.92	3.37	34.57
AV	2.428G	28.52	54.00	-25.48	-2.10	3	Horizontal	360	1.00	-	30.62	27.48	4.76	34.34
AV	4.638G	32.08	54.00	-21.92	3.77	3	Horizontal	360	1.00	-	28.31	31.05	6.73	34.01
PK	1.19985G	58.93	74.00	-15.07	-6.28	3	Horizontal	215	1.00	-	65.21	24.92	3.37	34.57
PK	2.428G	42.26	74.00	-31.74	-2.10	3	Horizontal	360	1.00	-	44.36	27.48	4.76	34.34
PK	4.638G	43.60	74.00	-30.40	3.77	3	Horizontal	360	1.00	-	39.83	31.05	6.73	34.01

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac_VHT80_Nss1,(MCS0)_1TX	Pass	PK	59.1M	33.33	40.00	-6.67	3	Vertical	360	1.00	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	59.1M	33.33	40.00	-6.67	3	Vertical	360	1.00	-
5775MHz	Pass	PK	224M	23.90	46.00	-22.10	3	Vertical	360	1.00	-
5775MHz	Pass	PK	282.2M	28.07	46.00	-17.93	3	Vertical	360	1.00	-
5775MHz	Pass	PK	338.46M	25.93	46.00	-20.07	3	Vertical	360	1.00	-
5775MHz	Pass	PK	435.46M	32.80	46.00	-13.20	3	Vertical	360	1.00	-
5775MHz	Pass	PK	575.14M	30.88	46.00	-15.12	3	Vertical	360	1.00	-
5775MHz	Pass	PK	30M	27.13	40.00	-12.87	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	165.8M	26.74	43.50	-16.76	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	282.2M	31.47	46.00	-14.53	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	435.46M	34.25	46.00	-11.75	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	600.36M	31.55	46.00	-14.45	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	796.3M	35.99	46.00	-10.01	3	Horizontal	0	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX

30/06/2020

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	59.1M	33.33	40.00	-6.67	-14.92	3	Vertical	360	1.00	-	48.25	11.65	1.13	27.70
PK	224M	23.90	46.00	-22.10	-10.35	3	Vertical	360	1.00	-	34.25	14.68	2.26	27.29
PK	282.2M	28.07	46.00	-17.93	-6.47	3	Vertical	360	1.00	-	34.54	18.13	2.57	27.17
PK	338.46M	25.93	46.00	-20.07	-5.56	3	Vertical	360	1.00	-	31.49	19.04	2.82	27.42
PK	435.46M	32.80	46.00	-13.20	-3.28	3	Vertical	360	1.00	-	36.08	21.68	3.22	28.18
PK	575.14M	30.88	46.00	-15.12	-0.70	3	Vertical	360	1.00	-	31.58	24.10	3.77	28.57

802.11ac VHT80_Nss1,(MCS0)_1RX

30/06/2020

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	27.13	40.00	-12.87	-3.41	3	Horizontal	0	1.00	-	30.54	23.48	0.81	27.70
PK	165.8M	26.74	43.50	-16.76	-10.83	3	Horizontal	0	1.00	-	37.57	14.80	1.92	27.55
PK	282.2M	31.47	46.00	-14.53	-6.47	3	Horizontal	0	1.00	-	37.94	18.13	2.57	27.17
PK	435.46M	34.25	46.00	-11.75	-3.28	3	Horizontal	0	1.00	-	37.53	21.68	3.22	28.18
PK	600.36M	31.55	46.00	-14.45	-0.85	3	Horizontal	0	1.00	-	32.40	23.77	3.89	28.51
PK	796.3M	35.99	46.00	-10.01	1.21	3	Horizontal	0	1.00	-	34.78	24.85	4.52	28.16

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac_VHT80_Nss1,(MCS0)_1TX	Pass	AV	1.19997G	39.18	54.00	-14.82	3	Vertical	178	1.21	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	1.19997G	39.18	54.00	-14.82	3	Vertical	178	1.21	-
5775MHz	Pass	AV	1.68G	28.65	54.00	-25.35	3	Vertical	0	1.00	-
5775MHz	Pass	AV	4.026G	33.05	54.00	-20.95	3	Vertical	0	1.00	-
5775MHz	Pass	PK	1.19972G	52.57	74.00	-21.43	3	Vertical	178	1.21	-
5775MHz	Pass	PK	1.68G	43.95	74.00	-30.05	3	Vertical	0	1.00	-
5775MHz	Pass	PK	4.026G	42.13	74.00	-31.87	3	Vertical	0	1.00	-
5775MHz	Pass	AV	1.19999G	35.18	54.00	-18.82	3	Horizontal	151	1.79	-
5775MHz	Pass	AV	1.782G	27.96	54.00	-26.04	3	Horizontal	360	1.00	-
5775MHz	Pass	AV	3.856G	33.43	54.00	-20.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	1.20017G	49.98	74.00	-24.02	3	Horizontal	151	1.79	-
5775MHz	Pass	PK	1.782G	42.51	74.00	-31.49	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	3.856G	42.54	74.00	-31.46	3	Horizontal	360	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1RX

30/06/2020

5775MHz_RX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.2G	38.66	54.00	-15.34	-4.81	3	Vertical	180	1.12	-	43.47	25.40	4.36	34.57
AV	1.8G	26.43	54.00	-27.57	-3.56	3	Vertical	264	1.17	-	29.99	25.30	5.32	34.18
AV	3.6G	35.93	54.00	-18.07	2.00	3	Vertical	200	1.00	-	33.93	28.90	7.21	34.11
PK	1.2G	43.75	74.00	-30.25	-4.81	3	Vertical	180	1.12	-	48.56	25.40	4.36	34.57
PK	1.8G	48.85	74.00	-25.15	-3.56	3	Vertical	264	1.17	-	52.41	25.30	5.32	34.18
PK	3.6G	46.01	74.00	-27.99	2.00	3	Vertical	200	1.00	-	44.01	28.90	7.21	34.11

802.11ac VHT80_Nss1,(MCS0)_1RX

30/06/2020

5775MHz_RX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.312G	37.16	54.00	-16.84	-4.11	3	Horizontal	158	1.18	-	41.27	25.77	4.55	34.43
AV	1.8G	26.62	54.00	-27.38	-3.56	3	Horizontal	360	1.00	-	30.18	25.30	5.32	34.18
AV	3.6G	30.77	54.00	-23.23	2.00	3	Horizontal	360	1.00	-	28.77	28.90	7.21	34.11
PK	1.312G	43.72	74.00	-30.28	-4.11	3	Horizontal	158	1.18	-	47.83	25.77	4.55	34.43
PK	1.8G	42.44	74.00	-31.56	-3.56	3	Horizontal	360	1.00	-	46.00	25.30	5.32	34.18
PK	3.6G	46.47	74.00	-27.53	2.00	3	Horizontal	360	1.00	-	44.47	28.90	7.21	34.11