


Radiation-above 1GHz_Mode 1



31/01/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.745G	30.88	54.00	-23.12	-4.61	3	Vertical	360	1.00	-	35.49	25.64	4.91	35.16
AV	2.38G	32.05	54.00	-21.95	-2.50	3	Vertical	360	1.00	-	34.55	26.96	5.72	35.18
AV	3.774G	32.47	54.00	-21.53	0.33	3	Vertical	360	1.00	-	32.14	29.15	6.44	35.26
PK	1.745G	39.88	74.00	-34.12	-4.61	3	Vertical	360	1.00	-	44.49	25.64	4.91	35.16
PK	2.38G	40.67	74.00	-33.33	-2.50	3	Vertical	360	1.00	-	43.17	26.96	5.72	35.18
PK	3.774G	40.88	74.00	-33.12	0.33	3	Vertical	360	1.00	-	40.55	29.15	6.44	35.26

Radiation-above 1GHz_Mode 1


31/01/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.667G	31.10	54.00	-22.90	-4.84	3	Horizontal	0	1.00	-	35.94	25.57	4.79	35.20
AV	2.387G	31.27	54.00	-22.73	-2.48	3	Horizontal	0	1.00	-	33.75	26.98	5.73	35.19
AV	3.337G	31.36	54.00	-22.64	-0.63	3	Horizontal	0	1.00	-	31.99	28.60	6.09	35.33
PK	1.667G	40.12	74.00	-33.88	-4.84	3	Horizontal	0	1.00	-	44.96	25.57	4.79	35.20
PK	2.387G	39.64	74.00	-34.36	-2.48	3	Horizontal	0	1.00	-	42.12	26.98	5.73	35.19
PK	3.337G	40.34	74.00	-33.66	-0.63	3	Horizontal	0	1.00	-	40.97	28.60	6.09	35.33

Radiation-above 1GHz_Mode 2


31/01/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.174G	28.15	54.00	-25.85	-7.07	3	Vertical	360	1.00	-	35.22	24.75	4.06	35.88
AV	2.447G	30.20	54.00	-23.80	-2.26	3	Vertical	360	1.00	-	32.46	27.15	5.80	35.21
AV	3.881G	32.84	54.00	-21.16	0.73	3	Vertical	360	1.00	-	32.11	29.36	6.60	35.23
PK	1.174G	37.55	74.00	-36.45	-7.07	3	Vertical	360	1.00	-	44.62	24.75	4.06	35.88
PK	2.447G	38.31	74.00	-35.69	-2.26	3	Vertical	360	1.00	-	40.57	27.15	5.80	35.21
PK	3.881G	41.74	74.00	-32.26	0.73	3	Vertical	360	1.00	-	41.01	29.36	6.60	35.23

Radiation-above 1GHz_Mode 2

31/01/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.227G	29.38	54.00	-24.62	-6.79	3	Horizontal	0	1.00	-	36.17	24.85	4.14	35.78
AV	2.552G	32.56	54.00	-21.44	-1.91	3	Horizontal	0	1.00	-	34.47	27.44	5.90	35.25
AV	3.861G	36.85	54.00	-17.15	0.66	3	Horizontal	0	1.00	-	36.19	29.32	6.57	35.24
PK	1.227G	38.48	74.00	-35.52	-6.79	3	Horizontal	0	1.00	-	45.27	24.85	4.14	35.78
PK	2.552G	41.15	74.00	-32.85	-1.91	3	Horizontal	0	1.00	-	43.06	27.44	5.90	35.25
PK	3.861G	41.21	74.00	-32.79	0.66	3	Horizontal	0	1.00	-	40.55	29.32	6.57	35.24



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1.	Pass	AV	4.031G	33.02	54.00	-20.98	1.31	3	Horizontal	0	1.00	-
Mode 2.	Pass	AV	3.951G	33.18	54.00	-20.82	0.99	3	Vertical	360	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.21G	28.59	54.00	-25.41	-6.88	3	Horizontal	0	1.00	-
Mode 1	Pass	AV	2.23G	31.04	54.00	-22.96	-3.04	3	Horizontal	0	1.00	-
Mode 1	Pass	AV	4.031G	33.02	54.00	-20.98	1.31	3	Horizontal	0	1.00	-
Mode 1	Pass	PK	1.21G	38.55	74.00	-35.45	-6.88	3	Horizontal	0	1.00	-
Mode 1	Pass	PK	2.23G	40.43	74.00	-33.57	-3.04	3	Horizontal	0	1.00	-
Mode 1	Pass	PK	4.031G	42.09	74.00	-31.91	1.31	3	Horizontal	0	1.00	-
Mode 1	Pass	AV	1.135G	28.80	54.00	-25.20	-7.28	3	Vertical	360	1.00	-
Mode 1	Pass	AV	2.307G	31.70	54.00	-22.30	-2.76	3	Vertical	360	1.00	-
Mode 1	Pass	AV	3.595G	31.39	54.00	-22.61	-0.34	3	Vertical	360	1.00	-
Mode 1	Pass	PK	1.135G	40.10	74.00	-33.90	-7.28	3	Vertical	360	1.00	-
Mode 1	Pass	PK	2.307G	43.17	74.00	-30.83	-2.76	3	Vertical	360	1.00	-
Mode 1	Pass	PK	3.595G	41.55	74.00	-32.45	-0.34	3	Vertical	360	1.00	-
Mode 2	Pass	AV	1.165G	29.57	54.00	-24.43	-7.12	3	Horizontal	0	1.00	
Mode 2	Pass	AV	2.28G	31.97	54.00	-22.03	-2.86	3	Horizontal	0	1.00	
Mode 2	Pass	AV	3.695G	32.27	54.00	-21.73	0.03	3	Horizontal	0	1.00	
Mode 2	Pass	PK	1.165G	38.58	74.00	-35.42	-7.12	3	Horizontal	0	1.00	
Mode 2	Pass	PK	2.28G	40.74	74.00	-33.26	-2.86	3	Horizontal	0	1.00	
Mode 2	Pass	PK	3.695G	40.79	74.00	-33.21	0.03	3	Horizontal	0	1.00	
Mode 2	Pass	AV	1.189G	29.13	54.00	-24.87	-6.99	3	Vertical	360	1.00	
Mode 2	Pass	AV	2.427G	30.53	54.00	-23.47	-2.33	3	Vertical	360	1.00	
Mode 2	Pass	AV	3.951G	33.18	54.00	-20.82	0.99	3	Vertical	360	1.00	
Mode 2	Pass	PK	1.189G	38.74	74.00	-35.26	-6.99	3	Vertical	360	1.00	
Mode 2	Pass	PK	2.427G	38.54	74.00	-35.46	-2.33	3	Vertical	360	1.00	
Mode 2	Pass	PK	3.951G	42.60	74.00	-31.40	0.99	3	Vertical	360	1.00	

Radiation-above 1GHz_Mode 1


24/01/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.135G	28.80	54.00	-25.20	-7.28	3	Vertical	360	1.00	-	36.08	24.67	4.00	35.95
AV	2.307G	31.70	54.00	-22.30	-2.76	3	Vertical	360	1.00	-	34.46	26.76	5.64	35.16
AV	3.595G	31.39	54.00	-22.61	-0.34	3	Vertical	360	1.00	-	31.73	28.79	6.16	35.29
PK	1.135G	40.10	74.00	-33.90	-7.28	3	Vertical	360	1.00	-	47.38	24.67	4.00	35.95
PK	2.307G	43.17	74.00	-30.83	-2.76	3	Vertical	360	1.00	-	45.94	26.76	5.64	35.16
PK	3.595G	41.55	74.00	-32.45	-0.34	3	Vertical	360	1.00	-	41.89	28.79	6.16	35.29

Radiation-above 1GHz_Mode 1


24/01/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	1.21G	28.59	54.00	-25.41	-6.88	3	Horizontal	0	1.00	-	35.47	24.82	4.11	35.81
AV	2.23G	31.04	54.00	-22.96	-3.04	3	Horizontal	0	1.00	-	34.08	26.54	5.55	35.13
AV	4.031G	33.02	54.00	-20.98	1.31	3	Horizontal	0	1.00	-	31.71	29.67	6.85	35.20
PK	1.21G	38.55	74.00	-35.45	-6.88	3	Horizontal	0	1.00	-	45.43	24.82	4.11	35.81
PK	2.23G	40.43	74.00	-33.57	-3.04	3	Horizontal	0	1.00	-	43.47	26.54	5.55	35.13
PK	4.031G	42.09	74.00	-31.91	1.31	3	Horizontal	0	1.00	-	40.77	29.67	6.85	35.20

Radiation-above 1GHz_Mode 2



24/01/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.189G	29.13	54.00	-24.87	-6.99	3	Vertical	360	1.00	-	36.12	24.78	4.08	35.85
AV	2.427G	30.53	54.00	-23.47	-2.33	3	Vertical	360	1.00	-	32.86	27.10	5.77	35.20
AV	3.951G	33.18	54.00	-20.82	0.99	3	Vertical	360	1.00	-	32.19	29.50	6.71	35.22
PK	1.189G	38.74	74.00	-35.26	-6.99	3	Vertical	360	1.00	-	45.73	24.78	4.08	35.85
PK	2.427G	38.54	74.00	-35.46	-2.33	3	Vertical	360	1.00	-	40.87	27.10	5.77	35.20
PK	3.951G	42.60	74.00	-31.40	0.99	3	Vertical	360	1.00	-	41.61	29.50	6.71	35.22

Radiation-above 1GHz_Mode 2

24/01/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.165G	29.57	54.00	-24.43	-7.12	3	Horizontal	0	1.00	-	36.69	24.73	4.05	35.90
AV	2.28G	31.97	54.00	-22.03	-2.86	3	Horizontal	0	1.00	-	34.84	26.68	5.61	35.15
AV	3.695G	32.27	54.00	-21.73	0.03	3	Horizontal	0	1.00	-	32.24	28.99	6.31	35.27
PK	1.165G	38.58	74.00	-35.42	-7.12	3	Horizontal	0	1.00	-	45.70	24.73	4.05	35.90
PK	2.28G	40.74	74.00	-33.26	-2.86	3	Horizontal	0	1.00	-	43.60	26.68	5.61	35.15
PK	3.695G	40.79	74.00	-33.21	0.03	3	Horizontal	0	1.00	-	40.75	28.99	6.31	35.27

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_1TX	Pass	PK	505.3M	42.45	46.00	-3.55	-12.11	3	Vertical	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	33.88M	34.75	40.00	-5.25	-15.32	3	Vertical	0	1.00	-
2437MHz	Pass	PK	61.04M	29.73	40.00	-10.27	-25.64	3	Vertical	0	1.00	-
2437MHz	Pass	PK	253.1M	36.37	46.00	-9.63	-16.68	3	Vertical	0	1.00	-
2437MHz	Pass	PK	353.98M	30.51	46.00	-15.49	-15.39	3	Vertical	0	1.00	-
2437MHz	Pass	PK	505.3M	42.45	46.00	-3.55	-12.11	3	Vertical	0	1.00	-
2437MHz	Pass	PK	606.18M	38.77	46.00	-7.23	-10.70	3	Vertical	0	1.00	-
2437MHz	Pass	PK	55.22M	26.72	40.00	-13.28	-25.16	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	115.36M	26.14	43.50	-17.36	-19.61	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	253.1M	37.87	46.00	-8.13	-16.68	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	454.86M	34.30	46.00	-11.70	-12.79	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	606.18M	39.32	46.00	-6.68	-10.70	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	753.62M	35.13	46.00	-10.87	-8.34	3	Horizontal	360	1.00	-

802.11n HT40_Nss1,(MCS0)_1RX

2437MHz_PoE

15/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	33.88M	34.75	40.00	-5.25	-15.32	3	Vertical	0	1.00	-
PK	61.04M	29.73	40.00	-10.27	-25.64	3	Vertical	0	1.00	-
PK	253.1M	36.37	46.00	-9.63	-16.68	3	Vertical	0	1.00	-
PK	353.98M	30.51	46.00	-15.49	-15.39	3	Vertical	0	1.00	-
PK	505.3M	42.45	46.00	-3.55	-12.11	3	Vertical	0	1.00	-
PK	606.18M	38.77	46.00	-7.23	-10.70	3	Vertical	0	1.00	-

802.11n HT40_Nss1,(MCS0)_1RX

2437MHz_PoE

15/05/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	55.22M	26.72	40.00	-13.28	-25.16	3	Horizontal	360	1.00	-
PK	115.36M	26.14	43.50	-17.36	-19.61	3	Horizontal	360	1.00	-
PK	253.1M	37.87	46.00	-8.13	-16.68	3	Horizontal	360	1.00	-
PK	454.86M	34.30	46.00	-11.70	-12.79	3	Horizontal	360	1.00	-
PK	606.18M	39.32	46.00	-6.68	-10.70	3	Horizontal	360	1.00	-
PK	753.62M	35.13	46.00	-10.87	-8.34	3	Horizontal	360	1.00	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	1.756G	36.10	54.00	-17.90	-4.73	3	Horizontal	25	1.31	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	1.772G	34.41	54.00	-19.59	-4.70	3	Vertical	140	2.10	-
2437MHz	Pass	AV	2.428G	30.38	54.00	-23.62	-3.04	3	Vertical	160	1.46	-
2437MHz	Pass	AV	3.738G	33.59	54.00	-20.41	-0.72	3	Vertical	175	1.14	-
2437MHz	Pass	PK	1.772G	39.64	74.00	-34.36	-4.70	3	Vertical	140	2.10	-
2437MHz	Pass	PK	2.428G	39.17	74.00	-34.83	-3.04	3	Vertical	160	1.46	-
2437MHz	Pass	PK	3.738G	42.75	74.00	-31.25	-0.72	3	Vertical	175	1.14	-
2437MHz	Pass	AV	1.756G	36.10	54.00	-17.90	-4.73	3	Horizontal	25	1.31	-
2437MHz	Pass	AV	2.804G	32.28	54.00	-21.72	-2.15	3	Horizontal	36	1.71	-
2437MHz	Pass	AV	3.57G	32.11	54.00	-21.89	-1.12	3	Horizontal	298	1.96	-
2437MHz	Pass	PK	1.756G	41.47	74.00	-32.53	-4.73	3	Horizontal	25	1.31	-
2437MHz	Pass	PK	2.804G	40.26	74.00	-33.74	-2.15	3	Horizontal	36	1.71	-
2437MHz	Pass	PK	3.57G	42.75	74.00	-31.25	-1.12	3	Horizontal	298	1.96	-

802.11g_Nss1,(6Mbps)_1RX

2437MHz_RX

14/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.772G	34.41	54.00	-19.59	-4.70	3	Vertical	140	2.10	-
AV	2.428G	30.38	54.00	-23.62	-3.04	3	Vertical	160	1.46	-
AV	3.738G	33.59	54.00	-20.41	-0.72	3	Vertical	175	1.14	-
PK	1.772G	39.64	74.00	-34.36	-4.70	3	Vertical	140	2.10	-
PK	2.428G	39.17	74.00	-34.83	-3.04	3	Vertical	160	1.46	-
PK	3.738G	42.75	74.00	-31.25	-0.72	3	Vertical	175	1.14	-

802.11g_Nss1,(6Mbps)_1RX

2437MHz_RX

14/05/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.756G	36.10	54.00	-17.90	-4.73	3	Horizontal	25	1.31	-
AV	2.804G	32.28	54.00	-21.72	-2.15	3	Horizontal	36	1.71	-
AV	3.57G	32.11	54.00	-21.89	-1.12	3	Horizontal	298	1.96	-
PK	1.756G	41.47	74.00	-32.53	-4.73	3	Horizontal	25	1.31	-
PK	2.804G	40.26	74.00	-33.74	-2.15	3	Horizontal	36	1.71	-
PK	3.57G	42.75	74.00	-31.25	-1.12	3	Horizontal	298	1.96	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11n HT40_Nss1,(MCS0)_1TX	Pass	PK	711.91M	42.66	46.00	-3.34	-9.45	3	Horizontal	0	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11n HT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	46.49M	34.24	40.00	-5.76	-21.74	3	Vertical	360	1.00	-
2437MHz	Pass	PK	144.46M	23.45	43.50	-20.05	-19.35	3	Vertical	360	1.00	-
2437MHz	Pass	PK	265.71M	31.39	46.00	-14.61	-16.05	3	Vertical	360	1.00	-
2437MHz	Pass	PK	312.27M	31.33	46.00	-14.67	-16.50	3	Vertical	360	1.00	-
2437MHz	Pass	PK	500.45M	28.23	46.00	-17.77	-12.09	3	Vertical	360	1.00	-
2437MHz	Pass	PK	701.24M	36.31	46.00	-9.69	-9.70	3	Vertical	360	1.00	-
2437MHz	Pass	PK	57.16M	26.92	40.00	-13.08	-25.37	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	105.66M	27.86	43.50	-15.64	-20.46	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	144.46M	17.69	43.50	-25.81	-19.35	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	312.27M	31.87	46.00	-14.13	-16.50	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	454.86M	27.82	46.00	-18.18	-12.79	3	Horizontal	0	1.00	-
2437MHz	Pass	PK	711.91M	42.66	46.00	-3.34	-9.45	3	Horizontal	0	1.00	-

802.11n HT40_Nss1,(MCS0)_1RX

2437MHz_PoE

22/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	46.49M	34.24	40.00	-5.76	-21.74	3	Vertical	360	1.00	-
PK	144.46M	23.45	43.50	-20.05	-19.35	3	Vertical	360	1.00	-
PK	265.71M	31.39	46.00	-14.61	-16.05	3	Vertical	360	1.00	-
PK	312.27M	31.33	46.00	-14.67	-16.50	3	Vertical	360	1.00	-
PK	500.45M	28.23	46.00	-17.77	-12.09	3	Vertical	360	1.00	-
PK	701.24M	36.31	46.00	-9.69	-9.70	3	Vertical	360	1.00	-

802.11n HT40_Nss1,(MCS0)_1RX

2437MHz_PoE

22/05/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	57.16M	26.92	40.00	-13.08	-25.37	3	Horizontal	0	1.00	-
PK	105.66M	27.86	43.50	-15.64	-20.46	3	Horizontal	0	1.00	-
PK	144.46M	17.69	43.50	-25.81	-19.35	3	Horizontal	0	1.00	-
PK	312.27M	31.87	46.00	-14.13	-16.50	3	Horizontal	0	1.00	-
PK	454.86M	27.82	46.00	-18.18	-12.79	3	Horizontal	0	1.00	-
PK	711.91M	42.66	46.00	-3.34	-9.45	3	Horizontal	0	1.00	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	1.756G	41.84	54.00	-12.16	-4.73	3	Horizontal	30	2.47	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	AV	1.756G	34.86	54.00	-19.14	-4.73	3	Vertical	314	2.15	-
2437MHz	Pass	AV	2.304G	30.43	54.00	-23.57	-3.41	3	Vertical	75	1.84	-
2437MHz	Pass	AV	3.816G	33.60	54.00	-20.40	-0.54	3	Vertical	9	2.48	-
2437MHz	Pass	PK	1.756G	43.13	74.00	-30.87	-4.73	3	Vertical	314	2.15	-
2437MHz	Pass	PK	2.304G	39.31	74.00	-34.69	-3.41	3	Vertical	75	1.84	-
2437MHz	Pass	PK	3.816G	43.44	74.00	-30.56	-0.54	3	Vertical	9	2.48	-
2437MHz	Pass	AV	1.756G	41.84	54.00	-12.16	-4.73	3	Horizontal	30	2.47	-
2437MHz	Pass	AV	2.296G	31.27	54.00	-22.73	-3.43	3	Horizontal	260	1.61	-
2437MHz	Pass	AV	3.66G	32.24	54.00	-21.76	-0.91	3	Horizontal	119	2.26	-
2437MHz	Pass	PK	1.756G	43.29	74.00	-30.71	-4.73	3	Horizontal	30	2.47	-
2437MHz	Pass	PK	2.296G	40.29	74.00	-33.71	-3.43	3	Horizontal	260	1.61	-
2437MHz	Pass	PK	3.66G	42.26	74.00	-31.74	-0.91	3	Horizontal	119	2.26	-

802.11g_Nss1,(6Mbps)_1RX

2437MHz_RX

14/05/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.756G	34.86	54.00	-19.14	-4.73	3	Vertical	314	2.15	-
AV	2.304G	30.43	54.00	-23.57	-3.41	3	Vertical	75	1.84	-
AV	3.816G	33.60	54.00	-20.40	-0.54	3	Vertical	9	2.48	-
PK	1.756G	43.13	74.00	-30.87	-4.73	3	Vertical	314	2.15	-
PK	2.304G	39.31	74.00	-34.69	-3.41	3	Vertical	75	1.84	-
PK	3.816G	43.44	74.00	-30.56	-0.54	3	Vertical	9	2.48	-

802.11g_Nss1,(6Mbps)_1RX

2437MHz_RX

14/05/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	1.756G	41.84	54.00	-12.16	-4.73	3	Horizontal	30	2.47	-
AV	2.296G	31.27	54.00	-22.73	-3.43	3	Horizontal	260	1.61	-
AV	3.66G	32.24	54.00	-21.76	-0.91	3	Horizontal	119	2.26	-
PK	1.756G	43.29	74.00	-30.71	-4.73	3	Horizontal	30	2.47	-
PK	2.296G	40.29	74.00	-33.71	-3.43	3	Horizontal	260	1.61	-
PK	3.66G	42.26	74.00	-31.74	-0.91	3	Horizontal	119	2.26	-