

JAPAN MIC

Radio Test Report

Applicant: Valve Corporation
10400 NE 4th Street, Suite 1400, Bellevue, WA 98004, USA

Manufacturer: Valve Corporation
10400 NE 4th Street, Suite 1400, Bellevue, WA 98004, USA

Product Name: VR Headset

Brand Name: VALVE

Model No.: 1015

Report Number: TERF2504001449E2

Place of Testing SGS Taiwan Ltd. Central RF Lab
No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333

Test Result PASS

Classification of Specified Radio Equipment Article 2 Clause 1 Item 19-3

Date of EUT Received: April 15, 2025

Date of Test: April 23, 2025 ~ July 15, 2025

Issue Date: March 31, 2026

Approved By: _____



Jay Lin

We hereby declare that:

The data presented with this application to be true and correct; and that our testing equipment is regularly serviced and properly calibrated; and We agree to maintain records of data for a minimum of ten (10) years in our laboratory for immediate presentation upon request by the Certification Body.

Measurement was conducted by the following test method:

the test method of Ordinance Concerning Technical Regulations Conformity Certification etc. of Specified Radio Equipment in Annex 1, the Ministry of Internal Affairs and Communication notification in **Article 88, Paragraph 1** or the test method more than equivalent.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2504001449E2	00	Original	March 31, 2026	Karen Huang	

Note:

- 1、The remark "" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

CONTENTS

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
2	DESCRIPTION OF TEST	6
3	ABOUT UNCERTAINTY OF MEASURED VALUE.....	43
4	MEASUREMENT EQUIPMENT LIST	44
5	RF OUTPUT POWER	45
6	FREQUENCY TOLERANCE.....	63
7	OCCUPIED BANDWIDTH	71
8	ADJACENT CHANNEL LEAKAGE POWER	103
9	OUT-BAND LEAKAGE POWER & UNWANTED EMISSION STRENGTH	163
10	SECONDARILY EMITTED RADIO WAVE STRENGTH.....	359
11	TRANSMITTER BURST LENGTH & CARRIER SENSE CAPABILITY	436
12	TEST SETUP	441

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

1.1 Product Description

Product Name:	VR Headset
Brand Name:	VALVE
Model No.:	1015
Hardware Version:	WCN-7851-1-NSP334-TR-01-0
Firmware Version:	WLAN.HMT.2.0-01788-QCAHMTSWPL_V1.0_V2.0_SILICONZ-1
Power Supply:	7.74 Vdc

1.2 RF Specification

Mode	Type of Emission	Band	Channels	Interval (MHz)	Frequency Range (GHz)	Rated Power (W/MHz):
a	D1D, G1D	W52,W53	8	20	5.18 ~ 5.32	0.003899
		W56	12		5.50 ~ 5.72	0.003856
n_HT 20 ac_VHT 20	D1D, G1D	W52,W53	8	20	5.18 ~ 5.32	0.003757
		W56	12		5.50 ~ 5.72	0.003777
n_HT 40 ac_VHT 40	D1D, G1D	W52,W53	4	40	5.19 ~ 5.31	0.001939
		W56	6		5.51 ~ 5.71	0.002143
ac_VHT 80	D1D, G1D	W52,W53	2	80	5.21 ~ 5.29	0.000953
		W56	3		5.53 ~ 5.69	0.000901
ac_VHT 160	D1D, G1D	W52, W53	1	160	5.25	0.000438
		W56	1		5.57	0.000506
ax_HE 20 be_EHT 20	D1D, G1D	W52,W53	8	20	5.18 ~ 5.32	0.003791
		W56	12		5.50 ~ 5.72	0.003579
ax_HE 40 be_EHT 40	D1D, G1D	W52,W53	4	40	5.19 ~ 5.31	0.001945
		W56	6		5.51 ~ 5.71	0.001674
ax_HE 80 be_EHT 80	D1D, G1D	W52,W53	2	80	5.21 ~ 5.29	0.000955
		W56	3		5.53 ~ 5.69	0.000983
ax_HE 160 be_EHT 160	D1D, G1D	W52, W53	1	160	5.25	0.000423
		W56	1		5.57	0.000475

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Antenna Designation

Ant. Type	Brand	Wi-Fi L / Wi-Fi R	Polarization (H or V)	Freq (MHz) / Peak Gain (dBi)
Dipole	WNC	Wi-Fi L	H+V	5150~5250: 2.92 5250~5350: 2.92 5470~5725: 3.08
Dipole	WNC	Wi-Fi R	H+V	5150~5250: 3.64 5250~5350: 3.64 5470~5725: 2.81
Dipole	AWAN	Wi-Fi L	H+V	5150~5250: 2.67 5250~5350: 2.67 5470~5725: 2.71
Dipole	AWAN	Wi-Fi R	H+V	5150~5250: 3.16 5250~5350: 3.16 5470~5725: 2.5

Note:

The antenna information is provided by the applicant, and the laboratory shall not be held liable for the accuracy, completeness, or reliability of any applicant-supplied data.

1.4 Assemble

The shielding case is directly soldered to the PCB board. The shielding case will be destroyed when trying to open.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2 DESCRIPTION OF TEST

2.1 Voltage Variation

Voltage Fluctuation Test	Normal Voltage	High Voltage + 10% of Normal Voltage	Low Voltage - 10% of Normal Voltage
Input DC Power	7.74	8.51	6.97
Output DC Power	1.89	1.89	1.89
Voltage Variation (%)	0	0	0
Note: Voltage Variation (%) = (Output High or Low Voltage - Output Normal Voltage)/Output Normal Voltage X 100			
During the input supply voltage to the EUT from the external power source is varied by +/- 10%, if output voltage had been confirmed that the fluctuation of power supply to the RF circuit of EUT (excluding power source) is equal to or less than +/- 1%. Exempt extremely high and low supply voltage condition tests, EUT only operated in normal voltage to test all regulations.			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.2 Test Condition

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11a W52 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			IV5	PASS
						IV35	
Environment of Test Room Humidity		%	52~61			IV45	PASS
						IV85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	2.096			IV8	PASS
	Off Time	msec	0.020			---	---
	Ratio	%	99.05			---	---
802.11a_W52_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5180	5220	5240	---	---
Channel Number		Ch.	36	44	48	---	---
Declaration Output Power		mW/MHz	3.899			VI10.000	PASS
E.I.R.P.		mW/MHz	8.257	8.279	8.346	VI10.000	PASS
		dBm/MHz	9.168	9.180	9.215	VI10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11a W53 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	2.096			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.15			---	---
802.11a_W53_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5260	5300	5320	---	---
Channel Number		Ch.	52	60	64	---	---
Declaration Output Power		mW/MHz	3.899			≤ 10.000	PASS
E.I.R.P.		mW/MHz	8.283	7.521	8.198	≤ 10.000	PASS
		dBm/MHz	9.182	8.763	9.137	≤ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11a W56 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	2.096			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.15			---	---
802.11a_W56_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5500	5600	5720	---	---
Channel Number		Ch.	100	120	144	---	---
Declaration Output Power		mW/MHz	3.856			≤ 10.000	PASS
E.I.R.P.		mW/MHz	6.492	6.756	7.600	≤ 50.000	PASS
		dBm/MHz	8.124	8.297	8.808	≤ 16.990	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n W52 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	5.430			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11n_W52_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5180	5220	5240	---	---
Channel Number		Ch.	36	44	48	---	---
Declaration Output Power		mW/MHz	3.757			≤ 10.000	PASS
E.I.R.P.		mW/MHz	7.777	8.011	7.802	≤ 10.000	PASS
		dBm/MHz	8.908	9.037	8.922	≤ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n W53 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	5.427			≧ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11n_W53_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5260	5300	5320	---	---
Channel Number		Ch.	52	60	64	---	---
Declaration Output Power		mW/MHz	3.757			≦ 10.000	PASS
E.I.R.P.		mW/MHz	8.061	8.006	8.026	≦ 10.000	PASS
		dBm/MHz	9.064	9.034	9.045	≦ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n W56 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	5.427			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11n_W56_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5500	5600	5720	---	---
Channel Number		Ch.	100	120	144	---	---
Declaration Output Power		mW/MHz	3.777			≤ 10.000	PASS
E.I.R.P.		mW/MHz	6.467	6.734	7.447	≤ 50.000	PASS
		dBm/MHz	8.107	8.283	8.720	≤ 16.990	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n W52 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	5.400			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11n_W52_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5190	5230	-	---	---
Channel Number		Ch.	38	46	-	---	---
Declaration Output Power		mW/MHz	1.939			≦ 5.000	PASS
E.I.R.P.		mW/MHz	4.126	4.076	-	≦ 5.000	PASS
		dBm/MHz	6.155	6.102	-	≦ 6.990	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n W53 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	5.400			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11n_W53_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5270	5310	-	---	---
Channel Number		Ch.	54	62	-	---	---
Declaration Output Power		mW/MHz	1.939			≦ 5.000	PASS
E.I.R.P.		mW/MHz	3.786	3.928	-	≦ 5.000	PASS
		dBm/MHz	5.782	5.942	-	≦ 6.990	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11n W56 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	5.400			≤ 8	PASS
	Off Time	msec	0.015			---	---
	Ratio	%	99.72			---	---
802.11n_W56_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5510	5590	5710	---	---
Channel Number		Ch.	102	118	142	---	---
Declaration Output Power		mW/MHz	2.143			≤ 5.000	PASS
E.I.R.P.		mW/MHz	3.282	3.712	4.224	≤ 25.000	PASS
		dBm/MHz	5.162	5.696	6.257	≤ 13.979	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac W52 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	1.788			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.00			---	---
802.11ac_W52_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5210	-	-	---	---
Channel Number		Ch.	42	-	-	---	---
Declaration Output Power		mW/MHz	0.953			≦ 2.500	PASS
E.I.R.P.		mW/MHz	1.986	-	-	≦ 2.500	PASS
		dBm/MHz	2.979	-	-	≦ 3.979	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac W53 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	1.788			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.00			---	---
802.11ac_W53_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5290	-	-	---	---
Channel Number		Ch.	58	-	-	---	---
Declaration Output Power		mW/MHz	0.953			≦ 2.500	PASS
E.I.R.P.		mW/MHz	2.046	-	-	≦ 2.500	PASS
		dBm/MHz	3.109	-	-	≦ 3.979	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac W56 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	1.790			≤ 8	PASS
	Off Time	msec	0.016			---	---
	Ratio	%	99.11			---	---
802.11ac_W56_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5530	5610	5690	---	---
Channel Number		Ch.	106	122	138	---	---
Declaration Output Power		mW/MHz	0.901			≤ 2.500	PASS
E.I.R.P.		mW/MHz	1.437	1.770	1.778	≤ 12.500	PASS
		dBm/MHz	1.576	2.479	2.500	≤ 10.969	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac W52 W53 160MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	1.788			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.00			---	---
802.11ac_W52_W53_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5250	-	-	---	---
Channel Number		Ch.	50	-	-	---	---
Declaration Output Power		mW/MHz	0.438			≦ 1.250	PASS
E.I.R.P.		mW/MHz	0.941	-	-	≦ 1.250	PASS
		dBm/MHz	-0.265	-	-	≦ 0.969	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ac W56 160MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDM			---	---
	On Time	msec	1.788			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.00			---	---
802.11ac_W56_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5570	-	-	---	---
Channel Number		Ch.	114	-	-	---	---
Declaration Output Power		mW/MHz	0.506			≤ 1.250	PASS
E.I.R.P.		mW/MHz	0.997	-	-	≤ 6.250	PASS
		dBm/MHz	-0.011	-	-	≤ 7.959	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W52 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.352			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.66			---	---
802.11ax_W52_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5180	5220	5240	---	---
Channel Number		Ch.	36	44	48	---	---
Declaration Output Power		mW/MHz	3.791			≤ 10.000	PASS
E.I.R.P.		mW/MHz	6.971	7.125	7.303	≤ 10.000	PASS
		dBm/MHz	8.433	8.528	8.635	≤ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W53 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.352			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.66			---	---
802.11ax_W53_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5260	5300	5320	---	---
Channel Number		Ch.	52	60	64	---	---
Declaration Output Power		mW/MHz	3.791			≤ 10.000	PASS
E.I.R.P.		mW/MHz	6.275	7.854	7.579	≤ 10.000	PASS
		dBm/MHz	7.976	8.951	8.796	≤ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W56 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.352			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.66			---	---
802.11ax_W56_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5500	5600	5720	---	---
Channel Number		Ch.	100	120	144	---	---
Declaration Output Power		mW/MHz	3.579			≤ 10.000	PASS
E.I.R.P.		mW/MHz	5.918	6.180	6.369	≤ 50.000	PASS
		dBm/MHz	7.722	7.910	8.041	≤ 16.990	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W52 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.373			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11ax_W52_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5190	5230	-	---	---
Channel Number		Ch.	38	46	-	---	---
Declaration Output Power		mW/MHz	1.945			≤ 5.000	PASS
E.I.R.P.		mW/MHz	4.013	3.623	-	≤ 5.000	PASS
		dBm/MHz	6.035	5.591	-	≤ 6.990	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W53 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.373			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11ax_W53_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5270	5310	-	---	---
Channel Number		Ch.	54	62	-	---	---
Declaration Output Power		mW/MHz	1.945			≦ 5.000	PASS
E.I.R.P.		mW/MHz	4.051	4.045	-	≦ 5.000	PASS
		dBm/MHz	6.076	6.069	-	≦ 6.990	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W56 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.373			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11ax_W56_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5510	5590	5710	---	---
Channel Number		Ch.	102	118	142	---	---
Declaration Output Power		mW/MHz	1.674			≤ 5.000	PASS
E.I.R.P.		mW/MHz	3.311	3.357	3.867	≤ 25.000	PASS
		dBm/MHz	5.199	5.259	5.874	≤ 13.979	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W52 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.385			≧ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11ax_W52_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5210	-	-	---	---
Channel Number		Ch.	42	-	-	---	---
Declaration Output Power		mW/MHz	0.955			≦ 2.500	PASS
E.I.R.P.		mW/MHz	2.011	-	-	≦ 2.500	PASS
		dBm/MHz	3.035	-	-	≦ 3.979	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W53 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.388			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11ax_W53_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5290	-	-	---	---
Channel Number		Ch.	58	-	-	---	---
Declaration Output Power		mW/MHz	0.955			≦ 2.500	PASS
E.I.R.P.		mW/MHz	1.741	-	-	≦ 2.500	PASS
		dBm/MHz	2.408	-	-	≦ 3.979	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W56 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.388			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11ax_W56_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5530	5610	5690	---	---
Channel Number		Ch.	106	122	138	---	---
Declaration Output Power		mW/MHz	0.983			≤ 2.500	PASS
E.I.R.P.		mW/MHz	1.323	1.536	1.363	≤ 12.500	PASS
		dBm/MHz	1.217	1.864	1.344	≤ 10.969	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W52 W53 160MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	4.581			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.61			---	---
802.11ax_W52_W53_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5250	-	-	---	---
Channel Number		Ch.	50	-	-	---	---
Declaration Output Power		mW/MHz	0.423			≤ 1.250	PASS
E.I.R.P.		mW/MHz	0.845	-	-	≤ 1.250	PASS
		dBm/MHz	-0.732	-	-	≤ 0.969	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11ax W56 160MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	4.580			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.61			---	---
802.11ax_W56_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5570	-	-	---	---
Channel Number		Ch.	114	-	-	---	---
Declaration Output Power		mW/MHz	0.475			≦ 1.250	PASS
E.I.R.P.		mW/MHz	0.991	-	-	≦ 6.250	PASS
		dBm/MHz	-0.038	-	-	≦ 7.959	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W52 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.361			≧ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W52_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5180	5220	5240	---	---
Channel Number		Ch.	36	44	48	---	---
Declaration Output Power		mW/MHz	3.791			≧ 10.000	PASS
E.I.R.P.		mW/MHz	7.784	7.656	8.132	≧ 10.000	PASS
		dBm/MHz	8.912	8.840	9.102	≧ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W53 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.361			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W53_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5260	5300	5320	---	---
Channel Number		Ch.	52	60	64	---	---
Declaration Output Power		mW/MHz	3.791			≤ 10.000	PASS
E.I.R.P.		mW/MHz	5.770	7.770	7.958	≤ 10.000	PASS
		dBm/MHz	7.612	8.904	9.008	≤ 10.000	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W56 20MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.358			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W56_20MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5500	5600	5720	---	---
Channel Number		Ch.	100	120	144	---	---
Declaration Output Power		mW/MHz	3.579			≤ 10.000	PASS
E.I.R.P.		mW/MHz	6.210	6.500	7.071	≤ 50.000	PASS
		dBm/MHz	7.931	8.129	8.495	≤ 16.990	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W52 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.379			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W52_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5190	5230	-	---	---
Channel Number		Ch.	38	46	-	---	---
Declaration Output Power		mW/MHz	1.945			≦ 5.000	PASS
E.I.R.P.		mW/MHz	4.051	4.100	-	≦ 5.000	PASS
		dBm/MHz	6.076	6.128	-	≦ 6.990	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W53 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.379			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W53_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5270	5310	-	---	---
Channel Number		Ch.	54	62	-	---	---
Declaration Output Power		mW/MHz	1.945			≤ 5.000	PASS
E.I.R.P.		mW/MHz	4.183	4.115	-	≤ 5.000	PASS
		dBm/MHz	6.215	6.144	-	≤ 6.990	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W56 40MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.382			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W56_40MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5510	5590	5710	---	---
Channel Number		Ch.	102	118	142	---	---
Declaration Output Power		mW/MHz	1.674			≤ 5.000	PASS
E.I.R.P.		mW/MHz	3.015	3.170	3.293	≤ 25.000	PASS
		dBm/MHz	4.793	5.011	5.176	≤ 13.979	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W52 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≧ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≧ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.394			≧ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W52_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5210	-	-	---	---
Channel Number		Ch.	42	-	-	---	---
Declaration Output Power		mW/MHz	0.955			≦ 2.500	PASS
E.I.R.P.		mW/MHz	2.021	-	-	≦ 2.500	PASS
		dBm/MHz	3.055	-	-	≦ 3.979	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W53 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.394			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W53_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5290	-	-	---	---
Channel Number		Ch.	58	-	-	---	---
Declaration Output Power		mW/MHz	0.955			≦ 2.500	PASS
E.I.R.P.		mW/MHz	2.049	-	-	≦ 2.500	PASS
		dBm/MHz	3.116	-	-	≦ 3.979	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W56 80MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	5.394			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.67			---	---
802.11be_W56_80MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5530	5610	5690	---	---
Channel Number		Ch.	106	122	138	---	---
Declaration Output Power		mW/MHz	0.983			≦ 2.500	PASS
E.I.R.P.		mW/MHz	1.748	1.932	1.808	≦ 12.500	PASS
		dBm/MHz	2.425	2.859	2.571	≦ 10.969	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W52 W53 160MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≤ 5	PASS
						≤ 35	
Environment of Test Room Humidity		%	52~61			≤ 45	PASS
						≤ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	4.587			≤ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.61			---	---
802.11be_W52_W53_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5250	-	-	---	---
Channel Number		Ch.	50	-	-	---	---
Declaration Output Power		mW/MHz	0.423			≤ 1.250	PASS
E.I.R.P.		mW/MHz	0.917	-	-	≤ 1.250	PASS
		dBm/MHz	-0.378	-	-	≤ 0.969	PASS
Peak Antenna Gain (Chain0)		dBi	2.92			---	---
Peak Antenna Gain (Chain1)		dBi	3.64			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Category		5GHz Band Low-Power Data Communication System (2TX2RX)					
		802.11be W56 160MHz System					
		This equipment is a client that supports TPC function.					
		unit				Limit	Result
Environment of Test Room Temperature		°C	21.3~22.9			≦ 5	PASS
						≦ 35	
Environment of Test Room Humidity		%	52~61			≦ 45	PASS
						≦ 85	
Input Power Voltage		VDC	7.74			---	---
The reason why the tests are performed only at rated voltage:		When the input voltage to receiver RF circuit varies below ± 1% as the input voltage from the external power supply to the receiver varies ± 10% (excluding power supply).					
Burst	Modulation	---	OFDMA			---	---
	On Time	msec	4.587			≦ 8	PASS
	Off Time	msec	0.018			---	---
	Ratio	%	99.61			---	---
802.11be_W56_160MHz		unit	---	---	---	Limit	Result
Measurement Center Frequency		MHz	5570	-	-	---	---
Channel Number		Ch.	114	-	-	---	---
Declaration Output Power		mW/MHz	0.475			≦ 1.250	PASS
E.I.R.P.		mW/MHz	0.932	-	-	≦ 6.250	PASS
		dBm/MHz	-0.307	-	-	≦ 7.959	PASS
Peak Antenna Gain (Chain0)		dBi	3.08			---	---
Peak Antenna Gain (Chain1)		dBi	2.81			---	---
Tested Circuit Insertion Loss (Chain0)		dB	10.70			---	---
Tested Circuit Insertion Loss (Chain1)		dB	10.70			---	---
Tested Circuit Insertion Loss (RX_Chain0)		dB	0.70			---	---
Tested Circuit Insertion Loss (RX_Chain1)		dB	0.70			---	---

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3 ABOUT UNCERTAINTY OF MEASURED VALUE

- *In this test, the influence of an error or uncertainty may be done according to the following factors.
- Bias of a measurement equipment, Change by aging, Attrition, Noise
 - Skill and capability of an inspector
 - Environment (Temperature, Humidity)
 - Dispersion in a EUT (Equipment Under Test)
 - Uncertainty of calibration of a measurement equipment

Therefore, Synthetic uncertainty is calculated using "k=2" of coverage factor, and about 95% of confidence level shall be obtained.

In consideration of the above, it judged as follows.

JUDGE	Measured value and Standard limit value	
PASS	Case1	Standard limit value +uncertainty -uncertainty Measured value *Even if it takes uncertainty into consideration, a standard limit value is fulfilled.
	Case2	*Although measured value is in a standard limit value, a limit value won't be fulfilled if uncertainty is taken into consideration.
FAIL	Case3	*Although measured value exceeds a standard limit value, a limit value will be fulfilled if uncertainty is taken into consideration.
	Case4	*Even if it takes uncertainty into consideration, a standard limit value isn't fulfilled.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4 MEASUREMENT EQUIPMENT LIST

Conducted Emission Test Site: Conducted F						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	Calibration Authority	Cal. Method
Attenuator	Woken	WATT-218FS-10	RF15	11/14/2024	SGS	C)
Attenuator	Woken	WATT-218FS-10	RF16	11/14/2024	SGS	C)
DC Block	Marvelous	MVE6114	RF40	11/14/2024	SGS	C)
DC Power Supply	Agilent	E3640A	MY53170008	08/29/2024	ETC	C)
Splitter	Woken	DOM35LW1A2	RF56	11/14/2024	SGS	C)
Power Meter	Anritsu	ML2496A	2138005	09/25/2024	ETC	C)
Power Sensor	Anritsu	MA2411B	1911395	09/25/2024	ETC	C)
Power Sensor	Anritsu	MA2411B	1911396	09/25/2024	ETC	C)
Spectrum Analyzer	KEYSIGHT	N9010B	MY63440390	02/13/2025	ETC	C)
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N/A	N/A

Note 1: The validity of measurement equipment is one year from the first day of the following month of the calibration date.

(e.g. If the calibration date is December 15th, 2014, measurement equipment can be used from December 15th, 2014 to December 31st, 2015.)

Note 2: Calibration Method

- a): Calibration conducted by the National Institute of Information and Communications Technology(NICT)(hereinafter referred to as "NICT") or a designated calibration agency under Article 102-18 paragraph (1)
- b): Correction conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992)
- c) : Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1)
- d) : Calibration conducted by using measuring instruments and other equipment listed in the right column of Table No. 3 attached hereto, which shall have been given any of calibration, etc. listed above from a) to c)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 RF OUTPUT POWER

RF Output Power						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.809	1.812	1.891	---	---
RF Output Power (Chain1) (*1)	mW/MHz	2.038	2.045	2.007	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.848	3.858	3.899	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-1.31	-1.05	0.00	≥ -80 ≤ 20	PASS
Total Output Power (Chain0)	dBm	2.575	2.583	2.768	---	---
Total Output Power (Chain1)	dBm	3.093	3.108	3.026	---	---
Total Output Power (Chain0+Chain1)	dBm	5.852	5.864	5.910	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.727	1.571	1.693	---	---
RF Output Power (Chain1) (*1)	mW/MHz	2.120	1.922	2.112	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.847	3.493	3.805	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-1.33	-10.41	-2.41	≥ -80 ≤ 20	PASS
Total Output Power (Chain0)	dBm	2.372	1.963	2.287	---	---
Total Output Power (Chain1)	dBm	3.264	2.837	3.246	---	---
Total Output Power (Chain0+Chain1)	dBm	5.851	5.432	5.804	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RF Output Power						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.623	1.545	1.919	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.673	1.893	1.938	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.295	3.438	3.856	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-14.55	-10.84	0.00	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	2.102	1.890	2.830	---	---
Total Output Power (Chain1)	dBm	2.234	2.772	2.873	---	---
Total Output Power (Chain0+Chain1)	dBm	5.179	5.363	5.861	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11n_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.765	1.865	1.872	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.868	1.884	1.789	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.633	3.750	3.661	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-3.30	-0.19	-2.56	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	2.468	2.708	2.722	---	---
Total Output Power (Chain1)	dBm	2.713	2.752	2.526	---	---
Total Output Power (Chain0+Chain1)	dBm	5.603	5.740	5.636	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11n_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.767	1.786	1.668	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.989	1.949	2.058	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.757	3.735	3.726	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-0.59	-0.83	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	2.473	2.520	2.222	---	---
Total Output Power (Chain1)	dBm	2.987	2.898	3.134	---	---
Total Output Power (Chain0+Chain1)	dBm	5.748	5.723	5.712	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11n_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.677	1.586	1.917	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.602	1.838	1.860	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.279	3.424	3.777	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-13.19	-9.35	0.00	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	2.245	2.004	2.827	---	---
Total Output Power (Chain1)	dBm	2.046	2.643	2.694	---	---
Total Output Power (Chain0+Chain1)	dBm	5.157	5.345	5.771	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RF Output Power						
802.11n_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.009	0.922	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.929	0.981	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.939	1.904	-	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-1.81	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	0.041	-0.351	-	---	---
Total Output Power (Chain1)	dBm	-0.319	-0.082	-	---	---
Total Output Power (Chain0+Chain1)	dBm	2.876	2.797	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11n_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.812	0.859	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.950	0.971	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.762	1.830	-	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-9.13	-5.62	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-0.903	-0.662	-	---	---
Total Output Power (Chain1)	dBm	-0.225	-0.126	-	---	---
Total Output Power (Chain0+Chain1)	dBm	2.460	2.625	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11n_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.876	0.899	1.065	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.787	0.987	1.078	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.662	1.886	2.143	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-22.45	-11.99	0.00	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	-0.577	-0.462	0.275	---	---
Total Output Power (Chain1)	dBm	-1.041	-0.058	0.326	---	---
Total Output Power (Chain0+Chain1)	dBm	2.206	2.755	3.310	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ac_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.475	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.457	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.931	-	-	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-2.31	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-3.237	-	-	---	---
Total Output Power (Chain1)	dBm	-3.402	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.311	-	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ac_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.443	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.510	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.953	-	-	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-3.538	-	-	---	---
Total Output Power (Chain1)	dBm	-2.926	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.209	-	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ac_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.371	0.451	0.470	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.358	0.447	0.431	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.729	0.898	0.901	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-19.09	-0.33	0.00	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	-4.303	-3.461	-3.278	---	---
Total Output Power (Chain1)	dBm	-4.466	-3.497	-3.657	---	---
Total Output Power (Chain0+Chain1)	dBm	-1.373	-0.467	-0.453	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RF Output Power						
802.11ac_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.204	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.234	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.438	-	-	≤ 1.250	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-6.904	-	-	---	---
Total Output Power (Chain1)	dBm	-6.306	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-3.585	-	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ac_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.258	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.248	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.506	-	-	≤ 1.250	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-5.881	-	-	---	---
Total Output Power (Chain1)	dBm	-6.063	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-2.958	-	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.563	1.697	1.740	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.691	1.644	1.685	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.254	3.341	3.425	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-14.17	-11.87	-9.65	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	1.940	2.298	2.406	---	---
Total Output Power (Chain1)	dBm	2.281	2.158	2.265	---	---
Total Output Power (Chain0+Chain1)	dBm	5.124	5.239	5.347	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.331	1.626	1.604	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.586	2.019	1.919	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	2.918	3.646	3.523	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-23.03	-3.82	-7.07	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	1.242	2.112	2.053	---	---
Total Output Power (Chain1)	dBm	2.004	3.052	2.831	---	---
Total Output Power (Chain0+Chain1)	dBm	4.651	5.618	5.469	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.493	1.497	1.530	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.511	1.643	1.707	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.003	3.140	3.237	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-16.09	-12.27	-9.56	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	1.740	1.752	1.846	---	---
Total Output Power (Chain1)	dBm	1.791	2.158	2.322	---	---
Total Output Power (Chain0+Chain1)	dBm	4.776	4.969	5.101	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.961	0.834	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.922	0.860	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.882	1.695	-	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-3.24	-12.85	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-0.174	-0.788	-	---	---
Total Output Power (Chain1)	dBm	-0.354	-0.653	-	---	---
Total Output Power (Chain0+Chain1)	dBm	2.746	2.292	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.887	0.765	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.001	1.102	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.888	1.866	-	$\leq$ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-2.93	-4.06	-	$\geq$ -80	PASS
					$\leq$ 20	
Total Output Power (Chain0)	dBm	-0.523	-1.166	-	---	---
Total Output Power (Chain1)	dBm	0.005	0.421	-	---	---
Total Output Power (Chain0+Chain1)	dBm	2.760	2.709	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.823	0.843	0.970	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.858	0.860	0.993	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.681	1.703	1.963	$\leq$ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.42	1.73	17.26	$\geq$ -50	PASS
					$\leq$ 50	
Total Output Power (Chain0)	dBm	-0.847	-0.741	-0.134	---	---
Total Output Power (Chain1)	dBm	-0.666	-0.654	-0.031	---	---
Total Output Power (Chain0+Chain1)	dBm	2.256	2.312	2.929	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.432	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.504	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.936	-	-	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-1.99	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-3.646	-	-	---	---
Total Output Power (Chain1)	dBm	-2.975	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.287	-	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.415	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.402	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.816	-	-	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-14.55	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-3.823	-	-	---	---
Total Output Power (Chain1)	dBm	-3.961	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.883	-	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.347	0.351	0.336	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.323	0.431	0.356	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.671	0.782	0.692	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-31.74	-20.45	-29.60	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	-4.593	-4.547	-4.738	---	---
Total Output Power (Chain1)	dBm	-4.902	-3.658	-4.484	---	---
Total Output Power (Chain0+Chain1)	dBm	-1.733	-1.068	-1.599	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11ax_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.217	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.182	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.399	-	-	≤ 1.250	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-5.67	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-6.642	-	-	---	---
Total Output Power (Chain1)	dBm	-7.403	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-3.990	-	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11ax_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.234	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.270	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.504	-	-	≤ 1.250	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	6.11	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-6.312	-	-	---	---
Total Output Power (Chain1)	dBm	-5.682	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-2.976	-	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11be_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.727	1.763	1.795	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.904	1.818	1.996	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.630	3.581	3.791	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-4.25	-5.54	0.00	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	2.373	2.462	2.541	---	---
Total Output Power (Chain1)	dBm	2.796	2.596	3.002	---	---
Total Output Power (Chain0+Chain1)	dBm	5.599	5.540	5.788	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RF Output Power						
802.11be_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.257	1.631	1.716	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.431	1.978	1.988	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	2.688	3.610	3.704	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-29.10	-4.77	-2.29	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	0.993	2.126	2.346	---	---
Total Output Power (Chain1)	dBm	1.556	2.963	2.983	---	---
Total Output Power (Chain0+Chain1)	dBm	4.294	5.575	5.687	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11be_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
RF Output Power (Chain0) (*1)	mW/MHz	1.681	1.612	1.917	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.463	1.689	1.662	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	3.144	3.300	3.579	≤ 10.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-12.15	-7.80	0.00	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	2.256	2.073	2.827	---	---
Total Output Power (Chain1)	dBm	1.652	2.276	2.207	---	---
Total Output Power (Chain0+Chain1)	dBm	4.975	5.185	5.538	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11be_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.944	0.940	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.953	0.976	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.896	1.917	-	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-2.52	-1.44	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-0.251	-0.267	-	---	---
Total Output Power (Chain1)	dBm	-0.211	-0.103	-	---	---
Total Output Power (Chain0+Chain1)	dBm	2.778	2.826	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11be_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.889	0.828	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	1.056	1.078	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.945	1.906	-	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-2.01	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-0.512	-0.818	-	---	---
Total Output Power (Chain1)	dBm	0.238	0.327	-	---	---
Total Output Power (Chain0+Chain1)	dBm	2.889	2.801	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11be_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.751	0.795	0.776	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.780	0.814	0.898	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	1.531	1.609	1.674	≤ 5.000	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-8.54	-3.88	0.00	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	-1.245	-0.998	-1.099	---	---
Total Output Power (Chain1)	dBm	-1.081	-0.893	-0.468	---	---
Total Output Power (Chain0+Chain1)	dBm	1.850	2.066	2.238	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11be_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.477	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.470	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.947	-	-	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-0.84	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-3.212	-	-	---	---
Total Output Power (Chain1)	dBm	-3.282	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.237	-	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

RF Output Power						
802.11be_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.448	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.506	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.955	-	-	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-3.484	-	-	---	---
Total Output Power (Chain1)	dBm	-2.955	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.200	-	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11be_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.418	0.450	0.465	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.471	0.532	0.451	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.888	0.983	0.917	≤ 2.500	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	-9.66	0.00	-6.71	≥ -50	PASS
					≤ 50	
Total Output Power (Chain0)	dBm	-3.791	-3.467	-3.322	---	---
Total Output Power (Chain1)	dBm	-3.273	-2.737	-3.455	---	---
Total Output Power (Chain0+Chain1)	dBm	-0.516	-0.074	-0.376	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

RF Output Power						
802.11be_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.173	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.250	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.423	-	-	≤ 1.250	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-7.625	-	-	---	---
Total Output Power (Chain1)	dBm	-6.019	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-3.737	-	-	---	---
(*1): included calculation of burst ratio						
RF Output Power						
802.11be_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
RF Output Power (Chain0) (*1)	mW/MHz	0.201	-	-	---	---
RF Output Power (Chain1) (*1)	mW/MHz	0.274	-	-	---	---
RF Output Power (*1) (Chain0+Chain1)	mW/MHz	0.475	-	-	≤ 1.250	PASS
RF Output Power Tolerance (Chain0+Chain1)	%	0.00	-	-	≥ -80	PASS
					≤ 20	
Total Output Power (Chain0)	dBm	-6.961	-	-	---	---
Total Output Power (Chain1)	dBm	-5.627	-	-	---	---
Total Output Power (Chain0+Chain1)	dBm	-3.233	-	-	---	---
(*1): included calculation of burst ratio						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY TOLERANCE

Frequency Tolerance						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Reading Frequency (Chain0)	MHz	5180.0110	5220.0060	5240.0060	---	PASS
Frequency Tolerance (Chain0)	ppm	2.1236	1.1494	1.1450	±20	
Reading Frequency (Chain1)	MHz	5180.0100	5220.0060	5240.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.9305	1.1494	1.1450	±20	
Frequency Tolerance						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Reading Frequency (Chain0)	MHz	5260.0160	5300.0060	5320.0080	---	PASS
Frequency Tolerance (Chain0)	ppm	3.0418	1.1321	1.5038	±20	
Reading Frequency (Chain1)	MHz	5260.0130	5300.0070	5320.0070	---	PASS
Frequency Tolerance (Chain1)	ppm	2.4715	1.3208	1.3158	±20	
Frequency Tolerance						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Reading Frequency (Chain0)	MHz	5500.0170	5600.0060	5720.0070	---	PASS
Frequency Tolerance (Chain0)	ppm	3.0909	1.0714	1.2238	±20	
Reading Frequency (Chain1)	MHz	5500.0130	5600.0060	5720.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	2.3636	1.0714	1.0490	±20	
Frequency Tolerance						
802.11n_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Reading Frequency (Chain0)	MHz	5180.0090	5220.0070	5240.0050	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7375	1.3410	0.9542	±20	
Reading Frequency (Chain1)	MHz	5180.0090	5220.0070	5240.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.7375	1.3410	1.1450	±20	
Frequency Tolerance						
802.11n_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Reading Frequency (Chain0)	MHz	5260.0120	5300.0060	5320.0070	---	PASS
Frequency Tolerance (Chain0)	ppm	2.2814	1.1321	1.3158	±20	
Reading Frequency (Chain1)	MHz	5260.0100	5300.0060	5320.0070	---	PASS
Frequency Tolerance (Chain1)	ppm	1.9011	1.1321	1.3158	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Frequency Tolerance						
802.11n_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Reading Frequency (Chain0)	MHz	5500.0120	5600.0070	5720.0060	---	PASS
Frequency Tolerance (Chain0)	ppm	2.1818	1.2500	1.0490	±20	
Reading Frequency (Chain1)	MHz	5500.0110	5600.0060	5720.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	2.0000	1.0714	1.0490	±20	
Frequency Tolerance						
802.11n_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
Reading Frequency (Chain0)	MHz	5190.0150	5230.0080	-	---	PASS
Frequency Tolerance (Chain0)	ppm	2.8902	1.5296	-	±20	
Reading Frequency (Chain1)	MHz	5190.0100	5230.0080	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.9268	1.5296	-	±20	
Frequency Tolerance						
802.11n_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
Reading Frequency (Chain0)	MHz	5270.0080	5310.0080	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.5180	1.5066	-	±20	
Reading Frequency (Chain1)	MHz	5270.0080	5310.0080	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5180	1.5066	-	±20	
Frequency Tolerance						
802.11n_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
Reading Frequency (Chain0)	MHz	5510.0070	5590.0070	5710.0070	---	PASS
Frequency Tolerance (Chain0)	ppm	1.2704	1.2522	1.2259	±20	
Reading Frequency (Chain1)	MHz	5510.0070	5590.0070	5710.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.2704	1.2522	1.0508	±20	
Frequency Tolerance						
802.11ac_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
Reading Frequency (Chain0)	MHz	5210.0080	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.5355	-	-	±20	
Reading Frequency (Chain1)	MHz	5210.0080	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5355	-	-	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11ac_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
Reading Frequency (Chain0)	MHz	5290.0080	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.5123	-	-	±20	
Reading Frequency (Chain1)	MHz	5290.0080	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5123	-	-	±20	
Frequency Tolerance						
802.11ac_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
Reading Frequency (Chain0)	MHz	5530.0050	5610.0060	5690.0080	---	PASS
Frequency Tolerance (Chain0)	ppm	0.9042	1.0695	1.4060	±20	
Reading Frequency (Chain1)	MHz	5530.0050	5610.0060	5690.0080	---	PASS
Frequency Tolerance (Chain1)	ppm	0.9042	1.0695	1.4060	±20	
Frequency Tolerance						
802.11ac_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
Reading Frequency (Chain0)	MHz	5250.0060	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.1429	-	-	±20	
Reading Frequency (Chain1)	MHz	5250.0060	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.1429	-	-	±20	
Frequency Tolerance						
802.11ac_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
Reading Frequency (Chain0)	MHz	5570.0080	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.4363	-	-	±20	
Reading Frequency (Chain1)	MHz	5570.0070	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.2567	-	-	±20	
Frequency Tolerance						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Reading Frequency (Chain0)	MHz	5180.0090	5220.0080	5240.0050	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7375	1.5326	0.9542	±20	
Reading Frequency (Chain1)	MHz	5180.0080	5220.0070	5240.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5444	1.3410	1.1450	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Reading Frequency (Chain0)	MHz	5260.0090	5300.0070	5320.0070	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7110	1.3208	1.3158	±20	
Reading Frequency (Chain1)	MHz	5260.0090	5300.0060	5320.0070	---	PASS
Frequency Tolerance (Chain1)	ppm	1.7110	1.1321	1.3158	±20	
Frequency Tolerance						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Reading Frequency (Chain0)	MHz	5500.0100	5600.0070	5720.0060	---	PASS
Frequency Tolerance (Chain0)	ppm	1.8182	1.2500	1.0490	±20	
Reading Frequency (Chain1)	MHz	5500.0100	5600.0070	5720.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.8182	1.2500	1.0490	±20	
Frequency Tolerance						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
Reading Frequency (Chain0)	MHz	5190.0090	5230.0090	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7341	1.7208	-	±20	
Reading Frequency (Chain1)	MHz	5190.0090	5230.0090	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.7341	1.7208	-	±20	
Frequency Tolerance						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
Reading Frequency (Chain0)	MHz	5270.0080	5310.0090	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.5180	1.6949	-	±20	
Reading Frequency (Chain1)	MHz	5270.0080	5310.0080	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5180	1.5066	-	±20	
Frequency Tolerance						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
Reading Frequency (Chain0)	MHz	5510.0070	5590.0070	5710.0060	---	PASS
Frequency Tolerance (Chain0)	ppm	1.2704	1.2522	1.0508	±20	
Reading Frequency (Chain1)	MHz	5510.0070	5590.0070	5710.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.2704	1.2522	1.0508	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
Reading Frequency (Chain0)	MHz	5210.0070	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.3436	-	-	±20	
Reading Frequency (Chain1)	MHz	5210.0070	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.3436	-	-	±20	
Frequency Tolerance						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
Reading Frequency (Chain0)	MHz	5290.0070	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.3233	-	-	±20	
Reading Frequency (Chain1)	MHz	5290.0070	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.3233	-	-	±20	
Frequency Tolerance						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
Reading Frequency (Chain0)	MHz	5530.0050	5610.0060	5690.0080	---	PASS
Frequency Tolerance (Chain0)	ppm	0.9042	1.0695	1.4060	±20	
Reading Frequency (Chain1)	MHz	5530.0050	5610.0070	5690.0080	---	PASS
Frequency Tolerance (Chain1)	ppm	0.9042	1.2478	1.4060	±20	
Frequency Tolerance						
802.11ax_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
Reading Frequency (Chain0)	MHz	5250.0060	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.1429	-	-	±20	
Reading Frequency (Chain1)	MHz	5250.0060	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.1429	-	-	±20	
Frequency Tolerance						
802.11ax_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
Reading Frequency (Chain0)	MHz	5570.0070	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.2567	-	-	±20	
Reading Frequency (Chain1)	MHz	5570.0060	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.0772	-	-	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11be_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Reading Frequency (Chain0)	MHz	5180.0090	5220.0090	5240.0060	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7375	1.7241	1.1450	±20	
Reading Frequency (Chain1)	MHz	5180.0080	5220.0080	5240.0060	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5444	1.5326	1.1450	±20	
Frequency Tolerance						
802.11be_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Reading Frequency (Chain0)	MHz	5260.0090	5300.0080	5320.0080	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7110	1.5094	1.5038	±20	
Reading Frequency (Chain1)	MHz	5260.0080	5300.0070	5320.0080	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5209	1.3208	1.5038	±20	
Frequency Tolerance						
802.11be_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Reading Frequency (Chain0)	MHz	5500.0090	5600.0090	5720.0070	---	PASS
Frequency Tolerance (Chain0)	ppm	1.6364	1.6071	1.2238	±20	
Reading Frequency (Chain1)	MHz	5500.0090	5600.0080	5720.0070	---	PASS
Frequency Tolerance (Chain1)	ppm	1.6364	1.4286	1.2238	±20	
Frequency Tolerance						
802.11be_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
Reading Frequency (Chain0)	MHz	5190.0090	5230.0090	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.7341	1.7208	-	±20	
Reading Frequency (Chain1)	MHz	5190.0090	5230.0090	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.7341	1.7208	-	±20	
Frequency Tolerance						
802.11be_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
Reading Frequency (Chain0)	MHz	5270.0080	5310.0090	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.5180	1.6949	-	±20	
Reading Frequency (Chain1)	MHz	5270.0080	5310.0090	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.5180	1.6949	-	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11be_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
Reading Frequency (Chain0)	MHz	5510.0070	5590.0080	5710.0050	---	PASS
Frequency Tolerance (Chain0)	ppm	1.2704	1.4311	0.8757	±20	
Reading Frequency (Chain1)	MHz	5510.0070	5590.0080	5710.0050	---	PASS
Frequency Tolerance (Chain1)	ppm	1.2704	1.4311	0.8757	±20	
Frequency Tolerance						
802.11be_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
Reading Frequency (Chain0)	MHz	5210.0060	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.1516	-	-	±20	
Reading Frequency (Chain1)	MHz	5210.0060	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.1516	-	-	±20	
Frequency Tolerance						
802.11be_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
Reading Frequency (Chain0)	MHz	5290.0070	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.3233	-	-	±20	
Reading Frequency (Chain1)	MHz	5290.0070	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.3233	-	-	±20	
Frequency Tolerance						
802.11be_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
Reading Frequency (Chain0)	MHz	5530.0060	5610.0070	5690.0080	---	PASS
Frequency Tolerance (Chain0)	ppm	1.0850	1.2478	1.4060	±20	
Reading Frequency (Chain1)	MHz	5530.0050	5610.0070	5690.0080	---	PASS
Frequency Tolerance (Chain1)	ppm	0.9042	1.2478	1.4060	±20	
Frequency Tolerance						
802.11be_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
Reading Frequency (Chain0)	MHz	5250.0070	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.3333	-	-	±20	
Reading Frequency (Chain1)	MHz	5250.0060	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.1429	-	-	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Frequency Tolerance						
802.11be_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
Reading Frequency (Chain0)	MHz	5570.0060	-	-	---	PASS
Frequency Tolerance (Chain0)	ppm	1.0772	-	-	±20	
Reading Frequency (Chain1)	MHz	5570.0060	-	-	---	PASS
Frequency Tolerance (Chain1)	ppm	1.0772	-	-	±20	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7 OCCUPIED BANDWIDTH

Occupied Bandwidth						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Occupied Bandwidth (Chain0)	MHz	17.0730	17.1510	17.0980	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.1380	17.2340	17.1090	≤ 20	PASS
Occupied Bandwidth						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Occupied Bandwidth (Chain0)	MHz	16.9210	17.1840	17.1530	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.1470	17.0650	17.0550	≤ 20	PASS
Occupied Bandwidth						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Occupied Bandwidth (Chain0)	MHz	17.0920	17.0960	17.0740	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.1280	17.1690	17.0540	≤ 20	PASS
Occupied Bandwidth						
802.11n_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Occupied Bandwidth (Chain0)	MHz	17.9930	17.9860	17.9850	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.9340	17.9420	17.9510	≤ 20	PASS
Occupied Bandwidth						
802.11n_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Occupied Bandwidth (Chain0)	MHz	17.9730	17.9920	17.9270	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.9710	17.9430	17.9690	≤ 20	PASS
Occupied Bandwidth						
802.11n_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Occupied Bandwidth (Chain0)	MHz	17.9760	17.9420	18.0120	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	17.9760	17.9810	17.9600	≤ 20	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Occupied Bandwidth						
802.11n_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
Occupied Bandwidth (Chain0)	MHz	36.5190	36.4220	-	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	36.4050	36.5110	-	≤ 40	PASS
Occupied Bandwidth						
802.11n_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
Occupied Bandwidth (Chain0)	MHz	36.4930	36.4690	-	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	36.4190	36.4950	-	≤ 40	PASS
Occupied Bandwidth						
802.11n_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
Occupied Bandwidth (Chain0)	MHz	36.4700	36.4920	36.5570	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	36.4320	36.4280	36.4650	≤ 40	PASS
Occupied Bandwidth						
802.11ac_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	76.2610	-	-	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	76.3550	-	-	≤ 80	PASS
Occupied Bandwidth						
802.11ac_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	76.2260	-	-	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	76.1340	-	-	≤ 80	PASS
Occupied Bandwidth						
802.11ac_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
Occupied Bandwidth (Chain0)	MHz	76.2250	76.1900	76.3260	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	76.1620	76.1700	76.3760	≤ 80	PASS
Occupied Bandwidth						
802.11ac_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	155.0500	-	-	≤ 160	PASS
Occupied Bandwidth (Chain1)	MHz	155.3620	-	-	≤ 160	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Occupied Bandwidth						
802.11ac_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	155.5240	-	-	≤ 160	PASS
Occupied Bandwidth (Chain1)	MHz	155.5380	-	-	≤ 160	PASS
Occupied Bandwidth						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Occupied Bandwidth (Chain0)	MHz	19.1780	19.0860	19.0540	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	19.0840	19.0600	19.0560	≤ 20	PASS
Occupied Bandwidth						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Occupied Bandwidth (Chain0)	MHz	19.0800	19.0810	19.0480	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	19.1120	19.0810	19.0540	≤ 20	PASS
Occupied Bandwidth						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Occupied Bandwidth (Chain0)	MHz	19.0710	19.0490	19.0580	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	19.1560	19.1010	19.0890	≤ 20	PASS
Occupied Bandwidth						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
Occupied Bandwidth (Chain0)	MHz	37.9500	37.9070	-	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	37.9920	38.0320	-	≤ 40	PASS
Occupied Bandwidth						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
Occupied Bandwidth (Chain0)	MHz	37.8970	37.9850	-	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	37.9460	38.0720	-	≤ 40	PASS
Occupied Bandwidth						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
Occupied Bandwidth (Chain0)	MHz	37.9290	37.9470	37.9460	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	38.1030	37.9370	38.0370	≤ 40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Occupied Bandwidth						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	77.6120	-	-	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.8780	-	-	≤ 80	PASS
Occupied Bandwidth						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	77.7970	-	-	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.7270	-	-	≤ 80	PASS
Occupied Bandwidth						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
Occupied Bandwidth (Chain0)	MHz	77.5560	77.9780	77.6890	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.8220	77.7540	77.7300	≤ 80	PASS
Occupied Bandwidth						
802.11ax_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	156.5180	-	-	≤ 160	PASS
Occupied Bandwidth (Chain1)	MHz	156.8960	-	-	≤ 160	PASS
Occupied Bandwidth						
802.11ax_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	156.9090	-	-	≤ 160	PASS
Occupied Bandwidth (Chain1)	MHz	156.6670	-	-	≤ 160	PASS
Occupied Bandwidth						
802.11be_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
Occupied Bandwidth (Chain0)	MHz	19.1060	19.1030	19.0500	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	19.0950	19.0650	19.1460	≤ 20	PASS
Occupied Bandwidth						
802.11be_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
Occupied Bandwidth (Chain0)	MHz	19.1200	19.0880	19.1400	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	19.0380	19.0980	19.1030	≤ 20	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Occupied Bandwidth						
802.11be_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
Occupied Bandwidth (Chain0)	MHz	19.0970	19.1020	19.0620	≤ 20	PASS
Occupied Bandwidth (Chain1)	MHz	19.1030	19.0990	19.0820	≤ 20	PASS
Occupied Bandwidth						
802.11be_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
Occupied Bandwidth (Chain0)	MHz	37.9110	37.9030	-	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	37.9000	38.0230	-	≤ 40	PASS
Occupied Bandwidth						
802.11be_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
Occupied Bandwidth (Chain0)	MHz	37.9910	37.9850	-	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	38.0690	37.9670	-	≤ 40	PASS
Occupied Bandwidth						
802.11be_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
Occupied Bandwidth (Chain0)	MHz	37.9990	37.9390	38.0170	≤ 40	PASS
Occupied Bandwidth (Chain1)	MHz	37.9550	37.9950	37.9940	≤ 40	PASS
Occupied Bandwidth						
802.11be_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	77.5360	-	-	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.8270	-	-	≤ 80	PASS
Occupied Bandwidth						
802.11be_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	77.6650	-	-	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.6100	-	-	≤ 80	PASS
Occupied Bandwidth						
802.11be_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
Occupied Bandwidth (Chain0)	MHz	77.6770	77.8650	77.8260	≤ 80	PASS
Occupied Bandwidth (Chain1)	MHz	77.6930	77.7780	77.6900	≤ 80	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Occupied Bandwidth						
802.11be_W52_W53_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5250	-	-	---	---
Channel Number	Ch.	50	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	156.2970	-	-	$\leq$ 160	PASS
Occupied Bandwidth (Chain1)	MHz	156.7280	-	-	$\leq$ 160	PASS
Occupied Bandwidth						
802.11be_W56_160MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5570	-	-	---	---
Channel Number	Ch.	114	-	-	---	---
Occupied Bandwidth (Chain0)	MHz	157.1730	-	-	$\leq$ 160	PASS
Occupied Bandwidth (Chain1)	MHz	156.7140	-	-	$\leq$ 160	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

8 ADJACENT CHANNEL LEAKAGE POWER

Adjacent Channel Leakage Power						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.24	-54.93	-55.02	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-31.69	-31.78	-31.48	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.91	-31.61	-32.08	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-54.18	-55.28	-55.50	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-53.76	-53.38	-53.22	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-30.92	-31.43	-30.85	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-32.26	-32.31	-32.06	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-53.88	-54.94	-54.93	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-53.99	-54.06	-53.98	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.29	-31.60	-31.14	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.09	-31.95	-32.07	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.03	-55.10	-55.19	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11a_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.91	-54.70	-54.58	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-33.61	-33.63	-33.54	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.39	-32.32	-31.43	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.66	-55.41	-55.59	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Adjacent Channel Leakage Power						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-55.47	-55.23	-55.30	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-31.01	-30.91	-31.27	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.33	-31.91	-32.10	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-56.37	-56.35	-56.26	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-53.23	-53.54	-54.10	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-30.66	-30.95	-30.81	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-31.80	-31.34	-31.51	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-54.39	-53.97	-54.21	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.11	-54.22	-54.60	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.82	-30.93	-31.01	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.58	-31.59	-31.77	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.18	-54.87	-55.02	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11a_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.30	-54.61	-54.98	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-33.30	-33.73	-33.00	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.49	-31.26	-31.68	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.47	-55.19	-55.41	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-55.05	-56.02	-55.53	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-31.39	-30.99	-30.94	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.47	-30.94	-31.84	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-55.63	-55.51	-56.98	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-55.09	-56.40	-56.13	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-31.03	-30.98	-30.97	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-31.91	-31.18	-31.60	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-55.90	-55.79	-56.16	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.07	-56.22	-55.83	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.20	-30.99	-30.96	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.69	-31.06	-31.72	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.77	-55.66	-56.53	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11a_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.37	-56.17	-56.16	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-33.41	-34.00	-33.03	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.15	-30.78	-30.93	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.84	-55.66	-56.62	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Adjacent Channel Leakage Power						
802.11n_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-53.57	-54.52	-54.69	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-31.12	-31.51	-30.84	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-30.77	-31.54	-31.37	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-53.71	-55.11	-55.26	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-53.12	-52.98	-52.44	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-30.94	-30.65	-30.18	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-31.12	-31.64	-31.37	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-53.29	-54.31	-54.24	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-53.33	-53.69	-53.38	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.03	-31.06	-30.49	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.94	-31.59	-31.37	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-53.49	-54.69	-54.70	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11n_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-52.03	-52.53	-52.49	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-28.52	-28.88	-28.75	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-28.91	-29.51	-29.80	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-52.91	-54.21	-54.02	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11n_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (± 10 MHz)(Chain0)	dBc	-54.99	-54.98	-54.90	$\leq$ -40	PASS
CF-20MHz (± 10 MHz)(Chain0)	dBc	-31.73	-30.90	-30.69	$\leq$ -25	PASS
CF+20MHz (± 10 MHz)(Chain0)	dBc	-30.75	-31.73	-30.96	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0)	dBc	-56.11	-56.18	-55.98	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain1)	dBc	-52.29	-52.70	-52.96	$\leq$ -40	PASS
CF-20MHz (± 10 MHz)(Chain1)	dBc	-30.73	-30.75	-30.07	$\leq$ -25	PASS
CF+20MHz (± 10 MHz)(Chain1)	dBc	-31.64	-30.83	-30.75	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain1)	dBc	-53.48	-53.10	-53.18	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-53.34	-53.58	-53.73	$\leq$ -40	PASS
CF-20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-31.16	-30.82	-30.34	$\leq$ -25	PASS
CF+20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-31.21	-31.21	-30.85	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-54.50	-54.23	-54.23	$\leq$ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11n_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-52.23	-52.44	-52.76	$\leq$ -40	PASS
CF-20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-28.31	-28.59	-28.53	$\leq$ -25	PASS
CF+20MHz (± 10 MHz)(Chain0+Chain1)	dBc	-29.02	-28.92	-29.45	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-53.71	-53.72	-53.75	$\leq$ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11n_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.82	-55.00	-55.39	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-30.38	-30.52	-30.16	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.11	-30.99	-31.62	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-55.54	-54.65	-57.05	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-54.71	-56.19	-55.81	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-29.81	-30.77	-30.51	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-31.46	-30.02	-30.97	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-55.77	-55.68	-55.95	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.76	-55.59	-55.59	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.08	-30.66	-30.32	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.28	-30.46	-31.27	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.65	-55.16	-56.45	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11n_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-53.56	-55.01	-54.27	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-28.66	-29.37	-28.95	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-29.46	-29.22	-29.67	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.91	-55.21	-55.86	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11n_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-47.97	-52.19	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-35.27	-36.16	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-35.31	-36.78	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-48.35	-50.96	-	$\leq$ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-47.67	-50.15	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-33.68	-36.27	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-34.09	-35.42	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-45.73	-47.44	-	$\leq$ -40	PASS
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-47.82	-51.00	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-34.38	-36.22	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-34.63	-36.01	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-46.80	-48.77	-	$\leq$ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11n_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-50.92	-50.76	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.13	-37.54	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-38.42	-39.47	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-50.61	-49.08	-	$\leq$ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11n_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-51.17	-50.47	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-32.16	-35.22	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-33.28	-36.34	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-50.55	-51.25	-	$\leq$ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-49.11	-46.26	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-36.57	-36.51	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-35.44	-35.44	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-49.20	-46.13	-	$\leq$ -40	PASS
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-49.92	-47.68	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-34.03	-35.88	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-34.33	-35.82	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-49.76	-47.75	-	$\leq$ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11n_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-51.05	-48.79	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-37.86	-35.31	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-39.54	-38.41	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-51.57	-48.27	-	$\leq$ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11n_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
CF-80MHz (±20MHz)(Chain0)	dBc	-52.46	-52.05	-49.14	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0)	dBc	-36.58	-36.43	-34.25	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0)	dBc	-35.11	-36.36	-37.47	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0)	dBc	-52.79	-51.61	-53.22	≤ -40	PASS
CF-80MHz (±20MHz)(Chain1)	dBc	-52.25	-51.75	-51.84	≤ -40	PASS
CF-40MHz (±20MHz)(Chain1)	dBc	-35.53	-36.09	-35.66	≤ -25	PASS
CF+40MHz (±20MHz)(Chain1)	dBc	-36.31	-34.76	-36.25	≤ -25	PASS
CF+80MHz (±20MHz)(Chain1)	dBc	-52.22	-50.50	-52.80	≤ -40	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.35	-51.89	-50.31	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-36.02	-36.25	-34.91	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-35.68	-35.45	-36.81	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.50	-50.99	-53.01	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11n_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.78	-52.49	-51.36	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-36.44	-36.27	-35.99	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-39.53	-38.56	-39.19	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.87	-51.74	-52.79	≤ -40	PASS
Adjacent Channel Leakage Power						
802.11ac_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-37.99	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-36.57	-	-	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-35.15	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-35.20	-	-	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-36.32	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-35.82	-	-	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ac_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-36.65	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.73	-	-	≤ -25	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ac_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-35.95	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-34.64	-	-	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-35.99	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-35.59	-	-	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-35.97	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-35.15	-	-	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ac_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-37.02	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.74	-	-	≤ -25	PASS
Adjacent Channel Leakage Power						
802.11ac_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-36.80	-37.80	-36.61	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-36.67	-36.09	-37.40	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-37.45	-37.70	-36.97	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-36.39	-36.00	-37.19	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-37.12	-37.75	-36.79	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-36.52	-36.04	-37.30	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ac_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-36.54	-36.41	-37.25	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.58	-38.51	-38.76	≤ -25	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-53.62	-55.66	-54.15	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-32.62	-32.16	-32.53	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.62	-32.64	-32.57	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-52.40	-55.77	-54.66	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-55.61	-54.85	-54.76	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-33.04	-32.55	-32.86	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-32.36	-32.70	-32.41	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-55.07	-55.98	-55.33	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.48	-55.23	-54.45	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.82	-32.36	-32.69	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.97	-32.67	-32.48	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-53.51	-55.88	-55.00	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.00	-55.18	-55.23	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.05	-29.74	-30.22	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.51	-30.88	-30.17	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.35	-56.22	-56.16	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.09	-55.03	-55.17	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-32.85	-31.91	-32.39	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-32.40	-32.54	-33.10	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-53.88	-56.05	-56.01	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-54.92	-56.09	-56.25	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-32.61	-32.54	-32.59	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-31.69	-32.02	-32.38	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-56.31	-55.30	-55.93	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.52	-55.59	-55.73	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.72	-32.25	-32.50	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.00	-32.24	-32.69	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.04	-55.61	-55.97	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.06	-55.80	-55.79	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-29.73	-30.55	-30.09	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.96	-30.64	-30.74	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-56.16	-56.44	-56.15	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.03	-56.47	-54.14	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-32.50	-32.65	-31.74	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-32.35	-32.47	-33.14	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-54.56	-56.35	-56.24	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-56.63	-56.78	-56.49	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-32.61	-32.71	-33.16	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-32.54	-33.03	-32.85	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-56.89	-56.23	-56.85	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.14	-56.62	-55.20	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.55	-32.68	-32.42	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.44	-32.75	-32.98	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.57	-56.29	-56.55	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-53.53	-55.54	-55.04	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-29.91	-31.00	-29.44	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.37	-31.40	-31.72	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.73	-55.45	-56.17	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-48.02	-48.86	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-37.39	-38.15	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-37.00	-38.50	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-46.45	-48.15	-	$\leq$ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-49.81	-45.96	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-36.31	-36.98	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-36.77	-35.98	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-45.76	-43.97	-	$\leq$ -40	PASS
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-48.83	-47.13	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.82	-37.51	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.88	-37.02	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-46.09	-45.52	-	$\leq$ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-51.22	-49.65	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-39.66	-40.27	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.19	-40.07	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-48.65	-48.24	-	$\leq$ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-51.58	-49.76	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-38.09	-38.15	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-37.88	-39.04	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-53.13	-50.61	-	$\leq$ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-45.43	-43.49	-	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-34.22	-36.14	-	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-35.38	-35.65	-	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-44.75	-42.30	-	$\leq$ -40	PASS
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-47.29	-45.32	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-35.59	-36.93	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.35	-36.86	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-46.92	-44.40	-	$\leq$ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-48.54	-47.46	-	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.47	-39.58	-	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.29	-40.05	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-48.81	-46.56	-	$\leq$ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
CF-80MHz (± 20 MHz)(Chain0)	dBc	-51.66	-51.01	-52.29	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain0)	dBc	-37.82	-38.63	-37.21	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain0)	dBc	-38.55	-37.69	-38.55	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain0)	dBc	-52.43	-51.75	-50.87	$\leq$ -40	PASS
CF-80MHz (± 20 MHz)(Chain1)	dBc	-49.91	-50.31	-51.96	$\leq$ -40	PASS
CF-40MHz (± 20 MHz)(Chain1)	dBc	-37.73	-37.89	-37.46	$\leq$ -25	PASS
CF+40MHz (± 20 MHz)(Chain1)	dBc	-37.13	-36.98	-38.11	$\leq$ -25	PASS
CF+80MHz (± 20 MHz)(Chain1)	dBc	-49.93	-49.20	-53.53	$\leq$ -40	PASS
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-50.68	-50.64	-52.11	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-37.77	-38.24	-37.33	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-37.77	-37.31	-38.32	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-50.99	-50.25	-52.01	$\leq$ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-52.17	-51.61	-51.98	$\leq$ -40	PASS
CF-40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.16	-37.60	-39.01	$\leq$ -25	PASS
CF+40MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.33	-41.49	-40.04	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-52.21	-51.47	-52.23	$\leq$ -40	PASS
Adjacent Channel Leakage Power						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
CF-80MHz (± 40 MHz)(Chain0)	dBc	-38.23	-	-	$\leq$ -25	PASS
CF+80MHz (± 40 MHz)(Chain0)	dBc	-39.10	-	-	$\leq$ -25	PASS
CF-80MHz (± 40 MHz)(Chain1)	dBc	-36.31	-	-	$\leq$ -25	PASS
CF+80MHz (± 40 MHz)(Chain1)	dBc	-34.48	-	-	$\leq$ -25	PASS
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-37.14	-	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-36.16	-	-	$\leq$ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
CF-80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.39	-	-	$\leq$ -25	PASS
CF+80MHz (± 10 MHz)(Chain0+Chain1)	dBc	-40.85	-	-	$\leq$ -25	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-37.75	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-36.83	-	-	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-39.79	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-38.37	-	-	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.78	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-37.63	-	-	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-40.42	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-41.82	-	-	≤ -25	PASS
Adjacent Channel Leakage Power						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-40.67	-41.28	-41.13	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-40.42	-38.86	-40.26	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-40.75	-39.97	-40.95	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-38.46	-39.01	-39.34	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-40.71	-40.55	-41.04	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-39.30	-38.93	-39.76	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11ax_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-40.15	-42.53	-39.46	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-40.65	-40.68	-40.73	≤ -25	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.61	-55.31	-55.92	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-32.33	-32.30	-32.03	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.73	-31.98	-32.36	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-54.15	-54.71	-56.21	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-55.73	-55.57	-55.76	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-32.34	-32.16	-32.37	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-32.70	-32.79	-32.76	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-55.65	-56.76	-56.88	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.15	-55.44	-55.83	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.34	-32.23	-32.20	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.20	-32.37	-32.57	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.86	-55.64	-56.55	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W52_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5180	5220	5240	---	---
Channel Number	Ch.	36	44	48	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.25	-55.35	-55.41	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.90	-29.95	-29.70	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.77	-30.34	-30.96	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.60	-56.11	-56.43	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.94	-55.24	-55.40	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-32.63	-32.66	-31.42	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-32.51	-32.77	-32.76	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-55.06	-55.95	-56.36	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-54.70	-56.20	-56.56	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-32.82	-32.62	-32.57	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-32.28	-31.99	-32.07	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-56.01	-56.09	-56.07	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.81	-55.75	-55.98	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.73	-32.64	-32.00	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.38	-32.32	-32.37	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.55	-56.03	-56.20	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W53_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5260	5300	5320	---	---
Channel Number	Ch.	52	60	64	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.73	-55.81	-55.66	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.30	-30.44	-30.41	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.09	-30.62	-30.57	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.67	-56.15	-56.03	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0)	dBc	-54.34	-56.94	-56.91	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0)	dBc	-31.85	-32.92	-31.57	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0)	dBc	-31.98	-32.43	-32.30	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0)	dBc	-55.30	-56.25	-56.65	≤ -40	PASS
CF-40MHz (±10MHz)(Chain1)	dBc	-55.83	-56.97	-56.80	≤ -40	PASS
CF-20MHz (±10MHz)(Chain1)	dBc	-31.53	-32.47	-32.39	≤ -25	PASS
CF+20MHz (±10MHz)(Chain1)	dBc	-32.19	-32.86	-32.67	≤ -25	PASS
CF+40MHz (±10MHz)(Chain1)	dBc	-56.40	-56.40	-56.94	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.00	-56.95	-56.85	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-31.68	-32.69	-31.95	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-32.07	-32.64	-32.48	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.80	-56.32	-56.78	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W56_20MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5500	5600	5720	---	---
Channel Number	Ch.	100	120	144	---	---
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-54.05	-55.78	-55.07	≤ -40	PASS
CF-20MHz (±10MHz)(Chain0+Chain1)	dBc	-29.76	-31.18	-30.19	≤ -25	PASS
CF+20MHz (±10MHz)(Chain0+Chain1)	dBc	-30.83	-30.98	-32.14	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-55.01	-55.57	-56.17	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
CF-80MHz (±20MHz)(Chain0)	dBc	-51.17	-52.10	-	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0)	dBc	-37.53	-38.29	-	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0)	dBc	-38.02	-37.77	-	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0)	dBc	-49.88	-51.16	-	≤ -40	PASS
CF-80MHz (±20MHz)(Chain1)	dBc	-49.17	-48.65	-	≤ -40	PASS
CF-40MHz (±20MHz)(Chain1)	dBc	-36.79	-38.03	-	≤ -25	PASS
CF+40MHz (±20MHz)(Chain1)	dBc	-36.78	-37.15	-	≤ -25	PASS
CF+80MHz (±20MHz)(Chain1)	dBc	-49.17	-48.60	-	≤ -40	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-50.04	-49.96	-	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-37.14	-38.15	-	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-37.34	-37.43	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-49.51	-49.63	-	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W52_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5190	5230	-	---	---
Channel Number	Ch.	38	46	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-51.17	-49.76	-	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-40.30	-40.20	-	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-40.65	-40.79	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-49.22	-49.07	-	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
CF-80MHz (±20MHz)(Chain0)	dBc	-52.97	-50.54	-	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0)	dBc	-37.42	-37.27	-	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0)	dBc	-37.93	-37.02	-	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0)	dBc	-53.63	-51.60	-	≤ -40	PASS
CF-80MHz (±20MHz)(Chain1)	dBc	-52.78	-46.14	-	≤ -40	PASS
CF-40MHz (±20MHz)(Chain1)	dBc	-36.73	-38.01	-	≤ -25	PASS
CF+40MHz (±20MHz)(Chain1)	dBc	-37.29	-36.45	-	≤ -25	PASS
CF+80MHz (±20MHz)(Chain1)	dBc	-53.78	-46.29	-	≤ -40	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.86	-47.59	-	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-37.03	-37.66	-	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-37.56	-36.69	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-53.71	-47.93	-	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W53_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5270	5310	-	---	---
Channel Number	Ch.	54	62	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.45	-47.53	-	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-40.50	-38.90	-	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-41.36	-40.56	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-53.58	-47.22	-	≤ -40	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
CF-80MHz (±20MHz)(Chain0)	dBc	-52.03	-51.82	-50.96	≤ -40	PASS
CF-40MHz (±20MHz)(Chain0)	dBc	-37.49	-37.40	-36.40	≤ -25	PASS
CF+40MHz (±20MHz)(Chain0)	dBc	-38.43	-37.61	-38.20	≤ -25	PASS
CF+80MHz (±20MHz)(Chain0)	dBc	-52.25	-51.58	-52.92	≤ -40	PASS
CF-80MHz (±20MHz)(Chain1)	dBc	-51.74	-52.17	-51.11	≤ -40	PASS
CF-40MHz (±20MHz)(Chain1)	dBc	-37.77	-37.75	-36.94	≤ -25	PASS
CF+40MHz (±20MHz)(Chain1)	dBc	-37.38	-37.70	-37.37	≤ -25	PASS
CF+80MHz (±20MHz)(Chain1)	dBc	-51.79	-51.46	-51.85	≤ -40	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-51.87	-52.01	-51.04	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-37.63	-37.59	-36.67	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-37.84	-37.67	-37.75	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.01	-51.51	-52.33	≤ -40	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W56_40MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5510	5590	5710	---	---
Channel Number	Ch.	102	118	142	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.30	-52.00	-51.82	≤ -40	PASS
CF-40MHz (±10MHz)(Chain0+Chain1)	dBc	-39.20	-39.08	-40.87	≤ -25	PASS
CF+40MHz (±10MHz)(Chain0+Chain1)	dBc	-40.51	-38.49	-37.55	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-52.27	-51.05	-53.19	≤ -40	PASS
Adjacent Channel Leakage Power						
802.11be_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-39.84	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-38.56	-	-	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-40.04	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-37.91	-	-	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-39.94	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.22	-	-	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W52_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5210	-	-	---	---
Channel Number	Ch.	42	-	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-40.83	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-41.16	-	-	≤ -25	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Adjacent Channel Leakage Power						
802.11be_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-40.64	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-39.27	-	-	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-36.95	-	-	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-36.82	-	-	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.22	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-37.74	-	-	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W53_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5290	-	-	---	---
Channel Number	Ch.	58	-	-	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-39.39	-	-	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-39.22	-	-	≤ -25	PASS
Adjacent Channel Leakage Power						
802.11be_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
CF-80MHz (±40MHz)(Chain0)	dBc	-40.36	-40.57	-39.50	≤ -25	PASS
CF+80MHz (±40MHz)(Chain0)	dBc	-40.10	-38.88	-39.92	≤ -25	PASS
CF-80MHz (±40MHz)(Chain1)	dBc	-36.96	-41.35	-40.12	≤ -25	PASS
CF+80MHz (±40MHz)(Chain1)	dBc	-37.21	-39.05	-39.73	≤ -25	PASS
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.29	-40.96	-39.81	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-38.38	-38.96	-39.82	≤ -25	PASS
Adjacent Channel Leakage Power(Combiner)						
802.11be_W56_80MHz	unit	---	---	---	Limit	Result
Measurement Center Frequency	MHz	5530	5610	5690	---	---
Channel Number	Ch.	106	122	138	---	---
CF-80MHz (±10MHz)(Chain0+Chain1)	dBc	-39.48	-40.76	-40.39	≤ -25	PASS
CF+80MHz (±10MHz)(Chain0+Chain1)	dBc	-40.49	-41.17	-41.79	≤ -25	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。






This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.