





Appendix A


Frequency Error


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	1-DH5	2402	Ant1	2402.02	20000	8.33	50	Pass
NVNT	1-DH5	2441	Ant1	2441.022	22000	9.01	50	Pass
NVNT	1-DH5	2480	Ant1	2480.022	22000	8.87	50	Pass
HVNT	1-DH5	2402	Ant1	2402.02	20000	8.33	50	Pass
HVNT	1-DH5	2441	Ant1	2441.02	20000	8.19	50	Pass
HVNT	1-DH5	2480	Ant1	2480.022	22000	8.87	50	Pass
LVNT	1-DH5	2402	Ant1	2402.02	20000	8.33	50	Pass
LVNT	1-DH5	2441	Ant1	2441.02	20000	8.19	50	Pass
LVNT	1-DH5	2480	Ant1	2480.02	20000	8.06	50	Pass















Antenna Power


Condition	Mode	Frequency (MHz)	Antenna	Power (dBm)	Power (mW)	Spread BW (MHz)	Power (mW/MHz)	Limit (mW/MHz)	Declared Power (mW/MHz)	Tolerance (%)	Upper Limit (%)	Verdict
NVNT	1-DH5	hopping	Ant1	-2.34	0.583	70.969	0.008	3	0.008	0	20	Pass
NVNT	1-DH5	hopping	Ant1	-2.25	0.596	70.969	0.008	3	0.008	0	20	Pass
NVNT	1-DH5	hopping	Ant1	-2.17	0.607	70.969	0.009	3	0.008	12.5	20	Pass
NVNT	2-DH5	hopping	Ant1	-3.64	0.433	70.969	0.006	3	0.006	0.0	20	Pass
NVNT	2-DH5	hopping	Ant1	-3.47	0.45	70.969	0.006	3	0.006	0	20	Pass
NVNT	2-DH5	hopping	Ant1	-3.41	0.456	70.969	0.006	3	0.006	0	20	Pass
NVNT	3-DH5	hopping	Ant1	-3.61	0.436	70.969	0.006	3	0.006	0	20	Pass
NVNT	3-DH5	hopping	Ant1	-3.55	0.442	70.969	0.006	3	0.006	0	20	Pass
NVNT	3-DH5	hopping	Ant1	-3.38	0.459	70.969	0.006	3	0.006	0	20	Pass
HVNT	1-DH5	hopping	Ant1	-2	0.631	70.969	0.009	3	0.008	12.5	20	Pass
HVNT	1-DH5	hopping	Ant1	-2.1	0.617	70.37	0.009	3	0.008	12.5	20	Pass
HVNT	1-DH5	hopping	Ant1	-1.79	0.662	70.37	0.009	3	0.008	12.5	20	Pass
HVNT	2-DH5	hopping	Ant1	-3.22	0.476	70.729	0.007	3	0.006	16.7	20	Pass
HVNT	2-DH5	hopping	Ant1	-3.13	0.486	70.729	0.007	3	0.006	16.7	20	Pass
HVNT	2-DH5	hopping	Ant1	-3.11	0.489	70.729	0.007	3	0.006	16.7	20	Pass
HVNT	3-DH5	hopping	Ant1	-3.16	0.483	70.49	0.007	3	0.006	16.7	20	Pass
HVNT	3-DH5	hopping	Ant1	-3.02	0.499	70.49	0.007	3	0.006	16.7	20	Pass
HVNT	3-DH5	hopping	Ant1	-2.97	0.505	70.49	0.007	3	0.006	16.7	20	Pass
LVNT	1-DH5	hopping	Ant1	-2	0.631	70.49	0.009	3	0.008	12.5	20	Pass
LVNT	1-DH5	hopping	Ant1	-1.88	0.649	70.49	0.009	3	0.008	12.5	20	Pass
LVNT	1-DH5	hopping	Ant1	-1.78	0.664	70.49	0.009	3	0.008	12.5	20	Pass
LVNT	2-DH5	hopping	Ant1	-3.16	0.483	70.609	0.007	3	0.006	16.7	20	Pass
LVNT	2-DH5	hopping	Ant1	-3.11	0.489	70.609	0.007	3	0.006	16.7	20	Pass
LVNT	2-DH5	hopping	Ant1	-3.06	0.494	70.609	0.007	3	0.006	16.7	20	Pass
LVNT	3-DH5	hopping	Ant1	-3.29	0.469	70.849	0.007	3	0.006	16.7	20	Pass
LVNT	3-DH5	hopping	Ant1	-3.12	0.488	70.849	0.007	3	0.006	16.7	20	Pass
LVNT	3-DH5	hopping	Ant1	-3.03	0.498	70.849	0.007	3	0.006	16.7	20	Pass


Test Graphs


Power NVNT 1-DH5 hopping Ant1





Power NVNT 1-DH5 hopping Ant1











































EIRP Power


Condition	Mode	Frequency (MHz)	Antenna	Antenna Power (mW/MHz)	Antenna Power (dBm/MHz)	Gain (dBi)	EIRP Power (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	hopping	Ant1	0.008	-20.97	2.7	-18.27	6.91	Pass
NVNT	1-DH5	hopping	Ant1	0.008	-20.97	2.7	-18.27	6.91	Pass
NVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.006	-22.22	2.7	-19.52	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.006	-22.22	2.7	-19.52	6.91	Pass
NVNT	2-DH5	hopping	Ant1	0.006	-22.22	2.7	-19.52	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.006	-22.22	2.7	-19.52	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.006	-22.22	2.7	-19.52	6.91	Pass
NVNT	3-DH5	hopping	Ant1	0.006	-22.22	2.7	-19.52	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
HVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
HVNT	2-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
HVNT	3-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
LVNT	1-DH5	hopping	Ant1	0.009	-20.46	2.7	-17.76	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
LVNT	2-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass
LVNT	3-DH5	hopping	Ant1	0.007	-21.55	2.7	-18.85	6.91	Pass


Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	0.872
NVNT	1-DH5	2441	Ant1	0.858
NVNT	1-DH5	2480	Ant1	0.891
NVNT	2-DH5	2402	Ant1	1.192
NVNT	2-DH5	2441	Ant1	1.18
NVNT	2-DH5	2480	Ant1	1.185
NVNT	3-DH5	2402	Ant1	1.18
NVNT	3-DH5	2441	Ant1	1.194
NVNT	3-DH5	2480	Ant1	1.199
HVNT	1-DH5	2402	Ant1	0.88
HVNT	1-DH5	2441	Ant1	0.855
HVNT	1-DH5	2480	Ant1	0.886
HVNT	2-DH5	2402	Ant1	1.179
HVNT	2-DH5	2441	Ant1	1.185
HVNT	2-DH5	2480	Ant1	1.191
HVNT	3-DH5	2402	Ant1	1.195
HVNT	3-DH5	2441	Ant1	1.191
HVNT	3-DH5	2480	Ant1	1.197
LVNT	1-DH5	2402	Ant1	0.877
LVNT	1-DH5	2441	Ant1	0.879
LVNT	1-DH5	2480	Ant1	0.902
LVNT	2-DH5	2402	Ant1	1.195
LVNT	2-DH5	2441	Ant1	1.194
LVNT	2-DH5	2480	Ant1	1.191
LVNT	3-DH5	2402	Ant1	1.193
LVNT	3-DH5	2441	Ant1	1.192
LVNT	3-DH5	2480	Ant1	1.188
















































Occupied Channel Bandwidth (Hopping)



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH5	2402	Ant1	78.162
NVNT	2-DH5	2402	Ant1	78.282
NVNT	3-DH5	2402	Ant1	78.282
HVNT	1-DH5	2402	Ant1	78.162
HVNT	2-DH5	2402	Ant1	78.282
HVNT	3-DH5	2402	Ant1	78.282
LVNT	1-DH5	2402	Ant1	78.162
LVNT	2-DH5	2402	Ant1	78.162
LVNT	3-DH5	2402	Ant1	78.282


















Spreading Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	90% OBW (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	70.969	0.5	Pass
NVNT	2-DH5	2402	Ant1	70.969	0.5	Pass
NVNT	3-DH5	2402	Ant1	70.969	0.5	Pass
HVNT	1-DH5	2402	Ant1	70.37	0.5	Pass
HVNT	2-DH5	2402	Ant1	70.729	0.5	Pass
HVNT	3-DH5	2402	Ant1	70.49	0.5	Pass
LVNT	1-DH5	2402	Ant1	70.49	0.5	Pass
LVNT	2-DH5	2402	Ant1	70.609	0.5	Pass
LVNT	3-DH5	2402	Ant1	70.849	0.5	Pass














Tx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (uW)	Max RMS Value (uW)	Limit Start(uW)	Limit Stop (uW)	Verdict
NVNT	1-DH5	2402	Ant1	30-1000	168.03	-47.98	NA	0.0159	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	1000-2387	2209.88	-44.39	NA	0.0364	NA	2.5	2.5	Pass
NVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-41.99	NA	0.0632	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2483.5-2496.5	2493.00	-53.85	NA	0.0041	NA	25	25	Pass
NVNT	1-DH5	2402	Ant1	2496.5-13000	9608.42	-38.35	NA	0.1462	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	30-1000	168.03	-48.19	NA	0.0152	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	1000-2387	2249.27	-42.80	NA	0.0525	NA	2.5	2.5	Pass
NVNT	1-DH5	2441	Ant1	2387-2400	2399.31	-51.20	NA	0.0076	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2483.5-2496.5	2489.07	-49.92	NA	0.0102	NA	25	25	Pass
NVNT	1-DH5	2441	Ant1	2496.5-13000	9764.92	-38.86	NA	0.13	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	30-1000	168.03	-47.19	NA	0.0191	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	1000-2387	2288.38	-41.98	NA	0.0634	NA	2.5	2.5	Pass
NVNT	1-DH5	2480	Ant1	2387-2400	2387.79	-54.57	NA	0.0035	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2483.5-2496.5	2490.94	-51.89	NA	0.0065	NA	25	25	Pass
NVNT	1-DH5	2480	Ant1	2496.5-13000	2612.04	-34.62	NA	0.3451	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	30-1000	168.03	-46.63	NA	0.0217	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	1000-2387	2210.16	-44.72	NA	0.0337	NA	2.5	2.5	Pass
NVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-35.89	NA	0.2576	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2483.5-2496.5	2490.90	-53.01	NA	0.005	NA	25	25	Pass
NVNT	2-DH5	2402	Ant1	2496.5-13000	2532.21	-22.71	-41.11	5.358	0.0774	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	30-1000	168.03	-47.39	NA	0.0182	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	1000-2387	2249.41	-43.44	NA	0.0453	NA	2.5	2.5	Pass
NVNT	2-DH5	2441	Ant1	2387-2400	2397.46	-49.20	NA	0.012	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2483.5-2496.5	2488.66	-50.56	NA	0.0088	NA	25	25	Pass
NVNT	2-DH5	2441	Ant1	2496.5-13000	9763.87	-38.89	NA	0.1291	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	30-1000	143.98	-48.08	NA	0.0156	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	1000-2387	2288.11	-42.28	NA	0.0592	NA	2.5	2.5	Pass
NVNT	2-DH5	2480	Ant1	2387-2400	2391.77	-54.04	NA	0.0039	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2483.5-2496.5	2488.24	-53.18	NA	0.0048	NA	25	25	Pass
NVNT	2-DH5	2480	Ant1	2496.5-13000	2532.21	-39.26	NA	0.1186	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	30-1000	168.03	-46.88	NA	0.0205	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	1000-2387	2210.02	-44.82	NA	0.033	NA	2.5	2.5	Pass
NVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-33.84	NA	0.413	NA	25	25	Pass
NVNT	3-DH5	2402	Ant1	2483.5-2496.5	2496.18	-52.06	NA	0.0062	NA	25	25	Pass
NVNT	3-DH5	2402	Ant1	2496.5-13000	2519.61	-36.44	NA	0.227	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	30-1000	168.03	-46.93	NA	0.0203	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	1000-2387	2249.13	-43.66	NA	0.0431	NA	2.5	2.5	Pass
NVNT	3-DH5	2441	Ant1	2387-2400	2399.27	-50.64	NA	0.0086	NA	25	25	Pass



NVNT	3-DH5	2441	Ant1	2483.5-2496.5	2485.28	-52.32	NA	0.0059	NA	25	25	Pass
NVNT	3-DH5	2441	Ant1	2496.5-13000	2533.26	-37.44	NA	0.1803	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	30-1000	168.03	-47.17	NA	0.0192	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	1000-2387	2288.11	-42.58	NA	0.0552	NA	2.5	2.5	Pass
NVNT	3-DH5	2480	Ant1	2387-2400	2399.47	-54.25	NA	0.0038	NA	25	25	Pass
NVNT	3-DH5	2480	Ant1	2483.5-2496.5	2494.86	-52.43	NA	0.0057	NA	25	25	Pass
NVNT	3-DH5	2480	Ant1	2496.5-13000	9920.37	-38.41	NA	0.1442	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	30-1000	952.57	-46.34	NA	0.0232	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	1000-2387	2210.30	-44.55	NA	0.0351	NA	2.5	2.5	Pass
HVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-39.75	NA	0.1059	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2483.5-2496.5	2486.44	-54.12	NA	0.0039	NA	25	25	Pass
HVNT	1-DH5	2402	Ant1	2496.5-13000	9608.42	-38.64	NA	0.1368	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	30-1000	952.96	-48.72	NA	0.0134	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	1000-2387	2249.13	-43.08	NA	0.0492	NA	2.5	2.5	Pass
HVNT	1-DH5	2441	Ant1	2387-2400	2396.90	-50.98	NA	0.008	NA	25	25	Pass
HVNT	1-DH5	2441	Ant1	2483.5-2496.5	2488.95	-51.05	NA	0.0079	NA	25	25	Pass
HVNT	1-DH5	2441	Ant1	2496.5-13000	9764.92	-39.16	NA	0.1213	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	30-1000	951.99	-45.77	NA	0.0265	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	1000-2387	2288.38	-41.70	NA	0.0676	NA	2.5	2.5	Pass
HVNT	1-DH5	2480	Ant1	2387-2400	2398.33	-55.44	NA	0.0029	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2483.5-2496.5	2486.85	-51.75	NA	0.0067	NA	25	25	Pass
HVNT	1-DH5	2480	Ant1	2496.5-13000	9920.37	-39.26	NA	0.1186	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	30-1000	951.40	-47.65	NA	0.0172	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	1000-2387	2209.88	-45.36	NA	0.0291	NA	2.5	2.5	Pass
HVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-35.13	NA	0.3069	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2483.5-2496.5	2494.93	-54.13	NA	0.0039	NA	25	25	Pass
HVNT	2-DH5	2402	Ant1	2496.5-13000	9608.42	-38.33	NA	0.1469	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	30-1000	949.56	-46.75	NA	0.0211	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	1000-2387	2249.41	-43.52	NA	0.0445	NA	2.5	2.5	Pass
HVNT	2-DH5	2441	Ant1	2387-2400	2394.65	-50.73	NA	0.0085	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2483.5-2496.5	2487.75	-51.21	NA	0.0076	NA	25	25	Pass
HVNT	2-DH5	2441	Ant1	2496.5-13000	9763.87	-39.38	NA	0.1153	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	30-1000	951.79	-46.58	NA	0.022	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	1000-2387	2288.38	-42.79	NA	0.0526	NA	2.5	2.5	Pass
HVNT	2-DH5	2480	Ant1	2387-2400	2389.67	-53.57	NA	0.0044	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2483.5-2496.5	2496.49	-52.90	NA	0.0051	NA	25	25	Pass
HVNT	2-DH5	2480	Ant1	2496.5-13000	3516.39	-38.27	NA	0.1489	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	30-1000	952.66	-47.79	NA	0.0166	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	1000-2387	2210.16	-45.06	NA	0.0312	NA	2.5	2.5	Pass
HVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-33.53	NA	0.4436	NA	25	25	Pass
HVNT	3-DH5	2402	Ant1	2483.5-2496.5	2486.65	-55.15	NA	0.0031	NA	25	25	Pass
HVNT	3-DH5	2402	Ant1	2496.5-13000	9608.42	-38.13	NA	0.1538	NA	2.5	2.5	Pass
HVNT	3-DH5	2441	Ant1	30-1000	953.05	-46.50	NA	0.0224	NA	2.5	2.5	Pass
HVNT	3-DH5	2441	Ant1	1000-2387	2249.13	-43.84	NA	0.0413	NA	2.5	2.5	Pass




HVNT	3-DH5	2441	Ant1	2387-2400	2396.96	-51.22	NA	0.0076	NA	25	25	Pass
HVNT	3-DH5	2441	Ant1	2483.5-2496.5	2488.82	-51.31	NA	0.0074	NA	25	25	Pass
HVNT	3-DH5	2441	Ant1	2496.5-13000	9764.92	-38.90	NA	0.1288	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	30-1000	954.02	-46.47	NA	0.0225	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	1000-2387	2288.11	-42.27	NA	0.0593	NA	2.5	2.5	Pass
HVNT	3-DH5	2480	Ant1	2387-2400	2396.04	-54.54	NA	0.0035	NA	25	25	Pass
HVNT	3-DH5	2480	Ant1	2483.5-2496.5	2495.22	-53.42	NA	0.0045	NA	25	25	Pass
HVNT	3-DH5	2480	Ant1	2496.5-13000	9920.37	-39.07	NA	0.1239	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	30-1000	956.93	-48.14	NA	0.0153	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	1000-2387	2210.43	-44.29	NA	0.0372	NA	2.5	2.5	Pass
LVNT	1-DH5	2402	Ant1	2387-2400	2400.00	-41.23	NA	0.0753	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2483.5-2496.5	2487.54	-52.09	NA	0.0062	NA	25	25	Pass
LVNT	1-DH5	2402	Ant1	2496.5-13000	9608.42	-38.13	NA	0.1538	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	30-1000	952.66	-48.33	NA	0.0147	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	1000-2387	2249.13	-43.62	NA	0.0435	NA	2.5	2.5	Pass
LVNT	1-DH5	2441	Ant1	2387-2400	2398.98	-50.41	NA	0.0091	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2483.5-2496.5	2489.10	-52.09	NA	0.0062	NA	25	25	Pass
LVNT	1-DH5	2441	Ant1	2496.5-13000	9764.92	-39.50	NA	0.1122	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	30-1000	949.56	-46.83	NA	0.0207	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	1000-2387	2288.25	-41.70	NA	0.0676	NA	2.5	2.5	Pass
LVNT	1-DH5	2480	Ant1	2387-2400	2389.91	-54.44	NA	0.0036	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2483.5-2496.5	2496.28	-52.52	NA	0.0056	NA	25	25	Pass
LVNT	1-DH5	2480	Ant1	2496.5-13000	9920.37	-39.06	NA	0.1242	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	30-1000	953.05	-48.22	NA	0.0151	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	1000-2387	2210.43	-44.73	NA	0.0337	NA	2.5	2.5	Pass
LVNT	2-DH5	2402	Ant1	2387-2400	2400.00	-35.94	NA	0.2547	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2483.5-2496.5	2484.46	-53.27	NA	0.0047	NA	25	25	Pass
LVNT	2-DH5	2402	Ant1	2496.5-13000	9608.42	-38.57	NA	0.139	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	30-1000	952.57	-49.30	NA	0.0117	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	1000-2387	2248.85	-44.26	NA	0.0375	NA	2.5	2.5	Pass
LVNT	2-DH5	2441	Ant1	2387-2400	2399.47	-49.83	NA	0.0104	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2483.5-2496.5	2488.56	-51.88	NA	0.0065	NA	25	25	Pass
LVNT	2-DH5	2441	Ant1	2496.5-13000	9764.92	-39.26	NA	0.1186	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	30-1000	951.79	-47.67	NA	0.0171	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	1000-2387	2288.25	-42.58	NA	0.0552	NA	2.5	2.5	Pass
LVNT	2-DH5	2480	Ant1	2387-2400	2388.42	-53.89	NA	0.0041	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2483.5-2496.5	2485.40	-51.22	NA	0.0076	NA	25	25	Pass
LVNT	2-DH5	2480	Ant1	2496.5-13000	3504.84	-28.52	-61.89	1.406	0.0006	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	30-1000	953.34	-48.58	NA	0.0139	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	1000-2387	2210.16	-44.65	NA	0.0343	NA	2.5	2.5	Pass
LVNT	3-DH5	2402	Ant1	2387-2400	2400.00	-33.29	NA	0.4688	NA	25	25	Pass
LVNT	3-DH5	2402	Ant1	2483.5-2496.5	2488.04	-54.56	NA	0.0035	NA	25	25	Pass
LVNT	3-DH5	2402	Ant1	2496.5-13000	9608.42	-37.90	NA	0.1622	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	30-1000	957.13	-47.17	NA	0.0192	NA	2.5	2.5	Pass




LVNT	3-DH5	2441	Ant1	1000-2387	2248.99	-43.90	NA	0.0407	NA	2.5	2.5	Pass
LVNT	3-DH5	2441	Ant1	2387-2400	2392.46	-50.47	NA	0.009	NA	25	25	Pass
LVNT	3-DH5	2441	Ant1	2483.5-2496.5	2484.88	-52.04	NA	0.0063	NA	25	25	Pass
LVNT	3-DH5	2441	Ant1	2496.5-13000	9764.92	-38.76	NA	0.133	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	30-1000	955.28	-47.88	NA	0.0163	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	1000-2387	2288.38	-42.23	NA	0.0598	NA	2.5	2.5	Pass
LVNT	3-DH5	2480	Ant1	2387-2400	2397.54	-54.03	NA	0.004	NA	25	25	Pass
LVNT	3-DH5	2480	Ant1	2483.5-2496.5	2483.50	-52.29	NA	0.0059	NA	25	25	Pass
LVNT	3-DH5	2480	Ant1	2496.5-13000	9920.37	-39.16	NA	0.1213	NA	2.5	2.5	Pass



Test Graphs



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 @ 30MHz-1000MHz






Tx. Spurious NVNT 1-DH5 2402MHz Ant1 @ 1000MHz-2387MHz



















































































































































































































































Dwell Time



Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (s)	Burst Count	Period Time (ms)	Limit (s)	Verdict
NVNT	1-DH5	2402	Ant1	2.887	0.268491	93	28387.6	0.4	Pass
NVNT	1-DH5	2441	Ant1	2.888	0.285912	99	28387.6	0.4	Pass
NVNT	1-DH5	2480	Ant1	2.887	0.285813	99	28387.6	0.4	Pass
NVNT	2-DH5	2402	Ant1	2.886	0.294372	102	28387.6	0.4	Pass
NVNT	2-DH5	2441	Ant1	2.891	0.306446	106	28387.6	0.4	Pass
NVNT	2-DH5	2480	Ant1	2.893	0.274835	95	28387.6	0.4	Pass
NVNT	3-DH5	2402	Ant1	2.894	0.27493	95	28387.6	0.4	Pass
NVNT	3-DH5	2441	Ant1	2.893	0.295086	102	28387.6	0.4	Pass
NVNT	3-DH5	2480	Ant1	2.893	0.274835	95	28387.6	0.4	Pass
HVNT	1-DH5	2402	Ant1	2.887	0.239621	83	28148	0.4	Pass
HVNT	1-DH5	2441	Ant1	2.886	0.262626	91	28148	0.4	Pass
HVNT	1-DH5	2480	Ant1	2.886	0.282828	98	28148	0.4	Pass
HVNT	2-DH5	2402	Ant1	2.892	0.292092	101	28291.6	0.4	Pass
HVNT	2-DH5	2441	Ant1	2.892	0.306552	106	28291.6	0.4	Pass
HVNT	2-DH5	2480	Ant1	2.891	0.294882	102	28291.6	0.4	Pass
HVNT	3-DH5	2402	Ant1	2.893	0.271942	94	28196	0.4	Pass
HVNT	3-DH5	2441	Ant1	2.893	0.257477	89	28196	0.4	Pass
HVNT	3-DH5	2480	Ant1	2.893	0.26037	90	28196	0.4	Pass
LVNT	1-DH5	2402	Ant1	2.887	0.306022	106	28196	0.4	Pass
LVNT	1-DH5	2441	Ant1	2.886	0.294372	102	28196	0.4	Pass
LVNT	1-DH5	2480	Ant1	2.887	0.248282	86	28196	0.4	Pass
LVNT	2-DH5	2402	Ant1	2.892	0.280524	97	28243.6	0.4	Pass
LVNT	2-DH5	2441	Ant1	2.89	0.25432	88	28243.6	0.4	Pass
LVNT	2-DH5	2480	Ant1	2.891	0.263081	91	28243.6	0.4	Pass
LVNT	3-DH5	2402	Ant1	2.893	0.266156	92	28339.6	0.4	Pass
LVNT	3-DH5	2441	Ant1	2.893	0.266156	92	28339.6	0.4	Pass
LVNT	3-DH5	2480	Ant1	2.893	0.237226	82	28339.6	0.4	Pass






















































































Rx Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Peak Value (dBm)	Max RMS Value (dBm)	Max Peak Value (nW)	Max RMS Value (nW)	Limit (nW)	Verdict
NVNT	1-DH5	2402	Ant1	30-1000	168.07	-59.00	-61.66	1.2589	0.6823	4	Pass
NVNT	1-DH5	2402	Ant1	1000-13000	2534.00	-60.37	NA	0.9183	NA	20	Pass
NVNT	2-DH5	2402	Ant1	30-1000	168.07	-59.00	-61.82	1.2589	0.6577	4	Pass
NVNT	2-DH5	2402	Ant1	1000-13000	2534.00	-60.39	NA	0.9141	NA	20	Pass
NVNT	3-DH5	2402	Ant1	30-1000	168.07	-58.89	-61.79	1.2912	0.6622	4	Pass
NVNT	3-DH5	2402	Ant1	1000-13000	12659.80	-64.32	NA	0.3698	NA	20	Pass
HVNT	1-DH5	2402	Ant1	30-1000	954.85	-57.81	-57.21	1.6558	1.9011	4	Pass
HVNT	1-DH5	2402	Ant1	1000-13000	3498.80	-61.22	NA	0.7551	NA	20	Pass
HVNT	2-DH5	2402	Ant1	30-1000	958.63	-58.27	-58.77	1.4894	1.3274	4	Pass
HVNT	2-DH5	2402	Ant1	1000-13000	11246.40	-64.32	NA	0.3698	NA	20	Pass
HVNT	3-DH5	2402	Ant1	30-1000	957.28	-57.28	-56.32	1.8707	2.3335	4	Pass
HVNT	3-DH5	2402	Ant1	1000-13000	12622.60	-63.79	NA	0.4178	NA	20	Pass
LVNT	1-DH5	2402	Ant1	30-1000	958.54	-58.81	-56.02	1.3152	2.5003	4	Pass
LVNT	1-DH5	2402	Ant1	1000-13000	11205.60	-64.57	NA	0.3491	NA	20	Pass
LVNT	2-DH5	2402	Ant1	30-1000	956.11	-57.89	-57.82	1.6255	1.652	4	Pass
LVNT	2-DH5	2402	Ant1	1000-13000	12625.00	-63.47	NA	0.4498	NA	20	Pass
LVNT	3-DH5	2402	Ant1	30-1000	957.37	-56.70	-55.35	2.138	2.9174	4	Pass
LVNT	3-DH5	2402	Ant1	1000-13000	6998.80	-64.45	NA	0.3589	NA	20	Pass

