

Table of Contents

1. Frequency Tolerance	2
2. Occupied Frequency Bandwidth	5
3. Burst Length.....	16
4. RF output power && E.I.R.P(Without TPC).....	22
5. Secondary emission of radio wave	43
6. Spurious Emissions.....	54
7. ACP Measure.....	84


Telec WIFI5.2G

MIC 5.2G WIFI Test Data


1. Frequency Tolerance

Condition	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	5180	Ant1	5179.988	-2.32	50	Pass
NVNT	5200	Ant1	5199.977	-4.42	50	Pass
NVNT	5240	Ant1	5239.976	-4.58	50	Pass
NVNT	5190	Ant1	5189.976	-4.62	50	Pass
NVNT	5230	Ant1	5229.975	-4.78	50	Pass
NVNT	5210	Ant1	5209.976	-4.61	50	Pass


Freq. Error NVNT a 5180MHz Ant1




Freq. Error NVNT a 5200MHz Ant1




Freq. Error NVNT a 5240MHz Ant1




Freq. Error NVNT ac40 5190MHz Ant1



Freq. Error NVNT ac40 5230MHz Ant1



Freq. Error NVNT ac80 5210MHz Ant1




2. Occupied Frequency Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5180	Ant1	16.353	20	Pass
NVNT	a	5200	Ant1	16.286	20	Pass
NVNT	a	5240	Ant1	16.308	20	Pass
NVNT	ac20	5180	Ant1	17.574	20	Pass
NVNT	ac20	5200	Ant1	17.499	20	Pass
NVNT	ac20	5240	Ant1	17.523	20	Pass
NVNT	ac40	5190	Ant1	35.833	40	Pass
NVNT	ac40	5230	Ant1	36.03	40	Pass
NVNT	ac80	5210	Ant1	75.653	80	Pass
NVNT	n20	5180	Ant1	17.579	20	Pass
NVNT	n20	5200	Ant1	17.505	20	Pass
NVNT	n20	5240	Ant1	17.52	20	Pass
NVNT	n40	5190	Ant1	35.824	40	Pass
NVNT	n40	5230	Ant1	36.04	40	Pass

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	Limit (MHz)	Verdict
NVNT	a	5180	Ant2	16.357	20	Pass
NVNT	a	5200	Ant2	16.281	20	Pass
NVNT	a	5240	Ant2	16.303	20	Pass
NVNT	ac20	5180	Ant2	17.585	20	Pass
NVNT	ac20	5200	Ant2	17.507	20	Pass
NVNT	ac20	5240	Ant2	17.523	20	Pass
NVNT	ac40	5190	Ant2	35.865	40	Pass
NVNT	ac40	5230	Ant2	36.077	40	Pass
NVNT	ac80	5210	Ant2	75.419	80	Pass
NVNT	n20	5180	Ant2	17.584	20	Pass
NVNT	n20	5200	Ant2	17.494	20	Pass
NVNT	n20	5240	Ant2	17.524	20	Pass
NVNT	n40	5190	Ant2	35.86	40	Pass
NVNT	n40	5230	Ant2	36.078	40	Pass


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT a 5180MHz Ant2




OBW NVNT a 5200MHz Ant2




OBW NVNT a 5240MHz Ant2




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2




OBW NVNT ac80 5210MHz Ant2




OBW NVNT n20 5180MHz Ant2




OBW NVNT n20 5200MHz Ant2




OBW NVNT n20 5240MHz Ant2



OBW NVNT n40 5190MHz Ant2




OBW NVNT n40 5230MHz Ant2




3. Burst Length

Condition	Mode	Frequency (MHz)	Antenna	Burst Length (ms)	Limit (ms)	Verdict
NVNT	a	Ant1	5180	0.177	8	Pass
NVNT	a	Ant1	5200	0.177	8	Pass
NVNT	a	Ant1	5240	0.177	8	Pass
NVNT	ac20	Ant1	5180	1.312	8	Pass
NVNT	ac20	Ant1	5200	1.313	8	Pass
NVNT	ac20	Ant1	5240	1.312	8	Pass
NVNT	ac40	Ant1	5190	0.652	8	Pass
NVNT	ac40	Ant1	5230	0.653	8	Pass
NVNT	ac80	Ant1	5210	0.325	8	Pass
NVNT	n20	Ant1	5180	1.3	8	Pass
NVNT	n20	Ant1	5200	1.301	8	Pass
NVNT	n20	Ant1	5240	1.301	8	Pass
NVNT	n40	Ant1	5190	0.648	8	Pass
NVNT	n40	Ant1	5230	0.649	8	Pass


Burst Length NVNT a 5180MHz Ant1




Burst Length NVNT a 5200MHz Ant1




Burst Length NVNT a 5240MHz Ant1




Burst Length NVNT ac20 5180MHz Ant1




Burst Length NVNT ac20 5200MHz Ant1




Burst Length NVNT ac20 5240MHz Ant1




Burst Length NVNT ac40 5190MHz Ant1




Burst Length NVNT ac40 5230MHz Ant1




Burst Length NVNT ac80 5210MHz Ant1




Burst Length NVNT n20 5180MHz Ant1




Burst Length NVNT n20 5200MHz Ant1




Burst Length NVNT n20 5240MHz Ant1



Burst Length NVNT n40 5190MHz Ant1



Burst Length NVNT n40 5230MHz Ant1



4. RF output power & E.I.R.P(Without TPC)

Condition	Mode	Frequency	Antenna Power(mW/MHz)		Rated Power(mW/MHz)	Power Limit(mW/MHz)	Power Tolerance(%)		Tolerance Limit(%)	Result
			ANT1	ANT2			ANT1	ANT2		
NVNT	a	5180	0.365	0.416	1	10	-63.5	-58.4	-80~20	Pass
NVNT	a	5200	0.643	0.785	1	10	-35.7	-21.5	-80~20	Pass
NVNT	a	5240	0.841	1.139	1	10	-15.9	13.9	-80~20	Pass
NVNT	ac20	5180	0.44	0.534	1	10	-56	-46.6	-80~20	Pass
NVNT	ac20	5200	0.767	0.908	1	10	-23.3	-9.2	-80~20	Pass
NVNT	ac20	5240	0.973	0.305	1	10	-2.7	-69.5	-80~20	Pass
NVNT	ac40	5190	0.513	0.627	1	5	-48.7	-37.3	-80~20	Pass
NVNT	ac40	5230	0.611	0.718	1	5	-38.9	-28.2	-80~20	Pass
NVNT	ac80	5210	0.266	0.352	0.5	2.5	-46.8	-29.6	-80~20	Pass
NVNT	n20	5180	0.635	0.853	1	10	-36.5	-14.7	-80~20	Pass
NVNT	n20	5200	0.802	0.97	1	10	-19.8	-3	-80~20	Pass
NVNT	n20	5240	1.125	0.308	1	10	12.5	-69.2	-80~20	Pass
NVNT	n40	5190	0.48	0.59	1	5	-52	-41	-80~20	Pass
NVNT	n40	5230	0.633	0.649	1	5	-36.7	-35.1	-80~20	Pass

Condition	Mode	Frequency (MHz)	Antenna Power (dBm/MHz)		Gain (dBi)	EIRP Power (dBm/MHz)		EIRP Power (mW/MHz)		Power Limit(mW/MHz)	Verdict
			ANT1	ANT2		ANT1	ANT2	ANT1	ANT2		
NVNT	a	5180	-4.377	-3.809	2.1	-2.277	-1.709	0.592	0.675	10	Pass
NVNT	a	5200	-1.918	-1.051	2.1	0.182	1.049	1.043	1.273	10	Pass
NVNT	a	5240	-0.752	0.565	2.1	1.348	2.665	1.364	1.847	10	Pass
NVNT	ac20	5180	-3.565	-2.725	2.1	-1.465	-0.625	0.714	0.866	10	Pass
NVNT	ac20	5200	-1.152	-0.419	2.1	0.948	1.681	1.244	1.473	10	Pass
NVNT	ac20	5240	-0.119	-5.157	2.1	1.981	-3.057	1.578	0.495	10	Pass
NVNT	ac40	5190	-2.899	-2.027	2.1	-0.799	0.073	0.832	1.017	5	Pass
NVNT	ac40	5230	-2.140	-1.439	2.1	-0.04	0.661	0.991	1.164	5	Pass
NVNT	ac80	5210	-5.751	-4.535	2.1	-3.651	-2.435	0.431	0.571	2.5	Pass
NVNT	n20	5180	-1.972	-0.691	2.1	0.128	1.409	1.030	1.383	10	Pass
NVNT	n20	5200	-0.958	-0.132	2.1	1.142	1.968	1.301	1.573	10	Pass
NVNT	n20	5240	0.512	-5.114	2.1	2.612	-3.014	1.825	0.500	10	Pass
NVNT	n40	5190	-3.188	-2.291	2.1	-1.088	-0.191	0.778	0.957	5	Pass
NVNT	n40	5230	-1.986	-1.878	2.1	0.114	0.222	1.027	1.052	5	Pass


EIRP = Antenna Power (dBm/MHz) + Antenna Gain (dBi)

Condition	Mode	Frequency	Antenna Power (dBm/MHz)		ANT1&ANT2 MIMO Antenna Power		ANT1&ANT2 MIMO Tolerance (%)	Rated Power(mW/MHz)	Power Limit(mW/MHz)	Tolerance Limit(%)	Result
			ANT1	ANT2	(dBm/MHz)	(mW/MHz)					
NVNT	ac20	5180	-3.565	-2.725	-0.11	0.975	-51.25	2	10	-80~20	Pass
NVNT	ac20	5200	-1.152	-0.419	2.24	1.675	-16.25	2	10	-80~20	Pass
NVNT	ac20	5240	-0.119	-5.157	1.07	1.279	-36.05	2	10	-80~20	Pass
NVNT	ac40	5190	-2.899	-2.027	0.57	1.140	-43	2	5	-80~20	Pass
NVNT	ac40	5230	-2.140	-1.439	1.23	1.327	-33.65	2	5	-80~20	Pass
NVNT	ac80	5210	-5.751	-4.535	-2.09	0.618	-69.1	2	2.5	-80~20	Pass
NVNT	n20	5180	-1.972	-0.691	1.73	1.489	-25.55	2	10	-80~20	Pass
NVNT	n20	5200	-0.958	-0.132	2.48	1.770	-11.5	2	10	-80~20	Pass
NVNT	n20	5240	0.512	-5.114	1.56	1.432	-28.4	2	10	-80~20	Pass
NVNT	n40	5190	-3.188	-2.291	0.29	1.069	-46.55	2	5	-80~20	Pass
NVNT	n40	5230	-1.986	-1.878	1.08	1.282	-35.9	2	5	-80~20	Pass


Condition	Mode	Frequency (MHz)	ANT1&ANT2 MIMO Antenna Power (dBm/MHz)	Gain (dBi)	ANT1&ANT2 MIMO EIRP Antenna Power		ANT1&ANT2 MIMO EIRP Antenna Power	Verdict
					(dBm/MHz)	(mW/MHz)		
NVNT	ac20	5180	-0.11	2.1	1.99	1.581	10	Pass
NVNT	ac20	5200	2.24	2.1	4.34	2.716	10	Pass
NVNT	ac20	5240	1.07	2.1	3.17	2.075	10	Pass
NVNT	ac40	5190	0.57	2.1	2.67	1.849	5	Pass
NVNT	ac40	5230	1.23	2.1	3.33	2.153	5	Pass
NVNT	ac80	5210	-2.09	2.1	0.01	1.002	2.5	Pass
NVNT	n20	5180	1.73	2.1	3.83	2.415	10	Pass
NVNT	n20	5200	2.48	2.1	4.58	2.871	10	Pass
NVNT	n20	5240	1.56	2.1	3.66	2.323	10	Pass
NVNT	n40	5190	0.29	2.1	2.39	1.734	5	Pass
NVNT	n40	5230	1.08	2.1	3.18	2.080	5	Pass

EIRP = Antenna Power (dBm/MHz) + Antenna Gain (dBi)


Power NVNT a 5180MHz Ant1 Pre Scan




Power NVNT a 5180MHz Ant1 Zero Span




Power NVNT a 5200MHz Ant1 Pre Scan



Power NVNT a 5200MHz Ant1 Zero Span




Power NVNT a 5240MHz Ant1 Pre Scan



Power NVNT a 5240MHz Ant1 Zero Span




Power NVNT ac20 5180MHz Ant1 Pre Scan




Power NVNT ac20 5180MHz Ant1 Zero Span




Power NVNT ac20 5200MHz Ant1 Pre Scan



Power NVNT ac20 5200MHz Ant1 Zero Span




Power NVNT ac20 5240MHz Ant1 Pre Scan




Power NVNT ac20 5240MHz Ant1 Zero Span




Power NVNT ac40 5190MHz Ant1 Pre Scan




Power NVNT ac40 5190MHz Ant1 Zero Span




Power NVNT ac40 5230MHz Ant1 Pre Scan




Power NVNT ac40 5230MHz Ant1 Zero Span




Power NVNT ac80 5210MHz Ant1 Pre Scan




Power NVNT ac80 5210MHz Ant1 Zero Span




Power NVNT n20 5180MHz Ant1 Pre Scan




Power NVNT n20 5180MHz Ant1 Zero Span




Power NVNT n20 5200MHz Ant1 Pre Scan




Power NVNT n20 5200MHz Ant1 Zero Span




Power NVNT n20 5240MHz Ant1 Pre Scan




Power NVNT n20 5240MHz Ant1 Zero Span



Power NVNT n40 5190MHz Ant1 Pre Scan




Power NVNT n40 5190MHz Ant1 Zero Span




Power NVNT n40 5230MHz Ant1 Pre Scan




Power NVNT n40 5230MHz Ant1 Zero Span




Power NVNT a 5180MHz Ant2 Pre Scan




Power NVNT a 5180MHz Ant2 Zero Span




Power NVNT a 5200MHz Ant2 Pre Scan




Power NVNT a 5200MHz Ant2 Zero Span




Power NVNT a 5240MHz Ant2 Pre Scan



Power NVNT a 5240MHz Ant2 Zero Span




Power NVNT ac20 5180MHz Ant2 Pre Scan




Power NVNT ac20 5180MHz Ant2 Zero Span




Power NVNT ac20 5200MHz Ant2 Pre Scan




Power NVNT ac20 5200MHz Ant2 Zero Span




Power NVNT ac20 5240MHz Ant2 Pre Scan




Power NVNT ac20 5240MHz Ant2 Zero Span




Power NVNT ac40 5190MHz Ant2 Pre Scan




Power NVNT ac40 5190MHz Ant2 Zero Span



Power NVNT ac40 5230MHz Ant2 Pre Scan



Power NVNT ac40 5230MHz Ant2 Zero Span




Power NVNT ac80 5210MHz Ant2 Pre Scan




Power NVNT ac80 5210MHz Ant2 Zero Span




Power NVNT n20 5180MHz Ant2 Pre Scan




Power NVNT n20 5180MHz Ant2 Zero Span



Power NVNT n20 5200MHz Ant2 Pre Scan




Power NVNT n20 5200MHz Ant2 Zero Span




Power NVNT n20 5240MHz Ant2 Pre Scan



Power NVNT n20 5240MHz Ant2 Zero Span




Power NVNT n40 5190MHz Ant2 Pre Scan




Power NVNT n40 5190MHz Ant2 Zero Span



Power NVNT n40 5230MHz Ant2 Pre Scan




Power NVNT n40 5230MHz Ant2 Zero Span




5. Secondary emission of radio wave

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (nW/MHz)	Limit (nW/MHz)	Verdict
NVNT	a	5180	Ant1	30-1000	912.7	-91.16	0.0008	4	Pass
NVNT	a	5180	Ant1	1000-26000	25925	-65.46	0.2844	20	Pass
NVNT	a	5200	Ant1	30-1000	919.49	-90.52	0.0009	4	Pass
NVNT	a	5200	Ant1	1000-26000	25975	-65.69	0.2698	20	Pass
NVNT	a	5240	Ant1	30-1000	901.06	-91.39	0.0007	4	Pass
NVNT	a	5240	Ant1	1000-26000	25950	-65.59	0.2761	20	Pass
NVNT	ac20	5180	Ant1	30-1000	803.09	-90.99	0.0008	4	Pass
NVNT	ac20	5180	Ant1	1000-26000	25900	-65.59	0.2761	20	Pass
NVNT	ac20	5200	Ant1	30-1000	885.54	-91.06	0.0008	4	Pass
NVNT	ac20	5200	Ant1	1000-26000	25925	-65.29	0.2958	20	Pass
NVNT	ac20	5240	Ant1	30-1000	935.01	-91.35	0.0007	4	Pass
NVNT	ac20	5240	Ant1	1000-26000	3475	-63.03	0.4977	20	Pass
NVNT	ac40	5190	Ant1	30-1000	930.16	-91.3	0.0007	4	Pass
NVNT	ac40	5190	Ant1	1000-26000	25950	-65.73	0.2673	20	Pass
NVNT	ac40	5230	Ant1	30-1000	833.16	-91.24	0.0008	4	Pass
NVNT	ac40	5230	Ant1	1000-26000	25925	-65.62	0.2742	20	Pass
NVNT	ac80	5210	Ant1	30-1000	798.24	-91.31	0.0007	4	Pass
NVNT	ac80	5210	Ant1	1000-26000	2400	-55.69	2.6977	20	Pass
NVNT	n20	5180	Ant1	30-1000	830.25	-91.08	0.0008	4	Pass
NVNT	n20	5180	Ant1	1000-26000	25925	-65.63	0.2735	20	Pass
NVNT	n20	5200	Ant1	30-1000	900.09	-91.09	0.0008	4	Pass
NVNT	n20	5200	Ant1	1000-26000	25925	-65.38	0.2897	20	Pass
NVNT	n20	5240	Ant1	30-1000	893.3	-91.12	0.0008	4	Pass
NVNT	n20	5240	Ant1	1000-26000	25975	-65.15	0.3055	20	Pass
NVNT	n40	5190	Ant1	30-1000	917.55	-90.71	0.0008	4	Pass
NVNT	n40	5190	Ant1	1000-26000	25950	-65.42	0.2871	20	Pass
NVNT	n40	5230	Ant1	30-1000	865.17	-90.96	0.0008	4	Pass
NVNT	n40	5230	Ant1	1000-26000	25925	-65.4	0.2884	20	Pass


Rx. Spurious NVNT a 5180MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT a 5180MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT a 5200MHz Ant1 @ 30MHz-1000MHz



Rx. Spurious NVNT a 5200MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT a 5240MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT a 5240MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac20 5180MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac20 5180MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac20 5200MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac20 5200MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac20 5240MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac20 5240MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac40 5190MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac40 5190MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac40 5230MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac40 5230MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT ac80 5210MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT ac80 5210MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n20 5180MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n20 5180MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n20 5200MHz Ant1 @ 30MHz-1000MHz



Rx. Spurious NVNT n20 5200MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n20 5240MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n20 5240MHz Ant1 @ 1000MHz-26000MHz




Rx. Spurious NVNT n40 5190MHz Ant1 @ 30MHz-1000MHz




Rx. Spurious NVNT n40 5190MHz Ant1 @ 1000MHz-26000MHz



Rx. Spurious NVNT n40 5230MHz Ant1 @ 30MHz-1000MHz



Rx. Spurious NVNT n40 5230MHz Ant1 @ 1000MHz-26000MHz




6. Spurious Emissions

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Emission Frequency (MHz)	Max Value (dBm/MHz)	Max Value (uW/MHz)	Limit Start(uW/MHz)	Limit Stop (uW/MHz)	Verdict
NVNT	a	5180	Ant1	30-5142	5142	-46.29	0.0235	2.5	2.5	Pass
NVNT	a	5180	Ant1	5142-5150	5149.06	-38.03	0.1574	15	15	Pass
NVNT	a	5180	Ant1	5250-5251	5250.2	-43.79	0.0418	1000	100	Pass
NVNT	a	5180	Ant1	5251-5260	5258.98	-44.22	0.0378	100	15.85	Pass
NVNT	a	5180	Ant1	5260-5266.7	5261.06	-44.2	0.038	15.85	2.49	Pass
NVNT	a	5180	Ant1	5266.7-26000	25916.57	-34.91	0.3228	2.5	2.5	Pass
NVNT	a	5200	Ant1	30-5142	2657.57	-46.02	0.025	2.5	2.5	Pass
NVNT	a	5200	Ant1	5142-5150	5149.91	-43.59	0.0438	15	15	Pass
NVNT	a	5200	Ant1	5250-5251	5250.6	-42.7	0.0537	1000	100	Pass
NVNT	a	5200	Ant1	5251-5260	5252.26	-43.39	0.0458	100	15.85	Pass
NVNT	a	5200	Ant1	5260-5266.7	5261.69	-43.5	0.0447	15.85	2.49	Pass
NVNT	a	5200	Ant1	5266.7-26000	25917.07	-34.74	0.3357	2.5	2.5	Pass
NVNT	a	5240	Ant1	30-5142	2478.65	-44.18	0.0382	2.5	2.5	Pass
NVNT	a	5240	Ant1	5142-5150	5142	-44.08	0.0391	15	15	Pass
NVNT	a	5240	Ant1	5250-5251	5250.11	-11.63	68.7068	1000	100	Pass
NVNT	a	5240	Ant1	5251-5260	5252.1	-16.91	20.3704	100	15.85	Pass
NVNT	a	5240	Ant1	5260-5266.7	5260.14	-28.11	1.5453	15.85	2.49	Pass
NVNT	a	5240	Ant1	5266.7-26000	25979.27	-34.73	0.3365	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	30-5142	2427.53	-42.87	0.0516	2.5	2.5	Pass
NVNT	ac20	5180	Ant1	5142-5150	5149.76	-34.04	0.3945	15	15	Pass
NVNT	ac20	5180	Ant1	5250-5251	5250	-44.81	0.033	1000	100	Pass
NVNT	ac20	5180	Ant1	5251-5260	5256.38	-44.43	0.0361	100	15.85	Pass
NVNT	ac20	5180	Ant1	5260-5266.7	5262.79	-44.55	0.0351	15.85	2.49	Pass
NVNT	ac20	5180	Ant1	5266.7-26000	25917.07	-34.89	0.3243	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	30-5142	3403.92	-36.08	0.2466	2.5	2.5	Pass
NVNT	ac20	5200	Ant1	5142-5150	5147.09	-41.06	0.0783	15	15	Pass
NVNT	ac20	5200	Ant1	5250-5251	5250.55	-39.72	0.1067	1000	100	Pass
NVNT	ac20	5200	Ant1	5251-5260	5253.28	-40.95	0.0804	100	15.85	Pass
NVNT	ac20	5200	Ant1	5260-5266.7	5260.25	-42.65	0.0543	15.85	2.49	Pass
NVNT	ac20	5200	Ant1	5266.7-26000	25896.33	-34.68	0.3404	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	30-5142	3495.94	-40.23	0.0948	2.5	2.5	Pass
NVNT	ac20	5240	Ant1	5142-5150	5147.62	-44.9	0.0324	15	15	Pass
NVNT	ac20	5240	Ant1	5250-5251	5250.01	-10.07	98.4011	1000	100	Pass
NVNT	ac20	5240	Ant1	5251-5260	5252.89	-15.16	30.4789	100	15.85	Pass
NVNT	ac20	5240	Ant1	5260-5266.7	5260.5	-23.21	4.7753	15.85	2.49	Pass
NVNT	ac20	5240	Ant1	5266.7-26000	25917.07	-34.76	0.3342	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	30-5141.6	2478.46	-44.65	0.0343	2.5	2.5	Pass
NVNT	ac40	5190	Ant1	5141.6-5150	5149.04	-40.51	0.0889	15	15	Pass
NVNT	ac40	5190	Ant1	5250-5251	5250.86	-44.44	0.036	500	50	Pass
NVNT	ac40	5190	Ant1	5251-5270	5255.84	-44.41	0.0362	50	7.92	Pass
NVNT	ac40	5190	Ant1	5270-5278.4	5272.55	-44.5	0.0355	7.92	2.48	Pass
NVNT	ac40	5190	Ant1	5278.4-26000	25896.39	-34.61	0.3459	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	30-5141.6	3470.11	-39.74	0.1062	2.5	2.5	Pass
NVNT	ac40	5230	Ant1	5141.6-5150	5145.67	-44.45	0.0359	15	15	Pass
NVNT	ac40	5230	Ant1	5250-5251	5250.06	-20.4	9.1201	500	50	Pass
NVNT	ac40	5230	Ant1	5251-5270	5253.66	-28.68	1.3552	50	7.92	Pass
NVNT	ac40	5230	Ant1	5270-5278.4	5270.07	-38.29	0.1483	7.92	2.48	Pass
NVNT	ac40	5230	Ant1	5278.4-26000	25937.84	-34.76	0.3342	2.5	2.5	Pass
NVNT	ac80	5210	Ant1	30-5123.2	5118.11	-35.94	0.2547	2.5	2.5	Pass
NVNT	ac80	5210	Ant1	5123.2-5150	5146.6	-22.06	6.223	15	15	Pass
NVNT	ac80	5210	Ant1	5250-5251	5250.27	-18.73	13.3968	250	25	Pass
NVNT	ac80	5210	Ant1	5251-5290	5253.15	-21.65	6.8391	25	3.96	Pass
NVNT	ac80	5210	Ant1	5290-5296.7	5292.16	-25.08	3.1046	3.96	2.49	Pass
NVNT	ac80	5210	Ant1	5296.7-26000	25917.19	-34.58	0.3483	2.5	2.5	Pass
NVNT	n20	5180	Ant1	30-5142	2478.65	-43.64	0.0433	2.5	2.5	Pass
NVNT	n20	5180	Ant1	5142-5150	5149.42	-34.81	0.3304	15	15	Pass
NVNT	n20	5180	Ant1	5250-5251	5250.95	-44.02	0.0396	1000	100	Pass


NVNT	n20	5180	Ant1	5251-5260	5258.81	-44.34	0.0368	100	15.85	Pass
NVNT	n20	5180	Ant1	5260-5266.7	5262.77	-44.04	0.0394	15.85	2.49	Pass
NVNT	n20	5180	Ant1	5266.7-26000	25875.6	-34.47	0.3573	2.5	2.5	Pass
NVNT	n20	5200	Ant1	30-5142	2427.53	-43.87	0.041	2.5	2.5	Pass
NVNT	n20	5200	Ant1	5142-5150	5149.85	-42.66	0.0542	15	15	Pass
NVNT	n20	5200	Ant1	5250-5251	5250.15	-41.53	0.0703	1000	100	Pass
NVNT	n20	5200	Ant1	5251-5260	5251.1	-41.71	0.0675	100	15.85	Pass
NVNT	n20	5200	Ant1	5260-5266.7	5264.86	-44.36	0.0366	15.85	2.49	Pass
NVNT	n20	5200	Ant1	5266.7-26000	25917.07	-34.56	0.3499	2.5	2.5	Pass
NVNT	n20	5240	Ant1	30-5142	2672.9	-46.26	0.0237	2.5	2.5	Pass
NVNT	n20	5240	Ant1	5142-5150	5146.75	-44.55	0.0351	15	15	Pass
NVNT	n20	5240	Ant1	5250-5251	5250.01	-9.03	125.0259	1000	100	Pass
NVNT	n20	5240	Ant1	5251-5260	5251.3	-15.24	29.9226	100	15.85	Pass
NVNT	n20	5240	Ant1	5260-5266.7	5261.21	-24.21	3.7931	15.85	2.49	Pass
NVNT	n20	5240	Ant1	5266.7-26000	25937.8	-34.45	0.3589	2.5	2.5	Pass
NVNT	n40	5190	Ant1	30-5141.6	2672.7	-46.5	0.0224	2.5	2.5	Pass
NVNT	n40	5190	Ant1	5141.6-5150	5149.66	-35.61	0.2748	15	15	Pass
NVNT	n40	5190	Ant1	5250-5251	5250.04	-43.75	0.0422	500	50	Pass
NVNT	n40	5190	Ant1	5251-5270	5255.94	-44.28	0.0373	50	7.92	Pass
NVNT	n40	5190	Ant1	5270-5278.4	5276.74	-44.07	0.0392	7.92	2.48	Pass
NVNT	n40	5190	Ant1	5278.4-26000	25875.67	-34.83	0.3289	2.5	2.5	Pass
NVNT	n40	5230	Ant1	30-5141.6	2478.46	-42.03	0.0627	2.5	2.5	Pass
NVNT	n40	5230	Ant1	5141.6-5150	5149.9	-42.99	0.0502	15	15	Pass
NVNT	n40	5230	Ant1	5250-5251	5250.08	-21.15	7.6736	500	50	Pass
NVNT	n40	5230	Ant1	5251-5270	5251	-29.36	1.1588	50	7.92	Pass
NVNT	n40	5230	Ant1	5270-5278.4	5270.91	-38.33	0.1469	7.92	2.48	Pass
NVNT	n40	5230	Ant1	5278.4-26000	25896.39	-34.85	0.3273	2.5	2.5	Pass

Note: The antenna gain plus line loss is compensated in the test data.


Tx. Spurious NVNT a 5180MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5180MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5200MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5250MHz-5251MHz



Tx. Spurious NVNT a 5240MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT a 5240MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5250MHz-5251MHz



Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT ac20 5180MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT ac20 5200MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT ac20 5240MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5251MHz-5270MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT ac40 5190MHz Ant1 @ 5278.4MHz-26000MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5250MHz-5251MHz



Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5251MHz-5270MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT ac40 5230MHz Ant1 @ 5278.4MHz-26000MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 30MHz-5123.2MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5123.2MHz-5150MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5251MHz-5290MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5290MHz-5296.7MHz




Tx. Spurious NVNT ac80 5210MHz Ant1 @ 5296.7MHz-26000MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5180MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5200MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 30MHz-5142MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5142MHz-5150MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5251MHz-5260MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5260MHz-5266.7MHz




Tx. Spurious NVNT n20 5240MHz Ant1 @ 5266.7MHz-26000MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5250MHz-5251MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5251MHz-5270MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT n40 5190MHz Ant1 @ 5278.4MHz-26000MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 30MHz-5141.6MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5141.6MHz-5150MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5250MHz-5251MHz



Tx. Spurious NVNT n40 5230MHz Ant1 @ 5251MHz-5270MHz



Tx. Spurious NVNT n40 5230MHz Ant1 @ 5270MHz-5278.4MHz




Tx. Spurious NVNT n40 5230MHz Ant1 @ 5278.4MHz-26000MHz




7. ACP Measure

ENV	Mode	TX Type	Frequency (MHz)	ANT	Test Result	Limit	Verdict
NTNV	802.11a	SISO	5180	MIMO	Refer To Test Graph		Pass
			5200	MIMO	Refer To Test Graph		Pass
			5240	MIMO	Refer To Test Graph		Pass
	802.11n (HT20)	SISO	5180	MIMO	Refer To Test Graph		Pass
			5200	MIMO	Refer To Test Graph		Pass
			5240	MIMO	Refer To Test Graph		Pass
	802.11n (HT40)	SISO	5190	MIMO	Refer To Test Graph		Pass
			5230	MIMO	Refer To Test Graph		Pass
	802.11ac (VHT20)	SISO	5180	MIMO	Refer To Test Graph		Pass
			5200	MIMO	Refer To Test Graph		Pass
			5240	MIMO	Refer To Test Graph		Pass
	802.11ac (VHT40)	SISO	5190	MIMO	Refer To Test Graph		Pass
			5230	MIMO	Refer To Test Graph		Pass
	802.11ac (VHT80)	SISO	5210	MIMO	Refer To Test Graph		Pass


ACEP NVNT a 5180MHz Ant1




ACEP NVNT a 5200MHz Ant1




ACEP NVNT a 5240MHz Ant1




ACEP NVNT ac20 5180MHz Ant1




ACEP NVNT ac20 5200MHz Ant1




ACEP NVNT ac20 5240MHz Ant1




ACEP NVNT ac40 5190MHz Ant1




ACEP NVNT ac40 5230MHz Ant1




ACEP NVNT ac80 5210MHz Ant1




ACEP NVNT n20 5180MHz Ant1




ACEP NVNT n20 5200MHz Ant1



ACEP NVNT n20 5240MHz Ant1



ACEP NVNT n40 5190MHz Ant1



ACEP NVNT n40 5230MHz Ant1

