



nonHT40 mode: 5550 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.28	54.00	-7.72	40.38	5.90	Average	horizontal	
2	8000.000	52.87	74.00	-21.13	46.97	5.90	Peak	horizontal	
3	11100.000	39.31	54.00	-14.69	29.34	9.97	Average	horizontal	
4	11100.000	52.25	74.00	-21.75	42.28	9.97	Peak	horizontal	
5	116650.000	45.58	54.00	-8.42	31.62	13.96	Average	horizontal	
6	116650.000	60.57	74.00	-13.43	46.61	13.96	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	45.10	54.00	-8.90	39.20	5.90	Average	vertical	
2	8000.000	51.38	74.00	-22.62	45.48	5.90	Peak	vertical	
3	11100.000	39.78	54.00	-14.22	29.81	9.97	Average	vertical	
4	11100.000	52.16	74.00	-21.84	42.19	9.97	Peak	vertical	
5	116650.000	45.82	54.00	-8.18	31.86	13.96	Average	vertical	
6	116650.000	60.80	74.00	-13.20	46.84	13.96	Peak	vertical	


nonHT40 mode: 5670 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.09	54.00	-7.91	40.19	5.90	Average	horizontal	
2	8000.000	51.27	74.00	-22.73	45.37	5.90	Peak	horizontal	
3	111340.000	39.67	54.00	-14.33	29.41	10.26	Average	horizontal	
4	111340.000	52.67	74.00	-21.33	42.41	10.26	Peak	horizontal	
5	117010.000	46.93	54.00	-7.07	31.83	15.10	Average	horizontal	
6	117010.000	60.96	74.00	-13.04	45.86	15.10	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	45.61	54.00	-8.39	39.71	5.90	Average	vertical	
2	8000.000	51.66	74.00	-22.34	45.76	5.90	Peak	vertical	
3	111340.000	39.72	54.00	-14.28	29.46	10.26	Average	vertical	
4	111340.000	52.68	74.00	-21.32	42.42	10.26	Peak	vertical	
5	117010.000	46.81	54.00	-7.19	31.71	15.10	Average	vertical	
6	117010.000	59.85	74.00	-14.15	44.75	15.10	Peak	vertical	


nonHT40 mode: 5755 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.79	54.00	-8.21	39.89	5.90	Average	horizontal
2	8000.000	51.97	74.00	-22.03	46.07	5.90	Peak	horizontal
3	111510.000	39.14	54.00	-14.86	28.48	10.66	Average	horizontal
4	111510.000	53.09	74.00	-20.91	42.43	10.66	Peak	horizontal
5	117265.000	47.34	54.00	-6.66	29.78	17.56	Average	horizontal
6	117265.000	60.84	74.00	-13.16	43.28	17.56	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.59	54.00	-8.41	39.69	5.90	Average	vertical
2	8000.000	51.60	74.00	-22.40	45.70	5.90	Peak	vertical
3	111510.000	39.32	54.00	-14.68	28.66	10.66	Average	vertical
4	111510.000	53.13	74.00	-20.87	42.47	10.66	Peak	vertical
5	117265.000	47.17	54.00	-6.83	29.61	17.56	Average	vertical
6	117265.000	61.27	74.00	-12.73	43.71	17.56	Peak	vertical


nonHT40 mode: 5795 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.20	54.00	-8.80	39.30	5.90	Average	horizontal
2	8000.000	51.92	74.00	-22.08	46.02	5.90	Peak	horizontal
3	111590.000	39.47	54.00	-14.53	28.53	10.94	Average	horizontal
4	111590.000	52.89	74.00	-21.11	41.95	10.94	Peak	horizontal
5	117385.000	47.74	54.00	-6.26	28.62	19.12	Average	horizontal
6	117385.000	61.28	74.00	-12.72	42.16	19.12	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.40	54.00	-8.60	39.50	5.90	Average	vertical
2	8000.000	51.49	74.00	-22.51	45.59	5.90	Peak	vertical
3	111590.000	39.28	54.00	-14.72	28.34	10.94	Average	vertical
4	111590.000	52.67	74.00	-21.33	41.73	10.94	Peak	vertical
5	117385.000	47.68	54.00	-6.32	28.56	19.12	Average	vertical
6	117385.000	61.08	74.00	-12.92	41.90	19.12	Peak	vertical


nonHT80 mode: 5210 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	45.28	54.00	-8.72	39.38	5.90	Average	horizontal	
2	8000.000	51.39	74.00	-22.61	45.49	5.90	Peak	horizontal	
3	10420.000	38.00	54.00	-16.00	29.11	8.89	Average	horizontal	
4	10420.000	50.28	74.00	-23.80	41.31	8.89	Peak	horizontal	
5	115630.000	43.60	54.00	-10.40	30.80	12.80	Average	horizontal	
6	115630.000	56.72	74.00	-17.28	43.92	12.80	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	45.83	54.00	-8.17	39.93	5.90	Average	vertical	
2	8000.000	51.82	74.00	-22.18	45.92	5.90	Peak	vertical	
3	10420.000	38.64	54.00	-15.36	29.75	8.89	Average	vertical	
4	10420.000	51.54	74.00	-22.46	42.65	8.89	Peak	vertical	
5	115630.000	44.41	54.00	-9.59	31.61	12.80	Average	vertical	
6	115630.000	57.61	74.00	-16.39	44.81	12.80	Peak	vertical	


nonHT40 mode: 5290 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	46.02	54.00	-7.98	40.12	5.90	Average	horizontal	
2	8000.000	50.93	74.00	-23.07	45.03	5.90	Peak	horizontal	
3	110580.000	37.54	54.00	-16.46	29.21	8.33	Average	horizontal	
4	10580.000	50.60	74.00	-23.40	42.27	8.33	Peak	horizontal	
5	115870.000	43.02	54.00	-10.98	30.83	12.19	Average	horizontal	
6	115870.000	57.03	74.00	-16.97	44.84	12.19	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase	
1	8000.000	45.05	54.00	-8.95	39.15	5.90	Average	vertical	
2	8000.000	50.91	74.00	-23.09	45.01	5.90	Peak	vertical	
3	110580.000	38.45	54.00	-15.55	30.12	8.33	Average	vertical	
4	10580.000	51.13	74.00	-22.87	42.80	8.33	Peak	vertical	
5	115870.000	43.35	54.00	-10.65	31.16	12.19	Average	vertical	
6	115870.000	57.50	74.00	-16.50	45.31	12.19	Peak	vertical	


nonHT80 mode: 5530 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.46	54.00	-8.54	39.56	5.90	Average	horizontal
2	8000.000	51.40	74.00	-22.60	45.50	5.90	Peak	horizontal
3	11060.000	38.78	54.00	-15.22	28.95	9.83	Average	horizontal
4	11060.000	51.56	74.00	-22.44	41.73	9.83	Peak	horizontal
5	116590.000	43.70	54.00	-10.30	30.10	13.60	Average	horizontal
6	116590.000	56.70	74.00	-17.30	43.10	13.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.64	54.00	-8.36	39.74	5.90	Average	vertical
2	8000.000	51.56	74.00	-22.44	45.66	5.90	Peak	vertical
3	11060.000	39.19	54.00	-14.81	29.36	9.83	Average	vertical
4	11060.000	51.48	74.00	-22.52	41.65	9.83	Peak	vertical
5	116590.000	44.45	54.00	-9.55	30.85	13.60	Average	vertical
6	116590.000	57.48	74.00	-16.52	43.88	13.60	Peak	vertical


nonHT80 mode: 5610 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.37	54.00	-8.63	39.47	5.90	Average	horizontal
2	8000.000	50.36	74.00	-23.64	44.46	5.90	Peak	horizontal
3	11220.000	40.63	54.00	-13.37	30.68	9.95	Average	horizontal
4	11220.000	51.64	74.00	-22.36	41.69	9.95	Peak	horizontal
5	116830.000	45.07	54.00	-8.93	30.49	14.58	Average	horizontal
6	116830.000	58.99	74.00	-15.01	44.41	14.58	Peak	horizontal


Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	45.37	54.00	-8.63	39.47	5.90	Average	horizontal
2	8000.000	50.36	74.00	-23.64	44.46	5.90	Peak	horizontal
3	11220.000	40.63	54.00	-13.37	30.68	9.95	Average	horizontal
4	11220.000	51.64	74.00	-22.36	41.69	9.95	Peak	horizontal
5	116830.000	45.07	54.00	-8.93	30.49	14.58	Average	horizontal
6	116830.000	58.99	74.00	-15.01	44.41	14.58	Peak	horizontal


nonHT80 mode: 5690 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	Line	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	44.82	54.00	-9.18	38.92	5.90	Average	horizontal
2	8000.000	51.34	74.00	-22.66	45.44	5.90	Peak	horizontal
3	11380.000	39.86	54.00	-14.14	29.50	10.36	Average	horizontal
4	11380.000	51.79	74.00	-22.21	41.43	10.36	Peak	horizontal
5	117070.000	46.63	54.00	-7.37	30.70	15.93	Average	horizontal
6	117070.000	60.29	74.00	-13.71	44.36	15.93	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	Line	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	44.14	54.00	-9.86	38.24	5.90	Average	vertical
2	8000.000	51.15	74.00	-22.85	45.25	5.90	Peak	vertical
3	11380.000	38.86	54.00	-15.14	28.50	10.36	Average	vertical
4	11380.000	50.86	74.00	-23.14	40.50	10.36	Peak	vertical
5	117070.000	45.60	54.00	-8.40	29.67	15.93	Average	vertical
6	117070.000	59.56	74.00	-14.44	43.63	15.93	Peak	vertical


nonHT80 mode: 5775 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	Line	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	44.47	54.00	-9.53	38.57	5.90	Average	horizontal
2	8000.000	51.46	74.00	-22.54	45.56	5.90	Peak	horizontal
3	111550.000	39.93	54.00	-14.07	29.13	10.80	Average	horizontal
4	111550.000	52.33	74.00	-21.67	41.53	10.80	Peak	horizontal
5	117325.000	47.88	54.00	-6.12	29.39	18.49	Average	horizontal
6	117325.000	61.48	74.00	-12.52	42.99	18.49	Peak	horizontal


Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	Line	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	44.88	54.00	-9.12	38.98	5.90	Average	vertical
2	8000.000	50.89	74.00	-23.11	44.99	5.90	Peak	vertical
3	111550.000	39.14	54.00	-14.86	28.34	10.80	Average	vertical
4	111550.000	52.12	74.00	-21.88	41.32	10.80	Peak	vertical
5	117325.000	47.92	54.00	-6.08	29.43	18.49	Average	vertical
6	117325.000	61.86	74.00	-12.14	43.37	18.49	Peak	vertical


HT/VHT20 mode: 5180 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.04	54.00	-5.96	42.14	5.90 Average	horizontal		
2	8000.000	53.04	74.00	-20.96	47.14	5.90 Peak	horizontal		
3	10360.000	36.52	54.00	-17.48	27.77	8.75 Average	horizontal		
4	10360.000	52.16	74.00	-21.84	43.41	8.75 Peak	horizontal		
5	115540.000	45.84	54.00	-8.16	32.68	13.16 Average	horizontal		
6	115540.000	61.27	74.00	-12.73	48.11	13.16 Peak	horizontal		


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.48	54.00	-7.52	40.58	5.90 Average	vertical		
2	8000.000	53.53	74.00	-20.47	47.63	5.90 Peak	vertical		
3	10360.000	36.48	54.00	-17.52	27.73	8.75 Average	vertical		
4	10360.000	52.55	74.00	-21.45	43.80	8.75 Peak	vertical		
5	115540.000	45.90	54.00	-8.10	32.74	13.16 Average	vertical		
6	115540.000	62.29	74.00	-11.71	49.13	13.16 Peak	vertical		


HT/VHT20 mode: 5200 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.25	54.00	-5.75	42.35	5.90 Average	horizontal		
2	8000.000	53.36	74.00	-20.64	47.46	5.90 Peak	horizontal		
3	10400.000	36.23	54.00	-17.77	27.37	8.86 Average	horizontal		
4	10400.000	52.18	74.00	-21.82	43.32	8.86 Peak	horizontal		
5	115600.000	46.48	54.00	-7.52	33.61	12.87 Average	horizontal		
6	115600.000	61.81	74.00	-12.19	48.94	12.87 Peak	horizontal		


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.63	54.00	-7.37	40.73	5.90 Average	vertical		
2	8000.000	53.65	74.00	-20.35	47.75	5.90 Peak	vertical		
3	10400.000	36.19	54.00	-17.81	27.33	8.86 Average	vertical		
4	10400.000	51.55	74.00	-22.45	42.69	8.86 Peak	vertical		
5	115600.000	46.39	54.00	-7.61	33.52	12.87 Average	vertical		
6	115600.000	61.91	74.00	-12.09	49.04	12.87 Peak	vertical		


HT/VHT20 mode: 5240 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.51	54.00	-5.49	42.61	5.90 Average	horizontal		
2	8000.000	53.34	74.00	-20.66	47.44	5.90 Peak	horizontal		
3	10480.000	36.19	54.00	-17.81	27.55	8.64 Average	horizontal		
4	10480.000	51.62	74.00	-22.38	42.98	8.64 Peak	horizontal		
5	115720.000	47.13	54.00	-6.87	34.38	12.75 Average	horizontal		
6	115720.000	63.07	74.00	-10.93	50.32	12.75 Peak	horizontal		


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.14	54.00	-7.86	40.24	5.90 Average	vertical		
2	8000.000	53.59	74.00	-20.41	47.69	5.90 Peak	vertical		
3	10480.000	36.14	54.00	-17.86	27.50	8.64 Average	vertical		
4	10480.000	51.65	74.00	-22.35	43.01	8.64 Peak	vertical		
5	115720.000	47.07	54.00	-6.93	34.32	12.75 Average	vertical		
6	115720.000	62.64	74.00	-11.36	49.89	12.75 Peak	vertical		


HT/VHT20 mode: 5260 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.23	54.00	-5.77	42.33	5.90 Average	horizontal		
2	8000.000	53.44	74.00	-20.56	47.54	5.90 Peak	horizontal		
3	10520.000	35.94	54.00	-18.06	27.65	8.29 Average	horizontal		
4	10520.000	51.44	74.00	-22.56	43.15	8.29 Peak	horizontal		
5	115780.000	44.06	54.00	-9.94	31.72	12.34 Average	horizontal		
6	115780.000	59.58	74.00	-14.42	47.24	12.34 Peak	horizontal		


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.00	54.00	-8.00	40.10	5.90 Average	vertical		
2	8000.000	53.46	74.00	-20.54	47.56	5.90 Peak	vertical		
3	10520.000	35.87	54.00	-18.13	27.58	8.29 Average	vertical		
4	10520.000	51.82	74.00	-22.18	43.53	8.29 Peak	vertical		
5	115780.000	44.06	54.00	-9.94	31.72	12.34 Average	vertical		
6	115780.000	59.20	74.00	-14.80	46.06	12.34 Peak	vertical		


HT/VHT20 mode: 5300 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	47.95	54.00	-6.05	42.05	5.90	Average	horizontal	
2	8000.000	53.66	74.00	-20.34	47.76	5.90	Peak	horizontal	
3	10600.000	37.04	54.00	-16.96	28.31	8.73	Average	horizontal	
4	10600.000	53.07	74.00	-20.93	44.34	8.73	Peak	horizontal	
5	115900.000	45.91	54.00	-8.09	33.78	12.13	Average	horizontal	
6	115900.000	61.63	74.00	-12.37	49.50	12.13	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	46.60	54.00	-7.40	40.70	5.90	Average	vertical	
2	8000.000	53.14	74.00	-20.86	47.24	5.90	Peak	vertical	
3	10600.000	37.11	54.00	-16.89	28.38	8.73	Average	vertical	
4	10600.000	52.44	74.00	-21.56	43.71	8.73	Peak	vertical	
5	115900.000	45.90	54.00	-8.10	33.77	12.13	Average	vertical	
6	115900.000	61.82	74.00	-12.18	49.69	12.13	Peak	vertical	


HT/VHT20 mode: 5320 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	48.45	54.00	-5.55	42.55	5.90	Average	horizontal	
2	8000.000	53.66	74.00	-20.34	47.76	5.90	Peak	horizontal	
3	10600.000	37.81	54.00	-16.19	28.50	9.31	Average	horizontal	
4	10600.000	53.60	74.00	-20.40	44.29	9.31	Peak	horizontal	
5	115960.000	45.58	54.00	-8.42	33.64	11.94	Average	horizontal	
6	115960.000	61.37	74.00	-12.63	49.43	11.94	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Remark	Pol/Phase
1	8000.000	47.62	54.00	-6.38	41.72	5.90	Average	vertical	
2	8000.000	53.71	74.00	-20.29	47.81	5.90	Peak	vertical	
3	10600.000	37.85	54.00	-16.15	28.54	9.31	Average	vertical	
4	10600.000	53.50	74.00	-20.50	44.19	9.31	Peak	vertical	
5	115960.000	45.54	54.00	-8.46	33.60	11.94	Average	vertical	
6	115960.000	61.69	74.00	-12.31	49.75	11.94	Peak	vertical	


HT/VHT20 mode: 5500 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			Pol/Phase
1	8000.000	48.45	54.00	-5.55	42.55	5.90	Average	horizontal	
2	8000.000	53.59	74.00	-20.41	47.69	5.90	Peak	horizontal	
3	111000.000	36.74	54.00	-17.26	27.31	9.43	Average	horizontal	
4	11000.000	52.68	74.00	-21.32	43.25	9.43	Peak	horizontal	
5	116500.000	43.26	54.00	-10.74	30.06	13.20	Average	horizontal	
6	116500.000	59.18	74.00	-14.82	45.98	13.20	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			Pol/Phase
1	8000.000	46.35	54.00	-7.65	40.45	5.90	Average	vertical	
2	8000.000	52.91	74.00	-21.09	47.01	5.90	Peak	vertical	
3	111000.000	36.73	54.00	-17.27	27.30	9.43	Average	vertical	
4	11000.000	52.50	74.00	-21.50	43.07	9.43	Peak	vertical	
5	116500.000	43.30	54.00	-10.70	30.10	13.20	Average	vertical	
6	116500.000	59.25	74.00	-14.75	46.05	13.20	Peak	vertical	


HT/VHT20 mode: 5580 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			Pol/Phase
1	8000.000	48.38	54.00	-5.62	42.48	5.90	Average	horizontal	
2	8000.000	52.93	74.00	-21.07	47.03	5.90	Peak	horizontal	
3	11160.000	37.42	54.00	-16.58	27.47	9.95	Average	horizontal	
4	11160.000	53.29	74.00	-20.71	43.34	9.95	Peak	horizontal	
5	116740.000	45.39	54.00	-8.61	30.67	14.72	Average	horizontal	
6	116740.000	61.03	74.00	-12.97	46.31	14.72	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			Pol/Phase
1	8000.000	46.31	54.00	-7.69	40.41	5.90	Average	vertical	
2	8000.000	53.21	74.00	-20.79	47.31	5.90	Peak	vertical	
3	11160.000	37.46	54.00	-16.54	27.51	9.95	Average	vertical	
4	11160.000	53.55	74.00	-20.45	43.60	9.95	Peak	vertical	
5	116740.000	45.35	54.00	-8.65	30.63	14.72	Average	vertical	
6	116740.000	60.99	74.00	-13.01	46.27	14.72	Peak	vertical	


HT/VHT20 mode: 5700 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	48.72	54.00	-5.28	42.82	5.90	Average	horizontal
2	8000.000	53.73	74.00	-20.27	47.83	5.90	Peak	horizontal
3	111400.000	38.65	54.00	-15.35	28.11	10.54	Average	horizontal
4	111400.000	54.50	74.00	-19.50	43.96	10.54	Peak	horizontal
5	117100.000	45.72	54.00	-8.28	29.44	16.28	Average	horizontal
6	117100.000	61.64	74.00	-12.36	45.36	16.28	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	46.84	54.00	-7.16	40.94	5.90	Average	vertical
2	8000.000	53.48	74.00	-20.52	47.58	5.90	Peak	vertical
3	111400.000	38.55	54.00	-15.45	28.01	10.54	Average	vertical
4	111400.000	54.08	74.00	-19.92	43.54	10.54	Peak	vertical
5	117100.000	45.72	54.00	-8.28	29.44	16.28	Average	vertical
6	117100.000	62.13	74.00	-11.87	45.85	16.28	Peak	vertical


HT/VHT20 mode: 5720 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	48.66	54.00	-5.34	42.76	5.90	Average	horizontal
2	8000.000	53.68	74.00	-20.32	47.78	5.90	Peak	horizontal
3	111400.000	38.50	54.00	-15.50	27.74	10.76	Average	horizontal
4	111400.000	54.58	74.00	-19.42	43.82	10.76	Peak	horizontal
5	117160.000	45.91	54.00	-8.09	29.31	16.60	Average	horizontal
6	117160.000	61.55	74.00	-12.45	44.95	16.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	46.10	54.00	-7.90	40.20	5.90	Average	vertical
2	8000.000	53.15	74.00	-20.85	47.25	5.90	Peak	vertical
3	111400.000	38.46	54.00	-15.54	27.70	10.76	Average	vertical
4	111400.000	54.07	74.00	-19.93	43.31	10.76	Peak	vertical
5	117160.000	45.84	54.00	-8.16	29.24	16.60	Average	vertical
6	117160.000	61.41	74.00	-12.59	44.81	16.60	Peak	vertical


HT/VHT20 mode: 5745 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.16	54.00	-5.84	42.26	5.90	Average	horizontal
2	8000.000	53.75	74.00	-20.25	47.85	5.90	Peak	horizontal
3	111490.000	38.18	54.00	-15.82	27.59	10.59	Average	horizontal
4	11490.000	53.78	74.00	-20.22	43.19	10.59	Peak	horizontal
5	117235.000	46.64	54.00	-7.36	29.42	17.22	Average	horizontal
6	117235.000	62.32	74.00	-11.68	45.10	17.22	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.33	54.00	-7.67	40.43	5.90	Average	vertical
2	8000.000	53.46	74.00	-20.54	47.56	5.90	Peak	vertical
3	111490.000	38.15	54.00	-15.85	27.56	10.59	Average	vertical
4	11490.000	53.95	74.00	-20.05	43.36	10.59	Peak	vertical
5	117235.000	46.61	54.00	-7.39	29.39	17.22	Average	vertical
6	117235.000	62.55	74.00	-11.45	45.33	17.22	Peak	vertical


HT/VHT20 mode: 5785 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.59	54.00	-5.41	42.69	5.90	Average	horizontal
2	8000.000	53.59	74.00	-20.41	47.69	5.90	Peak	horizontal
3	111570.000	38.38	54.00	-15.62	27.51	10.87	Average	horizontal
4	11570.000	54.69	74.00	-19.31	43.82	10.87	Peak	horizontal
5	117355.000	47.39	54.00	-6.61	28.57	18.82	Average	horizontal
6	117355.000	64.49	74.00	-9.51	45.67	18.82	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.40	54.00	-7.60	40.50	5.90	Average	vertical
2	8000.000	53.46	74.00	-20.54	47.56	5.90	Peak	vertical
3	111570.000	38.30	54.00	-15.70	27.43	10.87	Average	vertical
4	11570.000	54.07	74.00	-19.93	43.20	10.87	Peak	vertical
5	117355.000	47.38	54.00	-6.62	28.56	18.82	Average	vertical
6	117355.000	62.75	74.00	-11.25	43.93	18.82	Peak	vertical


HT/VHT20 mode: 5825 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.06	54.00	-5.94	42.16	5.90	Average	horizontal
2	8000.000	53.69	74.00	-20.31	47.79	5.90	Peak	horizontal
3	111650.000	38.54	54.00	-15.46	27.31	11.23	Average	horizontal
4	111650.000	54.13	74.00	-19.87	42.90	11.23	Peak	horizontal
5	117475.000	47.78	54.00	-6.22	27.52	20.26	Average	horizontal
6	117475.000	63.32	74.00	-10.68	43.06	20.26	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.64	54.00	-7.36	40.74	5.90	Average	vertical
2	8000.000	53.51	74.00	-20.49	47.61	5.90	Peak	vertical
3	111650.000	38.68	54.00	-15.32	27.45	11.23	Average	vertical
4	111650.000	54.38	74.00	-19.62	43.15	11.23	Peak	vertical
5	117475.000	47.70	54.00	-6.30	27.44	20.26	Average	vertical
6	117475.000	63.01	74.00	-10.99	42.75	20.26	Peak	vertical


HT/VHT40 mode: 5190 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	47.95	54.00	-6.05	42.05	5.90	Average	horizontal
2	8000.000	53.32	74.00	-20.68	47.42	5.90	Peak	horizontal
3	110380.000	36.47	54.00	-17.53	27.61	8.86	Average	horizontal
4	10380.000	52.00	74.00	-22.00	43.14	8.86	Peak	horizontal
5	115570.000	46.28	54.00	-7.72	33.26	13.02	Average	horizontal
6	115570.000	62.02	74.00	-11.98	49.00	13.02	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.48	54.00	-7.52	40.58	5.90	Average	vertical
2	8000.000	53.74	74.00	-20.26	47.04	5.90	Peak	vertical
3	110380.000	36.37	54.00	-17.63	27.51	8.86	Average	vertical
4	10380.000	52.24	74.00	-21.76	43.38	8.86	Peak	vertical
5	115570.000	46.27	54.00	-7.73	33.25	13.02	Average	vertical
6	115570.000	61.24	74.00	-12.76	48.22	13.02	Peak	vertical


HT/VHT40 mode: 5230 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	47.97	54.00	-6.03	42.07	5.90	Average	horizontal	
2	8000.000	53.33	74.00	-20.67	47.43	5.90	Peak	horizontal	
3	10460.000	36.40	54.00	-17.60	27.66	8.74	Average	horizontal	
4	10460.000	51.93	74.00	-22.07	43.19	8.74	Peak	horizontal	
5	115690.000	46.43	54.00	-7.57	33.61	12.82	Average	horizontal	
6	115690.000	61.96	74.00	-12.04	49.14	12.82	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.31	54.00	-7.69	40.41	5.90	Average	vertical	
2	8000.000	53.37	74.00	-20.63	47.47	5.90	Peak	vertical	
3	10460.000	36.42	54.00	-17.58	27.68	8.74	Average	vertical	
4	10460.000	51.72	74.00	-22.28	42.98	8.74	Peak	vertical	
5	115690.000	46.43	54.00	-7.57	33.61	12.82	Average	vertical	
6	115690.000	62.48	74.00	-11.52	49.66	12.82	Peak	vertical	


HT/VHT40 mode: 5270 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	48.87	54.00	-5.13	42.97	5.90	Average	horizontal	
2	8000.000	53.47	74.00	-20.53	47.57	5.90	Peak	horizontal	
3	10540.000	35.87	54.00	-18.13	27.64	8.23	Average	horizontal	
4	10540.000	51.40	74.00	-22.60	43.17	8.23	Peak	horizontal	
5	115810.000	43.18	54.00	-10.82	30.98	12.20	Average	horizontal	
6	115810.000	58.83	74.00	-15.17	46.63	12.20	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark	Pol/Phase
1	8000.000	46.61	54.00	-7.39	40.71	5.90	Average	vertical	
2	8000.000	53.61	74.00	-20.39	47.71	5.90	Peak	vertical	
3	10540.000	35.81	54.00	-18.19	27.58	8.23	Average	vertical	
4	10540.000	51.46	74.00	-22.54	43.23	8.23	Peak	vertical	
5	115810.000	43.03	54.00	-10.97	30.83	12.20	Average	vertical	
6	115810.000	58.48	74.00	-15.52	46.28	12.20	Peak	vertical	


HT/VHT40 mode: 5310 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.33	54.00	-5.67	42.43	5.90	Average	horizontal
2	8000.000	53.42	74.00	-20.58	47.52	5.90	Peak	horizontal
3	110620.000	37.59	54.00	-16.41	28.48	9.11	Average	horizontal
4	110620.000	53.36	74.00	-20.64	44.25	9.11	Peak	horizontal
5	115930.000	45.80	54.00	-8.20	33.77	12.03	Average	horizontal
6	115930.000	61.58	74.00	-12.42	49.55	12.03	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.61	54.00	-7.39	40.71	5.90	Average	vertical
2	8000.000	52.04	74.00	-21.96	46.14	5.90	Peak	vertical
3	110620.000	37.67	54.00	-16.33	28.56	9.11	Average	vertical
4	110620.000	53.50	74.00	-20.50	44.39	9.11	Peak	vertical
5	115930.000	45.85	54.00	-8.15	33.82	12.03	Average	vertical
6	115930.000	61.86	74.00	-12.14	49.83	12.03	Peak	vertical


HT/VHT40 mode: 5510 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.08	54.00	-5.92	42.18	5.90	Average	horizontal
2	8000.000	53.33	74.00	-20.67	47.43	5.90	Peak	horizontal
3	111020.000	36.86	54.00	-17.14	27.29	9.57	Average	horizontal
4	111020.000	52.71	74.00	-21.29	43.14	9.57	Peak	horizontal
5	116530.000	43.29	54.00	-10.71	29.90	13.39	Average	horizontal
6	116530.000	58.88	74.00	-15.12	45.49	13.39	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.25	54.00	-7.75	40.35	5.90	Average	vertical
2	8000.000	53.25	74.00	-20.75	47.35	5.90	Peak	vertical
3	111020.000	36.90	54.00	-17.10	27.33	9.57	Average	vertical
4	111020.000	52.75	74.00	-21.25	43.18	9.57	Peak	vertical
5	116530.000	43.30	54.00	-10.70	29.91	13.39	Average	vertical
6	116530.000	59.11	74.00	-14.89	45.72	13.39	Peak	vertical


HT/VHT40 mode: 5550 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	48.37	54.00	-5.63	42.47	5.90	Average	horizontal
2	8000.000	53.36	74.00	-20.64	47.46	5.90	Peak	horizontal
3	11110.000	37.38	54.00	-16.62	27.41	9.97	Average	horizontal
4	11100.000	53.00	74.00	-21.00	43.03	9.97	Peak	horizontal
5	116650.000	44.33	54.00	-9.67	30.37	13.96	Average	horizontal
6	116650.000	59.95	74.00	-14.05	45.99	13.96	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.07	54.00	-7.93	40.17	5.90	Average	vertical
2	8000.000	53.67	74.00	-20.33	47.77	5.90	Peak	vertical
3	11110.000	37.45	54.00	-16.55	27.48	9.97	Average	vertical
4	11100.000	53.00	74.00	-21.00	43.03	9.97	Peak	vertical
5	116650.000	44.37	54.00	-9.63	30.41	13.96	Average	vertical
6	116650.000	60.44	74.00	-13.56	46.48	13.96	Peak	vertical


HT/VHT40 mode: 5670 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	48.40	54.00	-5.60	42.50	5.90	Average	horizontal
2	8000.000	53.12	74.00	-20.88	47.22	5.90	Peak	horizontal
3	111340.000	38.37	54.00	-15.63	28.11	10.26	Average	horizontal
4	111340.000	54.34	74.00	-19.66	44.08	10.26	Peak	horizontal
5	117010.000	44.72	54.00	-9.28	29.62	15.10	Average	horizontal
6	117010.000	60.78	74.00	-13.22	45.68	15.10	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		
1	8000.000	46.37	54.00	-7.63	40.47	5.90	Average	vertical
2	8000.000	53.22	74.00	-20.78	47.32	5.90	Peak	vertical
3	111340.000	38.37	54.00	-15.63	28.11	10.26	Average	vertical
4	11340.000	53.99	74.00	-20.01	43.73	10.26	Peak	vertical
5	117010.000	44.71	54.00	-9.29	29.61	15.10	Average	vertical
6	117010.000	60.69	74.00	-13.31	45.59	15.10	Peak	vertical


HT/VHT40 mode: 5710 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.32	54.00	-5.68	42.42	5.90	Average	horizontal
2	8000.000	53.69	74.00	-20.31	47.79	5.90	Peak	horizontal
3	111420.000	38.70	54.00	-15.30	27.98	10.72	Average	horizontal
4	111420.000	54.49	74.00	-19.51	43.77	10.72	Peak	horizontal
5	117130.000	45.85	54.00	-8.15	29.28	16.57	Average	horizontal
6	117130.000	61.36	74.00	-12.64	44.79	16.57	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.40	54.00	-7.60	40.50	5.90	Average	vertical
2	8000.000	53.11	74.00	-20.89	47.21	5.90	Peak	vertical
3	111420.000	38.73	54.00	-15.27	28.01	10.72	Average	vertical
4	111420.000	54.02	74.00	-19.98	43.30	10.72	Peak	vertical
5	117130.000	45.02	54.00	-8.18	29.25	16.57	Average	vertical
6	117130.000	61.41	74.00	-12.59	44.84	16.57	Peak	vertical


HT/VHT40 mode: 5755 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.33	54.00	-5.67	42.43	5.90	Average	horizontal
2	8000.000	53.03	74.00	-20.97	47.13	5.90	Peak	horizontal
3	111510.000	38.19	54.00	-15.81	27.53	10.66	Average	horizontal
4	111510.000	54.01	74.00	-19.99	43.35	10.66	Peak	horizontal
5	117265.000	47.13	54.00	-6.87	29.57	17.56	Average	horizontal
6	117265.000	62.67	74.00	-11.33	45.11	17.56	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.57	54.00	-7.43	40.67	5.90	Average	vertical
2	8000.000	53.49	74.00	-20.51	47.59	5.90	Peak	vertical
3	111510.000	38.24	54.00	-15.76	27.58	10.66	Average	vertical
4	111510.000	53.82	74.00	-20.18	43.16	10.66	Peak	vertical
5	117265.000	47.04	54.00	-6.96	29.48	17.56	Average	vertical
6	117265.000	62.60	74.00	-11.40	45.04	17.56	Peak	vertical


HT/VHT40 mode: 5795 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.74	54.00	-5.26	42.84	5.90	Average	horizontal
2	8000.000	53.74	74.00	-20.26	47.84	5.90	Peak	horizontal
3	111590.000	38.53	54.00	-15.47	27.59	10.94	Average	horizontal
4	111590.000	53.96	74.00	-20.04	43.02	10.94	Peak	horizontal
5	117385.000	47.79	54.00	-6.30	28.58	19.12	Average	horizontal
6	117385.000	63.36	74.00	-10.64	44.24	19.12	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.31	54.00	-7.69	40.41	5.90	Average	vertical
2	8000.000	53.61	74.00	-20.39	47.71	5.90	Peak	vertical
3	111590.000	38.55	54.00	-15.45	27.61	10.94	Average	vertical
4	111590.000	54.15	74.00	-19.85	43.21	10.94	Peak	vertical
5	117385.000	47.73	54.00	-6.27	28.61	19.12	Average	vertical
6	117385.000	63.81	74.00	-10.19	44.69	19.12	Peak	vertical


HT/VHT80 mode: 5210 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.47	54.00	-5.53	42.57	5.90	Average	horizontal
2	8000.000	53.71	74.00	-20.29	47.81	5.90	Peak	horizontal
3	110420.000	36.60	54.00	-17.40	27.71	8.89	Average	horizontal
4	110420.000	52.15	74.00	-21.85	43.26	8.89	Peak	horizontal
5	115630.000	46.26	54.00	-7.74	33.46	12.80	Average	horizontal
6	115630.000	62.02	74.00	-11.98	49.22	12.80	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.32	54.00	-7.68	40.42	5.90	Average	vertical
2	8000.000	53.34	74.00	-20.66	47.44	5.90	Peak	vertical
3	110420.000	36.55	54.00	-17.45	27.66	8.89	Average	vertical
4	110420.000	52.94	74.00	-21.06	44.05	8.89	Peak	vertical
5	115630.000	46.25	54.00	-7.75	33.45	12.80	Average	vertical
6	115630.000	62.06	74.00	-11.94	49.26	12.80	Peak	vertical


HT/VHT80 mode: 5290 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.69	54.00	-5.31	42.79	5.90	Average	horizontal
2	8000.000	53.47	74.00	-20.53	47.57	5.90	Peak	horizontal
3	110580.000	36.48	54.00	-17.52	28.15	8.33	Average	horizontal
4	10580.000	52.05	74.00	-21.95	43.72	8.33	Peak	horizontal
5	115870.000	45.79	54.00	-8.21	33.60	12.19	Average	horizontal
6	115870.000	61.45	74.00	-12.55	49.26	12.19	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.18	54.00	-7.82	40.28	5.90	Average	vertical
2	8000.000	53.39	74.00	-20.61	47.49	5.90	Peak	vertical
3	110580.000	36.51	54.00	-17.49	28.18	8.33	Average	vertical
4	10580.000	52.61	74.00	-21.39	44.28	8.33	Peak	vertical
5	115870.000	45.72	54.00	-8.28	33.53	12.19	Average	vertical
6	115870.000	61.51	74.00	-12.49	49.32	12.19	Peak	vertical


HT/VHT80 mode: 5530 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.68	54.00	-5.32	42.78	5.90	Average	horizontal
2	8000.000	53.75	74.00	-20.25	47.85	5.90	Peak	horizontal
3	110580.000	37.42	54.00	-16.58	27.59	9.83	Average	horizontal
4	110580.000	53.58	74.00	-20.42	43.75	9.83	Peak	horizontal
5	116590.000	43.79	54.00	-10.21	30.19	13.60	Average	horizontal
6	116590.000	59.39	74.00	-14.61	45.79	13.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.04	54.00	-7.96	40.14	5.90	Average	vertical
2	8000.000	53.53	74.00	-20.47	47.63	5.90	Peak	vertical
3	110580.000	37.48	54.00	-16.52	27.65	9.83	Average	vertical
4	110580.000	53.79	74.00	-20.21	43.96	9.83	Peak	vertical
5	116590.000	43.81	54.00	-10.19	30.21	13.60	Average	vertical
6	116590.000	59.13	74.00	-14.87	45.53	13.60	Peak	vertical


HT/VHT80 mode: 5610 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	47.96	54.00	-6.04	42.06	5.90	Average	horizontal	
2	8000.000	53.77	74.00	-20.23	47.87	5.90	Peak	horizontal	
3	111220.000	37.95	54.00	-16.05	28.00	9.95	Average	horizontal	
4	11220.000	53.38	74.00	-20.62	43.43	9.95	Peak	horizontal	
5	116830.000	44.66	54.00	-9.34	30.00	14.58	Average	horizontal	
6	116830.000	60.40	74.00	-13.60	45.82	14.58	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.33	54.00	-7.67	40.43	5.90	Average	vertical	
2	8000.000	53.44	74.00	-20.56	47.54	5.90	Peak	vertical	
3	111220.000	37.96	54.00	-16.04	28.01	9.95	Average	vertical	
4	11220.000	53.75	74.00	-20.25	43.80	9.95	Peak	vertical	
5	116830.000	44.69	54.00	-9.31	30.11	14.58	Average	vertical	
6	116830.000	60.45	74.00	-13.55	45.87	14.58	Peak	vertical	


HT/VHT80 mode: 5690 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.72	54.00	-5.28	42.82	5.90	Average	horizontal	
2	8000.000	53.76	74.00	-20.24	47.86	5.90	Peak	horizontal	
3	111380.000	38.62	54.00	-15.38	28.26	10.36	Average	horizontal	
4	11380.000	53.86	74.00	-20.14	43.50	10.36	Peak	horizontal	
5	117070.000	45.61	54.00	-8.39	29.68	15.93	Average	horizontal	
6	117070.000	61.38	74.00	-12.62	45.45	15.93	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.40	54.00	-7.60	40.50	5.90	Average	vertical	
2	8000.000	53.74	74.00	-20.26	47.84	5.90	Peak	vertical	
3	111380.000	38.50	54.00	-15.50	28.14	10.36	Average	vertical	
4	11380.000	53.87	74.00	-20.13	43.51	10.36	Peak	vertical	
5	117070.000	45.61	54.00	-8.39	29.68	15.93	Average	vertical	
6	117070.000	61.27	74.00	-12.73	45.34	15.93	Peak	vertical	


HT/VHT80 mode: 5775 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.60	54.00	-5.40	42.70	5.90	Average	horizontal
2	8000.000	53.75	74.00	-20.25	47.85	5.90	Peak	horizontal
3	111550.000	38.31	54.00	-15.69	27.51	10.80	Average	horizontal
4	111550.000	54.05	74.00	-19.95	43.25	10.80	Peak	horizontal
5	117325.000	47.10	54.00	-6.90	28.61	18.49	Average	horizontal
6	117325.000	63.00	74.00	-11.00	44.51	18.49	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	45.91	54.00	-8.09	40.01	5.90	Average	vertical
2	8000.000	53.57	74.00	-20.43	47.67	5.90	Peak	vertical
3	111550.000	38.39	54.00	-15.61	27.59	10.80	Average	vertical
4	111550.000	54.06	74.00	-19.94	43.26	10.80	Peak	vertical
5	117325.000	47.08	54.00	-6.92	28.59	18.49	Average	vertical
6	117325.000	62.61	74.00	-11.39	44.12	18.49	Peak	vertical


HE20 mode: 5180 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.70	54.00	-7.30	40.80	5.90	Average	horizontal
2	8000.000	53.12	74.00	-20.88	47.22	5.90	Peak	horizontal
3	110360.000	36.65	54.00	-17.35	27.90	8.75	Average	horizontal
4	110360.000	52.39	74.00	-21.61	43.64	8.75	Peak	horizontal
5	115540.000	46.11	54.00	-7.89	32.95	13.16	Average	horizontal
6	115540.000	61.56	74.00	-12.44	48.40	13.16	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.55	54.00	-7.45	40.65	5.90	Average	vertical
2	8000.000	53.65	74.00	-20.35	47.75	5.90	Peak	vertical
3	110360.000	36.67	54.00	-17.33	27.92	8.75	Average	vertical
4	110360.000	52.57	74.00	-21.43	43.82	8.75	Peak	vertical
5	115540.000	46.18	54.00	-7.82	33.02	13.16	Average	vertical
6	115540.000	61.55	74.00	-12.45	48.39	13.16	Peak	vertical


HE20 mode: 5200 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Remark	Pol/Phase
1	8000.000	48.78	54.00	-5.22	42.88	5.90	Average	horizontal	
2	8000.000	54.19	74.00	-19.81	48.29	5.90	Peak	horizontal	
3	10400.000	36.30	54.00	-17.70	27.44	8.86	Average	horizontal	
4	10400.000	51.87	74.00	-22.13	43.01	8.86	Peak	horizontal	
5	115600.000	46.74	54.00	-7.26	33.87	12.87	Average	horizontal	
6	115600.000	62.76	74.00	-11.24	49.89	12.87	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Remark	Pol/Phase
1	8000.000	46.37	54.00	-7.63	40.47	5.90	Average	vertical	
2	8000.000	53.86	74.00	-20.14	47.96	5.90	Peak	vertical	
3	10400.000	36.37	54.00	-17.63	27.51	8.86	Average	vertical	
4	10400.000	52.56	74.00	-21.44	43.70	8.86	Peak	vertical	
5	115600.000	46.71	54.00	-7.29	33.84	12.87	Average	vertical	
6	115600.000	62.53	74.00	-11.47	49.66	12.87	Peak	vertical	


HE20 mode: 5240 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Remark	Pol/Phase
1	8000.000	48.25	54.00	-5.75	42.35	5.90	Average	horizontal	
2	8000.000	54.24	74.00	-19.76	48.34	5.90	Peak	horizontal	
3	10400.000	36.35	54.00	-17.65	27.71	8.64	Average	horizontal	
4	10400.000	52.20	74.00	-21.80	43.56	8.64	Peak	horizontal	
5	115720.000	47.34	54.00	-6.66	34.59	12.75	Average	horizontal	
6	115720.000	62.91	74.00	-11.09	50.16	12.75	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Remark	Pol/Phase
1	8000.000	46.32	54.00	-7.68	40.42	5.90	Average	vertical	
2	8000.000	53.39	74.00	-20.61	47.49	5.90	Peak	vertical	
3	10400.000	36.36	54.00	-17.64	27.72	8.64	Average	vertical	
4	10400.000	51.87	74.00	-22.13	43.23	8.64	Peak	vertical	
5	115720.000	47.36	54.00	-6.64	34.61	12.75	Average	vertical	
6	115720.000	63.15	74.00	-10.85	50.40	12.75	Peak	vertical	


HE20 mode: 5260 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	48.09	54.00	-5.91	42.19	5.90	Average	horizontal
2	8000.000	53.37	74.00	-20.63	47.47	5.90	Peak	horizontal
3	10520.000	36.13	54.00	-17.87	27.84	8.29	Average	horizontal
4	10520.000	51.63	74.00	-22.37	43.34	8.29	Peak	horizontal
5	115780.000	44.62	54.00	-9.38	32.28	12.34	Average	horizontal
6	115780.000	59.58	74.00	-14.42	47.24	12.34	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	46.98	54.00	-7.02	41.08	5.90	Average	vertical
2	8000.000	53.84	74.00	-20.16	47.94	5.90	Peak	vertical
3	10520.000	36.07	54.00	-17.93	27.78	8.29	Average	vertical
4	10520.000	52.30	74.00	-21.70	44.01	8.29	Peak	vertical
5	115780.000	44.50	54.00	-9.50	32.16	12.34	Average	vertical
6	115780.000	59.99	74.00	-14.01	47.65	12.34	Peak	vertical


HE20 mode: 5300 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	48.70	54.00	-5.30	42.80	5.90	Average	horizontal
2	8000.000	53.86	74.00	-20.14	47.96	5.90	Peak	horizontal
3	10600.000	36.18	54.00	-17.82	27.45	8.73	Average	horizontal
4	10600.000	53.12	74.00	-20.88	44.39	8.73	Peak	horizontal
5	115900.000	46.16	54.00	-7.84	34.03	12.13	Average	horizontal
6	115900.000	62.44	74.00	-11.56	50.31	12.13	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Average	Pol/Phase
1	8000.000	46.48	54.00	-7.52	40.58	5.90	Average	vertical
2	8000.000	53.84	74.00	-20.16	47.94	5.90	Peak	vertical
3	10600.000	37.20	54.00	-16.80	28.47	8.73	Average	vertical
4	10600.000	53.08	74.00	-20.92	44.35	8.73	Peak	vertical
5	115900.000	46.24	54.00	-7.76	34.11	12.13	Average	vertical
6	115900.000	61.92	74.00	-12.08	49.79	12.13	Peak	vertical


HE20 mode: 5320 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.28	54.00	-5.72	42.38	5.90	Average	horizontal
2	8000.000	53.79	74.00	-20.21	47.89	5.90	Peak	horizontal
3	10640.000	38.02	54.00	-15.98	28.71	9.31	Average	horizontal
4	10640.000	53.69	74.00	-20.31	44.38	9.31	Peak	horizontal
5	115960.000	45.00	54.00	-8.20	33.86	11.94	Average	horizontal
6	115960.000	61.73	74.00	-12.27	49.79	11.94	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.41	54.00	-7.59	40.51	5.90	Average	vertical
2	8000.000	53.43	74.00	-20.57	47.53	5.90	Peak	vertical
3	10640.000	38.03	54.00	-15.97	28.72	9.31	Average	vertical
4	10640.000	53.92	74.00	-20.08	44.61	9.31	Peak	vertical
5	115960.000	45.76	54.00	-8.24	33.82	11.94	Average	vertical
6	115960.000	62.04	74.00	-11.96	50.10	11.94	Peak	vertical


HE20 mode: 5500 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.68	54.00	-5.32	42.78	5.90	Average	horizontal
2	8000.000	53.65	74.00	-20.35	47.75	5.90	Peak	horizontal
3	111000.000	36.99	54.00	-17.01	27.56	9.43	Average	horizontal
4	11000.000	52.67	74.00	-21.33	43.24	9.43	Peak	horizontal
5	116500.000	43.50	54.00	-10.50	30.30	13.20	Average	horizontal
6	116500.000	59.40	74.00	-14.60	46.20	13.20	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.07	54.00	-7.93	40.17	5.90	Average	vertical
2	8000.000	53.31	74.00	-20.69	47.41	5.90	Peak	vertical
3	111000.000	36.96	54.00	-17.04	27.53	9.43	Average	vertical
4	11000.000	52.72	74.00	-21.28	43.29	9.43	Peak	vertical
5	116500.000	43.52	54.00	-10.48	30.32	13.20	Average	vertical
6	116500.000	59.40	74.00	-14.60	46.20	13.20	Peak	vertical


HE20 mode: 5580 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.00	54.00	-6.00	42.10	5.90	Average	horizontal
2	8000.000	53.66	74.00	-20.34	47.76	5.90	Peak	horizontal
3	11160.000	37.73	54.00	-16.27	27.78	9.95	Average	horizontal
4	11160.000	53.24	74.00	-20.76	43.29	9.95	Peak	horizontal
5	116740.000	45.66	54.00	-8.34	30.94	14.72	Average	horizontal
6	116740.000	61.07	74.00	-12.93	46.35	14.72	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.62	54.00	-7.38	40.72	5.90	Average	vertical
2	8000.000	53.71	74.00	-20.29	47.81	5.90	Peak	vertical
3	11160.000	37.79	54.00	-16.21	27.84	9.95	Average	vertical
4	11160.000	53.23	74.00	-20.77	43.28	9.95	Peak	vertical
5	116740.000	45.62	54.00	-8.38	30.90	14.72	Average	vertical
6	116740.000	61.46	74.00	-12.54	46.74	14.72	Peak	vertical


HE20 mode: 5700 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.55	54.00	-5.45	42.65	5.90	Average	horizontal
2	8000.000	53.84	74.00	-20.16	47.94	5.90	Peak	horizontal
3	111400.000	38.84	54.00	-15.16	28.30	10.54	Average	horizontal
4	111400.000	54.44	74.00	-19.56	43.90	10.54	Peak	horizontal
5	117100.000	45.96	54.00	-8.04	29.68	16.28	Average	horizontal
6	117100.000	61.72	74.00	-12.28	45.44	16.28	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.24	54.00	-7.76	40.34	5.90	Average	vertical
2	8000.000	53.55	74.00	-20.45	47.65	5.90	Peak	vertical
3	111400.000	38.82	54.00	-15.18	28.28	10.54	Average	vertical
4	111400.000	54.55	74.00	-19.45	44.01	10.54	Peak	vertical
5	117100.000	45.94	54.00	-8.06	29.66	16.28	Average	vertical
6	117100.000	61.93	74.00	-12.07	45.65	16.28	Peak	vertical


HE20 mode: 5720 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Pol/Phase
1	8000.000	48.78	54.00	-5.22	42.88	5.90	Average	horizontal
2	8000.000	53.87	74.00	-20.13	47.97	5.90	Peak	horizontal
3	111440.000	38.73	54.00	-15.27	27.97	10.76	Average	horizontal
4	111440.000	54.16	74.00	-19.84	43.40	10.76	Peak	horizontal
5	117160.000	46.21	54.00	-7.79	29.61	16.60	Average	horizontal
6	117160.000	62.54	74.00	-11.46	45.94	16.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Pol/Phase
1	8000.000	46.07	54.00	-7.93	40.17	5.90	Average	vertical
2	8000.000	53.43	74.00	-20.57	47.53	5.90	Peak	vertical
3	111440.000	38.71	54.00	-15.29	27.95	10.76	Average	vertical
4	111440.000	54.42	74.00	-19.58	43.66	10.76	Peak	vertical
5	117160.000	46.07	54.00	-7.93	29.47	16.60	Average	vertical
6	117160.000	61.84	74.00	-12.16	45.24	16.60	Peak	vertical


HE20 mode: 5745 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Pol/Phase
1	8000.000	48.44	54.00	-5.56	42.54	5.90	Average	horizontal
2	8000.000	53.54	74.00	-20.46	47.64	5.90	Peak	horizontal
3	111490.000	38.36	54.00	-15.64	27.77	10.59	Average	horizontal
4	111490.000	54.00	74.00	-20.00	43.41	10.59	Peak	horizontal
5	117235.000	46.99	54.00	-7.01	29.77	17.22	Average	horizontal
6	117235.000	63.18	74.00	-10.82	45.96	17.22	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		Pol/Phase
1	8000.000	46.73	54.00	-7.27	40.83	5.90	Average	vertical
2	8000.000	53.76	74.00	-20.24	47.06	5.90	Peak	vertical
3	111490.000	38.52	54.00	-15.48	27.93	10.59	Average	vertical
4	111490.000	54.36	74.00	-19.64	43.77	10.59	Peak	vertical
5	117235.000	46.88	54.00	-7.12	29.66	17.22	Average	vertical
6	117235.000	62.76	74.00	-11.24	45.54	17.22	Peak	vertical


HE20 mode: 5785 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.34	54.00	-5.66	42.44	5.90	Average	horizontal
2	8000.000	53.54	74.00	-20.46	47.64	5.90	Peak	horizontal
3	111570.000	38.47	54.00	-15.53	27.60	10.87	Average	horizontal
4	111570.000	54.21	74.00	-19.79	43.34	10.87	Peak	horizontal
5	117355.000	47.80	54.00	-6.20	28.90	18.82	Average	horizontal
6	117355.000	63.63	74.00	-10.37	44.81	18.82	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.80	54.00	-7.20	40.90	5.90	Average	vertical
2	8000.000	53.87	74.00	-20.13	47.97	5.90	Peak	vertical
3	111570.000	38.46	54.00	-15.54	27.59	10.87	Average	vertical
4	111570.000	54.30	74.00	-19.70	43.43	10.87	Peak	vertical
5	117355.000	47.84	54.00	-6.16	29.02	18.82	Average	vertical
6	117355.000	63.06	74.00	-10.94	44.24	18.82	Peak	vertical


HE20 mode: 5825 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.33	54.00	-5.67	42.43	5.90	Average	horizontal
2	8000.000	53.82	74.00	-20.18	47.92	5.90	Peak	horizontal
3	111650.000	38.78	54.00	-15.22	27.55	11.23	Average	horizontal
4	111650.000	54.66	74.00	-19.34	43.43	11.23	Peak	horizontal
5	117475.000	47.10	54.00	-6.90	26.84	20.26	Average	horizontal
6	117475.000	62.49	74.00	-11.51	42.23	20.26	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.22	54.00	-7.78	40.32	5.90	Average	vertical
2	8000.000	53.31	74.00	-20.69	47.43	5.88	Peak	vertical
3	111650.000	38.91	54.00	-15.09	27.68	11.23	Average	vertical
4	111650.000	55.08	74.00	-18.92	43.85	11.23	Peak	vertical
5	117475.000	47.95	54.00	-6.05	27.69	20.26	Average	vertical
6	117475.000	64.09	74.00	-9.91	43.83	20.26	Peak	vertical


HE40 mode: 5190 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.60	54.00	-5.40	42.70	5.90	Average	horizontal
2	8000.000	53.86	74.00	-20.14	47.96	5.90	Peak	horizontal
3	10380.000	36.57	54.00	-17.43	27.71	8.86	Average	horizontal
4	10380.000	52.45	74.00	-21.55	43.59	8.86	Peak	horizontal
5	115570.000	46.47	54.00	-7.53	33.45	13.02	Average	horizontal
6	115570.000	62.91	74.00	-11.09	49.89	13.02	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.31	54.00	-7.69	40.41	5.90	Average	vertical
2	8000.000	53.76	74.00	-20.24	47.86	5.90	Peak	vertical
3	10380.000	38.06	54.00	-15.94	27.70	10.36	Average	vertical
4	10380.000	54.06	74.00	-19.94	43.70	10.36	Peak	vertical
5	115570.000	46.54	54.00	-7.46	33.52	13.02	Average	vertical
6	115570.000	62.47	74.00	-11.53	49.45	13.02	Peak	vertical


HE40 mode: 5230 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	47.99	54.00	-6.01	42.09	5.90	Average	horizontal
2	8000.000	53.65	74.00	-20.35	47.75	5.90	Peak	horizontal
3	10460.000	36.62	54.00	-17.38	27.88	8.74	Average	horizontal
4	10460.000	52.44	74.00	-21.56	43.70	8.74	Peak	horizontal
5	115690.000	46.73	54.00	-7.27	33.91	12.82	Average	horizontal
6	115690.000	62.20	74.00	-11.80	49.38	12.82	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.85	54.00	-7.15	40.95	5.90	Average	vertical
2	8000.000	54.59	74.00	-19.41	48.69	5.90	Peak	vertical
3	10460.000	36.69	54.00	-17.31	27.95	8.74	Average	vertical
4	10460.000	52.47	74.00	-21.53	43.73	8.74	Peak	vertical
5	115690.000	46.65	54.00	-7.35	33.83	12.82	Average	vertical
6	115690.000	62.18	74.00	-11.82	49.36	12.82	Peak	vertical


HE40 mode: 5270 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.65	54.00	-5.35	42.75	5.90	Average	horizontal
2	8000.000	53.68	74.00	-20.32	47.78	5.90	Peak	horizontal
3	10540.000	36.01	54.00	-17.99	27.78	8.23	Average	horizontal
4	10540.000	52.50	74.00	-21.50	44.27	8.23	Peak	horizontal
5	115810.000	43.47	54.00	-10.53	31.27	12.20	Average	horizontal
6	115810.000	59.04	74.00	-14.96	46.84	12.20	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.05	54.00	-7.95	40.15	5.90	Average	vertical
2	8000.000	53.04	74.00	-20.96	47.14	5.90	Peak	vertical
3	10540.000	36.00	54.00	-18.00	27.77	8.23	Average	vertical
4	10540.000	52.08	74.00	-21.92	43.85	8.23	Peak	vertical
5	115810.000	43.32	54.00	-10.68	31.12	12.20	Average	vertical
6	115810.000	59.46	74.00	-14.54	47.26	12.20	Peak	vertical


HE40 mode: 5310 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.56	54.00	-5.44	42.66	5.90	Average	horizontal
2	8000.000	54.27	74.00	-19.73	48.37	5.90	Peak	horizontal
3	10620.000	37.87	54.00	-16.13	28.76	9.11	Average	horizontal
4	10620.000	53.23	74.00	-20.77	44.12	9.11	Peak	horizontal
5	115930.000	46.07	54.00	-7.93	34.04	12.03	Average	horizontal
6	115930.000	61.74	74.00	-12.26	49.71	12.03	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.52	54.00	-7.48	40.62	5.90	Average	vertical
2	8000.000	53.84	74.00	-20.16	47.94	5.90	Peak	vertical
3	10620.000	37.87	54.00	-16.13	28.76	9.11	Average	vertical
4	10620.000	53.04	74.00	-20.96	43.93	9.11	Peak	vertical
5	115930.000	46.08	54.00	-7.92	34.05	12.03	Average	vertical
6	115930.000	61.61	74.00	-12.39	49.58	12.03	Peak	vertical


HE40 mode: 5510 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	49.68	54.00	-4.32	43.78	5.90	Average	horizontal
2	8000.000	54.79	74.00	-19.21	48.89	5.90	Peak	horizontal
3	11020.000	37.08	54.00	-16.92	27.51	9.57	Average	horizontal
4	11020.000	52.62	74.00	-21.38	43.05	9.57	Peak	horizontal
5	116530.000	43.57	54.00	-10.43	30.18	13.39	Average	horizontal
6	116530.000	59.78	74.00	-14.22	46.39	13.39	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.73	54.00	-7.27	40.83	5.90	Average	vertical
2	8000.000	53.73	74.00	-20.27	47.83	5.90	Peak	vertical
3	11020.000	37.05	54.00	-16.95	27.48	9.57	Average	vertical
4	11020.000	53.07	74.00	-20.93	43.50	9.57	Peak	vertical
5	116530.000	43.63	54.00	-10.37	30.24	13.39	Average	vertical
6	116530.000	59.04	74.00	-14.96	45.65	13.39	Peak	vertical


HE40 mode: 5550 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.83	54.00	-5.17	42.93	5.90	Average	horizontal
2	8000.000	53.81	74.00	-20.19	47.91	5.90	Peak	horizontal
3	11100.000	37.61	54.00	-16.39	27.64	9.97	Average	horizontal
4	11100.000	53.60	74.00	-20.40	43.63	9.97	Peak	horizontal
5	116650.000	44.56	54.00	-9.44	30.60	13.96	Average	horizontal
6	116650.000	60.17	74.00	-13.83	46.21	13.96	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.36	54.00	-7.64	40.46	5.90	Average	vertical
2	8000.000	53.74	74.00	-20.26	47.94	5.90	Peak	vertical
3	11100.000	37.70	54.00	-16.30	27.73	9.97	Average	vertical
4	11100.000	53.45	74.00	-20.55	43.48	9.97	Peak	vertical
5	116650.000	44.66	54.00	-9.34	30.70	13.96	Average	vertical
6	116650.000	60.33	74.00	-13.67	46.37	13.96	Peak	vertical


HE40 mode: 5670 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.78	54.00	-5.22	42.88	5.90	Average	horizontal	
2	8000.000	53.82	74.00	-20.18	47.92	5.90	Peak	horizontal	
3	111340.000	38.55	54.00	-15.45	28.29	10.26	Average	horizontal	
4	111340.000	54.53	74.00	-19.47	44.27	10.26	Peak	horizontal	
5	117010.000	44.98	54.00	-9.02	29.88	15.10	Average	horizontal	
6	117010.000	60.54	74.00	-13.46	45.44	15.10	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.48	54.00	-7.52	40.58	5.90	Average	vertical	
2	8000.000	53.55	74.00	-20.45	47.65	5.90	Peak	vertical	
3	111340.000	38.52	54.00	-15.48	28.26	10.26	Average	vertical	
4	111340.000	54.34	74.00	-19.66	44.08	10.26	Peak	vertical	
5	117010.000	45.03	54.00	-8.97	29.93	15.10	Average	vertical	
6	117010.000	61.02	74.00	-12.98	45.92	15.10	Peak	vertical	


HE40 mode: 5710 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.44	54.00	-5.56	42.54	5.90	Average	horizontal	
2	8000.000	53.71	74.00	-20.29	47.81	5.90	Peak	horizontal	
3	111420.000	38.80	54.00	-15.20	28.08	10.72	Average	horizontal	
4	111420.000	54.69	74.00	-19.31	43.97	10.72	Peak	horizontal	
5	117130.000	46.15	54.00	-7.85	29.58	16.57	Average	horizontal	
6	117130.000	61.95	74.00	-12.05	45.38	16.57	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.51	54.00	-7.49	40.61	5.90	Average	vertical	
2	8000.000	53.82	74.00	-20.18	47.92	5.90	Peak	vertical	
3	111420.000	38.82	54.00	-15.18	28.10	10.72	Average	vertical	
4	111420.000	54.00	74.00	-20.00	43.28	10.72	Peak	vertical	
5	117130.000	46.29	54.00	-7.71	29.72	16.57	Average	vertical	
6	117130.000	61.88	74.00	-12.12	45.31	16.57	Peak	vertical	


HE40 mode: 5755 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.24	54.00	-5.76	42.34	5.90	Average	horizontal
2	8000.000	53.71	74.00	-20.29	47.81	5.90	Peak	horizontal
3	111510.000	38.40	54.00	-15.60	27.74	10.66	Average	horizontal
4	111510.000	54.23	74.00	-19.77	43.57	10.66	Peak	horizontal
5	117265.000	47.34	54.00	-6.66	29.78	17.56	Average	horizontal
6	117265.000	63.24	74.00	-10.76	45.68	17.56	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.64	54.00	-7.36	40.74	5.90	Average	vertical
2	8000.000	53.73	74.00	-20.27	47.83	5.90	Peak	vertical
3	111510.000	38.50	54.00	-15.50	27.84	10.66	Average	vertical
4	111510.000	54.14	74.00	-19.86	43.48	10.66	Peak	vertical
5	117265.000	47.27	54.00	-6.73	29.71	17.56	Average	vertical
6	117265.000	63.08	74.00	-10.92	45.52	17.56	Peak	vertical


HE40 mode: 5795 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.65	54.00	-5.35	42.75	5.90	Average	horizontal
2	8000.000	53.71	74.00	-20.29	47.81	5.90	Peak	horizontal
3	111590.000	38.63	54.00	-15.37	27.69	10.94	Average	horizontal
4	111590.000	54.13	74.00	-19.87	43.19	10.94	Peak	horizontal
5	117385.000	47.02	54.00	-6.98	27.90	19.12	Average	horizontal
6	117385.000	63.21	74.00	-10.79	44.09	19.12	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.87	54.00	-7.13	40.97	5.90	Average	vertical
2	8000.000	53.54	74.00	-20.46	47.64	5.90	Peak	vertical
3	111590.000	38.70	54.00	-15.30	27.76	10.94	Average	vertical
4	111590.000	54.23	74.00	-19.77	43.29	10.94	Peak	vertical
5	117385.000	47.02	54.00	-6.98	27.90	19.12	Average	vertical
6	117385.000	62.38	74.00	-11.62	43.26	19.12	Peak	vertical


HE80 mode: 5210 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.46	54.00	-5.54	42.56	5.90	Average	horizontal	
2	8000.000	53.69	74.00	-20.31	47.79	5.90	Peak	horizontal	
3	10420.000	36.60	54.00	-17.40	27.71	8.89	Average	horizontal	
4	10420.000	52.30	74.00	-21.70	43.41	8.89	Peak	horizontal	
5	115630.000	46.37	54.00	-7.63	33.57	12.80	Average	horizontal	
6	115630.000	62.77	74.00	-11.23	49.97	12.80	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.04	54.00	-7.96	40.14	5.90	Average	vertical	
2	8000.000	53.50	74.00	-20.50	47.60	5.90	Peak	vertical	
3	10420.000	36.62	54.00	-17.38	27.73	8.89	Average	vertical	
4	10420.000	52.61	74.00	-21.39	43.72	8.89	Peak	vertical	
5	115630.000	46.37	54.00	-7.63	33.57	12.80	Average	vertical	
6	115630.000	61.95	74.00	-12.05	49.15	12.80	Peak	vertical	


HE80 mode: 5290 MHz

Horizontal



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	48.42	54.00	-5.58	42.52	5.90	Average	horizontal	
2	8000.000	53.83	74.00	-20.17	47.93	5.90	Peak	horizontal	
3	10580.000	36.56	54.00	-17.44	28.23	8.33	Average	horizontal	
4	10580.000	53.09	74.00	-20.91	44.76	8.33	Peak	horizontal	
5	115870.000	45.86	54.00	-8.14	33.67	12.19	Average	horizontal	
6	115870.000	61.54	74.00	-12.46	49.35	12.19	Peak	horizontal	


Vertical



	Freq	Level	Limit	Over	Read				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	8000.000	46.36	54.00	-7.64	40.46	5.90	Average	vertical	
2	8000.000	53.73	74.00	-20.27	47.83	5.90	Peak	vertical	
3	10580.000	36.62	54.00	-17.38	28.29	8.33	Average	vertical	
4	10580.000	52.18	74.00	-21.82	43.85	8.33	Peak	vertical	
5	115870.000	45.81	54.00	-8.19	33.62	12.19	Average	vertical	
6	115870.000	61.46	74.00	-12.54	49.27	12.19	Peak	vertical	


HE80 mode: 5530 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.85	54.00	-5.15	42.95	5.90	Average	horizontal
2	8000.000	53.87	74.00	-20.13	47.97	5.90	Peak	horizontal
3	11060.000	37.48	54.00	-16.52	27.65	9.83	Average	horizontal
4	11060.000	53.79	74.00	-20.21	43.96	9.83	Peak	horizontal
5	116590.000	43.95	54.00	-10.05	30.35	13.60	Average	horizontal
6	116590.000	59.97	74.00	-14.03	46.37	13.60	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.50	54.00	-7.50	40.60	5.90	Average	vertical
2	8000.000	53.20	74.00	-20.80	47.30	5.90	Peak	vertical
3	11060.000	37.53	54.00	-16.47	27.70	9.83	Average	vertical
4	11060.000	53.40	74.00	-20.60	43.57	9.83	Peak	vertical
5	116590.000	43.90	54.00	-10.10	30.30	13.60	Average	vertical
6	116590.000	59.94	74.00	-14.06	46.34	13.60	Peak	vertical


HE80 mode: 5610 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	48.74	54.00	-5.26	42.84	5.90	Average	horizontal
2	8000.000	53.83	74.00	-20.17	47.93	5.90	Peak	horizontal
3	11220.000	37.97	54.00	-16.03	28.02	9.95	Average	horizontal
4	11220.000	54.17	74.00	-19.83	44.22	9.95	Peak	horizontal
5	116830.000	44.85	54.00	-9.15	30.27	14.58	Average	horizontal
6	116830.000	60.50	74.00	-13.50	45.92	14.58	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	Limit	Level	Factor	Remark	Pol/Phase
1	8000.000	46.27	54.00	-7.73	40.37	5.90	Average	vertical
2	8000.000	53.55	74.00	-20.45	47.65	5.90	Peak	vertical
3	11220.000	37.97	54.00	-16.03	28.02	9.95	Average	vertical
4	11220.000	53.69	74.00	-20.31	43.74	9.95	Peak	vertical
5	116830.000	44.91	54.00	-9.09	30.33	14.58	Average	vertical
6	116830.000	60.40	74.00	-13.60	45.82	14.58	Peak	vertical


HE80 mode: 5690 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.29	54.00	-5.71	42.39	5.90	Average	horizontal
2	8000.000	53.65	74.00	-20.35	47.75	5.90	Peak	horizontal
3	111380.000	38.64	54.00	-15.36	28.28	10.36	Average	horizontal
4	111380.000	54.65	74.00	-19.35	44.29	10.36	Peak	horizontal
5	117070.000	45.72	54.00	-8.28	29.79	15.93	Average	horizontal
6	117070.000	61.22	74.00	-12.78	45.29	15.93	Peak	horizontal


Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.07	54.00	-7.93	40.17	5.90	Average	vertical
2	8000.000	53.69	74.00	-20.31	47.79	5.90	Peak	vertical
3	111380.000	38.63	54.00	-15.37	28.27	10.36	Average	vertical
4	111380.000	54.90	74.00	-19.10	44.54	10.36	Peak	vertical
5	117070.000	45.73	54.00	-8.27	29.80	15.93	Average	vertical
6	117070.000	61.75	74.00	-12.25	45.82	15.93	Peak	vertical


HE80 mode: 5775 MHz

Horizontal



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	48.79	54.00	-5.21	42.89	5.90	Average	horizontal
2	8000.000	53.87	74.00	-20.13	47.97	5.90	Peak	horizontal
3	111550.000	38.38	54.00	-15.62	27.58	10.80	Average	horizontal
4	111550.000	54.86	74.00	-19.14	44.06	10.80	Peak	horizontal
5	117325.000	47.25	54.00	-6.75	28.76	18.49	Average	horizontal
6	117325.000	63.24	74.00	-10.76	44.75	18.49	Peak	horizontal

Vertical



	Freq	Level	Limit	Over	Read			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	Factor	Remark
1	8000.000	46.26	54.00	-7.74	40.36	5.90	Average	vertical
2	8000.000	53.70	74.00	-20.30	47.80	5.90	Peak	vertical
3	111550.000	38.37	54.00	-15.63	27.57	10.80	Average	vertical
4	111550.000	54.20	74.00	-19.80	43.40	10.80	Peak	vertical
5	117325.000	47.21	54.00	-6.79	28.72	18.49	Average	vertical
6	117325.000	62.67	74.00	-11.33	44.18	18.49	Peak	vertical

----- END OF REPORT -----