


Model:QIS08



Input: DC 9V 2A

Wireless Charger Output#1(Phone): 5W,7.5W,10W

Wireless Charger Output#2(Airpods): 5W

Wireless Charger Output#3(Apple Watch): 2W

Wireless Charger Output Total:18W

LED & RGB Status Indicator:

- 1,2 Red Steady LED & 3 Flowing RGB: The charging station is connected to power correctly. The wireless charger is ready to charge.
- 1 Blue Steady LED & 3 Breathing RGB: Phone is placed on the wireless charger and charging properly.
- 2 Blue Steady LED & 3 Breathing RGB: Earphone is placed on the wireless charger and charging properly.

- 1 Red Flashing LED& 3 red flashing: Foreign object detected on phone charger area. Charging is disabled.

- 2 Red Flashing LED& 3 red flashing: Foreign object detected on earphone charger area. Charging is disabled.

This device complies with part 18 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

ICID

ISED Canada Statement:

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development

Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1) this device may not cause interference and
- 2) this device must accept any interference, including interference that may cause undesired operation of the device.

Radiation Exposure: This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment

RF Exposure Statement

To maintain compliance with IC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 10cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter

Déclaration de l'ISED Canada :

Cet appareil contient des émetteurs / récepteurs exempts de licence se conformer à l'innovation, la science et le développement économique Les RSS du Canada exempts de licence. Leur fonctionnement suivant deux conditions:

- 1) cet appareil ne peut pas causer d'interférences et
- 2) ce dispositif doit accepter toute interférence, y compris peut provoquer le fonctionnement indésirable de l'appareil.

Exposition aux rayonnements : Cet équipement est conforme aux radiations du Canada limites d'exposition pour un environnement incontrôlé non é d'exposition RF

Pour maintenir le respect des guides d'exposition RF d'IC, l'équipement doit être installé et actionné avec une distance minimale de 10cm le radiateur de votre corps. Cet appareil et ses antennes ne doivent pas être co-localisés ou en opération en conjonction avec toute autre antenne ou émetteur
