





Tab P8

Guía del usuario

Aprenda acerca de su tableta



1. Puerto USB-C

2. Ranura de la tarjeta microSD/SIM

3. Entrada de Auricular

4. Receptor
5. Cámara frontal

6. Volumen +

7. Volumen -

8. Reinicio
9. Encendido / Apagado

10. Cámara trasera

11. Flash + Luz

12. Micrófono

13. Altavoz


1.1 Función clave

Función clave

Botón de encendido	Pulse brevemente para entrar en reposo. Mantengalo presionado para encender o apagar.
Volumen+	Aumentar el volumen
Volumen-	Reducir el volumen
Botón inicio	Presione para regresar a la pantalla de inicio.
Botón de retroceso	Presione para regresar a la pantalla anterior.
Botón Recientes	Púlselo para abrir la lista de aplicaciones recientes.

1.2 Página principal

La pantalla inicial es la siguiente Imagen 1.2-1, mantenga pulsado para ajustes y fondo de pantalla.



Botón de retroceso Botón inicio Botón Recientes

Imagen 1.2-1


1.3 Encendido y Apagado

Encendido
Pulse la tecla de encendido durante 3 segundos para encender el dispositivo. Cuando encienda el dispositivo por primera vez o luego de restablecer los datos siga las instrucciones en la pantalla.


Apagado
Presione la tecla de encendido durante unos segundos y aparecerá la ventana de acciones con cuatro opciones: emergencia, reinicio y captura de pantalla. Seleccionar apagar y aceptar la confirmación.

1.4.Configuración rápida

Deslice el dedo desde la parte superior de la pantalla hacia abajo para ver los botones de ajustes rápidos en donde encontraremos iconos de acceso rápido, como Wi-Fi, Bluetooth, Girar automáticamente, etc. Deslizand nuevamente el dedo hacia abajo abriremos la lista completa de ajustes rápidos, para reorganizar hacer clic en el botón editar, ubicado en la esquina inferior izquierda, arrastrando los accesos o remplazándolos por otros, como se muestra en la Imagen 1.4-1.



Mediante la opción Gestionar en notificaciones, podemos activar y desctivar las aplicaciones que podrán mostrarse en la vista de notificaciones tal como se muestra en la Imagen 1.4-2.



FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This GSM Mobile Phone meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: Tab P8 (FCC ID: 2A22Y-P8) has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for use at the ear is 0.641W/kg and when properly worn on the body is 1.121W/kg. This device was tested for typical body-worn operations with the back of the handset kept 0mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 0mm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 0mm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components.

Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.