







Appendix D: UNII Band 2-C


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	97.78	0.1	0.73
NVNT	a	5600	Ant1	97.71	0.1	0.73
NVNT	a	5700	Ant1	97.78	0.1	0.73
NVNT	n20	5500	Ant1	97.56	0.11	0.78
NVNT	n20	5600	Ant1	97.56	0.11	0.78
NVNT	n20	5700	Ant1	97.63	0.1	0.78
NVNT	n40	5510	Ant1	95.37	0.21	1.57
NVNT	n40	5590	Ant1	95.37	0.21	1.57
NVNT	n40	5670	Ant1	95.37	0.21	1.57
NVNT	ac20	5500	Ant1	97.65	0.1	0.78
NVNT	ac20	5600	Ant1	97.65	0.1	0.78
NVNT	ac20	5700	Ant1	97.57	0.11	0.78
NVNT	ac40	5510	Ant1	95.39	0.2	1.56
NVNT	ac40	5590	Ant1	95.39	0.2	1.56
NVNT	ac40	5670	Ant1	95.39	0.2	1.56
NVNT	ax20	5500	Ant1	96.88	0.14	1.01
NVNT	ax20	5600	Ant1	96.98	0.13	1.01
NVNT	ax20	5700	Ant1	96.88	0.14	1.01
NVNT	ax40	5510	Ant1	94.18	0.26	1.93
NVNT	ax40	5590	Ant1	94.18	0.26	1.93
NVNT	ax40	5670	Ant1	94.35	0.25	1.93















Duty Cycle NVNT n40 5590MHz Ant1











Duty Cycle NVNT ac20 5600MHz Ant1






















-26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	27.273	0.5	Pass
NVNT	a	5600	Ant1	29.994	0.5	Pass
NVNT	a	5700	Ant1	29.565	0.5	Pass
NVNT	n20	5500	Ant1	29.577	0.5	Pass
NVNT	n20	5600	Ant1	30	0.5	Pass
NVNT	n20	5700	Ant1	29.436	0.5	Pass
NVNT	n40	5510	Ant1	45.606	0.5	Pass
NVNT	n40	5590	Ant1	45.456	0.5	Pass
NVNT	n40	5670	Ant1	45.606	0.5	Pass
NVNT	ac20	5500	Ant1	28.191	0.5	Pass
NVNT	ac20	5600	Ant1	27.942	0.5	Pass
NVNT	ac20	5700	Ant1	27.681	0.5	Pass
NVNT	ac40	5510	Ant1	45.582	0.5	Pass
NVNT	ac40	5590	Ant1	46.524	0.5	Pass
NVNT	ac40	5670	Ant1	46.392	0.5	Pass
NVNT	ax20	5500	Ant1	25.752	0.5	Pass
NVNT	ax20	5600	Ant1	25.713	0.5	Pass
NVNT	ax20	5700	Ant1	25.308	0.5	Pass
NVNT	ax40	5510	Ant1	46.434	0.5	Pass
NVNT	ax40	5590	Ant1	44.976	0.5	Pass
NVNT	ax40	5670	Ant1	45.018	0.5	Pass










































Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.846
NVNT	a	5600	Ant1	17.284
NVNT	a	5700	Ant1	16.912
NVNT	n20	5500	Ant1	18.124
NVNT	n20	5600	Ant1	18.946
NVNT	n20	5700	Ant1	18.166
NVNT	n40	5510	Ant1	36.908
NVNT	n40	5590	Ant1	36.8
NVNT	n40	5670	Ant1	36.884
NVNT	ac20	5500	Ant1	18.136
NVNT	ac20	5600	Ant1	18.088
NVNT	ac20	5700	Ant1	18.046
NVNT	ac40	5510	Ant1	36.896
NVNT	ac40	5590	Ant1	36.776
NVNT	ac40	5670	Ant1	36.824
NVNT	ax20	5500	Ant1	19.132
NVNT	ax20	5600	Ant1	19.15
NVNT	ax20	5700	Ant1	19.105
NVNT	ax20	5700	Ant1	19.126
NVNT	ax40	5510	Ant1	38.132
NVNT	ax40	5590	Ant1	38.048
NVNT	ax40	5670	Ant1	38.096


























































Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	14.99	0.1	15.09	24	Pass
NVNT	a	5600	Ant1	16.4	0.1	16.5	24	Pass
NVNT	a	5700	Ant1	14	0.1	14.1	24	Pass
NVNT	n20	5500	Ant1	14.32	0.11	14.43	24	Pass
NVNT	n20	5600	Ant1	14.21	0.11	14.32	24	Pass
NVNT	n20	5600	Ant1	13.03	0.11	13.14	24	Pass
NVNT	n20	5700	Ant1	12.08	0.1	12.18	24	Pass
NVNT	n20	5700	Ant1	10.35	0.1	10.45	24	Pass
NVNT	n40	5510	Ant1	11.21	0.21	11.42	24	Pass
NVNT	n40	5590	Ant1	12.9	0.21	13.11	24	Pass
NVNT	n40	5670	Ant1	11.74	0.21	11.95	24	Pass
NVNT	ac20	5500	Ant1	10.85	0.1	10.95	24	Pass
NVNT	ac20	5600	Ant1	13.34	0.1	13.44	24	Pass
NVNT	ac20	5700	Ant1	10.87	0.11	10.98	24	Pass
NVNT	ac40	5510	Ant1	11	0.2	11.2	24	Pass
NVNT	ac40	5590	Ant1	12.98	0.2	13.18	24	Pass
NVNT	ac40	5670	Ant1	11.75	0.2	11.95	24	Pass
NVNT	ax20	5500	Ant1	11.2	0.14	11.34	24	Pass
NVNT	ax20	5600	Ant1	13.17	0.13	13.3	24	Pass
NVNT	ax20	5700	Ant1	10.79	0.14	10.93	24	Pass
NVNT	ax40	5510	Ant1	10.94	0.26	11.2	24	Pass
NVNT	ax40	5590	Ant1	13.23	0.26	13.49	24	Pass
NVNT	ax40	5670	Ant1	11.87	0.25	12.12	24	Pass



Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	3.02	0.1	3.12	11	Pass
NVNT	a	5600	Ant1	4.9	0.1	5	11	Pass
NVNT	a	5700	Ant1	2.61	0.1	2.71	11	Pass
NVNT	n20	5500	Ant1	2.43	0.11	2.54	11	Pass
NVNT	n20	5600	Ant1	4.43	0.11	4.54	11	Pass
NVNT	n20	5700	Ant1	2.06	0.1	2.16	11	Pass
NVNT	n40	5510	Ant1	-6.17	0.21	-5.96	11	Pass
NVNT	n40	5590	Ant1	-4.57	0.21	-4.36	11	Pass
NVNT	n40	5670	Ant1	-3.51	0.21	-3.3	11	Pass
NVNT	ac20	5500	Ant1	-1.17	0.1	-1.07	11	Pass
NVNT	ac20	5600	Ant1	1.89	0.1	1.99	11	Pass
NVNT	ac20	5700	Ant1	-0.82	0.11	-0.71	11	Pass
NVNT	ac40	5510	Ant1	-4.48	0.2	-4.28	11	Pass
NVNT	ac40	5590	Ant1	-5.5	0.2	-5.3	11	Pass
NVNT	ac40	5670	Ant1	-3.01	0.2	-2.81	11	Pass
NVNT	ax20	5500	Ant1	-1.22	0.14	-1.08	11	Pass
NVNT	ax20	5600	Ant1	0.93	0.13	1.06	11	Pass
NVNT	ax20	5700	Ant1	-1.31	0.14	-1.17	11	Pass
NVNT	ax40	5510	Ant1	-4.58	0.26	-4.32	11	Pass
NVNT	ax40	5590	Ant1	-3.35	0.26	-3.09	11	Pass
NVNT	ax40	5670	Ant1	-2.89	0.25	-2.64	11	Pass


































Frequency Stability

Condition	Mode	Time (mins)	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 90V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
20C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
20C 264V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
-20C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
-10C 120V	a	0	5500	Ant1	5500.04	40000	7.27	25	Pass
0C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
10C 120V	a	0	5500	Ant1	5500.06	60000	10.91	25	Pass
30C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
40C 120V	a	0	5500	Ant1	5500.06	60000	10.91	25	Pass
50C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
20C 90V	a	0	5500	Ant1	5500	0	0	25	Pass
20C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
20C 264V	a	0	5500	Ant1	5500	0	0	25	Pass
-20C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
-10C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
0C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
10C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
30C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
40C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
50C 120V	a	0	5500	Ant1	5500	0	0	25	Pass
20C 264V	a	0	5500	Ant1	5500.06	60000	10.91	25	Pass
-20C 120V	a	0	5500	Ant1	5500.06	60000	10.91	25	Pass
-10C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
0C 120V	a	0	5500	Ant1	5500.06	60000	10.91	25	Pass
10C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
40C 120V	a	0	5500	Ant1	5500.08	80000	14.55	25	Pass
50C 120V	a	0	5500	Ant1	5500.06	60000	10.91	25	Pass
20C 90V	a	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 120V	a	0	5600	Ant1	5600.08	80000	14.29	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

20C 264V	a	0	5600	Ant1	5600.08	80000	14.29	25	Pass
-20C 120V	a	0	5600	Ant1	5600.08	80000	14.29	25	Pass
-10C 120V	a	0	5600	Ant1	5600.08	80000	14.29	25	Pass
0C 120V	a	0	5600	Ant1	5600	0	0	25	Pass
10C 120V	a	0	5600	Ant1	5600.08	80000	14.29	25	Pass
30C 120V	a	0	5600	Ant1	5600.06	60000	10.71	25	Pass
40C 120V	a	0	5600	Ant1	5600.06	60000	10.71	25	Pass
50C 120V	a	0	5600	Ant1	5600.04	40000	7.14	25	Pass
20C 90V	a	0	5700	Ant1	5700.08	80000	14.04	25	Pass
20C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 264V	a	0	5700	Ant1	5700.08	80000	14.04	25	Pass
-20C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
-10C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
0C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
10C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
30C 120V	a	0	5700	Ant1	5700.08	80000	14.04	25	Pass
40C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
50C 120V	a	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 90V	n20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
20C 120V	n20	0	5500	Ant1	5500.08	80000	14.55	25	Pass
20C 264V	n20	0	5500	Ant1	5500.08	80000	14.55	25	Pass
-20C 120V	n20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
-10C 120V	n20	0	5500	Ant1	5500.08	80000	14.55	25	Pass
0C 120V	n20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
10C 120V	n20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
30C 120V	n20	0	5500	Ant1	5500.04	40000	7.27	25	Pass
40C 120V	n20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
50C 120V	n20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
20C 90V	n20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 120V	n20	0	5600	Ant1	5600.08	80000	14.29	25	Pass
20C 264V	n20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
-20C 120V	n20	0	5600	Ant1	5600.08	80000	14.29	25	Pass
-10C 120V	n20	0	5600	Ant1	5600.08	80000	14.29	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

0C 120V	n20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
10C 120V	n20	0	5600	Ant1	5600.08	80000	14.29	25	Pass
30C 120V	n20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
40C 120V	n20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
50C 120V	n20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 90V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 120V	n20	0	5700	Ant1	5700.08	80000	14.04	25	Pass
20C 264V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
-20C 120V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
-10C 120V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
0C 120V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
10C 120V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
30C 120V	n20	0	5700	Ant1	5700.08	80000	14.04	25	Pass
40C 120V	n20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
50C 120V	n20	0	5700	Ant1	5700.04	40000	7.02	25	Pass
20C 90V	n40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
20C 120V	n40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
20C 264V	n40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
-20C 120V	n40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
-10C 120V	n40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
0C 120V	n40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
10C 120V	n40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
30C 120V	n40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
40C 120V	n40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
50C 120V	n40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
20C 90V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
20C 120V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
20C 264V	n40	0	5590	Ant1	5590.04	40000	7.16	25	Pass
-20C 120V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
-10C 120V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
0C 120V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
10C 120V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
30C 120V	n40	0	5590	Ant1	5590.04	40000	7.16	25	Pass
40C 120V	n40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
50C 120V	n40	0	5590	Ant1	5590.04	40000	7.16	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

20C 90V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 264V	n40	0	5670	Ant1	5670	0	0	25	Pass
-20C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
-10C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
0C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
10C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
30C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
40C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
50C 120V	n40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 90V	ac20	0	5500	Ant1	5500.08	80000	14.55	25	Pass
20C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
20C 264V	ac20	0	5500	Ant1	5500.04	40000	7.27	25	Pass
-20C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
-10C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
0C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
10C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
30C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
40C 120V	ac20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
50C 120V	ac20	0	5500	Ant1	5500.08	80000	14.55	25	Pass
20C 90V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 264V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
-20C 120V	ac20	0	5600	Ant1	5600.04	40000	7.14	25	Pass
-10C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
0C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
10C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
30C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
40C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
50C 120V	ac20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 90V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 120V	ac20	0	5700	Ant1	5700.04	40000	7.02	25	Pass
20C 264V	ac20	0	5700	Ant1	5700.04	40000	7.02	25	Pass
-20C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

-10C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
0C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
10C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
30C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
40C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
50C 120V	ac20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 90V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
20C 120V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
20C 264V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
-20C 120V	ac40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
-10C 120V	ac40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
0C 120V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
10C 120V	ac40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
30C 120V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
40C 120V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
50C 120V	ac40	0	5510	Ant1	5510.04	40000	7.26	25	Pass
20C 90V	ac40	0	5590	Ant1	5590.04	40000	7.16	25	Pass
20C 120V	ac40	0	5590	Ant1	5590.04	40000	7.16	25	Pass
20C 264V	ac40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
-20C 120V	ac40	0	5590	Ant1	5590.12	120000	21.47	25	Pass
-10C 120V	ac40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
0C 120V	ac40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
10C 120V	ac40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
30C 120V	ac40	0	5590	Ant1	5590.04	40000	7.16	25	Pass
40C 120V	ac40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
50C 120V	ac40	0	5590	Ant1	5590.04	40000	7.16	25	Pass
20C 90V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 120V	ac40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
20C 264V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
-20C 120V	ac40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
-10C 120V	ac40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
0C 120V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
10C 120V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
30C 120V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

40C 120V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
50C 120V	ac40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 90V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
20C 120V	ax20	0	5500	Ant1	5500.04	40000	7.27	25	Pass
20C 264V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
-20C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
-10C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
0C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
10C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
30C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
40C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
50C 120V	ax20	0	5500	Ant1	5500.06	60000	10.91	25	Pass
20C 90V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 264V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
-20C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
-10C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
0C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
10C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
30C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
40C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
50C 120V	ax20	0	5600	Ant1	5600.06	60000	10.71	25	Pass
20C 90V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 120V	ax20	0	5700	Ant1	5700.04	40000	7.02	25	Pass
20C 264V	ax20	0	5700	Ant1	5700.04	40000	7.02	25	Pass
-20C 120V	ax20	0	5700	Ant1	5700.04	40000	7.02	25	Pass
-10C 120V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
0C 120V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
10C 120V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
30C 120V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
40C 120V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
50C 120V	ax20	0	5700	Ant1	5700.06	60000	10.53	25	Pass
20C 90V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
20C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
20C 264V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass



Global Testing Group

REPORT NUMBER: E01A23030560F00104

-20C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
-10C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
0C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
10C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
30C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
40C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
50C 120V	ax40	0	5510	Ant1	5510.08	80000	14.52	25	Pass
20C 90V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
20C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
20C 264V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
-20C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
-10C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
0C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
10C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
30C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
40C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
50C 120V	ax40	0	5590	Ant1	5590.08	80000	14.31	25	Pass
20C 90V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
20C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
20C 264V	ax40	0	5670	Ant1	5670.04	40000	7.05	25	Pass
-20C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
-10C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
0C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
10C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
30C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
40C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass
50C 120V	ax40	0	5670	Ant1	5670.08	80000	14.11	25	Pass