

LinkLens


Smart Audio Snow Goggles




CONTENTS

In the Box	3
Overview	4
Functions	5
Basic Operation	6
Technical Specification	7


In the Box




LinkLens Goggle




LinkLens Case



LinkLens Pouch



Type-C Cable



LinkLens Instructions

Overview

Clear Vision

Double-walled Lens

Better anti-fog performance

Convenience Interchanges


Triple-layer Face Foam

Premium care for your skin

Comfort Fits

Open Air Audio Speakers

Immerse in surround sound



Magnetic Interchangeable Lens Design

Swap your lens just in time

No-slip Silicone Strap

Stay tight on your helmet

Knitted Fabric

High quality fabric

Functions



Music On

- Open Air Audio
- Immersive Sound
- Single-ear Mode
- Rich Bass



Voice Assistant

- One-button to Activate
- Voice Control



Phone Calling

- One-button Activation
- Voice Assistant to Call
- Wind Noise Cancellation
- Calls Clarity



Single-ear Mode

- Stay Alert, Stay Fun
- One-button to Switch
- Left-ear Mode
- Right-ear Mode
- Normal Mode

Basic Operation



- * - Click Button Once
- ** - Click Button Twice
- *** - Click Button Thrice

Technical Specification

Dimension & Weight

- 190mm x 128mm x 101mm
- 7.5" x 5" x 4"

Battery

- 310 mAh, 20-hour battery life
- Charging time: about 1.0 h

Vision

- Field of view: 170 (width) / 90 (tall)
- Double-walled lens
- Magnetic interchangeable lens
- Anti-fog ventilation

Fits & Comfort

- Fits over the glass (OTG)
- Triple-layer face foam
- Silicone backed strap

Controls & Interaction

- Built-in vibration motor
- LED indicator light
- Glove/mitten-friendly buttons

Others

- Bluetooth version: 5.0
- Water & dust resistance: IP54
- Operation temperature -20 to 35°C

WARNING: THIS PRODUCT CONTAINS SMALL MAGNETS AND BATTERY IN THE FRAME, AND MUST BE NOT PRIED OUT OR OTHERWISE REMOVED. AS LOOSE MANETS CAN POSE A RISK OF INJURY OR DEATH TO CHILDREN IF THE MAGNETS ARE SWALLOWED OR INHALED. DO NOT UES IN AREAS WHERE IT IS DANGEROUS TO BE UNABLE TO HEAR AMBINET NOISE AROUND YOU. PAY CAREFUL ATTENTION WHEN USING WHILE PERFORMING WORK THAT REQUIRES YOUR FULL ATTENTION. PAY CAREFUL ATTENTION NOT TO TURN VOLUME UP TOO HIGH ON CONNECTED DEVICE. WE ARE ASSUME NO RESPONSIBILITY IN THE CASE OF ANY ACCIDENT THAT OCCURS IF THE PRODUCT IS USED IN A WAY THAT DOES NOT FOLLOW THE PROVIDED SAFETY PRECAUTIONS. OR IS UED IN A WAY THAT DEVIATED FROM THE INTENDED USE OR LAWS AND REGULATIONS, BUT NOT LIMIT TO TRAFFIC LAWS, SAFETY CODE, ETC.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

ISED Statement

English: This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The digital apparatus complies with Canadian CAN ICES-3 (B)/NMB-3(B).

French: Cet appareil contient des émetteurs/récepteurs exempts de licence qui sont conformes aux RSS exemptés de licence d'Innovation, Sciences et Développement économique Canada.

L'exploitation est soumise aux deux conditions suivantes :

- (1) Cet appareil ne doit pas provoquer d'interférences.
- (2) Cet appareil doit accepter toute interférence, y compris les interférences susceptibles de provoquer un fonctionnement indésirable de l'appareil.

L'appareil numérique du ciem conforme canadien peut - 3 (b) / nmb - 3 (b).

This device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS 102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

cet appareil est conforme à l'exemption des limites d'évaluation courante dans la section 2.5 du cnr - 102 et conformité avec rss 102 de l'exposition aux rf, les utilisateurs peuvent obtenir des données canadiennes sur l'exposition aux champs rf et la conformité.

This equipment complies with Canada radiation exposure limits set forth for an uncontrolled environment.

Cet équipement est conforme aux limites d'exposition aux rayonnements du Canada établies pour un environnement non contrôlé.

RF Exposure Statement

The device has been evaluated to meet general RF exposure requirement. This equipment should be installed and operated with minimum distance 0mm between the radiator & your body.

L'appareil a été évalué pour répondre aux exigences générales d'exposition aux RF. Cet équipement doit être installé et utilisé avec une distance minimale de 0 mm entre le radiateur et votre corps.

