Test Mode	UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.090	16.700	0.5	Complies
157	5785	15.050	16.700	0.5	Complies
165	5825	15.150	16.800	0.5	Complies

CH149



Date: 14.NOV.2022 13:53:52

CH157

6 dB Bandwidth



Date: 14.NOV.2022 13:55:04

CH165



Date: 14.NOV.2022 13:56:18



Date: 14.NOV.2022 13:53:00

99 % Occupied Bandwidth



Date: 14.NOV.2022 13:54:14



Date: 14.NOV.2022 13:55:27

Test Mode	UNII-3_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	14.900	17.800	0.5	Complies
157	5785	16.688	17.800	0.5	Complies
165	5825	15.050	17.900	0.5	Complies

CH149

CH157

CH165

6 dB Bandwidth







99 % Occupied Bandwidth







Test Mode	UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.696	36.200	0.5	Complies
159	5795	29.398	36.400	0.5	Complies

CH151



CH159

6 dB Bandwidth



99 % Occupied Bandwidth





Test Mode	UNII-3_TX AC(VHT80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	71.400	75.200	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



Test Mode	UNII-3_TX AX(HE20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.450	19.000	0.5	Complies
157	5785	18.490	19.000	0.5	Complies
165	5825	16.199	18.900	0.5	Complies

CH149



Date: 14.NOV.2022 15:42:05

CH157

6 dB Bandwidth



Date: 14.NOV.2022 15:43:15

CH165



Date: 14.NOV.2022 15:44:30



Date: 14.NOV.2022 15:41:17

99 % Occupied Bandwidth



Date: 14.NOV.2022 15:42:29



Date: 14.NOV.2022 15:43:33

Test Mode	UNII-3_TX AX(HE40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.599	37.800	0.5	Complies
159	5795	37.700	38.000	0.5	Complies

CH151



Date: 14.NOV.2022 15:56:23

CH159

6 dB Bandwidth



Date: 14.NOV.2022 15:57:28



Date: 14.NOV.2022 15:55:34

99 % Occupied Bandwidth



Date: 14.NOV.2022 15:56:43

Test Mode	UNII-3_TX AX(HE80) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	73.590	77.200	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.23	0.32	16.55	27.93	0.6209	Complies
40	5200	17.97	0.32	18.29	27.93	0.6209	Complies
48	5240	17.64	0.32	17.96	27.93	0.6209	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.03	0.32	16.35	27.93	0.6209	Complies
40	5200	17.72	0.32	18.04	27.93	0.6209	Complies
48	5240	17.38	0.32	17.70	27.93	0.6209	Complies

Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.46	27.93	0.6209	Complies
40	5200	21.18	27.93	0.6209	Complies
48	5240	20.84	27.93	0.6209	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.61	0.38	16.99	27.93	0.6209	Complies
40	5200	17.67	0.38	18.05	27.93	0.6209	Complies
48	5240	17.52	0.38	17.90	27.93	0.6209	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.29	0.38	16.67	27.93	0.6209	Complies
40	5200	17.39	0.38	17.77	27.93	0.6209	Complies
48	5240	17.26	0.38	17.64	27.93	0.6209	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.85	27.93	0.6209	Complies
40	5200	20.93	27.93	0.6209	Complies
48	5240	20.79	27.93	0.6209	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.57	0.38	14.95	27.93	0.6209	Complies
46	5230	16.83	0.38	17.21	27.93	0.6209	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.43	0.38	14.81	27.93	0.6209	Complies
46	5230	16.54	0.38	16.92	27.93	0.6209	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.90	27.93	0.6209	Complies
46	5230	20.08	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.80	0.37	17.17	27.93	0.6209	Complies
40	5200	17.87	0.37	18.24	27.93	0.6209	Complies
48	5240	17.66	0.37	18.03	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.46	0.37	16.83	27.93	0.6209	Complies
40	5200	17.64	0.37	18.01	27.93	0.6209	Complies
48	5240	17.42	0.37	17.79	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.01	27.93	0.6209	Complies
40	5200	21.14	27.93	0.6209	Complies
48	5240	20.92	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.78	0.51	15.29	27.93	0.6209	Complies
46	5230	16.95	0.51	17.46	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.58	0.51	15.09	27.93	0.6209	Complies
46	5230	16.67	0.51	17.18	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.20	27.93	0.6209	Complies
46	5230	20.33	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.90	0.37	14.27	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.70	0.37	14.07	27.93	0.6209	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.18	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.38	0.38	16.76	27.93	0.6209	Complies
40	5200	17.89	0.38	18.27	27.93	0.6209	Complies
48	5240	17.54	0.38	17.92	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.08	0.38	16.46	27.93	0.6209	Complies
40	5200	17.65	0.38	18.03	27.93	0.6209	Complies
48	5240	17.32	0.38	17.70	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.62	27.93	0.6209	Complies
40	5200	21.16	27.93	0.6209	Complies
48	5240	20.82	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.86	0.35	15.21	27.93	0.6209	Complies
46	5230	16.97	0.35	17.32	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.72	0.35	15.07	27.93	0.6209	Complies
46	5230	16.71	0.35	17.06	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.15	27.93	0.6209	Complies
46	5230	20.20	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.43	0.37	13.80	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.13	0.37	13.50	27.93	0.6209	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.66	27.93	0.6209	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.38	0.32	13.70	21.91	0.1552	Complies
60	5300	14.66	0.32	14.98	21.91	0.1552	Complies
64	5320	15.29	0.32	15.61	21.91	0.1552	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.00	0.32	13.32	21.91	0.1552	Complies
60	5300	14.36	0.32	14.68	21.91	0.1552	Complies
64	5320	15.08	0.32	15.40	21.91	0.1552	Complies

Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.52	21.91	0.1552	Complies
60	5300	17.84	21.91	0.1552	Complies
64	5320	18.52	21.91	0.1552	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.64	0.38	14.02	21.91	0.1552	Complies
60	5300	15.13	0.38	15.51	21.91	0.1552	Complies
64	5320	14.95	0.38	15.33	21.91	0.1552	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.24	0.38	13.62	21.91	0.1552	Complies
60	5300	14.71	0.38	15.09	21.91	0.1552	Complies
64	5320	14.93	0.38	15.31	21.91	0.1552	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.84	21.91	0.1552	Complies
60	5300	18.32	21.91	0.1552	Complies
64	5320	18.33	21.91	0.1552	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.50	0.38	16.88	21.91	0.1552	Complies
62	5310	14.01	0.38	14.39	21.91	0.1552	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.19	0.38	16.57	21.91	0.1552	Complies
62	5310	13.74	0.38	14.12	21.91	0.1552	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.74	21.91	0.1552	Complies
62	5310	17.27	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.79	0.37	14.16	21.91	0.1552	Complies
60	5300	15.25	0.37	15.62	21.91	0.1552	Complies
64	5320	15.14	0.37	15.51	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.42	0.37	13.79	21.91	0.1552	Complies
60	5300	14.94	0.37	15.31	21.91	0.1552	Complies
64	5320	15.07	0.37	15.44	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.99	21.91	0.1552	Complies
60	5300	18.48	21.91	0.1552	Complies
64	5320	18.48	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.66	0.51	17.17	21.91	0.1552	Complies
62	5310	14.16	0.51	14.67	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.36	0.51	16.87	21.91	0.1552	Complies
62	5310	13.88	0.51	14.39	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.03	21.91	0.1552	Complies
62	5310	17.54	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.46	0.37	13.83	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.29	0.37	13.66	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.75	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.12	0.38	13.50	21.91	0.1552	Complies
60	5300	15.05	0.38	15.43	21.91	0.1552	Complies
64	5320	15.12	0.38	15.50	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.83	0.38	13.21	21.91	0.1552	Complies
60	5300	14.90	0.38	15.28	21.91	0.1552	Complies
64	5320	14.95	0.38	15.33	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.37	21.91	0.1552	Complies
60	5300	18.37	21.91	0.1552	Complies
64	5320	18.43	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.89	0.35	17.24	21.91	0.1552	Complies
62	5310	14.10	0.35	14.45	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.69	0.35	17.04	21.91	0.1552	Complies
62	5310	13.96	0.35	14.31	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.15	21.91	0.1552	Complies
62	5310	17.39	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.11	0.37	13.48	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.91	0.37	13.28	21.91	0.1552	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.39	21.91	0.1552	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.04	0.44	12.48	21.91	0.1552	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.81	0.44	12.25	21.91	0.1552	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.38	21.91	0.1552	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.10	0.44	12.54	21.91	0.1552	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	11.72	0.44	12.16	21.91	0.1552	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	15.36	21.91	0.1552	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.15	0.32	14.47	21.91	0.1552	Complies
116	5580	14.76	0.32	15.08	21.91	0.1552	Complies
140	5700	14.18	0.32	14.50	21.91	0.1552	Complies
144	5720	14.60	0.32	14.92	21.91	0.1552	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.91	0.32	14.23	21.91	0.1552	Complies
116	5580	14.54	0.32	14.86	21.91	0.1552	Complies
140	5700	13.94	0.32	14.26	21.91	0.1552	Complies
144	5720	14.39	0.32	14.71	21.91	0.1552	Complies

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.36	21.91	0.1552	Complies
116	5580	17.98	21.91	0.1552	Complies
140	5700	17.39	21.91	0.1552	Complies
144	5720	17.83	21.91	0.1552	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.65	0.38	15.03	21.91	0.1552	Complies
116	5580	14.49	0.38	14.87	21.91	0.1552	Complies
140	5700	14.53	0.38	14.91	21.91	0.1552	Complies
144	5720	14.62	0.38	15.00	21.91	0.1552	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.37	0.38	14.75	21.91	0.1552	Complies
116	5580	14.31	0.38	14.69	21.91	0.1552	Complies
140	5700	14.27	0.38	14.65	21.91	0.1552	Complies
144	5720	14.44	0.38	14.82	21.91	0.1552	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.91	21.91	0.1552	Complies
116	5580	17.80	21.91	0.1552	Complies
140	5700	17.80	21.91	0.1552	Complies
144	5720	17.92	21.91	0.1552	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.30	0.38	14.68	21.91	0.1552	Complies
110	5550	16.86	0.38	17.24	21.91	0.1552	Complies
134	5670	16.84	0.38	17.22	21.91	0.1552	Complies
142	5710	16.27	0.38	16.65	21.91	0.1552	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.20	0.38	14.58	21.91	0.1552	Complies
110	5550	16.55	0.38	16.93	21.91	0.1552	Complies
134	5670	16.65	0.38	17.03	21.91	0.1552	Complies
142	5710	16.05	0.38	16.43	21.91	0.1552	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.64	21.91	0.1552	Complies
110	5550	20.10	21.91	0.1552	Complies
134	5670	20.14	21.91	0.1552	Complies
142	5710	19.55	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.81	0.37	15.18	21.91	0.1552	Complies
116	5580	14.71	0.37	15.08	21.91	0.1552	Complies
140	5700	14.71	0.37	15.08	21.91	0.1552	Complies
144	5720	14.87	0.37	15.24	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.47	0.37	14.84	21.91	0.1552	Complies
116	5580	14.47	0.37	14.84	21.91	0.1552	Complies
140	5700	14.40	0.37	14.77	21.91	0.1552	Complies
144	5720	14.56	0.37	14.93	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.02	21.91	0.1552	Complies
116	5580	17.97	21.91	0.1552	Complies
140	5700	17.94	21.91	0.1552	Complies
144	5720	18.10	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.44	0.51	14.95	21.91	0.1552	Complies
110	5550	16.98	0.51	17.49	21.91	0.1552	Complies
134	5670	16.97	0.51	17.48	21.91	0.1552	Complies
142	5710	16.33	0.51	16.84	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.32	0.51	14.83	21.91	0.1552	Complies
110	5550	16.76	0.51	17.27	21.91	0.1552	Complies
134	5670	16.79	0.51	17.30	21.91	0.1552	Complies
142	5710	16.12	0.51	16.63	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.90	21.91	0.1552	Complies
110	5550	20.39	21.91	0.1552	Complies
134	5670	20.40	21.91	0.1552	Complies
142	5710	19.75	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.08	0.37	14.45	21.91	0.1552	Complies
122	5610	16.04	0.37	16.41	21.91	0.1552	Complies
138	5690	15.68	0.37	16.05	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.88	0.37	14.25	21.91	0.1552	Complies
122	5610	15.86	0.37	16.23	21.91	0.1552	Complies
138	5690	15.52	0.37	15.89	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.36	21.91	0.1552	Complies
122	5610	19.33	21.91	0.1552	Complies
138	5690	18.98	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.42	0.44	11.86	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.24	0.44	11.68	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.78	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.69	0.38	15.07	21.91	0.1552	Complies
116	5580	14.62	0.38	15.00	21.91	0.1552	Complies
140	5700	14.66	0.38	15.04	21.91	0.1552	Complies
144	5720	15.67	0.38	16.05	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.40	0.38	14.78	21.91	0.1552	Complies
116	5580	14.40	0.38	14.78	21.91	0.1552	Complies
140	5700	14.41	0.38	14.79	21.91	0.1552	Complies
144	5720	15.51	0.38	15.89	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.94	21.91	0.1552	Complies
116	5580	17.90	21.91	0.1552	Complies
140	5700	17.93	21.91	0.1552	Complies
144	5720	18.98	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.59	0.35	14.94	21.91	0.1552	Complies
110	5550	16.64	0.35	16.99	21.91	0.1552	Complies
134	5670	16.69	0.35	17.04	21.91	0.1552	Complies
142	5710	16.47	0.35	16.82	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.30	0.35	14.65	21.91	0.1552	Complies
110	5550	16.41	0.35	16.76	21.91	0.1552	Complies
134	5670	16.45	0.35	16.80	21.91	0.1552	Complies
142	5710	16.32	0.35	14.67	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.81	21.91	0.1552	Complies
110	5550	19.89	21.91	0.1552	Complies
134	5670	19.93	21.91	0.1552	Complies
142	5710	19.76	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.52	0.37	13.89	21.91	0.1552	Complies
122	5610	15.67	0.37	16.04	21.91	0.1552	Complies
138	5690	15.37	0.37	15.74	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.32	0.37	13.69	21.91	0.1552	Complies
122	5610	15.44	0.37	15.81	21.91	0.1552	Complies
138	5690	15.20	0.37	15.57	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.80	21.91	0.1552	Complies
122	5610	18.93	21.91	0.1552	Complies
138	5690	18.67	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	11.08	0.44	11.52	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	10.77	0.44	11.21	21.91	0.1552	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	14.38	21.91	0.1552	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.86	0.32	18.18	27.93	0.6209	Complies
157	5785	17.95	0.32	18.27	27.93	0.6209	Complies
165	5825	15.79	0.32	16.11	27.93	0.6209	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.76	0.32	18.08	27.93	0.6209	Complies
157	5785	17.52	0.32	17.84	27.93	0.6209	Complies
165	5825	15.58	0.32	15.90	27.93	0.6209	Complies

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.14	27.93	0.6209	Complies
157	5785	21.07	27.93	0.6209	Complies
165	5825	19.02	27.93	0.6209	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.65	0.38	18.03	27.93	0.6209	Complies
157	5785	17.58	0.38	17.96	27.93	0.6209	Complies
165	5825	16.02	0.38	16.40	27.93	0.6209	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.27	0.38	17.65	27.93	0.6209	Complies
157	5785	17.23	0.38	17.61	27.93	0.6209	Complies
165	5825	15.60	0.38	15.98	27.93	0.6209	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.86	27.93	0.6209	Complies
157	5785	20.80	27.93	0.6209	Complies
165	5825	19.21	27.93	0.6209	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.76	0.38	17.14	27.93	0.6209	Complies
159	5795	16.70	0.38	17.08	27.93	0.6209	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.66	0.38	17.04	27.93	0.6209	Complies
159	5795	16.46	0.38	16.84	27.93	0.6209	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.10	27.93	0.6209	Complies
159	5795	19.98	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.76	0.37	18.13	27.93	0.6209	Complies
157	5785	17.73	0.37	18.10	27.93	0.6209	Complies
165	5825	16.22	0.37	16.59	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.41	0.37	17.78	27.93	0.6209	Complies
157	5785	17.35	0.37	17.72	27.93	0.6209	Complies
165	5825	15.80	0.37	16.17	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.97	27.93	0.6209	Complies
157	5785	20.92	27.93	0.6209	Complies
165	5825	19.39	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.92	0.51	17.43	27.93	0.6209	Complies
159	5795	16.89	0.51	17.40	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.78	0.51	17.29	27.93	0.6209	Complies
159	5795	16.62	0.51	17.13	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.37	27.93	0.6209	Complies
159	5795	20.28	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.77	0.37	16.14	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.21	0.37	15.58	27.93	0.6209	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.88	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.28	0.38	16.66	27.93	0.6209	Complies
157	5785	16.23	0.38	16.61	27.93	0.6209	Complies
165	5825	15.72	0.38	16.10	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.85	0.38	16.23	27.93	0.6209	Complies
157	5785	15.81	0.38	16.19	27.93	0.6209	Complies
165	5825	15.27	0.38	15.65	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.46	27.93	0.6209	Complies
157	5785	19.41	27.93	0.6209	Complies
165	5825	18.89	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.96	0.35	17.31	27.93	0.6209	Complies
159	5795	16.92	0.35	17.27	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.72	0.35	17.07	27.93	0.6209	Complies
159	5795	16.63	0.35	16.98	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.20	27.93	0.6209	Complies
159	5795	20.14	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.82	0.37	16.19	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.47	0.37	15.84	27.93	0.6209	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.02	27.93	0.6209	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.48	0.32	7.80	14.93	Complies
40	5200	8.01	0.32	8.33	14.93	Complies
48	5240	7.80	0.32	8.12	14.93	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.33	0.32	7.65	14.93	Complies
40	5200	7.90	0.32	8.22	14.93	Complies
48	5240	7.27	0.32	7.59	14.93	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.74	14.93	Complies
40	5200	11.29	14.93	Complies
48	5240	10.87	14.93	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.84	0.37	7.21	14.93	Complies
40	5200	7.38	0.37	7.75	14.93	Complies
48	5240	6.89	0.37	7.26	14.93	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.27	0.37	7.64	14.93	Complies
40	5200	7.65	0.37	8.02	14.93	Complies
48	5240	7.35	0.37	7.72	14.93	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.44	14.93	Complies
40	5200	10.90	14.93	Complies
48	5240	10.51	14.93	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.12	0.51	3.63	14.93	Complies
46	5230	3.49	0.51	4.00	14.93	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.81	0.51	3.32	14.93	Complies
46	5230	2.96	0.51	3.47	14.93	Complies

CH38



CH46



Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.49	14.93	Complies
46	5230	6.76	14.93	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.05	0.37	0.42	14.93	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.32	0.37	0.05	14.93	Complies

CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.25	14.93	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.76	0.38	7.14	14.93	Complies
40	5200	7.35	0.38	7.73	14.93	Complies
48	5240	7.10	0.38	7.48	14.93	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.18	0.38	7.56	14.93	Complies
40	5200	6.86	0.38	7.24	14.93	Complies
48	5240	6.71	0.38	7.09	14.93	Complies

CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.36	14.93	Complies
40	5200	10.50	14.93	Complies
48	5240	10.30	14.93	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.98	0.35	3.33	14.93	Complies
46	5230	3.03	0.35	3.38	14.93	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.81	0.35	3.16	14.93	Complies
46	5230	2.78	0.35	3.13	14.93	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.26	14.93	Complies
46	5230	6.27	14.93	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.31	0.37	0.68	14.93	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.11	0.37	0.26	14.93	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.48	14.93	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.45	0.32	5.77	8.93	Complies
60	5300	5.22	0.32	5.54	8.93	Complies
64	5320	5.50	0.32	5.82	8.93	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.78	0.32	5.10	8.93	Complies
60	5300	4.68	0.32	5.00	8.93	Complies
64	5320	5.12	0.32	5.44	8.93	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.46	8.93	Complies
60	5300	8.29	8.93	Complies
64	5320	8.64	8.93	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.70	0.37	5.07	8.93	Complies
60	5300	4.67	0.37	5.04	8.93	Complies
64	5320	4.64	0.37	5.01	8.93	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.47	0.37	5.84	8.93	Complies
60	5300	5.52	0.37	5.89	8.93	Complies
64	5320	5.22	0.37	5.59	8.93	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.48	8.93	Complies
60	5300	8.49	8.93	Complies
64	5320	8.32	8.93	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.89	0.51	4.40	8.93	Complies
62	5310	4.14	0.51	4.65	8.93	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.22	0.51	3.73	8.93	Complies
62	5310	3.17	0.51	3.68	8.93	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.09	8.93	Complies
62	5310	7.20	8.93	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.48	0.37	0.85	8.93	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.12	0.37	0.49	8.93	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.68	8.93	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.29	0.38	5.67	8.93	Complies
60	5300	5.28	0.38	5.66	8.93	Complies
64	5320	5.17	0.38	5.55	8.93	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.62	0.38	5.00	8.93	Complies
60	5300	4.60	0.38	4.98	8.93	Complies
64	5320	4.63	0.38	5.01	8.93	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.36	8.93	Complies
60	5300	8.34	8.93	Complies
64	5320	8.30	8.93	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.74	0.35	4.09	8.93	Complies
62	5310	3.77	0.35	4.12	8.93	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.10	0.35	3.45	8.93	Complies
62	5310	3.32	0.35	3.67	8.93	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.79	8.93	Complies
62	5310	6.91	8.93	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.22	0.37	0.59	8.93	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.41	0.37	-0.04	8.93	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.29	8.93	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.20	0.44	-3.76	8.93	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.82	0.44	-4.38	8.93	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.05	8.93	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.48	0.44	-3.04	8.93	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-3.92	0.44	-3.48	8.93	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-0.25	8.93	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.10	0.32	5.42	8.93	Complies
116	5580	5.34	0.32	5.66	8.93	Complies
140	5700	5.20	0.32	5.52	8.93	Complies
144	5720	5.40	0.32	5.72	8.93	Complies

CH100



Date: 14.NOV.2022 09:43:31

CH116



Date: 14.NOV.2022 09:44:48

CH140



Date: 14.NOV.2022 09:45:56

CH144



Date: 14.NOV.2022 19:50:28

Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.17	0.32	5.49	8.93	Complies
116	5580	5.47	0.32	5.79	8.93	Complies
140	5700	5.29	0.32	5.61	8.93	Complies
144	5720	5.02	0.32	5.34	8.93	Complies

CH100



Date: 14.NOV.2022 09:52:15

CH116



Date: 14.NOV.2022 09:52:45

CH140



Date: 14.NOV.2022 09:53:19

CH144



Date: 14.NOV.2022 19:50:28

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.47	8.93	Complies
116	5580	8.74	8.93	Complies
140	5700	8.58	8.93	Complies
144	5720	8.54	8.93	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.22	0.37	5.59	8.93	Complies
116	5580	5.00	0.37	5.37	8.93	Complies
140	5700	5.39	0.37	5.76	8.93	Complies
144	5720	5.27	0.37	5.64	8.93	Complies

CH100



CH116



CH140



CH44



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.30	0.37	5.67	8.93	Complies
116	5580	4.99	0.37	5.36	8.93	Complies
140	5700	5.30	0.37	5.67	8.93	Complies
144	5720	5.00	0.37	5.37	8.93	Complies

CH100



Date: 14.NOV.2022 10:16:47

CH116



Date: 14.NOV.2022 10:17:05

CH140



Date: 14.NOV.2022 10:17:28

CH144



Date: 14.NOV.2022 19:55:06

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.64	8.93	Complies
116	5580	8.37	8.93	Complies
140	5700	8.72	8.93	Complies
144	5720	8.52	8.93	Complies