

NOTE

Precautions Smart creative module is not removable and must not subject the product to mechanical shock;


Smart creative module contains batteries, away from heat sources, fire sources and locations above 60 °C;

Smart creative module cannot be charged for a long time to avoid danger;

The USB charging cable is an electronic component and cannot be used for play;


This product contains small parts and is prohibited for use by children under the age of three to avoid the risk of suffocation.

★ The remote control function keys vary with the product series.




Operating Instructions

1. Product Summary



Smart Creative
Module



Remote
Control



USB Charging
Cable




Building Blocks
Instructions




Building Block
Parts

2. Product Description


2.1 Smart creative module



Front View




Vertical View




Side View


2.2 Remote Control



Front View



Back View




Battery Case

3. Method Of Operation

3.1 On/Off

Turn on the power switch and the indicator lights when starting.

NOTE:
Please turn off the power and use it outside. It is forbidden to work for a long time. It will stop when the working state is longer than 24 hours. Second, you need to charge the Smart creative module.





3.2 Remote Control Operation

Remote control operation install the battery before using it, the indicator light will flash, then the indicator will light Long bright. (AAA Battery 2)

Direction button control: Front, Back, Left, Right.

NOTE:
When "Front and Back" is pressed at the same time, the indicator light flashes and the function will be changed; the left and right are the same way.




One button demonstration

3.3 Link Operation

First turn on the switch of the main control module, then turn on the power switch of the remote controller, press any key of the control panel, when the remote controller indicator lights up, the link succeeds.


NOTE:
If the product has not been used for a long time, it is recommended to replace the remote control battery.



3.4 Charging Operation

Use usb charging, connect the main Smart creative module and the computer usb port. When charging, the light on module is on and when full charged the light is turned off. The charging time is 60 minutes.

NOTE:
The charging input voltage should not exceed 5V and the current should not exceed 1A.



FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.