





Contents


Products and accessories.....	01
Product introduction.....	02
Product instructions.....	03-09







Charge Your COV-S6




没 : o o o One flashing white Low battery

o o o o Off Fully charged


To preserve battery lifespan, fully charge at least once every 45 days



Charge USB Devices




Turn on/Off





Bluetooth Pairing

f




Power button

Press and hold the button to switch on

Press the Bluetooth button begins to connect


Turn on your wireless device, search for "COV-S6", and pair with it. You will hear a prompt tone when Bluetooth is connected successfully. You can play music on your device through the speaker.



Bluetooth
Pairing



AUX Audio Input



Sound line AUX cable sold separately


Connect a 3.5mm audio cable to your phone's/computer's headphone output port, you can control music on your phone or computer.

To return to Bluetooth mode, remove the AUX cable from your SoundCore






TF/Micro SD Audio Input



The speaker is compatible with TF cards of up to 32GB and can directly play MP3 and WMA audio files. Insert a compatible card into the slot underneath the speaker, and the unit will automatically switch to TF mode and Automatically play the music on the card. You can use the media controls on the front of the team to play, pause and navigate between tracks on the card.

TWS Pairing Button



Play/Pause/
Hands free next track last track

VOL+

VOL-



Play/Pause/Hands free



VOL + / next track
Click to increase volume.
Press and hold the button
for next track.



VOL - / last track
Click to decrease volume.
Press and hold the button
for previous track.

2.


TWSPamngButton

Click start or cancel TWS
interconnection.

Note: Please enable pairing
mode before bluetooth mode




Bluetooth Pairing



Bluetooth
Pairing

TWSPairing Button



turn on the 2 Bluetooth speakers, press the Bluetooth of the 2 speakers to get the bluetooth mode (Do not connect the Bluetooth Speaker to the cell phone at this time) press the TWS key of either speaker (this speaker is the master speaker). After the sound prompt, the pairing is successful.



Specification

Product Model: COV-S6

Technology: BTS.O, ASDP, AVRCP, HSP, HFP

Wireless Transmission Distance : Up to 10m/33Ft

Impedance: 40

Microphone Sensitivity: 42 dB $\pm$ 3dB

Frequency Response Range: 80Hz-20KHZ

Speaker: 1.9in

internal magnetic 4012W

Output Power: 12W X 2

Battery Type: Li-ion (4600mAh 3.7V)

Charging Voltage: SV-1A

Product Dimensions: 6.7 in' 2.95 in' 2.95 in

Product Weight: 1.1 LB

Standby Time: 90 days

Play Time: 24hrs (at 50% volume)

Talk Time: 12hrs

Supported Features: Wireless, audio input, TF card

Distortion: 1 %

Signal To Noise Ratio: > 70dB

Waterproof Rating: IPX7

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential

installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.