


Technical Details

Item Number	ZL 305
Item Weight	1 Kg
Product Dimensions	33.5*19*43CM
Wireless charger output	5W
Material	ABS plastic, 6063 Aluminum alloy metal
Power Source	DC5V3A
Lamp wattage	7W
Life Span	30000
Item Package Quantity	1
Type of Bulb	LED
Switch Style	Touch Control
Certification	UL Listed on AC adapter
Special Features	USB Charging Port, Wireless charging 5 Color Temperature 7 Levels of Brightness to suit your activities.
Included Components	1 Desk Lamp, 1 USB Charging cable, 1 User Manual.
Batteries Included?	No
Batteries Required?	No

Attention

1. Do not over-adjust the lamp.
2. Keep the lamp horizontally.
3. Keep away from high temperature and wet environment.



LED Desk Lamp

User Manual

Model:ZL305



Thank you for your purchase of this product. This manual describes how to use your desk lamp. Be sure to read it carefully.

If you have any advice on improving the product, please send us mail, It will help us to do better in future.

LED Desk Lamp

Features

Choose Your Mood

Touch control has 5 color modes (temperatures) to choose, and dimmable with 7 levels of brightness to suit your activities

Any Angle

To find the angle you need, the adjustable head can rotate 90 degrees left or right, 90 degrees up and down, so you can shine a light on anything.

Not Just A Light

It's handy to have a charger in unexpected places. Plug in your eReader, tablet, or smartphone into the built-in USB port.

Eye Caring

Design to be soft, stable and non-flickering, the lighting is friendly on your eyes so you can enjoy what you're doing for longer.

Touch Controls

Slide your fingers along the touch pad to set the brightness level and the lighting mode of your choice. It's convenient and easier than flicking a light switch.

Lamp Framework

Wireless Charging Pad

ON/OFF
Adjust Colors

Auto off Timer

Adjust Brightness



Package

1 Desk Lamp, 1 USB Charging cable, 1 User Manual.

Adjust Angles



Assembling and Notice

1. Do not place the product in a sloping or non secure desktop, so as not to slide down the damage.
2. Do not let the sunshine, rain, or damp, so as not to affect the use.
3. Do not look directly into the light source, so as to avoid eye discomfort.
4. LED light source products can not be replaced
5. Please select the correct input voltage for the lamp DC5V3A
6. Do not disassemble, change the product structure, to prevent electric shock or fire, if the product is abnormal, please contact us.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.