


UU-F001 User Manual

1. Product overview



2. Quick Start Guide:

1. Turn on the device: press and hold the button for 5 seconds, the device will beep and turn on. (How to confirm whether the device has been turned on: double-click the device button, the device will sound, which means that the device has been turned on, and there is no need to restart it)
2. Open the APP that comes with the Apple mobile phone system: Find my;
3. Choose: Items;
4. Choose: Add New Item;
5. Choose: **Other Supported Item**;
6. During the Searching Items process, a device with the word UU-F001 will appear;

7. Click on the device found in the APP and name it;

8. You can use the device functions after naming;


A、 Call the device, click Play Sound, the device will emit music.;

B、 Findmy network helps to find: When the device leaves the Bluetooth distance, it cannot be connected in the APP. You can choose Lost Mode, Enable. Enter the contact mobile phone number, etc. If there is an iPhone near the lost device, the owner's Findmy APP can receive notifications and the latest location;

9.Delete device: To delete the device in the APP, you can select Remove item, that's it.

3. How to replace the battery?

- 1) Open the device from the notch side.
- 2) Replace the battery with a new one (positive pole upward).
- 3) Assemble the device and long press the button for 5 seconds to restart it..



4. Product parameter:

- Product Name: UUcbo Key Finder tag
- Equipment model: UU-F001
- Wireless Technology: Bluetooth 5.2
- External basic specifications:
- Style: straight
- Antenna: on board antenna
- Size: length 38.2mm x width 38.2mm x thickness 7.2mm
- Weight: 9.5g
- Design sealing performance: anti splashing water
- SW Version: 1.0.1
- HW Version: 6.1
- Volume: 90-100 dB
- Battery: CR2032 lithium battery, 230mah / 3.0V, Replaceable

- Standby Time For One Battery: 8-10 Month
- Shell Material: PC, TPU
- BLE basic performance:
- Chip supplier: Nordic
- Model: 52832
- The transmitter frequency range: 2.400 ~ 2.48 GHz;
- The frequency range of receiver: 2.400 ~ 2.48 GHz;
- Transmitting power: 0.18dbm
- Receiving sensitivity: - 93dbm
- Working environment: - 10 °C ~ 60°C
- Humidity: 35 ~ 45 %RH
- Connection range: 10-20 meters indoors; 20-50 meters outdoors
- Package Details
- SIZE: length 126mm x width 114mm x thickness 12mm
- Content: Tag *1 (including 1 CR2032 Battery), Backup Battery(CR2032)*1, Double Sided Tape*1, QSG*1

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

FCC ID: 2A907-UU-F001