

FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

i.safe MOBILE GmbH

i_Park Tauberfranken 10 97922 Lauda-Koenigshofen, Germany

FCC ID: 2AACZ-IS7402

Report Type: Original Report	Product Type: TD-LTE Digital Mobile Phone
Report Number: RSZ180413001-00D	
Report Date: 2018-05-24	
Reviewed By: RF Engineer	Rocky Kang <i>Rocky Kang</i>
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	3
TEST METHODOLOGY	3
MEASUREMENT UNCERTAINTY	4
TEST FACILITY	4
SYSTEM TEST CONFIGURATION	5
DESCRIPTION OF TEST CONFIGURATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50(H) - RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST DATA	11
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	37
APPLICABLE STANDARD	37
TEST PROCEDURE	37
TEST DATA	37
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	67
APPLICABLE STANDARD	67
TEST PROCEDURE	67
TEST DATA	67
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS	100
APPLICABLE STANDARD	100
TEST PROCEDURE	100
TEST DATA	100
FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES	104
APPLICABLE STANDARD	104
TEST PROCEDURE	104
TEST DATA	104
FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY	151
APPLICABLE STANDARD	151
TEST PROCEDURE	151
TEST DATA	152

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The *i.safe MOBILE GmbH*'s product, model number: *IS740.2* (FCC ID: 2AACZ-IS7402) or the "EUT" in this report was a *TD-LTE Digital Mobile Phone*, which was measured approximately: 15.0 cm (L) * 7.5 cm (W) * 1.3 cm (H), rated with input voltage: DC 3.8 V battery or DC 5V from adapter.

Adapter Information:

Model: ICP12-050-2000B

Input: AC 100-240V, 50/60Hz, 0.3 A

Output: DC 5V, 2000 mA

Notes: This series products model: RG740B, RG740 and IS740.2 are identical; they have the identical schematics. Model IS740.2 was selected for fully testing, the detailed information can be referred to the declaration which was stated and guaranteed by the applicant.

**All measurement and test data in this report was gathered from production sample serial number: 1800517. (Assigned by BACL, Shenzhen). The EUT supplied by the applicant was received on 2018-04-13.*

Objective

This test report is prepared on behalf of *i.safe MOBILE GmbH* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15B JBP, Part 15.247 DSS & DTS and Part 15.225 DXX submissions with FCC ID: 2AACZ-IS7402.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services

Part 24 Subpart E - Personal Communication Services

Part 27 – Miscellaneous wireless communications services

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		Uncertainty
Occupied Channel Bandwidth		$\pm 5\%$
RF output power, conducted		$\pm 1.5\text{dB}$
Unwanted Emission, conducted		$\pm 1.5\text{dB}$
Emissions, radiated	Below 1GHz	$\pm 4.70\text{dB}$
	Above 1GHz	$\pm 4.80\text{dB}$
Temperature		$\pm 1^\circ\text{C}$
Supply voltages		$\pm 0.4\%$

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§ 1.1307 , §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ180413001-20A.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal Analyzer	FSEM	845987/005	2018-04-24	2019-04-24
Sunol Sciences	Bi-log Antenna	JB1	A040904-2	2017-12-17	2020-12-16
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2017-05-21	2018-05-21
HP	Amplifier	HP8447E	1937A01046	2017-11-19	2018-05-17
Anritsu	Signal Generator	68369B	004114	2017-12-24	2018-12-24
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2018-01-11	2019-01-11
COM POWER	Dipole Antenna	AD-100	041000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2015-08-18	2018-08-17
Ducommun technologies	RF Cable	UFA210A-1-4724-30050U	MFR64369 223410-001	2017-11-19	2018-05-17
Ducommun technologies	RF Cable	104PEA	218124002	2017-11-19	2018-05-17
Ducommun technologies	RF Cable	RG-214	1	2017-11-19	2018-05-17
Ducommun technologies	RF Cable	RG-214	2	2017-11-22	2018-05-22
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Ducommun technologies	Pre-amplifier	ALN-22093530-01	991373-01	2017-08-03	2018-08-03

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	SPECTRUM ANALYZER	FSU26	200120	2017-12-24	2018-12-24
ESPEC	Temperature & Humidity Chamber	EL-10KA	09107726	2017-12-21	2018-12-21
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Rohde & Schwarz	Wideband Radio Communication Tester	CMU200	106891	2017-12-14	2018-12-14
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh	2018-04-24	2019-04-24
Ducommun technologies	RF Cable	RG-214	3	2017-11-22	2018-05-22
WEINSCHL	10dB Attenuator	5324	AU 3842	2017-11-22	2018-05-23
WEINSCHL	3dB Attenuator	N/A	N/A	2017-11-22	2018-05-23
N/A	Power Splitter	N/A	N/A	2017-05-21	2018-05-21

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ180413001-20A.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50(h) - RF OUTPUT POWER**Applicable Standard**

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.


The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

According to §27.50(h), Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2018-05-15.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	31.39	38.45
	190	836.6	31.37	38.45
	251	848.8	31.40	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	31.41	31.10	30.86	30.34	38.45
	190	836.6	31.44	31.15	30.68	30.43	38.45
	251	848.8	31.43	31.19	30.71	30.38	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	25.67	25.42	25.13	24.89	38.45
	190	836.6	25.77	25.34	25.29	24.93	38.45
	251	848.8	25.69	25.38	25.21	24.87	38.45

2G:**RC1+SO55:**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC0)	1013	824.70	21.22	38.45
	384	836.52	21.65	38.45
	777	848.31	21.63	38.45

RC3+SO55:

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC0)	1013	824.70	21.23	38.45
	384	836.52	21.64	38.45
	777	848.31	21.62	38.45

RC3+SO32(FCH):

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC0)	1013	824.70	21.25	38.45
	384	836.52	21.62	38.45
	777	848.31	21.65	38.45

RC3+SO32(SCH):

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC0)	1013	824.70	21.26	38.45
	384	836.52	21.61	38.45
	777	848.31	21.64	38.45

3G:**RTAP 153.6kbps Subtype 0:**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA EV-DO (BC0)	1013	824.70	21.20	38.45
	384	836.52	21.13	38.45
	777	848.31	21.22	38.45

RETAP 4096pbs Subtype 2:

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA EV-DO (BC0)	1013	824.70	21.22	38.45
	384	836.52	21.15	38.45
	777	848.31	21.24	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		23.90	23.91	23.89
		HSDPA	1	22.32	22.17	22.30
			2	22.32	22.36	22.41
			3	22.24	22.42	22.32
			4	22.21	22.33	22.38
		HSUPA	1	22.18	22.14	22.22
			2	22.49	22.42	22.44
			3	22.53	22.34	22.29
			4	22.47	22.34	22.36
			5	22.35	22.35	22.24
		HSPA+	1	22.06	22.13	22.21

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	28.53	33
	661	1880.0	28.39	33
	810	1909.8	28.36	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	28.83	28.56	28.12	27.97	33
	661	1880.0	28.76	28.46	28.24	27.85	33
	810	1909.8	28.88	28.43	28.16	27.89	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	23.12	22.74	22.53	21.98	33
	661	1880.0	23.42	22.75	22.46	21.86	33
	810	1909.8	23.24	22.68	22.47	21.77	33

2G:**RC1+SO55:**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC1)	25	1851.25	21.22	38.45
	600	1880.00	21.36	38.45
	1175	1908.75	21.48	38.45

RC3+SO55:

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC1)	25	1851.25	21.24	38.45
	600	1880.00	21.35	38.45
	1175	1908.75	21.42	38.45

RC3+SO32(FCH):

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC1)	25	1851.25	21.21	38.45
	600	1880.00	21.32	38.45
	1175	1908.75	21.43	38.45

RC3+SO32(SCH):

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA 1*RTT (BC1)	25	1851.25	21.25	38.45
	600	1880.00	21.36	38.45
	1175	1908.75	21.44	38.45

3G:**RTAP 153.6kbps Subtype 0:**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA EV-DO (BC1)	25	1851.25	21.25	38.45
	600	1880.00	21.23	38.45
	1175	1908.75	21.22	38.45

RETAP 4096pbs Subtype:

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
CDMA EV-DO (BC1)	25	1851.25	21.27	38.45
	600	1880.00	21.19	38.45
	1175	1908.75	21.23	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		22.35	22.36	22.56
		HSDPA	1	21.46	21.40	21.56
			2	21.52	21.39	21.62
			3	21.66	21.51	21.59
			4	21.43	21.37	21.44
		HSUPA	1	20.87	20.79	21.12
			2	20.74	20.42	21.02
			3	20.87	20.34	21.12
			4	20.69	20.52	21.13
			5	20.81	20.74	21.09
		HSPA+	1	21.11	21.16	21.09

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	8.96	13
	Middle	8.66	13
	High	8.56	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	8.63	13
	Middle	8.54	13
	High	8.74	13

Mode	Channel	PAR (dB)	Limit (dB)
CDMA 1*RTT (BC0)	Low	1.35	13
	Middle	1.31	13
	High	1.40	13

Mode	Channel	PAR (dB)	Limit (dB)
CDMA EV-DO (BC0)	Low	2.07	13
	Middle	2.10	13
	High	2.11	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.42	13
	Middle	3.58	13
	High	3.69	13
HSDPA (16QAM)	Low	3.55	13
	Middle	3.75	13
	High	3.53	13
HSUPA (BPSK)	Low	3.41	13
	Middle	3.76	13
	High	3.68	13
HSPA+	Low	3.31	13
	Middle	3.25	13
	High	3.16	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	8.76	13
	Middle	8.27	13
	High	8.52	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	8.63	13
	Middle	8.74	13
	High	8.42	13

Mode	Channel	PAR (dB)	Limit (dB)
CDMA 1*RTT (BC1)	Low	1.39	13
	Middle	1.41	13
	High	1.45	13

Mode	Channel	PAR (dB)	Limit (dB)
CDMA EV-DO (BC1)	Low	2.12	13
	Middle	2.10	13
	High	2.18	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	4.53	13
	Middle	4.47	13
	High	4.65	13
HSDPA (16QAM)	Low	4.81	13
	Middle	4.59	13
	High	4.77	13
HSUPA (BPSK)	Low	4.86	13
	Middle	4.98	13
	High	4.75	13
HSPA+	Low	4.27	13
	Middle	4.36	13
	High	4.28	13

Radiated Power**GSM Mode:**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	92.36	224	1.8	H	30.0	0.7	0.0	29.30	38.45	9.15
836.6	84.36	256	2.2	V	23.9	0.7	0.0	23.20	38.45	15.25
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	88.62	126	2.0	H	18.6	1.30	9.40	26.70	33	6.3
1880.00	86.98	142	2.0	V	16.7	1.30	9.40	24.80	33	8.2

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	86.49	40	1.2	H	24.1	0.7	0.0	23.40	38.45	15.05
836.6	79.66	81	1.1	V	19.2	0.7	0.0	18.50	38.45	19.95
EIRP, PCS Band (Part 24E), Middle Channel										
1880.00	83.35	342	2.3	H	13.3	1.30	9.40	21.40	33	11.6
1880.00	82.33	83	1.5	V	12.1	1.30	9.40	20.20	33	12.8

CDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
ERP for CDMA (1*RTT , BC0)										
836.52	83.95	354	1.8	H	21.6	0.7	0.0	20.90	38.45	17.55
836.52	79.36	188	2.0	V	18.9	0.7	0.0	18.20	38.45	20.25
ERP for CDMA (EV-DO, BC0)										
836.52	83.88	206	1.6	H	21.5	0.7	0.0	20.80	38.45	17.65
836.52	79.51	75	2.5	V	19.1	0.7	0.0	18.40	38.45	20.05
EIRP for CDMA (1*RTT , BC1)										
1880.00	81.94	12	1.2	H	11.9	1.30	9.40	20.00	33	13
1880.00	82.22	55	1.6	V	12.0	1.30	9.40	20.10	33	12.9
EIRP for CDMA (EV-DO, BC1)										
1880.00	82.79	36	1.8	H	12.7	1.30	9.40	20.80	33	12.2
1880.00	83.07	213	2.3	V	12.8	1.30	9.40	20.90	33	12.1

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	82.96	26	1.0	H	20.6	0.7	0.0	19.90	38.45	18.55
836.6	76.38	191	1.8	V	15.9	0.7	0.0	15.20	38.45	23.25
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	80.73	310	2.3	H	10.7	1.30	9.40	18.80	33.00	14.2
1880.00	82.32	11	1.8	V	12.1	1.30	9.40	20.20	33.00	12.8

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 5:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.91	23.26	23.20
		RB Size=1, RB Offset=2	22.72	23.09	23.40
		RB Size=1, RB Offset=5	23.33	22.73	23.26
		RB Size=3, RB Offset=0	22.73	22.99	22.49
		RB Size=3, RB Offset=1	22.80	22.85	23.24
		RB Size=3, RB Offset=2	22.48	23.12	22.72
		RB Size=6, RB Offset=0	21.79	22.15	22.35
	16QAM	RB Size=1, RB Offset=0	22.31	21.71	21.37
		RB Size=1, RB Offset=2	21.74	22.23	21.20
		RB Size=1, RB Offset=5	22.71	21.02	22.59
		RB Size=3, RB Offset=0	21.97	22.72	22.22
		RB Size=3, RB Offset=1	22.08	22.71	21.80
		RB Size=3, RB Offset=2	22.27	22.63	22.56
		RB Size=6, RB Offset=0	20.68	20.73	20.59
3.0	QPSK	RB Size=1, RB Offset=0	23.27	23.22	22.61
		RB Size=1, RB Offset=7	22.28	22.98	22.98
		RB Size=1, RB Offset=14	22.65	23.29	23.31
		RB Size=8, RB Offset=0	23.00	23.01	23.16
		RB Size=8, RB Offset=4	22.80	22.98	23.15
		RB Size=8, RB Offset=7	22.84	22.68	22.88
		RB Size=15, RB Offset=0	21.68	21.94	21.63
	16QAM	RB Size=1, RB Offset=0	22.05	22.16	22.39
		RB Size=1, RB Offset=7	22.02	21.24	22.45
		RB Size=1, RB Offset=14	22.26	22.08	21.34
		RB Size=8, RB Offset=0	22.37	22.24	21.99
		RB Size=8, RB Offset=4	21.45	22.00	21.51
		RB Size=8, RB Offset=7	21.75	22.19	22.13
		RB Size=15, RB Offset=0	20.83	20.92	20.92

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	23.23	22.55	22.65
		RB Size=1, RB Offset=12	23.02	22.27	22.53
		RB Size=1, RB Offset=24	22.53	22.85	22.30
		RB Size=12, RB Offset=0	21.71	21.76	22.42
		RB Size=12, RB Offset=6	22.38	21.71	21.69
		RB Size=12, RB Offset=11	21.50	21.87	21.43
		RB Size=25, RB Offset=0	21.72	21.94	21.69
	16QAM	RB Size=1, RB Offset=0	21.34	21.28	21.53
		RB Size=1, RB Offset=12	21.14	21.30	21.12
		RB Size=1, RB Offset=24	21.05	21.18	21.69
		RB Size=12, RB Offset=0	21.57	21.67	21.02
		RB Size=12, RB Offset=6	21.72	21.26	21.23
		RB Size=12, RB Offset=11	20.98	21.06	21.16
		RB Size=25, RB Offset=0	21.24	20.82	20.82
10.0	QPSK	RB Size=1, RB Offset=0	23.35	23.56	23.48
		RB Size=1, RB Offset=24	23.15	23.27	22.73
		RB Size=1, RB Offset=49	23.42	23.46	22.90
		RB Size=25, RB Offset=0	22.10	21.97	21.56
		RB Size=25, RB Offset=12	21.83	22.20	21.59
		RB Size=25, RB Offset=24	22.24	21.43	22.29
		RB Size=50, RB Offset=0	21.60	21.70	21.87
	16QAM	RB Size=1, RB Offset=0	23.04	21.22	22.29
		RB Size=1, RB Offset=24	21.69	22.02	21.96
		RB Size=1, RB Offset=49	21.52	22.36	22.42
		RB Size=25, RB Offset=0	22.37	21.94	22.09
		RB Size=25, RB Offset=12	22.30	22.10	22.47
		RB Size=25, RB Offset=24	22.18	21.54	21.65
		RB Size=50, RB Offset=0	21.20	20.87	21.53

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.54	13	Pass
QPSK(50RB Size)	6.41	13	Pass
16QAM (1RB Size)	5.67	13	Pass
16QAM (50RB Size)	6.33	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	83.81	340	1.0	H	21.4	0.7	0.0	20.70	38.45
836.5	76.23	170	1.1	V	15.8	0.7	0.0	15.10	38.45
3 MHz Bandwidth									
836.5	83.32	268	2.0	H	20.9	0.7	0.0	20.20	38.45
836.5	76.05	293	1.4	V	15.6	0.7	0.0	14.90	38.45
5 MHz Bandwidth									
836.5	83.47	158	1.8	H	21.1	0.7	0.0	20.40	38.45
836.5	76.39	23	1.0	V	16.0	0.7	0.0	15.30	38.45
10 MHz Bandwidth									
836.5	83.71	147	1.3	H	21.3	0.7	0.0	20.60	38.45
836.5	76.62	260	1.3	V	16.2	0.7	0.0	15.50	38.45

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	83.21	50	1.3	H	20.8	0.7	0.0	20.10	38.45
836.5	76.24	262	2.2	V	15.8	0.7	0.0	15.10	38.45
3 MHz Bandwidth									
836.5	83.36	70	2.0	H	21.0	0.7	0.0	20.30	38.45
836.5	76.44	312	1.3	V	16.0	0.7	0.0	15.30	38.45
5 MHz Bandwidth									
836.5	83.55	167	1.1	H	21.2	0.7	0.0	20.50	38.45
836.5	76.19	255	1.0	V	15.8	0.7	0.0	15.10	38.45
10 MHz Bandwidth									
836.5	83.96	130	1.7	H	21.6	0.7	0.0	20.90	38.45
836.5	76.66	268	1.5	V	16.2	0.7	0.0	15.50	38.45

LTE Band 7:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.97	22.46	22.87
		RB Size=1, RB Offset=12	22.55	22.09	22.03
		RB Size=1, RB Offset=24	22.39	23.02	22.60
		RB Size=12, RB Offset=0	22.22	22.14	22.10
		RB Size=12, RB Offset=6	22.22	23.11	23.44
		RB Size=12, RB Offset=11	23.57	23.15	23.06
		RB Size=25, RB Offset=0	21.60	21.99	21.58
	16QAM	RB Size=1, RB Offset=0	21.23	20.93	21.72
		RB Size=1, RB Offset=12	21.54	21.50	21.18
		RB Size=1, RB Offset=24	21.21	21.68	21.68
		RB Size=12, RB Offset=0	21.55	21.97	21.96
		RB Size=12, RB Offset=6	21.81	21.12	20.87
		RB Size=12, RB Offset=11	21.60	21.07	21.33
		RB Size=25, RB Offset=0	20.34	20.64	20.46
10.0	QPSK	RB Size=1, RB Offset=0	22.84	22.65	23.34
		RB Size=1, RB Offset=24	22.76	22.54	22.75
		RB Size=1, RB Offset=49	23.15	22.52	22.68
		RB Size=25, RB Offset=0	22.40	22.85	22.16
		RB Size=25, RB Offset=12	22.94	22.37	22.99
		RB Size=25, RB Offset=24	22.71	23.08	22.13
		RB Size=50, RB Offset=0	22.42	22.06	21.84
	16QAM	RB Size=1, RB Offset=0	22.36	21.85	22.04
		RB Size=1, RB Offset=24	21.97	22.23	21.76
		RB Size=1, RB Offset=49	22.30	21.68	21.92
		RB Size=25, RB Offset=0	21.81	22.23	21.70
		RB Size=25, RB Offset=12	21.65	21.40	21.84
		RB Size=25, RB Offset=24	21.87	21.73	21.77
		RB Size=50, RB Offset=0	20.96	21.13	20.58

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	23.40	23.08	23.10
		RB Size=1, RB Offset=37	22.33	22.46	22.89
		RB Size=1, RB Offset=74	23.17	22.84	22.49
		RB Size=36, RB Offset=0	22.76	22.41	22.78
		RB Size=36, RB Offset=18	22.47	22.95	22.67
		RB Size=36, RB Offset=37	22.22	22.57	22.97
		RB Size=75, RB Offset=0	21.61	21.67	21.46
	16QAM	RB Size=1, RB Offset=0	21.57	22.33	21.43
		RB Size=1, RB Offset=37	21.90	22.02	21.54
		RB Size=1, RB Offset=74	21.39	22.00	21.35
		RB Size=36, RB Offset=0	21.83	21.96	21.98
		RB Size=36, RB Offset=18	21.92	21.98	21.93
		RB Size=36, RB Offset=37	21.70	22.20	21.36
		RB Size=75, RB Offset=0	20.68	21.02	21.15
20.0	QPSK	RB Size=1, RB Offset=0	22.83	23.04	22.50
		RB Size=1, RB Offset=49	22.99	22.49	23.05
		RB Size=1, RB Offset=99	22.30	22.24	22.49
		RB Size=50, RB Offset=0	22.87	22.92	22.44
		RB Size=50, RB Offset=24	22.46	22.90	22.23
		RB Size=50, RB Offset=49	22.57	22.99	22.23
		RB Size=100, RB Offset=0	21.68	21.57	21.45
	16QAM	RB Size=1, RB Offset=0	22.45	21.95	22.63
		RB Size=1, RB Offset=49	22.40	22.32	21.85
		RB Size=1, RB Offset=99	21.96	22.01	21.68
		RB Size=50, RB Offset=0	21.74	21.79	22.25
		RB Size=50, RB Offset=24	21.77	21.67	22.26
		RB Size=50, RB Offset=49	21.71	22.20	22.35
		RB Size=100, RB Offset=0	20.75	20.97	21.14

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK(1RB Size)	6.42	13	Pass
QPSK(100RB Size)	5.99	13	Pass
16QAM (1RB Size)	6.32	13	Pass
16QAM (100RB Size)	5.67	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2535.00	84.15	312	1.6	H	14.7	2.60	10.20	22.30	33
2535.00	79.81	20	1.2	V	10.9	2.60	10.20	18.50	33
10 MHz Bandwidth									
2535.00	84.21	222	1.3	H	14.7	2.60	10.20	22.30	33
2535.00	80.25	332	1.7	V	11.4	2.60	10.20	19.00	33
15 MHz Bandwidth									
2535.00	83.95	44	1.9	H	14.5	2.60	10.20	22.10	33
2535.00	80.17	227	1.3	V	11.3	2.60	10.20	18.90	33
20 MHz Bandwidth									
2535.00	83.49	207	1.1	H	14.0	2.60	10.20	21.60	33
2535.00	80.09	250	1.2	V	11.2	2.60	10.20	18.80	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2535.00	82.59	19	2.5	H	13.1	2.60	10.20	20.70	33
2535.00	82.53	359	1.5	V	13.7	2.60	10.20	21.30	33
10 MHz Bandwidth									
2535.00	83.27	46	2.3	H	13.8	2.60	10.20	21.40	33
2535.00	80.15	53	2.0	V	11.3	2.60	10.20	18.90	33
15 MHz Bandwidth									
2535.00	82.55	315	1.9	H	13.1	2.60	10.20	20.70	33
2535.00	81.98	311	2.0	V	13.1	2.60	10.20	20.70	33
20 MHz Bandwidth									
2535.00	82.11	63	1.3	H	12.6	2.60	10.20	20.20	33
2535.00	81.99	98	1.6	V	13.1	2.60	10.20	20.70	33

LTE Band 38:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.78	22.63	22.14
		RB Size=1, RB Offset=12	22.26	22.96	22.07
		RB Size=1, RB Offset=24	22.40	22.75	22.55
		RB Size=12, RB Offset=0	21.82	21.91	22.28
		RB Size=12, RB Offset=6	22.84	23.90	23.51
		RB Size=12, RB Offset=11	23.49	23.30	23.15
		RB Size=25, RB Offset=0	21.64	21.51	21.75
	16QAM	RB Size=1, RB Offset=0	21.86	21.97	22.01
		RB Size=1, RB Offset=12	21.73	20.87	21.58
		RB Size=1, RB Offset=24	21.69	21.71	20.84
		RB Size=12, RB Offset=0	20.94	21.26	20.95
		RB Size=12, RB Offset=6	21.54	21.19	20.86
		RB Size=12, RB Offset=11	21.74	21.01	21.08
		RB Size=25, RB Offset=0	20.59	20.46	20.63
10.0	QPSK	RB Size=1, RB Offset=0	22.84	22.71	22.73
		RB Size=1, RB Offset=24	22.23	22.71	22.75
		RB Size=1, RB Offset=49	22.28	22.73	22.64
		RB Size=25, RB Offset=0	22.97	22.95	22.80
		RB Size=25, RB Offset=12	22.96	22.79	22.76
		RB Size=25, RB Offset=24	22.58	22.74	22.26
		RB Size=50, RB Offset=0	21.73	21.70	21.93
	16QAM	RB Size=1, RB Offset=0	22.34	22.26	21.94
		RB Size=1, RB Offset=24	22.17	21.75	21.84
		RB Size=1, RB Offset=49	22.25	21.64	21.54
		RB Size=25, RB Offset=0	21.61	22.32	22.24
		RB Size=25, RB Offset=12	21.89	22.29	22.01
		RB Size=25, RB Offset=24	21.75	22.42	22.24
		RB Size=50, RB Offset=0	20.91	21.23	21.04

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.46	23.27	23.19
		RB Size=1, RB Offset=37	22.52	22.81	22.49
		RB Size=1, RB Offset=74	22.30	22.79	22.49
		RB Size=36, RB Offset=0	22.27	22.36	23.11
		RB Size=36, RB Offset=18	22.28	22.54	22.25
		RB Size=36, RB Offset=37	23.12	22.66	22.87
		RB Size=75, RB Offset=0	21.65	21.97	21.70
	16QAM	RB Size=1, RB Offset=0	22.24	22.09	22.11
		RB Size=1, RB Offset=37	22.21	21.99	22.31
		RB Size=1, RB Offset=74	21.85	21.45	21.68
		RB Size=36, RB Offset=0	22.06	21.64	21.97
		RB Size=36, RB Offset=18	21.85	22.01	22.19
		RB Size=36, RB Offset=37	22.04	22.31	22.02
		RB Size=75, RB Offset=0	20.45	20.69	20.47
20.0	QPSK	RB Size=1, RB Offset=0	23.41	23.08	22.75
		RB Size=1, RB Offset=49	22.33	22.89	23.01
		RB Size=1, RB Offset=99	22.48	22.74	23.13
		RB Size=50, RB Offset=0	22.82	22.47	23.17
		RB Size=50, RB Offset=24	22.26	22.56	22.80
		RB Size=50, RB Offset=49	22.84	22.96	22.06
		RB Size=100, RB Offset=0	22.04	21.84	21.33
	16QAM	RB Size=1, RB Offset=0	22.40	21.89	22.42
		RB Size=1, RB Offset=49	22.35	22.21	21.71
		RB Size=1, RB Offset=99	22.19	22.23	22.20
		RB Size=50, RB Offset=0	21.76	22.12	21.98
		RB Size=50, RB Offset=24	21.61	21.54	22.33
		RB Size=50, RB Offset=49	21.78	21.91	22.35
		RB Size=100, RB Offset=0	20.83	21.28	21.03

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK(1RB Size)	6.28	13	Pass
QPSK(100RB Size)	6.13	13	Pass
16QAM (1RB Size)	6.08	13	Pass
16QAM (100RB Size)	5.94	13	Pass

EIRP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2595.00	81.79	48	2.0	H	12.2	2.20	10.20	20.20	33
2595.00	81.11	138	2.0	V	11.9	2.20	10.20	19.90	33
10 MHz Bandwidth									
2595.00	81.93	298	1.4	H	12.4	2.20	10.20	20.40	33
2595.00	81.49	337	1.5	V	12.3	2.20	10.20	20.30	33
15 MHz Bandwidth									
2595.00	81.64	206	1.1	H	12.1	2.20	10.20	20.10	33
2595.00	80.55	137	1.4	V	11.3	2.20	10.20	19.30	33
20 MHz Bandwidth									
2595.00	81.21	37	2.3	H	11.6	2.20	10.20	19.60	33
2595.00	79.87	85	1.4	V	10.7	2.20	10.20	18.70	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2595.00	81.69	153	2.5	H	12.1	2.20	10.20	20.10	33
2595.00	81.40	205	1.4	V	12.2	2.20	10.20	20.20	33
10 MHz Bandwidth									
2595.00	80.89	342	2.2	H	11.3	2.20	10.20	19.30	33
2595.00	81.66	299	1.1	V	12.5	2.20	10.20	20.50	33
15 MHz Bandwidth									
2595.00	81.13	222	1.3	H	11.6	2.20	10.20	19.60	33
2595.00	81.26	241	2.4	V	12.1	2.20	10.20	20.10	33
20 MHz Bandwidth									
2595.00	81.06	175	2.0	H	11.5	2.20	10.20	19.50	33
2595.00	81.26	44	1.9	V	12.1	2.20	10.20	20.10	33

LTE Band 41:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	23.04	22.61	23.04
		RB Size=1, RB Offset=12	22.87	22.94	22.37
		RB Size=1, RB Offset=24	22.22	22.20	22.23
		RB Size=12, RB Offset=0	22.76	22.11	22.49
		RB Size=12, RB Offset=6	22.31	22.94	23.82
		RB Size=12, RB Offset=11	23.93	23.22	23.09
		RB Size=25, RB Offset=0	21.93	21.99	22.13
	16QAM	RB Size=1, RB Offset=0	21.22	21.44	20.97
		RB Size=1, RB Offset=12	21.04	21.20	21.70
		RB Size=1, RB Offset=24	21.09	21.57	21.27
		RB Size=12, RB Offset=0	21.67	21.76	21.60
		RB Size=12, RB Offset=6	21.68	21.86	21.15
		RB Size=12, RB Offset=11	21.70	21.62	20.95
		RB Size=25, RB Offset=0	20.89	20.88	20.43
10.0	QPSK	RB Size=1, RB Offset=0	22.58	22.88	22.90
		RB Size=1, RB Offset=24	23.01	23.03	22.53
		RB Size=1, RB Offset=49	23.27	22.21	22.27
		RB Size=25, RB Offset=0	23.16	22.77	22.33
		RB Size=25, RB Offset=12	23.14	22.69	22.30
		RB Size=25, RB Offset=24	23.11	22.98	22.33
		RB Size=50, RB Offset=0	22.01	21.65	21.93
	16QAM	RB Size=1, RB Offset=0	21.89	22.09	21.62
		RB Size=1, RB Offset=24	22.44	22.31	21.94
		RB Size=1, RB Offset=49	22.17	22.28	21.43
		RB Size=25, RB Offset=0	21.76	21.85	21.52
		RB Size=25, RB Offset=12	21.33	21.50	22.31
		RB Size=25, RB Offset=24	22.40	22.45	22.17
		RB Size=50, RB Offset=0	21.33	21.23	20.41

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.98	22.92	22.64
		RB Size=1, RB Offset=37	22.48	22.73	22.21
		RB Size=1, RB Offset=74	22.47	22.97	22.77
		RB Size=36, RB Offset=0	23.03	22.68	23.21
		RB Size=36, RB Offset=18	23.08	22.67	22.55
		RB Size=36, RB Offset=37	22.23	22.45	22.44
		RB Size=75, RB Offset=0	22.02	21.59	21.61
	16QAM	RB Size=1, RB Offset=0	21.77	22.07	22.32
		RB Size=1, RB Offset=37	21.50	21.36	22.26
		RB Size=1, RB Offset=74	22.18	21.84	22.14
		RB Size=36, RB Offset=0	21.91	21.55	21.41
		RB Size=36, RB Offset=18	21.41	21.77	21.89
		RB Size=36, RB Offset=37	21.72	21.70	21.87
		RB Size=75, RB Offset=0	20.74	20.62	20.76
20.0	QPSK	RB Size=1, RB Offset=0	23.35	23.19	22.62
		RB Size=1, RB Offset=49	22.33	22.52	23.33
		RB Size=1, RB Offset=99	22.90	22.65	23.31
		RB Size=50, RB Offset=0	22.42	22.87	23.29
		RB Size=50, RB Offset=24	22.22	22.40	22.23
		RB Size=50, RB Offset=49	22.07	22.94	22.70
		RB Size=100, RB Offset=0	21.77	21.35	21.78
	16QAM	RB Size=1, RB Offset=0	22.22	21.79	22.02
		RB Size=1, RB Offset=49	22.74	22.02	22.30
		RB Size=1, RB Offset=99	21.74	21.57	22.02
		RB Size=50, RB Offset=0	22.04	21.71	21.57
		RB Size=50, RB Offset=24	21.53	21.58	21.62
		RB Size=50, RB Offset=49	22.12	21.49	22.31
		RB Size=100, RB Offset=0	21.22	21.21	21.10

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK(1RB Size)	3.83	13	Pass
QPSK(100RB Size)	4.55	13	Pass
16QAM (1RB Size)	3.79	13	Pass
16QAM (100RB Size)	4.48	13	Pass

EIRP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2605.00	81.53	276	2.1	H	12.0	2.20	10.20	20.00	33
2605.00	80.78	221	2.1	V	11.6	2.20	10.20	19.60	33
10 MHz Bandwidth									
2605.00	81.25	330	2.1	H	11.7	2.20	10.20	19.70	33
2605.00	81.76	249	2.0	V	12.6	2.20	10.20	20.60	33
15 MHz Bandwidth									
2605.00	81.69	105	2.3	H	12.1	2.20	10.20	20.10	33
2605.00	81.06	146	2.3	V	11.9	2.20	10.20	19.90	33
20 MHz Bandwidth									
2605.00	81.93	210	1.2	H	12.4	2.20	10.20	20.40	33
2605.00	81.69	328	1.1	V	12.5	2.20	10.20	20.50	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2605.00	81.33	149	1.0	H	11.8	2.20	10.20	19.80	33
2605.00	80.71	354	2.3	V	11.5	2.20	10.20	19.50	33
10 MHz Bandwidth									
2605.00	81.47	91	2.4	H	11.9	2.20	10.20	19.90	33
2605.00	80.64	247	1.5	V	11.4	2.20	10.20	19.40	33
15 MHz Bandwidth									
2605.00	81.52	333	2.4	H	12.0	2.20	10.20	20.00	33
2605.00	80.37	135	1.2	V	11.2	2.20	10.20	19.20	33
20 MHz Bandwidth									
2605.00	81.25	211	1.3	H	11.7	2.20	10.20	19.70	33
2605.00	81.02	131	1.7	V	11.8	2.20	10.20	19.80	33

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit - Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	52~53 %
ATM Pressure:	101.0~101.2 kPa

The testing was performed by Tracy Hu from 2018-04-23 to 2018-05-18.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	245.2	312.50
EGPRS(8PSK)	836.6	242.0	317.30

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
CDMA (1*RTT) BC0	836.52	1.28	1.41
CDMA (EV-DO) BC0	836.52	1.27	1.41


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.15	4.74
HSUPA (BPSK)	836.6	4.15	4.76
HSDPA (16QAM)	836.6	4.15	4.73

PCS Band (Part 24E)


Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	243.6	314.1
EGPRS(8PSK)	1880.0	243.6	310.9

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
CDMA (1*RTT) BC0	1880.00	1.28	1.44
CDMA (EV-DO) BC0	1880.00	1.28	1.41

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.13	4.74
HSUPA (BPSK)	1880.0	4.13	4.74
HSDPA (16QAM)	1880.0	4.13	4.74


Cellular Band (Part 22H)**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode**

Date: 23.APR.2018 14:20:32

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode


Date: 23.APR.2018 14:43:52

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 23.APR.2018 15:03:28


26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode




Date: 23.APR.2018 15:25:05

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode


Date: 23.APR.2018 15:18:23

26 dB Emissions & 99% Occupied Bandwidth for CDMA (1*RTT, BC0) Mode, Middle Channel


Date: 12.MAY.2018 16:03:15

26 dB Emissions & 99% Occupied Bandwidth for CDMA (EV-DO, BC0) Mode, Middle Channel


Date: 18.MAY.2018 15:57:49

PCS Band (Part 24E)**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode**


Date: 23.APR.2018 14:32:53

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode


Date: 23.APR.2018 14:55:00

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode


Date: 23.APR.2018 15:01:24

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode


Date: 23.APR.2018 15:26:36

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode

Date: 23.APR.2018 15:19:37

26 dB Emissions & 99% Occupied Bandwidth for CDMA (1*RTT, BC1) Mode, Middle Channel


Date: 12.MAY.2018 16:14:35

26 dB Emissions & 99% Occupied Bandwidth for CDMA (EV-DO, BC1) Mode, Middle Channel


Date: 18.MAY.2018 16:03:35

LTE Band 5: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.113	1.355
	16QAM	1.108	1.324
3.0	QPSK	2.692	2.971
	16QAM	2.702	3.000
5.0	QPSK	4.519	5.048
	16QAM	4.519	5.080
10.0	QPSK	8.974	9.872
	16QAM	8.974	9.808


QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 28.APR.2018 22:43:03

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 28.APR.2018 22:44:42

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 22:39:25

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 22:41:09

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 22:30:16

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 22:31:49

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 22:37:00

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 22:35:23

LTE Band 7: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.551	5.304
	16QAM	4.535	5.603
10.0	QPSK	8.974	9.952
	16QAM	8.942	9.760
15.0	QPSK	13.558	15.288
	16QAM	13.558	15.144
20.0	QPSK	17.949	19.872
	16QAM	18.013	19.744

The screenshot displays a spectrum analyzer interface with a blue trace showing a signal. Two horizontal red lines mark specific power levels: D1 at 16.35 dBm and D2 at -9.65 dBm. The signal rises from the D2 level to the D1 level between 2.535 GHz and 2.537 GHz, then falls back to the D2 level around 2.5375 GHz. The interface includes various measurement parameters and a data table on the right.

Measurement Parameters:

- Ref: 39 dBm
- * Att: 20 dB
- * RBW: 100 kHz
- * VBW: 300 kHz
- SWT: 5 ms
- Marker 1 [T1]: -10.59 dBm, 2.532451923 GHz

Data Table:

OBW	Delta	Temp
4.551282051 MHz	1 [T1]	1 [T1]
5.304487180 MHz	1 [T1 OBW]	2 [T1 OBW]
2.532724359 GHz	1 [T1 OBW]	2 [T1 OBW]
2.537275641 GHz	1 [T1 OBW]	2 [T1 OBW]

Axis Labels:

- Y-axis: Power (dBm), ranging from -60 to 30.
- X-axis: Frequency (GHz), ranging from 2.535 to 2.5375.

Other Labels:

- Offset: 14 dB
- Center: 2.535 GHz
- Span: 10 MHz
- 1 PK MAXH
- LVL
- 3DB

Ref 39 dBm * Att 20 dB RBW 100 kHz VBW 300 kHz SWT 5 ms Marker 1 [T1] -11.52 dBm 2.532474359 GHz

Offset 14 dB

OBW 4.535256410 MHz
Delta 1 [T1] 0.00 dB
5.602564103 MHz
Temp 1 [T1 OBW] 9.14 dBm
2.532746385 GHz
Temp 2 [T1 OBW] 8.71 dBm
2.537275641 GHz


D1 14.6 dBm

D2 -11.4 dBm

Center 2.535 GHz 1 MHz/ Span 10 MHz


Page 53 of 161

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 22:16:32


16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 22:19:28


QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 28.APR.2018 22:12:33

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 28.APR.2018 22:14:27

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 22:08:27

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 22:10:34

LTE Band 38: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.519	5.096
	16QAM	4.551	5.673
10.0	QPSK	8.942	10.401
	16QAM	8.974	9.696
15.0	QPSK	13.606	19.904
	16QAM	13.654	17.212
20.0	QPSK	17.949	19.359
	16QAM	17.885	19.808

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 21:38:15


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 21:40:47

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 28.APR.2018 21:45:14

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 28.APR.2018 21:42:36

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 28.APR.2018 21:59:56

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 28.APR.2018 21:53:44

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 28.APR.2018 22:05:42


16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 28.APR.2018 22:03:23

LTE Band 41: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.535	5.128
	16QAM	4.551	5.641
10.0	QPSK	8.942	10.721
	16QAM	8.974	9.696
15.0	QPSK	13.558	16.731
	16QAM	13.606	17.740
20.0	QPSK	18.013	19.359
	16QAM	17.885	19.615

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 21:34:56

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 21:32:42

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 21:27:45

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 28.APR.2018 21:29:59

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 21:21:31

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 28.APR.2018 21:25:26

Ref 39 dBm * Att 20 dB * RBW 300 kHz VBW 1 MHz SWT 2.5 ms Marker 1 [T1] -9.25 dBm 2.595384615 GHz

Offset 14 dB OBW 18.012820513 MHz Delta 1 [T1] 0.15 dB 19.358974359 MHz Temp 1 [T1 OBW] 11.34 dBm 2.596025641 GHz Temp 2 [T1 OBW] 11.38 dBm 2.614038462 GHz

D1 16.9 dBm D2 -9.1 dBm 1 PK MAXH 1 30dB

Center 2.605 GHz 4 MHz/ Span 40 MHz

1 PK
MAXH

Ref 39 dBm
Att 20 dB
RBW 300 kHz
VBW 1 MHz
SWT 2.5 ms
Marker 1 [T1]
-11.03 dBm
2.595192308 GHz

Offset 14 dB

OBW 17.88461385 MHz
Delta 1 [T1]
-0.70 dB
19.615384615 MHz
Temp 1 [T1 OBW]
10.96 dBm
2.596088744 GHz
Temp 2 [T1 OBW]
9.85 dBm
2.613974359 GHz

D1 15.4 dBm
T1
T2
D2 -10.6 dBm
1
2

Center 2.605 GHz
4 MHz/
Span 40 MHz

Page 66 of 161

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	25~26 °C
Relative Humidity:	52~54 %
ATM Pressure:	101.0~101.5 kPa

The testing was performed by Tracy Hu from 2018-04-23 to 2018-05-28.


Test result: Compliance.

EUT operation mode: transmitting

Please refer to the following plots.


Cellular Band (Part 22H)

30 MHz – 1 GHz (GSM Mode)




Date: 23.APR.2018 14:30:17

1 GHz – 10 GHz (GSM Mode)




Date: 26.MAY.2018 20:32:17

30 MHz – 1 GHz CDMA (1*RTT BC 0) Mode, Middle channel




Date: 19.MAY.2018 16:01:35

1 GHz – 10 GHz CDMA (1*RTT BC 0) Mode, Middle channel




Date: 19.MAY.2018 17:25:34


30 MHz – 1 GHz CDMA (EV-DO, BC0) Mode, Middle channel



1 GHz – 10 GHz CDMA (EV-DO, BC0) Mode, Middle channel




30 MHz – 1 GHz (WCDMA Mode)



Fundamental test

Date: 23.APR.2018 15:13:16


1 GHz – 10 GHz (WCDMA Mode)



Date: 28.MAY.2018 16:35:13


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)



Date: 23.APR.2018 14:37:03


1 GHz – 2 GHz (GSM Mode)



Fundamental test


Date: 23.APR.2018 14:39:18

2 GHz – 20 GHz (GSM Mode)




Date: 23.APR.2018 14:38:09

30 MHz – 1 GHz CDMA (1*RTT BC 1) Mode, Middle channel




Date: 26.MAY.2018 18:58:10

1 GHz – 2 GHz CDMA (1*RTT BC 1) Mode, Middle channel




Date: 19.MAY.2018 17:32:26

2 GHz – 20 GHz CDMA (1*RTT BC 1) Mode, Middle channel




Date: 19.MAY.2018 17:29:05

30 MHz – 1 GHz CDMA (EV-DO, BC1) Mode, Middle channel




Date: 26.MAY.2018 18:58:33

1 GHz – 2 GHz CDMA (EV-DO, BC1) Mode, Middle channel




Date: 19.MAY.2018 17:32:11

2 GHz – 20 GHz CDMA (EV-DO, BC1) Mode, Middle channel




Date: 19.MAY.2018 17:09:11

30 MHz – 1 GHz (WCDMA Mode)



Date: 23.APR.2018 15:09:30


1 GHz – 2 GHz (WCDMA Mode)



Fundamental test

Date: 26.MAY.2018 20:36:51


2 GHz – 20 GHz (WCDMA Mode)



Date: 23.APR.2018 15:12:20


LTE Band 5:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 28.APR.2018 00:14:07

1 GHz - 10 GHz (1.4 MHz, Middle Channel)




Date: 28.APR.2018 00:19:46

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 28.APR.2018 00:15:18

1 GHz – 10 GHz (3.0 MHz, Middle Channel)



Date: 28.APR.2018 00:19:32


30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 28.APR.2018 00:17:18

1 GHz – 10 GHz (5.0 MHz, Middle Channel)




Date: 28.APR.2018 00:19:18

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 28.APR.2018 00:18:21


1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 28.APR.2018 00:19:02


LTE Band 7:

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 28.APR.2018 00:32:21

1 GHz - 3 GHz (5.0 MHz, Middle Channel)




Date: 28.APR.2018 00:31:26

3 GHz – 26 GHz (5.0 MHz, Middle Channel)



Date: 28.APR.2018 00:27:23

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 28.APR.2018 00:32:34

Ref 29 dBm * Att 10 dB

* RBW 1 MHz
* VBW 3 MHz
SWT 5 ms

Marker 1 [T1]
-45.47 dBm
2.653846154 GHz

Offset 14 dB

1 PK
MAXH

D1 -25 dBm

3dB

Start 1 GHz 200 MHz/ Stop 3 GHz

Fundamental test

* RBW 1 MHz
 * VBW 3 MHz
 SWT 135 ms

Marker 1 [T1]
 -51.81 dBm
 3.405448718 GHz

Ref -10 dBm
 * Att 0 dB

-10 Offset 14 dB

1 PK
 MAXH

D1 -25 dBm


1
 -50
 -60
 -70
 -80
 -90
 -100
 -110

Start 3 GHz
 2.3 GHz/
 Stop 26 GHz

A
 LVL
 3DB


Page 84 of 161

30 MHz - 1 GHz (15.0 MHz, Middle Channel)



Date: 28.APR.2018 00:32:43


1 GHz - 3 GHz (15.0 MHz, Middle Channel)



Fundamental test


Date: 28.APR.2018 00:29:49

3 GHz – 26 GHz (15.0 MHz, Middle Channel)




Date: 28.APR.2018 00:27:58

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 28.APR.2018 00:32:52

1 GHz – 3 GHz (20.0 MHz, Middle Channel)



Date: 28.APR.2018 00:29:14


3 GHz – 26 GHz (20.0 MHz, Middle Channel)



Date: 28.APR.2018 00:28:11


LTE Band 38:

30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:13:17


1 GHz - 3 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 19.MAY.2018 21:12:26

3 GHz – 26 GHz (5.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:11:46

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:13:41

1 GHz – 3 GHz (10.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:14:53

3 GHz – 26 GHz (10.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:15:29

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:22:52

1 GHz - 3 GHz (15.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:20:48

3 GHz – 26 GHz (15.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:18:32

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:23:09

1 GHz – 3 GHz (20.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:23:56


3 GHz – 26 GHz (20.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:25:17


LTE Band 41:

30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:31:02


1 GHz - 3 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 19.MAY.2018 21:29:47

3 GHz – 26 GHz (5.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:28:59

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:31:19

1 GHz – 3 GHz (10.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:31:53

3 GHz – 26 GHz (10.0 MHz, Middle Channel)




Date: 19.MAY.2018 21:33:00

30 MHz - 1 GHz (15.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:35:09

1 GHz - 3 GHz (15.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:34:40

Ref 22.5 dBm * Att 20 dB * RBW 1 MHz * VBW 3 MHz
 SWT 135 ms Marker 1 [T1] -45.52 dBm
 24.967948718 GHz

Offset 7.8 dB
 1 PK MAXH
 D1 -25 dBm
 1
 30dB
 Start 3 GHz 2.3 GHz/ Stop 26 GHz

Ref 32.5 dBm * Att 20 dB

* RBW 100 kHz Marker 1 [T1]
 * VBW 300 kHz -39.18 dBm
 SWT 100 ms 291.153846154 MHz

Offset 7.5 dB

1 PK MAXH


D1 -25 dBm

1

Start 30 MHz 97 MHz/ Stop 1 GHz

Page 98 of 161


1 GHz – 3 GHz (20.0 MHz, Middle Channel)



Fundamental test

Date: 19.MAY.2018 21:36:02

3 GHz – 26 GHz (20.0 MHz, Middle Channel)



Date: 19.MAY.2018 21:36:29

FCC § 2.1053; § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, § 22.917(a) and § 24.238(a) and § 27.53(h)(m)

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2018-04-22.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
213.63	32.12	193	1.1	H	-64.90	0.30	0	-65.20	-13	52.20
213.63	31.02	284	1.8	V	-66.00	0.30	0	-66.30	-13	53.30
1673.20	52.98	105	2.0	H	-54.1	1.30	8.90	-46.50	-13	33.50
1673.20	51.64	317	1.2	V	-54.8	1.30	8.90	-47.20	-13	34.20
2509.80	59.50	192	2.4	H	-44.0	2.60	10.20	-36.40	-13	23.40
2509.80	60.29	355	1.6	V	-42.6	2.60	10.20	-35.00	-13	22.00
WCDMA Mode, Middle channel										
213.63	32.67	4	2.3	H	-64.30	0.30	0	-64.60	-13	51.60
213.63	30.32	240	1.3	V	-66.70	0.30	0	-67.00	-13	54.00
1673.20	44.79	150	1.1	H	-62.3	1.30	8.90	-54.70	-13	41.70
1673.20	45.71	128	1.2	V	-60.8	1.30	8.90	-53.20	-13	40.20
2509.80	54.02	217	1.5	H	-49.5	2.60	10.20	-41.90	-13	28.90
2509.80	51.63	206	2.1	V	-51.3	2.60	10.20	-43.70	-13	30.70
CDMA (1*RTT , BC0), Middle channel										
213.63	32.56	160	1.1	H	-64.40	0.30	0	-64.70	-13	51.70
213.63	31.30	179	1.8	V	-65.70	0.30	0	-66.00	-13	53.00
2509.56	60.67	86	1.8	H	-42.9	2.60	10.20	-35.30	-13	22.30
2509.56	61.22	357	1.4	V	-41.7	2.60	10.20	-34.10	-13	21.10
CDMA(EV-DO, BC0), Middle channel										
213.63	32.79	126	1.8	H	-64.20	0.30	0	-64.50	-13	51.50
213.63	30.07	251	1.4	V	-66.90	0.30	0	-67.20	-13	54.20
2509.56	60.51	92	1.2	H	-43.0	2.60	10.20	-35.40	-13	22.40
2509.56	61.07	107	1.8	V	-41.8	2.60	10.20	-34.20	-13	21.20

30 MHz ~ 20 GHz:**PCS Band (Part 24E)**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
213.63	31.32	200	1.0	H	-65.70	0.30	0	-66.00	-13	53.00
213.63	31.67	221	2.0	V	-65.30	0.30	0	-65.60	-13	52.60
3760.00	43.67	160	1.3	H	-57.6	1.50	11.80	-47.30	-13	34.30
3760.00	43.71	334	2.2	V	-57.0	1.50	11.80	-46.70	-13	33.70
5640.00	45.89	49	1.8	H	-51.7	1.70	12.40	-41.00	-13	28.00
5640.00	45.24	129	2.1	V	-52.0	1.70	12.40	-41.30	-13	28.30
WCDMA Mode Band II, Middle channel										
213.63	32.36	108	1.8	H	-64.60	0.30	0	-64.90	-13	51.90
213.63	31.35	350	2.3	V	-65.60	0.30	0	-65.90	-13	52.90
3760.00	50.71	67	1.0	H	-50.5	1.50	11.80	-40.20	-13	27.20
3760.00	52.63	222	2.0	V	-48.1	1.50	11.80	-37.80	-13	24.80
5640.00	43.52	168	1.5	H	-54.1	1.70	12.40	-43.40	-13	30.40
5640.00	43.61	49	1.7	V	-53.6	1.70	12.40	-42.90	-13	29.90
CDMA (1*RTT , BC1), Middle channel										
213.63	31.16	155	1.3	H	-65.80	0.30	0	-66.10	-13	53.10
213.63	31.96	15	1.9	V	-65.00	0.30	0	-65.30	-13	52.30
3760.00	45.76	167	1.3	H	-55.5	1.50	11.80	-45.20	-13	32.20
3760.00	45.81	89	2.4	V	-54.9	1.50	11.80	-44.60	-13	31.60
CDMA(EV-DO, BC1), Middle channel										
213.63	31.95	206	1.6	H	-65.00	0.30	0	-65.30	-13	52.30
213.63	30.42	127	2.5	V	-66.60	0.30	0	-66.90	-13	53.90
3760.00	45.68	138	1.7	H	-55.5	1.50	11.80	-45.20	-13	32.20
3760.00	45.88	150	2.2	V	-54.9	1.50	11.80	-44.60	-13	31.60

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
Band 5										
Test frequency range:30 MHz ~ 10 GHz										
213.63	31.84	245	1.8	H	-65.20	0.30	0	-65.50	-13	52.50
213.63	31.08	258	1.5	V	-65.90	0.30	0	-66.20	-13	53.20
1673.00	46.37	21	1.3	H	-60.7	1.30	8.90	-53.10	-13	40.10
1673.00	44.95	41	1.6	V	-61.5	1.30	8.90	-53.90	-13	40.90
2509.50	50.58	110	2.3	H	-52.9	2.60	10.20	-45.30	-13	32.30
2509.50	50.37	358	1.1	V	-52.5	2.60	10.20	-44.90	-13	31.90
Band 7										
Test frequency range:30 MHz ~ 26 GHz										
213.63	31.91	76	1.3	H	-65.10	0.30	0	-65.40	-25	40.40
213.63	30.45	74	1.7	V	-66.50	0.30	0	-66.80	-25	41.80
5070	48.89	327	1.4	H	-49.0	1.60	12.10	-38.50	-25	13.50
5070	45.32	136	1.7	V	-52.6	1.60	12.10	-42.10	-25	17.10
7605	53.86	41	1.3	H	-41.3	2.10	10.50	-32.90	-25	7.90
7605	54.21	303	1.9	V	-40.8	2.10	10.50	-32.40	-25	7.40
Band 38										
Test frequency range: 30 MHz ~ 26GHz										
213.63	32.86	152	1.8	H	-64.10	0.30	0	-64.4	-25	39.4
213.63	31.49	275	1.4	V	-65.50	0.30	0	-65.8	-25	40.8
5190.00	42.41	262	1.8	H	-56.2	1.60	12.10	-45.70	-25	20.7
5190.00	44.67	45	2.5	V	-53.5	1.60	12.10	-43.00	-25	18.0
Band 41										
Test frequency range: 30 MHz ~ 26GHz										
213.63	31.41	247	1.5	H	-65.60	0.30	0	-65.9	-25	40.9
213.63	30.15	82	1.7	V	-66.80	0.30	0	-67.1	-25	42.1
5210.00	42.58	131	1.2	H	-56.1	1.60	12.10	-45.6	-25	20.6
5210.00	44.07	284	1.9	V	-54.1	1.60	12.10	-43.6	-25	18.6
7815.00	49.72	193	2.3	H	-44.4	2.00	10.50	-35.9	-25	10.9
7815.00	48.85	71	2.5	V	-45.2	2.00	10.50	-36.7	-25	11.7

Note:

- 1) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 2) Margin = Limit- Absolute Level

FCC § 22.917 (a);§ 24.238 (a); §27.53 (h)(m) - BAND EDGES**Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


Temperature:	21~25 °C
Relative Humidity:	51~52 %
ATM Pressure:	100.5~101.0 kPa

The testing was performed by Tracy Hu from 2018-04-23 to 2018-05-19.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 23.APR.2018 14:24:20

Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 23.APR.2018 14:25:16

Cellular Band, Left Band Edge for EDGE Mode




Date: 23.APR.2018 14:51:05

Cellular Band, Right Band Edge for EDGE Mode




Date: 23.APR.2018 14:51:38

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 23.APR.2018 15:05:33

Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 23.APR.2018 15:07:28

Cellular Band, Left Band Edge for HSDPA (16QAM) Mode



Date: 23.APR.2018 15:21:54

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode



Date: 23.APR.2018 15:22:36

1 PK
MAXH

Offset 4.5 dB

Ref 34.5 dBm

* Att 30 dB

* RBW 100 kHz

* VBW 300 kHz

SWT 5 ms

Marker 1 [T1]

-15.09 dBm

849.096153846 MHz

D1 -13 dBm


Center 849 MHz

1 MHz/

Span 10 MHz


Page 109 of 161

Cellular Band, Left Band Edge for CDMA (1*RTT, BC0) Mode




Date: 12.MAY.2018 16:19:16

Cellular Band, Right Band Edge for CDMA (1*RTT, BC0) Mode




Date: 12.MAY.2018 16:19:59

Cellular Band, Left Band Edge for CDMA (EV-DO, BC0) Mode




Date: 19.MAY.2018 15:10:16

Cellular Band, Right Band Edge for CDMA (EV-DO, BC0) Mode




Date: 19.MAY.2018 15:16:04

PCS Band, Left Band Edge for GSM (GMSK) Mode




Date: 23.APR.2018 14:34:47

PCS Band, Right Band Edge for GSM (GMSK) Mode




Date: 23.APR.2018 14:35:38

PCS Band, Left Band Edge for EDGE Mode




Date: 23.APR.2018 14:56:57

PCS Band, Right Band Edge for EDGE Mode




Date: 23.APR.2018 14:57:34

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 23.APR.2018 15:08:11

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 23.APR.2018 15:08:39

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 23.APR.2018 15:20:35

PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 23.APR.2018 15:21:14

PCS Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 23.APR.2018 15:27:32

PCS Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 23.APR.2018 15:28:11

Left Band Edge for CDMA (1*RTT, BC1) Mode




Date: 19.MAY.2018 17:46:58

Right Band Edge for CDMA (1*RTT, BC1) Mode




Date: 12.MAY.2018 16:21:49

Left Band Edge for CDMA (EV-DO, BC1) Mode



Date: 19.MAY.2018 17:46:35


Right Band Edge for CDMA (EV-DO, BC1) Mode



Date: 19.MAY.2018 17:45:11


Band 5:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:21:00

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:23:37

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:22:18

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:23:04

QPSK (3.0 MHz, FULL RB) - Left Band Edge



Date: 27.APR.2018 23:26:42

QPSK (3.0 MHz, FULL RB) - Right Band Edge



Date: 27.APR.2018 23:24:45

Ref 39 dBm * Att 20 dB

- * RBW 30 kHz
- * VBW 100 kHz
- * SWT 100 ms

Marker 1 [T1] -23.23 dBm
823.990384615 MHz


Offset 14 dB

1 RM
MAXH

D1 -13 dBm


Center 824 MHz 600 kHz/ Span 6 MHz

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Page 122 of 161

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:29:12

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:30:28

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:29:34

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:30:04

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:33:17

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:31:50

16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 27.APR.2018 23:32:51


16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 27.APR.2018 23:32:14


Band 7:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:38:24


QPSK (5.0 MHz, FULL RB) - Right Band Edge



Date: 27.APR.2018 23:40:09


16-QAM (5.0 MHz, FULL RB) - Left Band Edge

Date: 27.APR.2018 23:38:55

16-QAM (5.0 MHz, FULL RB) - Right Band Edge


Date: 27.APR.2018 23:39:43

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:43:18

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:41:23

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:42:43

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:41:57

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:44:23

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:47:14

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:44:50

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:46:09

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:49:57

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:49:26

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 27.APR.2018 23:50:49


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 27.APR.2018 23:48:28


Band 38:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 00:09:06

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 00:07:26

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 00:08:43

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 00:08:00

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 00:03:07

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 00:06:17

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 00:04:15

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 00:05:12

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 00:01:59

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:58:35

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 00:01:31

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:59:49

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:54:28

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 27.APR.2018 23:55:40

16-QAM (20.0 MHz, FULL RB) - Left Band Edge




Date: 27.APR.2018 23:53:57


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 27.APR.2018 23:56:20


Band 41:**QPSK (5.0 MHz, FULL RB) - Left Band Edge**

Date: 28.APR.2018 20:03:56

QPSK (5.0 MHz, FULL RB) - Right Band Edge


Date: 28.APR.2018 20:08:09

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 20:10:19

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 20:07:41

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 20:11:03

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 20:14:04

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 20:11:52

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 20:13:33

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 20:18:56

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 20:15:40

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 20:18:25

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 20:16:30

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 28.APR.2018 20:20:31

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 28.APR.2018 20:21:47

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 28.APR.2018 20:19:42

16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 28.APR.2018 20:22:34

FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055, §22.355, §24.235 and §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2018-04-23.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GSM Mode**

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	7	0.0084	2.5
-20		6	0.0072	2.5
-10		10	0.0120	2.5
0		11	0.0131	2.5
10		9	0.0108	2.5
20		7	0.0084	2.5
30		9	0.0108	2.5
40		8	0.0096	2.5
50		10	0.0120	2.5
25	V min.= 3.6	8	0.0096	2.5
	V max.= 4.35	9	0.0108	2.5

EDGE Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	7	0.0084	2.5
-20		6	0.0072	2.5
-10		9	0.0108	2.5
0		8	0.0096	2.5
10		8	0.0096	2.5
20		10	0.0120	2.5
30		5	0.0060	2.5
40		10	0.0120	2.5
50		8	0.0096	2.5
25	V min.= 3.6	9	0.0108	2.5
	V max.= 4.35	7	0.0084	2.5

CDMA (1*RTT, BC0) Mode

Middle Channel, $f_0=836.52\text{MHz}$				
Temperature (°C)	Power Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-1	-0.0012	2.5
-20		-3	-0.0036	2.5
-10		-5	-0.0060	2.5
0		-2	-0.0024	2.5
10		-3	-0.0036	2.5
20		-4	-0.0048	2.5
30		-7	-0.0084	2.5
40		1	0.0012	2.5
50		2	0.0024	2.5
25	V min.= 3.6	-2	-0.0024	2.5
	V max.= 4.35	3	0.0036	2.5

CDMA (EV-DO, BC0) Mode

Middle Channel, $f_0=836.52\text{MHz}$				
Temperature (°C)	Power Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-4	-0.0048	2.5
-20		-1	-0.0012	2.5
-10		-3	-0.0036	2.5
0		-3	-0.0036	2.5
10		-4	-0.0048	2.5
20		-3	-0.0036	2.5
30		-9	-0.0108	2.5
40		-6	-0.0072	2.5
50		4	0.0048	2.5
25	V min.=3.6	-10	-0.0120	2.5
	V max.= 4.35	5	0.0060	2.5

WCDMA Mode

Middle Channel, $f_0 = 836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	2	0.0024	2.5
-20		4	0.0048	2.5
-10		-1	-0.0012	2.5
0		3	0.0036	2.5
10		1	0.0012	2.5
20		0	0.0000	2.5
30		2	0.0024	2.5
40		4	0.0048	2.5
50		2	0.0024	2.5
25	V min.= 3.6	-2	-0.0024	2.5
	V max.= 4.35	3	0.0036	2.5

PCS Band (Part 24E)**GSM Mode**

Middle Channel, $f_0 = 1880.0\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	4	0.0021	pass
-20		3	0.0016	pass
-10		-1	-0.0005	pass
0		6	0.0032	pass
10		2	0.0011	pass
20		8	0.0043	pass
30		-4	-0.0021	pass
40		-3	-0.0016	pass
50		5	0.0027	pass
25	V min.= 3.6	2	0.0011	pass
	V max.= 4.35	6	0.0032	pass

EDGE Mode

Middle Channel, $f_o=1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	4	0.0021	pass
-20		-3	-0.0016	pass
-10		-1	-0.0005	pass
0		6	0.0032	pass
10		1	0.0005	pass
20		0	0.0000	pass
30		-2	-0.0011	pass
40		3	0.0016	pass
50		4	0.0021	pass
25	V min.= 3.6	2	0.0011	pass
	V max.= 4.35	1	0.0005	pass

CDMA (1*RTT, BC1) Mode

Middle Channel, $f_o=1880.0$ MHz				
Temperature (°C)	Power Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-7	-0.0037	pass
-20		-4	-0.0021	pass
-10		-2	-0.0011	pass
0		-9	-0.0048	pass
10		-10	-0.0053	pass
20		-7	-0.0037	pass
30		-1	-0.0005	pass
40		-11	-0.0059	pass
50		2	0.0011	Pass
25	V min.= 3.6	-5	-0.0027	pass
	V max.= 4.35	-4	-0.0021	Pass

CDMA (EV-DO, BC1) Mode

Middle Channel, $f_0=1880.0\text{MHz}$				
Temperature (°C)	Power Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-5	-0.0027	pass
-20		-2	-0.0011	pass
-10		0	0.0000	pass
0		-5	-0.0027	pass
10		-7	-0.0037	pass
20		-9	-0.0048	pass
30		-2	-0.0011	pass
40		-10	-0.0053	pass
50		3	0.0016	Pass
25	V min.= 3.6	-6	-0.0027	pass
	V max.= 4.35	4	0.0021	Pass

WCDMA Mode

Middle Channel, $f_0=1880.0\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	3	0.0016	pass
-20		5	0.0027	pass
-10		4	0.0021	pass
0		3	0.0016	pass
10		-1	-0.0005	pass
20		-2	-0.0011	pass
30		1	0.0005	pass
40		-3	-0.0016	pass
50		4	0.0021	pass
25	V min.= 3.6	4	0.0021	pass
	V max.= 4.35	-1	-0.0005	pass

LTE:
QPSK:

Band 5:

10.0 MHz Middle Channel, $f_o = 836.5\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	2	0.002391	2.5
-20		3	0.003586	2.5
-10		0	0.000000	2.5
0		-1	-0.001195	2.5
10		4	0.004782	2.5
20		3	0.003586	2.5
30		4	0.004782	2.5
40		1	0.001195	2.5
50		2	0.002391	2.5
25	V min.= 3.6	-1	-0.001195	2.5
	V max.= 4.35	0	0.000000	2.5

Band 7:

10.0 MHz Middle Channel, $f_o = 2535\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	4	0.001578	pass
-20		1	0.000394	pass
-10		4	0.001578	pass
0		-1	-0.000394	pass
10		5	0.001972	pass
20		1	0.000394	pass
30		4	0.001578	pass
40		2	0.000789	pass
50		0	0.000000	pass
25	V min.= 3.6	0	0.000000	pass
	V max.= 4.35	1	0.000394	pass

Band 38:

10.0 MHz Middle Channel, $f_o = 2595$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	2	0.000771	pass
-20		2	0.000771	pass
-10		4	0.001541	pass
0		6	0.002312	pass
10		2	0.000771	pass
20		-3	-0.001156	pass
30		0	0.000000	pass
40		3	0.001156	pass
50		4	0.001541	pass
25	V min.= 3.6	4	0.001541	pass
	V max.= 4.35	1	0.000385	pass

Band41:

10.0 MHz Middle Channel, $f_o = 2605$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.85	8	0.0031	Pass
-20		1	0.0004	Pass
-10		5	0.0019	Pass
0		-2	-0.0008	Pass
10		7	0.0027	Pass
20		5	0.0019	Pass
30		10	0.0038	Pass
40		3	0.0012	Pass
50		1	0.0004	Pass
25	V min.= 3.6	4	0.0015	Pass
	V max.= 4.35	1	0.0004	pass

16QAM:**Band 5:**

10.0 MHz Middle Channel, $f_o=836.5\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	2	0.002391	2.5
-20		1	0.001195	2.5
-10		3	0.003586	2.5
0		1	0.001195	2.5
10		-5	-0.005977	2.5
20		-7	-0.008368	2.5
30		-7	-0.008368	2.5
40		0	0.000000	2.5
50		3	0.003586	2.5
25	V min.= 3.6	-3	-0.003586	2.5
	V max.= 4.35	2	0.002391	2.5

Band 7:

10.0 MHz Middle Channel, $f_o=2535\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-8	-0.00316	Pass
-20		7	0.00276	Pass
-10		-8	-0.00316	Pass
0		11	0.00434	Pass
10		8	0.00316	Pass
20		5	0.00197	Pass
30		4	0.00158	Pass
40		4	0.00158	Pass
50		-3	-0.00118	Pass
25	V min.= 3.6	12	0.00473	Pass
	V max.= 4.35	6	0.00237	pass

Band 38:

10.0 MHz Middle Channel, $f_o=2595$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	1	0.00039	Pass
-20		9	0.00347	Pass
-10		11	0.00424	Pass
0		7	0.00270	Pass
10		7	0.00270	Pass
20		5	0.00193	Pass
30		8	0.00308	Pass
40		2	0.00077	Pass
50		4	0.00154	Pass
25	V min.= 3.6	4	0.00154	Pass
	V max.= 4.35	-7	-0.00270	pass

Band 41:

10.0 MHz Middle Channel, $f_o=2605$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-1	-0.00038	Pass
-20		5	0.00192	Pass
-10		7	0.00269	Pass
0		-2	-0.00077	Pass
10		4	0.00154	Pass
20		10	0.00384	Pass
30		7	0.00269	Pass
40		8	0.00307	Pass
50		-1	-0.00038	Pass
25	V min.= 3.6	4	0.00154	Pass
	V max.= 4.35	-1	-0.00038	pass

***** END OF REPORT *****