

Electronic Door Locking System

The Remote Control Unit RCU315



User's Manual V1.0

Rev. Oct. 29, 2014


User's Manual

The Remote Control Unit RCU315

The Remote Control Unit (RCU) is used to set an electronic door lock in alarm mode (RCU315-1) or to open an electronic door lock from remote (RCU315-2).

The remote control unit is powered by an alkaline battery 27A 12VDC and uses 315MHz frequency. When the push button is pressed, the remote control unit sends a coded signal via the 315MHz RF circuits.

Dimensions:



Specification

Item	Range	Reference Value	Unit	Description
Working Voltage	5-12	12	V	
Static Current	<10	0	uA	
RF Sending Current	<30	16	mA	
Working Temperature	-30~85		°C	

Operation

Push the lockdown button and hold it for 2 seconds.



Battery Low Alarm and Battery Change

You should change the battery when the red LED flashes as alarm for battery low during pressing button. You can open the remote control unit easier with a slot type screwdriver.

User's Manual**The Remote Control Unit RCU315**

FCC STATEMENT:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.